ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-20.76	-5	-15.76
				24.74	-25.82	-13	-12.82
M2				24.75	-16.40	-5	-11.40
				24.74	-25.81	-13	-12.81
M3				24.75	-15.27	-5	-10.27
				24.74	-26.85	-13	-13.85
M1	100	L	64/0	24.75	-24.14	-5	-19.14
				24.74	-24.58	-13	-11.58
M2				24.75	-20.38	-5	-15.38
				24.74	-22.06	-13	-9.06
M3				24.75	-15.18	-5	-10.18
				24.74	-19.93	-13	-6.93
M1	100	H	1/65	25.25	-21.12	-5	-16.12
				25.26	-24.94	-13	-11.94
M2				25.25	-17.66	-5	-12.66
				25.26	-24.48	-13	-11.48
M3				25.25	-14.65	-5	-9.65
				25.26	-25.40	-13	-12.40
M1	100	H	64/2	25.25	-24.26	-5	-19.26
				25.26	-24.00	-13	-11.00
M2				25.25	-19.36	-5	-14.36
				25.26	-20.94	-13	-7.94
M3				25.25	-12.16	-5	-7.16
				25.26	-18.34	-13	-5.34

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	24.75	-22.71	-5	-17.71
				24.74	-25.90	-13	-12.90
M3				24.75	-16.59	-5	-11.59
				24.74	-26.89	-13	-13.89
M2	100	H	64/2	25.25	-18.84	-5	-13.84
				25.26	-24.62	-13	-11.62
M3				25.25	-14.35	-5	-9.35
				25.26	-24.52	-13	-11.52

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	24.75	-17.97	-5	-12.97
				24.74	-25.72	-13	-12.72
M3				24.75	-17.59	-5	-12.59
				24.74	-26.93	-13	-13.93
M2	100	H	64/2	25.25	-18.73	-5	-13.73
				25.26	-24.94	-13	-11.94
M3				25.25	-22.35	-5	-17.35
				25.26	-25.02	-13	-12.02

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	24.75	-18.46	-5	-13.46
				24.74	-26.29	-13	-13.29
M3				24.75	-19.25	-5	-14.25
				24.74	-27.52	-13	-14.52
M2	100	H	64/2	25.25	-19.22	-5	-14.22
				25.26	-25.37	-13	-12.37
M3				25.25	-19.85	-5	-14.85
				25.26	-25.05	-13	-12.05

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.10. BAND EDGE n258 SB2 SISO-DUAL 2CC

ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-22.89	-5	-17.89
				24.745	-26.08	-13	-13.08
M2				24.75	-22.19	-5	-17.19
				24.745	-25.80	-13	-12.80
M3				24.75	-19.28	-5	-14.28
				24.745	-26.95	-13	-13.95
M1	50	L	32/0	24.75	-25.11	-5	-20.11
				24.745	-25.64	-13	-12.64
M2				24.75	-23.41	-5	-18.41
				24.745	-23.65	-13	-10.65
M3				24.75	-19.91	-5	-14.91
				24.745	-22.85	-13	-9.85
M1	50	H	1/31	25.25	-22.75	-5	-17.75
				25.255	-25.30	-13	-12.30
M2				25.25	-17.96	-5	-12.96
				25.255	-24.27	-13	-11.27
M3				25.25	-20.02	-5	-15.02
				25.255	-24.29	-13	-11.29
M1	50	H	32/0	25.25	-24.33	-5	-19.33
				25.255	-24.84	-13	-11.84
M2				25.25	-23.27	-5	-18.27
				25.255	-24.61	-13	-11.61
M3				25.25	-21.52	-5	-16.52
				25.255	-20.02	-13	-7.02

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-22.31	-5	-17.31
				24.745	-25.42	-13	-12.42
M3				24.75	-24.55	-5	-19.55
				24.745	-27.29	-13	-14.29
M2	50	H	1/31	25.25	-19.07	-5	-14.07
				25.255	-24.04	-13	-11.04
M3				25.25	-20.85	-5	-15.85
				25.255	-24.89	-13	-11.89

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-22.51	-5	-17.51
				24.745	-25.93	-13	-12.93
M3				24.75	-19.93	-5	-14.93
				24.745	-27.17	-13	-14.17
M2	50	H	1/31	25.25	-22.97	-5	-17.97
				25.255	-26.69	-13	-13.69
M3				25.25	-20.90	-5	-15.90
				25.255	-24.91	-13	-11.91

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-21.41	-5	-16.41
				24.745	-26.17	-13	-13.17
M3				24.75	-20.34	-5	-15.34
				24.745	-26.97	-13	-13.97
M2	50	H	1/31	25.25	-19.28	-5	-14.28
				25.255	-24.24	-13	-11.24
M3				25.25	-20.02	-5	-15.02
				25.255	-25.23	-13	-12.23

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-24.67	-5	-19.67
				24.74	-25.71	-13	-12.71
M2				24.75	-23.05	-5	-18.05
				24.74	-25.70	-13	-12.70
M3				24.75	-24.53	-5	-19.53
				24.74	-26.27	-13	-13.27
M1	100	L	64/0	24.75	-25.24	-5	-20.24
				24.74	-25.70	-13	-12.70
M2				24.75	-24.96	-5	-19.96
				24.74	-26.21	-13	-13.21
M3				24.75	-20.58	-5	-15.58
				24.74	-22.39	-13	-9.39
M1	100	H	1/65	25.25	-22.61	-5	-17.61
				25.26	-24.78	-13	-11.78
M2				25.25	-21.22	-5	-16.22
				25.26	-24.81	-13	-11.81
M3				25.25	-22.00	-5	-17.00
				25.26	-25.84	-13	-12.84
M1	100	H	64/2	25.25	-24.26	-5	-19.26
				25.26	-24.65	-13	-11.65
M2				25.25	-22.61	-5	-17.61
				25.26	-23.67	-13	-10.67
M3				25.25	-20.55	-5	-15.55
				25.26	-21.16	-13	-8.16

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.11. BAND EDGE n258 SB2 SISO-DUAL 3CC

ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-24.13	-5	-19.13
				24.745	-26.10	-13	-13.10
M2				24.75	-22.59	-5	-17.59
				24.745	-26.40	-13	-13.40
M3				24.75	-22.65	-5	-17.65
				24.745	-26.76	-13	-13.76
M1	50	L	32/0	24.75	-24.67	-5	-19.67
				24.745	-24.51	-13	-11.51
M2				24.75	-24.55	-5	-19.55
				24.745	-24.86	-13	-11.86
M3				24.75	-24.21	-5	-19.21
				24.745	-23.93	-13	-10.93
M1	50	H	1/31	25.25	-22.44	-5	-17.44
				25.255	-24.23	-13	-11.23
M2				25.25	-19.88	-5	-14.88
				25.255	-24.33	-13	-11.33
M3				25.25	-21.14	-5	-16.14
				25.255	-25.29	-13	-12.29
M1	50	H	32/0	25.25	-24.04	-5	-19.04
				25.255	-24.82	-13	-11.82
M2				25.25	-23.77	-5	-18.77
				25.255	-24.73	-13	-11.73
M3				25.25	-23.05	-5	-18.05
				25.255	-22.16	-13	-9.16

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-22.80	-5	-17.80
				24.745	-25.99	-13	-12.99
M3				24.75	-22.32	-5	-17.32
				24.745	-26.37	-13	-13.37
M2	50	H	1/31	25.25	-21.77	-5	-16.77
				25.255	-25.51	-13	-12.51
M3				25.25	-21.31	-5	-16.31
				25.255	-24.64	-13	-11.64

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-23.10	-5	-18.10
				24.745	-26.00	-13	-13.00
M3				24.75	-23.00	-5	-18.00
				24.745	-26.60	-13	-13.60
M2	50	H	1/31	25.25	-20.74	-5	-15.74
				25.255	-24.98	-13	-11.98
M3				25.25	-20.29	-5	-15.29
				25.255	-24.39	-13	-11.39

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-23.28	-5	-18.28
				24.745	-26.99	-13	-13.99
M3				24.75	-21.92	-5	-16.92
				24.745	-27.58	-13	-14.58
M2	50	H	1/31	25.25	-21.14	-5	-16.14
				25.255	-24.99	-13	-11.99
M3				25.25	-21.08	-5	-16.08
				25.255	-24.72	-13	-11.72

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-24.13	-5	-19.13
				24.74	-25.47	-13	-12.47
M2				24.75	-23.15	-5	-18.15
				24.74	-26.73	-13	-13.73
M3				24.75	-23.80	-5	-18.80
				24.74	-26.59	-13	-13.59
M1	100	L	64/0	24.75	-25.90	-5	-20.90
				24.74	-25.84	-13	-12.84
M2				24.75	-24.67	-5	-19.67
				24.74	-25.55	-13	-12.55
M3				24.75	-25.63	-5	-20.63
				24.74	-23.01	-13	-10.01
M1	100	H	1/65	25.25	-24.22	-5	-19.22
				25.26	-24.80	-13	-11.80
M2				25.25	-21.93	-5	-16.93
				25.26	-24.79	-13	-11.79
M3				25.25	-22.94	-5	-17.94
				25.26	-25.33	-13	-12.33
M1	100	H	64/2	25.25	-24.62	-5	-19.62
				25.26	-25.01	-13	-12.01
M2				25.25	-22.56	-5	-17.56
				25.26	-23.35	-13	-10.35
M3				25.25	-20.86	-5	-15.86
				25.26	-21.42	-13	-8.42

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.12. BAND EDGE n258 SB2 SISO-DUAL 4CC

ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-24.51	-5	-19.51
				24.745	-26.11	-13	-13.11
M2				24.75	-21.64	-5	-16.64
				24.745	-26.13	-13	-13.13
M3				24.75	-22.82	-5	-17.82
				24.745	-26.90	-13	-13.90
M1	50	L	32/0	24.75	-24.42	-5	-19.42
				24.745	-25.64	-13	-12.64
M2				24.75	-23.70	-5	-18.70
				24.745	-23.95	-13	-10.95
M3				24.75	-24.00	-5	-19.00
				24.745	-23.08	-13	-10.08
M1	50	H	1/31	25.25	-23.57	-5	-18.57
				25.255	-24.24	-13	-11.24
M2				25.25	-20.32	-5	-15.32
				25.255	-25.13	-13	-12.13
M3				25.25	-21.13	-5	-16.13
				25.255	-25.33	-13	-12.33
M1	50	H	32/0	25.25	-25.42	-5	-20.42
				25.255	-25.03	-13	-12.03
M2				25.25	-23.51	-5	-18.51
				25.255	-24.33	-13	-11.33
M3				25.25	-19.66	-5	-14.66
				25.255	-20.49	-13	-7.49

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-24.21	-5	-19.21
				24.745	-26.10	-13	-13.10
M3				24.75	-23.16	-5	-18.16
				24.745	-27.56	-13	-14.56
M2	50	H	1/31	25.25	-21.74	-5	-16.74
				25.255	-24.93	-13	-11.93
M3				25.25	-22.03	-5	-17.03
				25.255	-24.65	-13	-11.65

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-23.42	-5	-18.42
				24.745	-25.73	-13	-12.73
M3				24.75	-22.92	-5	-17.92
				24.745	-26.94	-13	-13.94
M2	50	H	1/31	25.25	-21.38	-5	-16.38
				25.255	-24.64	-13	-11.64
M3				25.25	-21.01	-5	-16.01
				25.255	-25.00	-13	-12.00

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	24.75	-24.11	-5	-19.11
				24.745	-26.91	-13	-13.91
M3				24.75	-26.56	-5	-21.56
				24.745	-27.43	-13	-14.43
M2	50	H	1/31	25.25	-22.41	-5	-17.41
				25.255	-25.07	-13	-12.07
M3				25.25	-20.78	-5	-15.78
				25.255	-24.88	-13	-11.88

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-23.73	-5	-18.73
			1/0	24.74	-26.41	-13	-13.41
M2			1/0	24.75	-23.87	-5	-18.87
			1/0	24.74	-26.28	-13	-13.28
M3			1/0	24.75	-25.51	-5	-20.51
			1/0	24.74	-27.23	-13	-14.23
M1	100	L	64/0	24.75	-25.39	-5	-20.39
			64/0	24.74	-25.64	-13	-12.64
M2			64/0	24.75	-24.08	-5	-19.08
			64/0	24.74	-25.21	-13	-12.21
M3			64/0	24.75	-21.58	-5	-16.58
			64/0	24.74	-22.24	-13	-9.24
M1	100	H	1/65	25.25	-23.77	-5	-18.77
			1/65	25.26	-24.90	-13	-11.90
M2			1/65	25.25	-21.86	-5	-16.86
			1/65	25.26	-24.81	-13	-11.81
M3			1/65	25.25	-21.88	-5	-16.88
			1/65	25.26	-25.73	-13	-12.73
M1	100	H	64/2	25.25	-24.80	-5	-19.80
			64/2	25.26	-24.60	-13	-11.60
M2			64/2	25.25	-22.03	-5	-17.03
			64/2	25.26	-22.37	-13	-9.37
M3			64/2	25.25	-20.31	-5	-15.31
			64/2	25.26	-19.87	-13	-6.87

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.13. BAND EDGE n258 SB2 MIMO 1CC

ANT M2, 50 MHz, MIMO, 1CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, MIMO, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-20.33	-5	-15.33
				24.745	-24.30	-13	-11.30
M2				24.75	-16.39	-5	-11.39
				24.745	-24.67	-13	-11.67
M3				24.75	-16.77	-5	-11.77
				24.745	-25.21	-13	-12.21
M1	50	L	32/0	24.75	-23.97	-5	-18.97
				24.745	-24.58	-13	-11.58
M2				24.75	-22.71	-5	-17.71
				24.745	-21.91	-13	-8.91
M3				24.75	-18.12	-5	-13.12
				24.745	-20.97	-13	-7.97
M1	50	H	1/31	25.25	-21.20	-5	-16.20
				25.255	-24.12	-13	-11.12
M2				25.25	-15.96	-5	-10.96
				25.255	-23.80	-13	-10.80
M3				25.25	-13.23	-5	-8.23
				25.255	-23.44	-13	-10.44
M1	50	H	32/0	25.25	-23.02	-5	-18.02
				25.255	-23.93	-13	-10.93
M2				25.25	-19.54	-5	-14.54
				25.255	-22.21	-13	-9.21
M3				25.25	-15.62	-5	-10.62
				25.255	-19.67	-13	-6.67

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 1CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, MIMO, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-22.72	-5	-17.72
				24.74	-25.78	-13	-12.78
M2				24.75	-16.49	-5	-11.49
				24.74	-26.13	-13	-13.13
M3				24.75	-19.25	-5	-14.25
				24.74	-26.68	-13	-13.68
M1	100	L	66/0	24.75	-24.24	-5	-19.24
				24.74	-23.74	-13	-10.74
M2				24.75	-22.77	-5	-17.77
				24.74	-22.84	-13	-9.84
M3				24.75	-15.65	-5	-10.65
				24.74	-21.91	-13	-8.91
M1	100	H	1/65	25.25	-20.96	-5	-15.96
				25.26	-24.37	-13	-11.37
M2				25.25	-17.21	-5	-12.21
				25.26	-24.91	-13	-11.91
M3				25.25	-17.08	-5	-12.08
				25.26	-24.71	-13	-11.71
M1	100	H	66/0	25.25	-23.99	-5	-18.99
				25.26	-23.68	-13	-10.68
M2				25.25	-22.04	-5	-17.04
				25.26	-21.29	-13	-8.29
M3				25.25	-19.25	-5	-14.25
				25.26	-19.78	-13	-6.78

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.14. BAND EDGE n258 SB2 MIMO 2CC

ANT M2, 50 MHz, MIMO, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, MIMO, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-24.18	-5	-19.18
				24.745	-25.75	-13	-12.75
M2				24.75	-20.69	-5	-15.69
				24.745	-26.02	-13	-13.02
M3				24.75	-20.26	-5	-15.26
				24.745	-26.96	-13	-13.96
M1	50	L	32/0	24.75	-24.96	-5	-19.96
				24.745	-24.71	-13	-11.71
M2				24.75	-24.58	-5	-19.58
				24.745	-26.15	-13	-13.15
M3				24.75	-24.97	-5	-19.97
				24.745	-23.49	-13	-10.49
M1	50	H	1/31	25.25	-23.76	-5	-18.76
				25.255	-25.08	-13	-12.08
M2				25.25	-19.69	-5	-14.69
				25.255	-24.66	-13	-11.66
M3				25.25	-19.58	-5	-14.58
				25.255	-24.59	-13	-11.59
M1	50	H	32/0	25.25	-24.47	-5	-19.47
				25.255	-25.18	-13	-12.18
M2				25.25	-22.79	-5	-17.79
				25.255	-23.54	-13	-10.54
M3				25.25	-21.71	-5	-16.71
				25.255	-22.51	-13	-9.51

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, MIMO, 2CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	100	L	1/0	24.75	-25.69	-5	-20.69
				24.74	-26.20	-13	-13.20
M2				24.75	-21.85	-5	-16.85
				24.74	-26.38	-13	-13.38
M3				24.75	-24.55	-5	-19.55
				24.74	-26.72	-13	-13.72
M1	100	L	66/0	24.75	-25.16	-5	-20.16
				24.74	-25.72	-13	-12.72
M2				24.75	-23.70	-5	-18.70
				24.74	-24.86	-13	-11.86
M3				24.75	-22.51	-5	-17.51
				24.74	-23.43	-13	-10.43
M1	100	H	1/65	25.25	-23.57	-5	-18.57
				25.26	-24.76	-13	-11.76
M2				25.25	-20.05	-5	-15.05
				25.26	-25.52	-13	-12.52
M3				25.25	-20.66	-5	-15.66
				25.26	-24.90	-13	-11.90
M1	100	H	66/0	25.25	-24.32	-5	-19.32
				25.26	-24.77	-13	-11.77
M2				25.25	-24.02	-5	-19.02
				25.26	-25.36	-13	-12.36
M3				25.25	-21.67	-5	-16.67
				25.26	-23.73	-13	-10.73

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.15. BAND EDGE n258 SB2 MIMO 3CC

ANT M2, 50 MHz, MIMO, 3CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, MIMO, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-24.40	-5	-19.40
				24.745	-25.81	-13	-12.81
M2				24.75	-21.66	-5	-16.66
				24.745	-26.22	-13	-13.22
M3				24.75	-23.78	-5	-18.78
				24.745	-27.19	-13	-14.19
M1	50	L	32/0	24.75	-24.78	-5	-19.78
				24.745	-25.48	-13	-12.48
M2				24.75	-25.11	-5	-20.11
				24.745	-24.85	-13	-11.85
M3				24.75	-24.85	-5	-19.85
				24.745	-24.49	-13	-11.49
M1	50	H	1/31	25.25	-25.77	-5	-20.77
				25.255	-24.45	-13	-11.45
M2				25.25	-20.99	-5	-15.99
				25.255	-24.78	-13	-11.78
M3				25.25	-20.10	-5	-15.10
				25.255	-24.99	-13	-11.99
M1	50	H	32/0	25.25	-24.72	-5	-19.72
				25.255	-25.35	-13	-12.35
M2				25.25	-23.75	-5	-18.75
				25.255	-25.23	-13	-12.23
M3				25.25	-23.71	-5	-18.71
				25.255	-23.25	-13	-10.25

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 3CC, QPSK

Low-side, Single RB



Low-side, Full RB

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, MIMO, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-25.68	-5	-20.68
				24.74	-25.51	-13	-12.51
M2				24.75	-22.48	-5	-17.48
				24.74	-26.76	-13	-13.76
M3				24.75	-25.62	-5	-20.62
				24.74	-27.65	-13	-14.65
M1	100	L	66/0	24.75	-25.83	-5	-20.83
				24.74	-24.60	-13	-11.60
M2				24.75	-24.05	-5	-19.05
				24.74	-25.02	-13	-12.02
M3				24.75	-23.86	-5	-18.86
				24.74	-22.98	-13	-9.98
M1	100	H	1/65	25.25	-24.51	-5	-19.51
				25.26	-24.71	-13	-11.71
M2				25.25	-21.16	-5	-16.16
				25.26	-24.65	-13	-11.65
M3				25.25	-22.46	-5	-17.46
				25.26	-25.27	-13	-12.27
M1	100	H	66/0	25.25	-24.92	-5	-19.92
				25.26	-24.47	-13	-11.47
M2				25.25	-23.52	-5	-18.52
				25.26	-24.78	-13	-11.78
M3				25.25	-22.80	-5	-17.80
				25.26	-23.32	-13	-10.32

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.16. BAND EDGE n258 SB2 MIMO 4CC

ANT M2, 50 MHz, MIMO, 4CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, MIMO, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	24.75	-24.69	-5	-19.69
				24.745	-25.88	-13	-12.88
M2				24.75	-22.55	-5	-17.55
				24.745	-26.06	-13	-13.06
M3				24.75	-23.62	-5	-18.62
				24.745	-26.91	-13	-13.91
M1	50	L	32/0	24.75	-25.77	-5	-20.77
				24.745	-25.81	-13	-12.81
M2				24.75	-25.51	-5	-20.51
				24.745	-25.52	-13	-12.52
M3				24.75	-23.63	-5	-18.63
				24.745	-22.57	-13	-9.57
M1	50	H	1/31	25.25	-24.14	-5	-19.14
				25.255	-24.63	-13	-11.63
M2				25.25	-20.77	-5	-15.77
				25.255	-25.07	-13	-12.07
M3				25.25	-20.17	-5	-15.17
				25.255	-24.97	-13	-11.97
M1	50	H	32/0	25.25	-24.55	-5	-19.55
				25.255	-24.57	-13	-11.57
M2				25.25	-23.59	-5	-18.59
				25.255	-23.54	-13	-10.54
M3				25.25	-22.84	-5	-17.84
				25.255	-22.32	-13	-9.32

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 4CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, MIMO, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	24.75	-24.92	-5	-19.92
				24.74	-26.03	-13	-13.03
M2				24.75	-23.64	-5	-18.64
				24.74	-26.14	-13	-13.14
M3				24.75	-25.28	-5	-20.28
				24.74	-27.24	-13	-14.24
M1	100	L	66/0	24.75	-25.73	-5	-20.73
				24.74	-25.91	-13	-12.91
M2				24.75	-24.47	-5	-19.47
				24.74	-24.94	-13	-11.94
M3				24.75	-23.89	-5	-18.89
				24.74	-23.58	-13	-10.58
M1	100	H	1/65	25.25	-24.78	-5	-19.78
				25.26	-24.48	-13	-11.48
M2				25.25	-20.46	-5	-15.46
				25.26	-25.20	-13	-12.20
M3				25.25	-22.78	-5	-17.78
				25.26	-24.74	-13	-11.74
M1	100	H	66/0	25.25	-24.71	-5	-19.71
				25.26	-25.00	-13	-12.00
M2				25.25	-23.99	-5	-18.99
				25.26	-24.74	-13	-11.74
M3				25.25	-22.64	-5	-17.64
				25.26	-23.38	-13	-10.38

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.17. BAND EDGE n261 SISO-DUAL 1CC

ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-21.45	-5	-16.45
				27.495	-26.47	-13	-13.47
M2				27.5	-16.20	-5	-11.20
				27.495	-23.62	-13	-10.62
M3				27.5	-16.06	-5	-11.06
				27.495	-22.33	-13	-9.33
M1	50	L	32/0	27.5	-26.27	-5	-21.27
				27.495	-26.82	-13	-13.82
M2				27.5	-20.69	-5	-15.69
				27.495	-22.15	-13	-9.15
M3				27.5	-19.81	-5	-14.81
				27.495	-19.86	-13	-6.86
M1	50	H	1/31	28.35	-23.10	-5	-18.10
				28.355	-26.79	-13	-13.79
M2				28.35	-15.72	-5	-10.72
				28.355	-23.38	-13	-10.38
M3				28.35	-14.56	-5	-9.56
				28.355	-22.81	-13	-9.81
M1	50	H	32/0	28.35	-24.55	-5	-19.55
				28.355	-25.72	-13	-12.72
M2				28.35	-21.56	-5	-16.56
				28.355	-22.97	-13	-9.97
M3				28.35	-18.14	-5	-13.14
				28.355	-18.32	-13	-5.32

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-15.17	-5	-10.17
				27.495	-23.68	-13	-10.68
M3				27.5	-13.43	-5	-8.43
				27.495	-23.16	-13	-10.16
M2	50	L	32/0	27.5	-23.22	-5	-18.22
				27.495	-23.24	-13	-10.24
M3				27.5	-20.35	-5	-15.35
				27.495	-21.87	-13	-8.87
M2	50	H	1/31	28.35	-16.69	-5	-11.69
				28.355	-23.05	-13	-10.05
M3				28.35	-15.06	-5	-10.06
				28.355	-22.88	-13	-9.88
M2	50	H	32/0	28.35	-21.29	-5	-16.29
				28.355	-23.39	-13	-10.39
M3				28.35	-19.56	-5	-14.56
				28.355	-21.75	-13	-8.75

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-19.90	-5	-14.90
				27.495	-24.59	-13	-11.59
M3				27.5	-16.21	-5	-11.21
				27.495	-23.04	-13	-10.04
M2	50	L	32/0	27.5	-22.93	-5	-17.93
				27.495	-23.61	-13	-10.61
M3				27.5	-20.20	-5	-15.20
				27.495	-20.29	-13	-7.29
M2	50	H	1/31	28.35	-16.75	-5	-11.75
				28.355	-24.05	-13	-11.05
M3				28.35	-15.62	-5	-10.62
				28.355	-23.32	-13	-10.32
M2	50	H	32/0	28.35	-21.78	-5	-16.78
				28.355	-24.17	-13	-11.17
M3				28.35	-18.26	-5	-13.26
				28.355	-20.18	-13	-7.18

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-17.23	-5	-12.23
				27.495	-24.46	-13	-11.46
M3				27.5	-17.76	-5	-12.76
				27.495	-23.83	-13	-10.83
M2	50	L	32/0	27.5	-23.71	-5	-18.71
				27.495	-24.29	-13	-11.29
M3				27.5	-22.88	-5	-17.88
				27.495	-23.65	-13	-10.65
M2	50	H	1/31	28.35	-18.91	-5	-13.91
				28.355	-23.82	-13	-10.82
M3				28.35	-16.64	-5	-11.64
				28.355	-23.20	-13	-10.20
M2	50	H	32/0	28.35	-23.45	-5	-18.45
				28.355	-23.79	-13	-10.79
M3				28.35	-22.13	-5	-17.13
				28.355	-23.48	-13	-10.48

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-24.75	-5	-19.75
				27.49	-27.59	-13	-14.59
M2				27.5	-17.43	-5	-12.43
				27.49	-24.30	-13	-11.30
M3				27.5	-17.71	-5	-12.71
				27.49	-24.92	-13	-11.92
M1	100	L	64/0	27.5	-27.35	-5	-22.35
				27.49	-27.85	-13	-14.85
M2				27.5	-22.07	-5	-17.07
				27.49	-24.28	-13	-11.28
M3				27.5	-17.78	-5	-12.78
				27.49	-19.28	-13	-6.28
M1	100	H	1/65	28.35	-22.09	-5	-17.09
				28.36	-27.39	-13	-14.39
M2				28.35	-17.16	-5	-12.16
				28.36	-24.70	-13	-11.70
M3				28.35	-15.46	-5	-10.46
				28.36	-24.06	-13	-11.06
M1	100	H	64/2	28.35	-25.70	-5	-20.70
				28.36	-26.06	-13	-13.06
M2				28.35	-22.02	-5	-17.02
				28.36	-20.50	-13	-7.50
M3				28.35	-16.14	-5	-11.14
				28.36	-15.44	-13	-2.44

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	27.5	-22.06	-5	-17.06
				27.49	-24.61	-13	-11.61
M3				27.5	-23.92	-5	-18.92
				27.49	-25.00	-13	-12.00
M2	100	H	64/2	28.35	-16.87	-5	-11.87
				28.36	-24.30	-13	-11.30
M3				28.35	-15.56	-5	-10.56
				28.36	-24.57	-13	-11.57

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	27.5	-20.89	-5	-15.89
				27.49	-24.84	-13	-11.84
M3				27.5	-18.40	-5	-13.40
				27.49	-24.68	-13	-11.68
M2	100	H	64/2	28.35	-18.26	-5	-13.26
				28.36	-24.70	-13	-11.70
M3				28.35	-22.63	-5	-17.63
				28.36	-24.43	-13	-11.43

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	27.5	-21.72	-5	-16.72
				27.49	-25.13	-13	-12.13
M3				27.5	-19.42	-5	-14.42
				27.49	-25.29	-13	-12.29
M2	100	H	64/2	28.35	-20.99	-5	-15.99
				28.36	-24.98	-13	-11.98
M3				28.35	-22.94	-5	-17.94
				28.36	-24.79	-13	-11.79

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.18. BAND EDGE n261 SISO-DUAL 2CC

ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-25.01	-5	-20.01
				27.495	-27.43	-13	-14.43
M2				27.5	-21.45	-5	-16.45
				27.495	-25.55	-13	-12.55
M3				27.5	-20.49	-5	-15.49
				27.495	-25.01	-13	-12.01
M1	50	L	32/0	27.5	-26.83	-5	-21.83
				27.495	-27.63	-13	-14.63
M2				27.5	-23.01	-5	-18.01
				27.495	-24.35	-13	-11.35
M3				27.5	-21.50	-5	-16.50
				27.495	-21.82	-13	-8.82
M1	50	H	1/31	28.35	-26.45	-5	-21.45
				28.355	-27.52	-13	-14.52
M2				28.35	-21.11	-5	-16.11
				28.355	-24.82	-13	-11.82
M3				28.35	-20.66	-5	-15.66
				28.355	-24.55	-13	-11.55
M1	50	H	32/0	28.35	-26.52	-5	-21.52
				28.355	-26.85	-13	-13.85
M2				28.35	-23.81	-5	-18.81
				28.355	-24.57	-13	-11.57
M3				28.35	-22.53	-5	-17.53
				28.355	-22.32	-13	-9.32

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-23.00	-5	-18.00
				27.495	-24.83	-13	-11.83
M3				27.5	-18.95	-5	-13.95
				27.495	-24.88	-13	-11.88
M2	50	H	1/31	28.35	-22.85	-5	-17.85
				28.355	-25.25	-13	-12.25
M3				28.35	-21.79	-5	-16.79
				28.355	-24.58	-13	-11.58

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-22.21	-5	-17.21
				27.495	-25.08	-13	-12.08
M3				27.5	-21.31	-5	-16.31
				27.495	-24.62	-13	-11.62
M2	50	H	1/31	28.35	-21.22	-5	-16.22
				28.355	-24.25	-13	-11.25
M3				28.35	-21.86	-5	-16.86
				28.355	-24.49	-13	-11.49

ANT M2 & M3, 50 MHz, SISO-DUAL, 2CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-24.26	-5	-19.26
				27.495	-24.85	-13	-11.85
M3				27.5	-21.28	-5	-16.28
				27.495	-24.88	-13	-11.88
M2	50	H	1/31	28.35	-21.41	-5	-16.41
				28.355	-24.80	-13	-11.80
M3				28.35	-22.38	-5	-17.38
				28.355	-24.68	-13	-11.68

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-26.58	-5	-21.58
				27.49	-27.56	-13	-14.56
M2				27.5	-21.65	-5	-16.65
				27.49	-25.02	-13	-12.02
M3				27.5	-21.83	-5	-16.83
				27.49	-25.00	-13	-12.00
M1	100	L	64/0	27.5	-27.82	-5	-22.82
				27.49	-27.29	-13	-14.29
M2				27.5	-24.29	-5	-19.29
				27.49	-24.39	-13	-11.39
M3				27.5	-22.82	-5	-17.82
				27.49	-23.26	-13	-10.26
M1	100	H	1/65	28.35	-25.71	-5	-20.71
				28.36	-27.35	-13	-14.35
M2				28.35	-21.43	-5	-16.43
				28.36	-24.17	-13	-11.17
M3				28.35	-21.24	-5	-16.24
				28.36	-24.41	-13	-11.41
M1	100	H	64/2	28.35	-27.01	-5	-22.01
				28.36	-27.57	-13	-14.57
M2				28.35	-23.40	-5	-18.40
				28.36	-24.20	-13	-11.20
M3				28.35	-21.03	-5	-16.03
				28.36	-23.39	-13	-10.39

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.19. BAND EDGE n261 SISO-DUAL 3CC

ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



01:39:19 PM 05/21/2023

High-side, Full RB



12:51:20 PM 05/21/2023

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-25.69	-5	-20.69
				27.495	-27.74	-13	-14.74
M2				27.5	-21.95	-5	-16.95
				27.495	-25.09	-13	-12.09
M3				27.5	-20.79	-5	-15.79
				27.495	-24.76	-13	-11.76
M1	50	L	32/0	27.5	-27.51	-5	-22.51
				27.495	-27.33	-13	-14.33
M2				27.5	-24.46	-5	-19.46
				27.495	-24.44	-13	-11.44
M3				27.5	-21.94	-5	-16.94
				27.495	-21.95	-13	-8.95
M1	50	H	1/31	28.35	-25.85	-5	-20.85
				28.355	-27.13	-13	-14.13
M2				28.35	-22.18	-5	-17.18
				28.355	-24.93	-13	-11.93
M3				28.35	-21.77	-5	-16.77
				28.355	-24.31	-13	-11.31
M1	50	H	32/0	28.35	-26.85	-5	-21.85
				28.355	-27.08	-13	-14.08
M2				28.35	-23.32	-5	-18.32
				28.355	-23.85	-13	-10.85
M3				28.35	-22.81	-5	-17.81
				28.355	-23.50	-13	-10.50

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-21.07	-5	-16.07
				27.495	-25.09	-13	-12.09
M3				27.5	-20.55	-5	-15.55
				27.495	-24.00	-13	-11.00
M2	50	H	1/31	28.35	-21.23	-5	-16.23
				28.355	-24.78	-13	-11.78
M3				28.35	-23.85	-5	-18.85
				28.355	-24.86	-13	-11.86

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-22.08	-5	-17.08
				27.495	-24.69	-13	-11.69
M3				27.5	-21.42	-5	-16.42
				27.495	-25.06	-13	-12.06
M2	50	H	1/31	28.35	-22.44	-5	-17.44
				28.355	-24.90	-13	-11.90
M3				28.35	-22.29	-5	-17.29
				28.355	-24.62	-13	-11.62

ANT M2 & M3, 50 MHz, SISO-DUAL, 3CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-22.99	-5	-17.99
				27.495	-25.30	-13	-12.30
M3				27.5	-23.32	-5	-18.32
				27.495	-24.74	-13	-11.74
M2	50	H	1/31	28.35	-22.46	-5	-17.46
				28.355	-25.17	-13	-12.17
M3				28.35	-21.60	-5	-16.60
				28.355	-24.55	-13	-11.55

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-26.75	-5	-21.75
				27.49	-27.96	-13	-14.96
M2				27.5	-21.76	-5	-16.76
				27.49	-24.63	-13	-11.63
M3				27.5	-23.62	-5	-18.62
				27.49	-25.17	-13	-12.17
M1	100	L	64/0	27.5	-28.11	-5	-23.11
				27.49	-27.95	-13	-14.95
M2				27.5	-24.66	-5	-19.66
				27.49	-23.72	-13	-10.72
M3				27.5	-22.77	-5	-17.77
				27.49	-23.34	-13	-10.34
M1	100	H	1/65	28.35	-25.70	-5	-20.70
				28.36	-27.47	-13	-14.47
M2				28.35	-22.10	-5	-17.10
				28.36	-24.55	-13	-11.55
M3				28.35	-22.71	-5	-17.71
				28.36	-25.02	-13	-12.02
M1	100	H	64/2	28.35	-27.64	-5	-22.64
				28.36	-27.34	-13	-14.34
M2				28.35	-23.63	-5	-18.63
				28.36	-24.31	-13	-11.31
M3				28.35	-22.87	-5	-17.87
				28.36	-21.62	-13	-8.62

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.20. BAND EDGE n261 SISO-DUAL 4CC

ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-26.37	-5	-21.37
				27.495	-27.76	-13	-14.76
M2				27.5	-22.81	-5	-17.81
				27.495	-25.19	-13	-12.19
M3				27.5	-21.84	-5	-16.84
				27.495	-25.38	-13	-12.38
M1	50	L	32/0	27.5	-27.52	-5	-22.52
				27.495	-27.46	-13	-14.46
M2				27.5	-24.05	-5	-19.05
				27.495	-24.08	-13	-11.08
M3				27.5	-21.98	-5	-16.98
				27.495	-21.80	-13	-8.80
M1	50	H	1/31	28.35	-26.20	-5	-21.20
				28.355	-26.91	-13	-13.91
M2				28.35	-21.77	-5	-16.77
				28.355	-24.91	-13	-11.91
M3				28.35	-22.51	-5	-17.51
				28.355	-24.01	-13	-11.01
M1	50	H	32/0	28.35	-26.86	-5	-21.86
				28.355	-27.03	-13	-14.03
M2				28.35	-23.80	-5	-18.80
				28.355	-23.64	-13	-10.64
M3				28.35	-22.62	-5	-17.62
				28.355	-23.81	-13	-10.81

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-21.75	-5	-16.75
				27.495	-25.08	-13	-12.08
M3				27.5	-22.19	-5	-17.19
				27.495	-24.98	-13	-11.98
M2	50	H	1/31	28.35	-22.83	-5	-17.83
				28.355	-24.86	-13	-11.86
M3				28.35	-21.30	-5	-16.30
				28.355	-24.88	-13	-11.88

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-21.70	-5	-16.70
				27.495	-25.33	-13	-12.33
M3				27.5	-20.35	-5	-15.35
				27.495	-24.90	-13	-11.90
M2	50	H	1/31	28.35	-23.10	-5	-18.10
				28.355	-24.52	-13	-11.52
M3				28.35	-20.42	-5	-15.42
				28.355	-24.76	-13	-11.76

ANT M2 & M3, 50 MHz, SISO-DUAL, 4CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	27.5	-22.99	-5	-17.99
				27.495	-25.30	-13	-12.30
M3				27.5	-21.56	-5	-16.56
				27.495	-25.18	-13	-12.18
M2	50	H	1/31	28.35	-22.46	-5	-17.46
				28.355	-25.17	-13	-12.17
M3				28.35	-22.41	-5	-17.41
				28.355	-25.10	-13	-12.10

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB



10:40:38 AM 05/21/2023

Low-side, Full RB



09:15:25 AM 05/21/2023

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-26.56	-5	-21.56
				27.49	-26.85	-13	-13.85
M2				27.5	-22.04	-5	-17.04
				27.49	-24.72	-13	-11.72
M3				27.5	-23.69	-5	-18.69
				27.49	-25.08	-13	-12.08
M1	100	L	64/0	27.5	-27.28	-5	-22.28
				27.49	-28.06	-13	-15.06
M2				27.5	-23.80	-5	-18.80
				27.49	-24.58	-13	-11.58
M3				27.5	-22.85	-5	-17.85
				27.49	-23.48	-13	-10.48
M1	100	H	1/65	28.35	-26.78	-5	-21.78
				28.36	-27.68	-13	-14.68
M2				28.35	-21.77	-5	-16.77
				28.36	-24.82	-13	-11.82
M3				28.35	-21.48	-5	-16.48
				28.36	-24.68	-13	-11.68
M1	100	H	64/2	28.35	-27.36	-5	-22.36
				28.36	-27.21	-13	-14.21
M2				28.35	-23.28	-5	-18.28
				28.36	-24.06	-13	-11.06
M3				28.35	-21.84	-5	-16.84
				28.36	-21.33	-13	-8.33

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.21. BAND EDGE n261 MIMO 1CC

ANT M2, 50 MHz, MIMO, 1CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888

This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, MIMO, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-24.42	-5	-19.42
				27.495	-27.72	-13	-14.72
M2				27.5	-17.25	-5	-12.25
				27.495	-24.08	-13	-11.08
M3				27.5	-17.11	-5	-12.11
				27.495	-24.28	-13	-11.28
M1	50	L	32/0	27.5	-24.81	-5	-19.81
				27.495	-25.89	-13	-12.89
M2				27.5	-19.69	-5	-14.69
				27.495	-20.45	-13	-7.45
M3				27.5	-19.76	-5	-14.76
				27.495	-20.25	-13	-7.25
M1	50	H	1/31	28.35	-21.42	-5	-16.42
				28.355	-26.23	-13	-13.23
M2				28.35	-15.79	-5	-10.79
				28.355	-23.96	-13	-10.96
M3				28.35	-14.88	-5	-9.88
				28.355	-22.51	-13	-9.51
M1	50	H	32/0	28.35	-26.33	-5	-21.33
				28.355	-26.93	-13	-13.93
M2				28.35	-21.85	-5	-16.85
				28.355	-22.63	-13	-9.63
M3				28.35	-16.08	-5	-11.08
				28.355	-18.85	-13	-5.85

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 1CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, MIMO, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-24.38	-5	-19.38
				27.49	-28.09	-13	-15.09
M2				27.5	-20.37	-5	-15.37
				27.49	-24.88	-13	-11.88
M3				27.5	-17.85	-5	-12.85
				27.49	-24.43	-13	-11.43
M1	100	L	66/0	27.5	-27.41	-5	-22.41
				27.49	-27.16	-13	-14.16
M2				27.5	-22.76	-5	-17.76
				27.49	-22.91	-13	-9.91
M3				27.5	-18.63	-5	-13.63
				27.49	-21.40	-13	-8.40
M1	100	H	1/65	28.35	-23.34	-5	-18.34
				28.36	-27.22	-13	-14.22
M2				28.35	-18.13	-5	-13.13
				28.36	-24.42	-13	-11.42
M3				28.35	-17.98	-5	-12.98
				28.36	-23.94	-13	-10.94
M1	100	H	66/0	28.35	-26.21	-5	-21.21
				28.36	-26.28	-13	-13.28
M2				28.35	-21.07	-5	-16.07
				28.36	-24.22	-13	-11.22
M3				28.35	-19.53	-5	-14.53
				28.36	-21.76	-13	-8.76

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.22. BAND EDGE n261 MIMO 2CC

ANT M2, 50 MHz, MIMO, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M2, 50 MHz, MIMO, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-25.19	-5	-20.19
				27.495	-27.53	-13	-14.53
M2				27.5	-19.76	-5	-14.76
				27.495	-24.74	-13	-11.74
M3				27.5	-21.73	-5	-16.73
				27.495	-25.02	-13	-12.02
M1	50	L	32/0	27.5	-27.48	-5	-22.48
				27.495	-27.75	-13	-14.75
M2				27.5	-23.19	-5	-18.19
				27.495	-24.42	-13	-11.42
M3				27.5	-23.40	-5	-18.40
				27.495	-24.68	-13	-11.68
M1	50	L	1/31	28.35	-25.48	-5	-20.48
				28.355	-26.85	-13	-13.85
M2				28.35	-21.47	-5	-16.47
				28.355	-24.98	-13	-11.98
M3				28.35	-19.85	-5	-14.85
				28.355	-24.92	-13	-11.92
M1	50	L	32/0	28.35	-26.81	-5	-21.81
				28.355	-27.02	-13	-14.02
M2				28.35	-24.23	-5	-19.23
				28.355	-24.99	-13	-11.99
M3				28.35	-21.76	-5	-16.76
				28.355	-23.51	-13	-10.51

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M2, 100 MHz, MIMO, 2CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-27.06	-5	-22.06
				27.49	-28.07	-13	-15.07
M2				27.5	-22.63	-5	-17.63
				27.49	-24.93	-13	-11.93
M3				27.5	-22.10	-5	-17.10
				27.49	-25.04	-13	-12.04
M1	100	L	66/0	27.5	-27.67	-5	-22.67
				27.49	-27.13	-13	-14.13
M2				27.5	-23.99	-5	-18.99
				27.49	-24.39	-13	-11.39
M3				27.5	-23.36	-5	-18.36
				27.49	-24.29	-13	-11.29
M1	100	H	1/65	28.35	-25.34	-5	-20.34
				28.36	-26.84	-13	-13.84
M2				28.35	-19.90	-5	-14.90
				28.36	-24.42	-13	-11.42
M3				28.35	-20.84	-5	-15.84
				28.36	-24.72	-13	-11.72
M1	100	H	66/0	28.35	-26.88	-5	-21.88
				28.36	-27.22	-13	-14.22
M2				28.35	-24.91	-5	-19.91
				28.36	-24.64	-13	-11.64
M3				28.35	-23.71	-5	-18.71
				28.36	-24.82	-13	-11.82

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.23. BAND EDGE n261 MIMO 3CC

ANT M2, 50 MHz, MIMO, 3CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, MIMO, 3CC, QPSK

High-side, Single RB



03:42:53 PM 05/21/2023

High-side, Full RB



03:04:10 PM 05/21/2023

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M2, 50 MHz, MIMO, 3CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	27.5	-26.68	-5	-21.68
				27.495	-27.87	-13	-14.87
M2				27.5	-21.70	-5	-16.70
				27.495	-25.02	-13	-12.02
M3				27.5	-20.04	-5	-15.04
				27.495	-25.04	-13	-12.04
M1	50	L	32/0	27.5	-27.30	-5	-22.30
				27.495	-28.18	-13	-15.18
M2				27.5	-23.31	-5	-18.31
				27.495	-24.83	-13	-11.83
M3				27.5	-24.07	-5	-19.07
				27.495	-24.41	-13	-11.41
M1	50	H	1/31	28.35	-26.59	-5	-21.59
				28.355	-27.04	-13	-14.04
M2				28.35	-22.10	-5	-17.10
				28.355	-24.46	-13	-11.46
M3				28.35	-20.06	-5	-15.06
				28.355	-24.71	-13	-11.71
M1	50	H	32/0	28.35	-27.09	-5	-22.09
				28.355	-27.45	-13	-14.45
M2				28.35	-24.34	-5	-19.34
				28.355	-24.60	-13	-11.60
M3				28.35	-22.60	-5	-17.60
				28.355	-23.07	-13	-10.07

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 3CC, QPSK

Low-side, Single RB



Low-side, Full RB

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M2, 100 MHz, MIMO, 3CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	100	L	1/0	27.5	-26.37	-5	-21.37
				27.49	-28.07	-13	-15.07
M2				27.5	-21.15	-5	-16.15
				27.49	-24.81	-13	-11.81
M3				27.5	-23.24	-5	-18.24
				27.49	-24.89	-13	-11.89
M1	100	L	66/0	27.5	-27.65	-5	-22.65
				27.49	-27.46	-13	-14.46
M2				27.5	-24.76	-5	-19.76
				27.49	-25.12	-13	-12.12
M3				27.5	-23.71	-5	-18.71
				27.49	-23.55	-13	-10.55
M1	100	H	1/65	28.35	-26.60	-5	-21.60
				28.36	-27.24	-13	-14.24
M2				28.35	-21.53	-5	-16.53
				28.36	-24.87	-13	-11.87
M3				28.35	-22.88	-5	-17.88
				28.36	-24.86	-13	-11.86
M1	100	H	66/0	28.35	-26.80	-5	-21.80
				28.36	-26.46	-13	-13.46
M2				28.35	-24.77	-5	-19.77
				28.36	-24.79	-13	-11.79
M3				28.35	-24.30	-5	-19.30
				28.36	-24.09	-13	-11.09

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.24. BAND EDGE n261 MIMO 4CC

ANT M2, 50 MHz, MIMO, 4CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M2, 50 MHz, MIMO, 4CC, QPSK

Antenna	BW (MHz)	Channel	RB (Size Offset)	Freq. (GHz)	Avg EIRP (dBm)	Avg TRP Limit (dBm)	Margin (dB)
M1	100	L	1/0	27.5	-26.61	-5	-21.61
				27.49	-27.42	-13	-14.42
M2				27.5	-21.29	-5	-16.29
				27.49	-25.27	-13	-12.27
M3				27.5	-21.56	-5	-16.56
				27.49	-24.70	-13	-11.70
M1	100	L	66/0	27.5	-27.32	-5	-22.32
				27.49	-27.31	-13	-14.31
M2				27.5	-24.04	-5	-19.04
				27.49	-24.04	-13	-11.04
M3				27.5	-24.22	-5	-19.22
				27.49	-24.38	-13	-11.38
M1	100	H	1/65	28.35	-27.02	-5	-22.02
				28.36	-27.22	-13	-14.22
M2				28.35	-21.47	-5	-16.47
				28.36	-24.37	-13	-11.37
M3				28.35	-21.22	-5	-16.22
				28.36	-24.67	-13	-11.67
M1	100	H	66/0	28.35	-27.28	-5	-22.28
				28.36	-27.46	-13	-14.46
M2				28.35	-24.43	-5	-19.43
				28.36	-23.94	-13	-10.94
M3				28.35	-24.12	-5	-19.12
				28.36	-24.41	-13	-11.41

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 4CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, MIMO, 4CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	27.5	-26.78	-5	-21.78
				27.49	-27.76	-13	-14.76
M2				27.5	-22.45	-5	-17.45
				27.49	-25.16	-13	-12.16
M3				27.5	-23.17	-5	-18.17
				27.49	-25.42	-13	-12.42
M1	100	L	66/0	27.5	-28.14	-5	-23.14
				27.49	-27.48	-13	-14.48
M2				27.5	-24.87	-5	-19.87
				27.49	-24.48	-13	-11.48
M3				27.5	-23.83	-5	-18.83
				27.49	-23.76	-13	-10.76
M1	100	H	1/65	28.35	-26.26	-5	-21.26
				28.36	-27.43	-13	-14.43
M2				28.35	-22.05	-5	-17.05
				28.36	-24.62	-13	-11.62
M3				28.35	-22.52	-5	-17.52
				28.36	-24.26	-13	-11.26
M1	100	H	66/0	28.35	-27.59	-5	-22.59
				28.36	-26.93	-13	-13.93
M2				28.35	-24.56	-5	-19.56
				28.36	-24.72	-13	-11.72
M3				28.35	-24.15	-5	-19.15
				28.36	-23.86	-13	-10.86

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.25. BAND EDGE n260 SISO-DUAL 1CC

ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 50 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 50 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	50	L	1/0	37	-22.26	-5	-17.26
				36.995	-29.19	-13	-16.19
M2				37	-16.62	-5	-11.62
				36.995	-26.34	-13	-13.34
M3				37	-16.63	-5	-11.63
				36.995	-26.57	-13	-13.57
M1	50	L	32/0	37	-27.71	-5	-22.71
				36.995	-27.82	-13	-14.82
M2				37	-20.85	-5	-15.85
				36.995	-20.69	-13	-7.69
M3				37	-22.40	-5	-17.40
				36.995	-21.86	-13	-8.86
M1	50	H	1/31	40	-22.26	-5	-17.26
				40.005	-29.19	-13	-16.19
M2				40	-14.07	-5	-9.07
				40.005	-23.35	-13	-10.35
M3				40	-11.30	-5	-6.30
				40.005	-24.99	-13	-11.99
M1	50	H	32/0	40	-27.86	-5	-22.86
				40.005	-29.66	-13	-16.66
M2				40	-19.58	-5	-14.58
				40.005	-23.66	-13	-10.66
M3				40	-14.81	-5	-9.81
				40.005	-18.50	-13	-5.50

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	37	-19.08	-5	-14.08
				36.995	-28.16	-13	-15.16
M3				37	-17.70	-5	-12.70
				36.995	-26.20	-13	-13.20
M2	50	L	32/0	37	-22.23	-5	-17.23
				36.995	-26.24	-13	-13.24
M3				37	-22.45	-5	-17.45
				36.995	-24.13	-13	-11.13
M2	50	H	1/31	40	-15.00	-5	-10.00
				40.005	-23.96	-13	-10.96
M3				40	-11.65	-5	-6.65
				40.005	-24.46	-13	-11.46
M2	50	H	32/0	40	-20.84	-5	-15.84
				40.005	-25.05	-13	-12.05
M3				40	-17.06	-5	-12.06
				40.005	-21.62	-13	-8.62

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	37	-17.87	-5	-12.87
				36.995	-26.95	-13	-13.95
M3				37	-18.61	-5	-13.61
				36.995	-26.11	-13	-13.11
M2	50	L	32/0	37	-24.29	-5	-19.29
				36.995	-24.63	-13	-11.63
M3				37	-23.28	-5	-18.28
				36.995	-27.03	-13	-14.03
M2	50	H	1/31	40	-15.33	-5	-10.33
				40.005	-25.24	-13	-12.24
M3				40	-12.31	-5	-7.31
				40.005	-23.88	-13	-10.88
M2	50	H	32/0	40	-21.10	-5	-16.10
				40.005	-23.61	-13	-10.61
M3				40	-17.99	-5	-12.99
				40.005	-19.43	-13	-6.43

ANT M2 & M3, 50 MHz, SISO-DUAL, 1CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	50	L	1/0	37	-22.20	-5	-17.20
				36.995	-29.10	-13	-16.10
M3				37	-20.55	-5	-15.55
				36.995	-27.53	-13	-14.53
M2	50	L	32/0	37	-27.09	-5	-22.09
				36.995	-29.64	-13	-16.64
M3				37	-26.73	-5	-21.73
				36.995	-27.90	-13	-14.90
M2	50	H	1/31	40	-16.53	-5	-11.53
				40.005	-24.17	-13	-11.17
M3				40	-16.61	-5	-11.61
				40.005	-24.65	-13	-11.65
M2	50	H	32/0	40	-24.63	-5	-19.63
				40.005	-26.17	-13	-13.17
M3				40	-23.23	-5	-18.23
				40.005	-25.06	-13	-12.06

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB



10:58:32 PM 05/27/2023

Low-side, Full RB



09:48:00 PM 05/27/2023

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2, 100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M1, M2 & M3, 100 MHz, SISO-DUAL, 1CC, QPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M1	100	L	1/0	37	-23.87	-5	-18.87
				36.99	-30.64	-13	-17.64
M2				37	-17.25	-5	-12.25
				36.99	-28.13	-13	-15.13
M3				37	-19.33	-5	-14.33
				36.99	-29.17	-13	-16.17
M1	100	L	64/0	37	-28.02	-5	-23.02
				36.99	-29.43	-13	-16.43
M2				37	-25.27	-5	-20.27
				36.99	-20.21	-13	-7.21
M3				37	-22.60	-5	-17.60
				36.99	-28.91	-13	-15.91
M1	100	H	1/65	40	-24.35	-5	-19.35
				40.01	-30.04	-13	-17.04
M2				40	-16.16	-5	-11.16
				40.01	-25.55	-13	-12.55
M3				40	-17.06	-5	-12.06
				40.01	-26.14	-13	-13.14
M1	100	H	64/2	40	-29.65	-5	-24.65
				40.01	-29.65	-13	-16.65
M2				40	-18.25	-5	-13.25
				40.01	-21.28	-13	-8.28
M3				40	-18.22	-5	-13.22
				40.01	-20.29	-13	-7.29

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	37	-16.37	-5	-11.37
				36.99	-28.54	-13	-15.54
M3				37	-21.13	-5	-16.13
				36.99	-30.09	-13	-17.09
M2	100	H	64/2	40	-21.11	-5	-16.11
				40.01	-26.36	-13	-13.36
M3				40	-19.22	-5	-14.22
				40.01	-26.61	-13	-13.61

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 16QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	37	-19.09	-5	-14.09
				36.99	-28.86	-13	-15.86
M3				37	-19.70	-5	-14.70
				36.99	-28.65	-13	-15.65
M2	100	H	64/2	40	-21.64	-5	-16.64
				40.01	-27.25	-13	-14.25
M3				40	-19.11	-5	-14.11
				40.01	-27.19	-13	-14.19

ANT M2 & M3, 100 MHz, SISO-DUAL, 1CC, 64QAM

Antenna	BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
	(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
M2	100	L	64/0	37	-22.94	-5	-17.94
				36.99	-30.29	-13	-17.29
M3				37	-24.12	-5	-19.12
				36.99	-30.26	-13	-17.26
M2	100	H	64/2	40	-23.13	-5	-18.13
				40.01	-26.50	-13	-13.50
M3				40	-20.32	-5	-15.32
				40.01	-26.62	-13	-13.62

UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

8.3.26. BAND EDGE n260 SISO-DUAL 2CC

ANT M2, 50 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB



UL VERIFICATION SERVICES INC
47173 BENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 319-4000 FAX: (510) 661-0888
This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.