







LTE B66 10MHz QPSK Low Channel RB1-0, ID:28567




LTE B66 10MHz QPSK High Channel RB1-49, ID:28567




LTE B66 10MHz QPSK Low Channel RB50-0, ID:28567




LTE B66 10MHz QPSK High Channel RB50-0, ID:28567




LTE B66 15MHz QPSK Low Channel RB1-0, ID:28567




LTE B66 15MHz QPSK High Channel RB1-74, ID:28567




LTE B66 15MHz QPSK Low Channel RB75-0, ID:28567




LTE B66 15MHz QPSK High Channel RB75-0, ID:28567




LTE B66 20MHz QPSK Low Channel RB1-0, ID:28567



LTE B66 20MHz QPSK High Channel RB1-99, ID:28567





LTE B66 20MHz QPSK Low Channel RB100-0, ID:28567




LTE B66 20MHz QPSK High Channel RB100-0, ID:28567

5G NR n66 BANDEDGE







5G NR n66 10MHz BPSK Low Channel RB50-0, ID:28567




5G NR n66 10MHz BPSK High Channel RB50-0, ID:28567




5G NR n66 15MHz BPSK Low Channel RB1-0, ID:28567




5G NR n66 15MHz BPSK High Channel RB1-78, ID:28567





5G NR n66 15MHz BPSK Low Channel RB75-0, ID:28567




5G NR n66 15MHz BPSK High Channel RB75-0, ID:28567









9.2.13. 5G NR n70

LIMITS

FCC: §27.53(h)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log (P)$ dB.

NOTE: 20MHz and 25MHz Bandwidth Upper Block Bandedge is covered by 5G NR n66 20MHz and 25MHz Bandwidth.

5G NR n70 EMISSION MASK

