



100 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.26	-5.00	-11.26
			24.74	-24.58	-13.00	-11.58
	L	64/0	24.75	-22.75	-5.00	-17.75
			24.74	-23.54	-13.00	-10.54
	H	1/65	25.25	-17.44	-5.00	-12.44
			25.26	-23.69	-13.00	-10.69
	H	64/2	25.25	-22.35	-5.00	-17.35
			25.26	-22.66	-13.00	-9.66

100 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.91	-5.00	-11.91
			24.74	-24.63	-13.00	-11.63
	L	64/0	24.75	-22.90	-5.00	-17.90
			24.74	-23.72	-13.00	-10.72
	H	1/65	25.25	-17.43	-5.00	-12.43
			25.26	-23.72	-13.00	-10.72
	H	64/2	25.25	-22.26	-5.00	-17.26
			25.26	-23.01	-13.00	-10.01

100 MHz, SISO-DUAL, 2CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-17.10	-5.00	-12.10
			24.74	-24.63	-13.00	-11.63
	L	64/0	24.75	-23.38	-5.00	-18.38
			24.74	-23.89	-13.00	-10.89
	H	1/65	25.25	-17.21	-5.00	-12.21
			25.26	-23.78	-13.00	-10.78
	H	64/2	25.25	-22.84	-5.00	-17.84
			25.26	-23.22	-13.00	-10.22

100 MHz, SISO-DUAL, 2CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-18.77	-5.00	-13.77
			24.74	-24.64	-13.00	-11.64
	L	64/0	24.75	-23.96	-5.00	-18.96
			24.74	-24.38	-13.00	-11.38
	H	1/65	25.25	-18.09	-5.00	-13.09
			25.26	-23.72	-13.00	-10.72
	H	64/2	25.25	-23.34	-5.00	-18.34
			25.26	-23.58	-13.00	-10.58


8.4.11. BAND EDGE n258 SB2 SISO-DUAL 3CC STATE A

100 MHz, SISO-DUAL, 3CC, QPSK




100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-15.23	-5.00	-10.23
			24.74	-24.60	-13.00	-11.60
	L	64/0	24.75	-22.74	-5.00	-17.74
			24.74	-23.20	-13.00	-10.20
	H	1/65	25.25	-16.82	-5.00	-11.82
			25.26	-23.73	-13.00	-10.73
	H	64/2	25.25	-22.29	-5.00	-17.29
			25.26	-22.59	-13.00	-9.59

100 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-15.87	-5.00	-10.87
			24.74	-24.64	-13.00	-11.64
	L	64/0	24.75	-22.98	-5.00	-17.98
			24.74	-23.39	-13.00	-10.39
	H	1/65	25.25	-16.70	-5.00	-11.70
			25.26	-23.68	-13.00	-10.68
	H	64/2	25.25	-21.99	-5.00	-16.99
			25.26	-22.82	-13.00	-9.82

100 MHz, SISO-DUAL, 3CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.03	-5.00	-11.03
			24.74	-24.62	-13.00	-11.62
	L	64/0	24.75	-23.39	-5.00	-18.39
			24.74	-23.86	-13.00	-10.86
	H	1/65	25.25	-16.27	-5.00	-11.27
			25.26	-23.77	-13.00	-10.77
	H	64/2	25.25	-22.82	-5.00	-17.82
			25.26	-23.15	-13.00	-10.15


100 MHz, SISO-DUAL, 3CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-17.50	-5.00	-12.50
			24.74	-24.65	-13.00	-11.65
	L	64/0	24.75	-24.00	-5.00	-19.00
			24.74	-24.37	-13.00	-11.37
	H	1/65	25.25	-17.56	-5.00	-12.56
			25.26	-23.70	-13.00	-10.70
	H	64/2	25.25	-23.47	-5.00	-18.47
			25.26	-23.62	-13.00	-10.62


8.4.12. BAND EDGE n258 SB2 SISO-DUAL 4CC STATE A

100 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.53	-5.00	-11.53
			24.74	-24.72	-13.00	-11.72
	L	64/0	24.75	-23.18	-5.00	-18.18
			24.74	-23.59	-13.00	-10.59
	H	1/65	25.25	-17.91	-5.00	-12.91
			25.26	-23.77	-13.00	-10.77
	H	64/2	25.25	-22.49	-5.00	-17.49
			25.26	-22.78	-13.00	-9.78

100 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-17.13	-5.00	-12.13
			24.74	-24.70	-13.00	-11.70
	L	64/0	24.75	-23.35	-5.00	-18.35
			24.74	-23.72	-13.00	-10.72
	H	1/65	25.25	-17.83	-5.00	-12.83
			25.26	-23.70	-13.00	-10.70
	H	64/2	25.25	-22.39	-5.00	-17.39
			25.26	-22.83	-13.00	-9.83

100 MHz, SISO-DUAL, 4CC, 16QAM



BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-17.12	-5.00	-12.12
			24.74	-24.56	-13.00	-11.56
	L	64/0	24.75	-23.68	-5.00	-18.68
			24.74	-24.15	-13.00	-11.15
	H	1/65	25.25	-17.46	-5.00	-12.46
			25.26	-23.72	-13.00	-10.72
	H	64/2	25.25	-23.04	-5.00	-18.04
			25.26	-23.33	-13.00	-10.33

100 MHz, SISO-DUAL, 4CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-18.79	-5.00	-13.79
			24.74	-24.70	-13.00	-11.70
	L	64/0	24.75	-24.19	-5.00	-19.19
			24.74	-24.42	-13.00	-11.42
	H	1/65	25.25	-18.63	-5.00	-13.63
			25.26	-23.75	-13.00	-10.75
	H	64/2	25.25	-23.60	-5.00	-18.60
			25.26	-23.72	-13.00	-10.72


8.4.13. BAND EDGE n258 SB2 SISO-DUAL 1CC STATE B

100 MHz, SISO-DUAL, 1CC, QPSK




100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-8.03	-5.00	-3.03
			24.74	-24.12	-13.00	-11.12
	L	64/0	24.75	-16.86	-5.00	-11.86
			24.74	-18.61	-13.00	-5.61
	H	1/65	25.25	-9.76	-5.00	-4.76
			25.26	-23.18	-13.00	-10.18
	H	64/2	25.25	-17.03	-5.00	-12.03
			25.26	-18.48	-13.00	-5.48

100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-8.94	-5.00	-3.94
			24.74	-24.03	-13.00	-11.03
	L	64/0	24.75	-18.06	-5.00	-13.06
			24.74	-21.22	-13.00	-8.22
	H	1/65	25.25	-9.76	-5.00	-4.76
			25.26	-23.21	-13.00	-10.21
	H	64/2	25.25	-17.86	-5.00	-12.86
			25.26	-21.04	-13.00	-8.04

100 MHz, SISO-DUAL, 1CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-9.40	-5.00	-4.40
			24.74	-24.13	-13.00	-11.13
	L	64/0	24.75	-18.90	-5.00	-13.90
			24.74	-19.97	-13.00	-6.97
	H	1/65	25.25	-10.16	-5.00	-5.16
			25.26	-23.22	-13.00	-10.22
	H	64/2	25.25	-18.83	-5.00	-13.83
			25.26	-19.84	-13.00	-6.84

100 MHz, SISO-DUAL, 1CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-11.64	-5.00	-6.64
			24.74	-24.25	-13.00	-11.25
	L	64/0	24.75	-21.23	-5.00	-16.23
			24.74	-22.85	-13.00	-9.85
	H	1/65	25.25	-11.03	-5.00	-6.03
			25.26	-23.30	-13.00	-10.30
	H	64/2	25.25	-21.10	-5.00	-16.10
			25.26	-22.56	-13.00	-9.56


8.4.14. BAND EDGE n258 SB2 SISO-DUAL 2CC STATE B

100 MHz, SISO-DUAL, 2CC, QPSK




100 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.08	-5.00	-11.08
			24.74	-24.59	-13.00	-11.59
	L	64/0	24.75	-22.22	-5.00	-17.22
			24.74	-23.08	-13.00	-10.08
	H	1/65	25.25	-17.21	-5.00	-12.21
			25.26	-23.58	-13.00	-10.58
	H	64/2	25.25	-22.19	-5.00	-17.19
			25.26	-22.43	-13.00	-9.43

100 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.37	-5.00	-11.37
			24.74	-24.55	-13.00	-11.55
	L	64/0	24.75	-22.42	-5.00	-17.42
			24.74	-23.35	-13.00	-10.35
	H	1/65	25.25	-17.03	-5.00	-12.03
			25.26	-23.65	-13.00	-10.65
	H	64/2	25.25	-21.94	-5.00	-16.94
			25.26	-22.85	-13.00	-9.85

100 MHz, SISO-DUAL, 2CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.48	-5.00	-11.48
			24.74	-24.54	-13.00	-11.54
	L	64/0	24.75	-23.01	-5.00	-18.01
			24.74	-23.65	-13.00	-10.65
	H	1/65	25.25	-16.77	-5.00	-11.77
			25.26	-23.56	-13.00	-10.56
	H	64/2	25.25	-22.60	-5.00	-17.60
			25.26	-23.02	-13.00	-10.02

100 MHz, SISO-DUAL, 2CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-18.26	-5.00	-13.26
			24.74	-24.64	-13.00	-11.64
	L	64/0	24.75	-23.86	-5.00	-18.86
			24.74	-24.36	-13.00	-11.36
	H	1/65	25.25	-17.66	-5.00	-12.66
			25.26	-23.59	-13.00	-10.59
	H	64/2	25.25	-23.20	-5.00	-18.20
			25.26	-23.45	-13.00	-10.45


8.4.15. BAND EDGE n258 SB2 SISO-DUAL 3CC STATE B

100 MHz, SISO-DUAL, 3CC, QPSK




100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-14.95	-5.00	-9.95
			24.74	-24.54	-13.00	-11.54
	L	64/0	24.75	-22.39	-5.00	-17.39
			24.74	-22.84	-13.00	-9.84
	H	1/65	25.25	-16.60	-5.00	-11.60
			25.26	-23.61	-13.00	-10.61
	H	64/2	25.25	-22.16	-5.00	-17.16
			25.26	-22.54	-13.00	-9.54

100 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-15.42	-5.00	-10.42
			24.74	-24.53	-13.00	-11.53
	L	64/0	24.75	-22.44	-5.00	-17.44
			24.74	-23.06	-13.00	-10.06
	H	1/65	25.25	-16.30	-5.00	-11.30
			25.26	-23.59	-13.00	-10.59
	H	64/2	25.25	-21.79	-5.00	-16.79
			25.26	-22.68	-13.00	-9.68

100 MHz, SISO-DUAL, 3CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-15.22	-5.00	-10.22
			24.74	-24.52	-13.00	-11.52
	L	64/0	24.75	-23.11	-5.00	-18.11
			24.74	-23.58	-13.00	-10.58
	H	1/65	25.25	-15.87	-5.00	-10.87
			25.26	-23.64	-13.00	-10.64
	H	64/2	25.25	-22.73	-5.00	-17.73
			25.26	-23.12	-13.00	-10.12

100 MHz, SISO-DUAL, 3CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-17.28	-5.00	-12.28
			24.74	-24.58	-13.00	-11.58
	L	64/0	24.75	-23.82	-5.00	-18.82
			24.74	-24.13	-13.00	-11.13
	H	1/65	25.25	-17.09	-5.00	-12.09
			25.26	-23.62	-13.00	-10.62
	H	64/2	25.25	-23.30	-5.00	-18.30
			25.26	-23.49	-13.00	-10.49


8.4.16. BAND EDGE n258 SB2 SISO-DUAL 4CC STATE B

100 MHz, SISO-DUAL, 4CC, QPSK




100 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.07	-5.00	-11.07
			24.74	-24.57	-13.00	-11.57
	L	64/0	24.75	-22.74	-5.00	-17.74
			24.74	-23.18	-13.00	-10.18
	H	1/65	25.25	-17.72	-5.00	-12.72
			25.26	-23.63	-13.00	-10.63
	H	64/2	25.25	-22.38	-5.00	-17.38
			25.26	-22.61	-13.00	-9.61

100 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.52	-5.00	-11.52
			24.74	-24.56	-13.00	-11.56
	L	64/0	24.75	-22.89	-5.00	-17.89
			24.74	-23.40	-13.00	-10.40
	H	1/65	25.25	-17.45	-5.00	-12.45
			25.26	-23.68	-13.00	-10.68
	H	64/2	25.25	-22.18	-5.00	-17.18
			25.26	-22.64	-13.00	-9.64

100 MHz, SISO-DUAL, 4CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.35	-5.00	-11.35
			24.74	-24.57	-13.00	-11.57
	L	64/0	24.75	-23.38	-5.00	-18.38
			24.74	-23.86	-13.00	-10.86
	H	1/65	25.25	-17.13	-5.00	-12.13
			25.26	-23.68	-13.00	-10.68
	H	64/2	25.25	-22.95	-5.00	-17.95
			25.26	-23.17	-13.00	-10.17

100 MHz, SISO-DUAL, 4CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-18.28	-5.00	-13.28
			24.74	-24.56	-13.00	-11.56
	L	64/0	24.75	-23.96	-5.00	-18.96
			24.74	-24.27	-13.00	-11.27
	H	1/65	25.25	-18.24	-5.00	-13.24
			25.26	-23.61	-13.00	-10.61
	H	64/2	25.25	-23.39	-5.00	-18.39
			25.26	-23.52	-13.00	-10.52

8.4.17. BAND EDGE n258 SB2 MIMO 1CC STATE A

100 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, MIMO, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-12.11	-5.00	-7.11
			24.74	-24.36	-13.00	-11.36
	L	66/0	24.75	-19.37	-5.00	-14.37
			24.74	-19.90	-13.00	-6.90
	H	1/65	25.25	-11.37	-5.00	-6.37
			25.26	-23.64	-13.00	-10.64
	H	66/0	25.25	-18.82	-5.00	-13.82
			25.26	-19.73	-13.00	-6.73

8.4.18. BAND EDGE n258 SB2 MIMO 2CC STATE A

100 MHz, MIMO, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB



100 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, MIMO, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-18.23	-5.00	-13.23
			24.74	-24.63	-13.00	-11.63
	L	66/0	24.75	-22.50	-5.00	-17.50
			24.74	-22.91	-13.00	-9.91
	H	1/65	25.25	-17.51	-5.00	-12.51
			25.26	-23.77	-13.00	-10.77
	H	66/0	25.25	-22.18	-5.00	-17.18
			25.26	-22.35	-13.00	-9.35

8.4.19. BAND EDGE n258 SB2 MIMO 3CC STATE A

100 MHz, MIMO, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, MIMO, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-17.53	-5.00	-12.53
			24.74	-24.59	-13.00	-11.59
	L	66/0	24.75	-22.81	-5.00	-17.81
			24.74	-23.43	-13.00	-10.43
	H	1/65	25.25	-17.03	-5.00	-12.03
			25.26	-23.78	-13.00	-10.78
	H	66/0	25.25	-22.39	-5.00	-17.39
			25.26	-22.74	-13.00	-9.74

8.4.20. BAND EDGE n258 SB2 MIMO 4CC STATE A

100 MHz, MIMO, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-18.40	-5.00	-13.40
			24.74	-24.63	-13.00	-11.63
	L	66/0	24.75	-23.21	-5.00	-18.21
			24.74	-23.72	-13.00	-10.72
	H	1/65	25.25	-18.30	-5.00	-13.30
			25.26	-23.74	-13.00	-10.74
	H	66/0	25.25	-22.73	-5.00	-17.73
			25.26	-22.89	-13.00	-9.89

8.4.21. BAND EDGE n258 SB2 MIMO 1CC STATE B

100 MHz, MIMO, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 1CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-11.62	-5.00	-6.62
			24.74	-24.25	-13.00	-11.25
	L	66/0	24.75	-18.92	-5.00	-13.92
			24.74	-19.62	-13.00	-6.62
	H	1/65	25.25	-10.61	-5.00	-5.61
			25.26	-23.47	-13.00	-10.47
	H	66/0	25.25	-18.75	-5.00	-13.75
			25.26	-19.71	-13.00	-6.71


8.4.22. BAND EDGE n258 SB2 MIMO 2CC STATE B

100 MHz, MIMO, 2CC, QPSK




100 MHz, MIMO, 2CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-17.59	-5.00	-12.59
			24.74	-24.57	-13.00	-11.57
	L	66/0	24.75	-22.29	-5.00	-17.29
			24.74	-22.74	-13.00	-9.74
	H	1/65	25.25	-16.88	-5.00	-11.88
			25.26	-23.61	-13.00	-10.61
	H	66/0	25.25	-22.14	-5.00	-17.14
			25.26	-22.28	-13.00	-9.28


8.4.23. BAND EDGE n258 SB2 MIMO 3CC STATE B

100 MHz, MIMO, 3CC, QPSK




100 MHz, MIMO, 3CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, MIMO, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-16.99	-5.00	-11.99
			24.74	-24.53	-13.00	-11.53
	L	66/0	24.75	-22.49	-5.00	-17.49
			24.74	-23.19	-13.00	-10.19
	H	1/65	25.25	-16.33	-5.00	-11.33
			25.26	-23.64	-13.00	-10.64
	H	66/0	25.25	-22.31	-5.00	-17.31
			25.26	-22.55	-13.00	-9.55

8.4.24. BAND EDGE n258 SB2 MIMO 4CC STATE B

100 MHz, MIMO, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, MIMO, 4CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, MIMO, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	24.75	-18.17	-5.00	-13.17
			24.74	-24.57	-13.00	-11.57
	L	66/0	24.75	-22.96	-5.00	-17.96
			24.74	-23.48	-13.00	-10.48
	H	1/65	25.25	-17.50	-5.00	-12.50
			25.26	-23.67	-13.00	-10.67
	H	66/0	25.25	-22.62	-5.00	-17.62
			25.26	-22.77	-13.00	-9.77


8.4.25. BAND EDGE n261 SISO-DUAL 1CC STATE A

50 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-7.02	-5.00	-2.02
			27.495	-23.98	-13.00	-10.98
	L	32/0	27.500	-16.16	-5.00	-11.16
			27.495	-18.50	-13.00	-5.50
	H	1/31	28.350	-7.27	-5.00	-2.27
			28.355	-23.58	-13.00	-10.58
	H	32/0	28.350	-15.05	-5.00	-10.05
			28.355	-17.39	-13.00	-4.39

50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-8.55	-5.00	-3.55
			27.495	-24.00	-13.00	-11.00
	L	32/0	27.500	-17.01	-5.00	-12.01
			27.495	-21.52	-13.00	-8.52
	H	1/31	28.350	-7.42	-5.00	-2.42
			28.355	-23.56	-13.00	-10.56
	H	32/0	28.350	-15.85	-5.00	-10.85
			28.355	-20.29	-13.00	-7.29

50 MHz, SISO-DUAL, 1CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-7.65	-5.00	-2.65
			27.495	-24.06	-13.00	-11.06
	L	32/0	27.500	-18.05	-5.00	-13.05
			27.495	-20.53	-13.00	-7.53
	H	1/31	28.350	-8.17	-5.00	-3.17
			28.355	-23.75	-13.00	-10.75
	H	32/0	28.350	-17.43	-5.00	-12.43
			28.355	-19.51	-13.00	-6.51

50 MHz, SISO-DUAL, 1CC, 64QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-10.74	-5.00	-5.74
			27.495	-24.22	-13.00	-11.22
	L	32/0	27.500	-19.98	-5.00	-14.98
			27.495	-23.28	-13.00	-10.28
	H	1/31	28.350	-9.04	-5.00	-4.04
			28.355	-24.08	-13.00	-11.08
	H	32/0	28.350	-19.22	-5.00	-14.22
			28.355	-22.01	-13.00	-9.01

100 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.50	-13.75	-5.00	-8.75
			27.49	-24.47	-13.00	-11.47
	L	64/0	27.50	-19.93	-5.00	-14.93
			27.49	-21.13	-13.00	-8.13
	H	1/65	28.35	-10.60	-5.00	-5.60
			28.36	-24.54	-13.00	-11.54
	H	64/2	28.35	-18.98	-5.00	-13.98
			28.36	-20.24	-13.00	-7.24

100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	27.50	-20.76	-5.00	-15.76
			27.49	-22.94	-13.00	-9.94
	H	64/2	28.35	-20.45	-5.00	-15.45
			28.36	-22.60	-13.00	-9.60

100 MHz, SISO-DUAL, 1CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	27.50	-21.84	-5.00	-16.84
			27.49	-22.55	-13.00	-9.55
	H	64/2	28.35	-21.05	-5.00	-16.05
			28.36	-21.58	-13.00	-8.58


100 MHz, SISO-DUAL, 1CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	27.50	-23.43	-5.00	-18.43
			27.49	-24.28	-13.00	-11.28
	H	64/2	28.35	-23.01	-5.00	-18.01
			28.36	-24.02	-13.00	-11.02


8.4.26. BAND EDGE n261 SISO-DUAL 2CC STATE A

50 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-14.43	-5.00	-9.43
			27.495	-24.55	-13.00	-11.55
	L	32/0	27.500	-22.48	-5.00	-17.48
			27.495	-23.66	-13.00	-10.66
	H	1/31	28.350	-15.16	-5.00	-10.16
			28.355	-24.57	-13.00	-11.57
	H	32/0	28.350	-21.63	-5.00	-16.63
			28.355	-23.37	-13.00	-10.37

50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-15.93	-5.00	-10.93
			27.495	-24.57	-13.00	-11.57
	H	1/31	28.350	-15.25	-5.00	-10.25
			28.355	-24.64	-13.00	-11.64

50 MHz, SISO-DUAL, 2CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-14.72	-5.00	-9.72
			27.495	-24.62	-13.00	-11.62
	H	1/31	28.350	-15.12	-5.00	-10.12
			28.355	-24.59	-13.00	-11.59

50 MHz, SISO-DUAL, 2CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-17.50	-5.00	-12.50
			27.495	-24.65	-13.00	-11.65
	H	1/31	28.350	-16.06	-5.00	-11.06
			28.355	-24.68	-13.00	-11.68

100 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB



Low-side, Full RB




100 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.50	-20.07	-5.00	-15.07
			27.49	-24.60	-13.00	-11.60
	L	64/0	27.50	-23.88	-5.00	-18.88
			27.49	-24.30	-13.00	-11.30
	H	1/65	28.35	-18.40	-5.00	-13.40
			28.36	-24.86	-13.00	-11.86
	H	64/2	28.35	-23.83	-5.00	-18.83
			28.36	-24.06	-13.00	-11.06


8.4.27. BAND EDGE n261 SISO-DUAL 3CC STATE A

50 MHz, SISO-DUAL, 3CC, QPSK




50 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-15.87	-5.00	-10.87
			27.495	-24.54	-13.00	-11.54
	L	32/0	27.500	-23.06	-5.00	-18.06
			27.495	-23.62	-13.00	-10.62
	H	1/31	28.350	-16.61	-5.00	-11.61
			28.355	-24.60	-13.00	-11.60
	H	32/0	28.350	-22.51	-5.00	-17.51
			28.355	-23.23	-13.00	-10.23

50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-17.32	-5.00	-12.32
			27.495	-24.65	-13.00	-11.65
	H	1/31	28.350	-16.58	-5.00	-11.58
			28.355	-24.68	-13.00	-11.68

50 MHz, SISO-DUAL, 3CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-16.09	-5.00	-11.09
			27.495	-24.59	-13.00	-11.59
	H	1/31	28.350	-16.73	-5.00	-11.73
			28.355	-24.70	-13.00	-11.70

50 MHz, SISO-DUAL, 3CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-18.73	-5.00	-13.73
			27.495	-24.63	-13.00	-11.63
	H	1/31	28.350	-17.58	-5.00	-12.58
			28.355	-24.73	-13.00	-11.73

100 MHz, SISO-DUAL, 3CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 3CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 3CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.50	-19.51	-5.00	-14.51
			27.49	-24.60	-13.00	-11.60
	L	64/0	27.50	-23.95	-5.00	-18.95
			27.49	-24.14	-13.00	-11.14
	H	1/65	28.35	-17.59	-5.00	-12.59
			28.36	-24.90	-13.00	-11.90
	H	64/2	28.35	-23.80	-5.00	-18.80
			28.36	-23.99	-13.00	-10.99


8.4.28. BAND EDGE n261 SISO-DUAL 4CC STATE A

50 MHz, SISO-DUAL, 4CC, QPSK




50 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-16.96	-5.00	-11.96
			27.495	-24.62	-13.00	-11.62
	L	32/0	27.500	-23.36	-5.00	-18.36
			27.495	-23.98	-13.00	-10.98
	H	1/31	28.350	-17.64	-5.00	-12.64
			28.355	-24.75	-13.00	-11.75
	H	32/0	28.350	-22.91	-5.00	-17.91
			28.355	-23.67	-13.00	-10.67

50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-18.50	-5.00	-13.50
			27.495	-24.65	-13.00	-11.65
	H	1/31	28.350	-17.71	-5.00	-12.71
			28.355	-24.77	-13.00	-11.77

50 MHz, SISO-DUAL, 4CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-17.24	-5.00	-12.24
			27.495	-24.64	-13.00	-11.64
	H	1/31	28.350	-17.81	-5.00	-12.81
			28.355	-24.70	-13.00	-11.70

50 MHz, SISO-DUAL, 4CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-19.66	-5.00	-14.66
			27.495	-24.69	-13.00	-11.69
	H	1/31	28.350	-18.70	-5.00	-13.70
			28.355	-24.84	-13.00	-11.84

100 MHz, SISO-DUAL, 4CC, QPSK

Low-side, Single RB




Low-side, Full RB



100 MHz, SISO-DUAL, 4CC, QPSK

High-side, Single RB



High-side, Full RB




100 MHz, SISO-DUAL, 4CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.50	-20.30	-5.00	-15.30
			27.49	-24.66	-13.00	-11.66
	L	64/0	27.50	-24.07	-5.00	-19.07
			27.49	-24.26	-13.00	-11.26
	H	1/65	28.35	-18.65	-5.00	-13.65
			28.36	-24.82	-13.00	-11.82
	H	64/2	28.35	-23.84	-5.00	-18.84
			28.36	-23.97	-13.00	-10.97


8.4.29. BAND EDGE n261 SISO-DUAL 1CC STATE B

50 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-5.20	-5.00	-0.20
			27.495	-23.80	-13.00	-10.80
	L	32/0	27.500	-15.07	-5.00	-10.07
			27.495	-17.42	-13.00	-4.42
	H	1/31	28.350	-8.26	-5.00	-3.26
			28.355	-24.50	-13.00	-11.50
	H	32/0	28.350	-13.64	-5.00	-8.64
			28.355	-15.41	-13.00	-2.41

50 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-6.05	-5.00	-1.05
			27.495	-23.82	-13.00	-10.82
	L	32/0	27.500	-15.72	-5.00	-10.72
			27.495	-21.05	-13.00	-8.05
	H	1/31	28.350	-8.19	-5.00	-3.19
			28.355	-24.53	-13.00	-11.53
	H	32/0	28.350	-14.57	-5.00	-9.57
			28.355	-18.93	-13.00	-5.93

50 MHz, SISO-DUAL, 1CC, 16QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-7.01	-5.00	-2.01
			27.495	-23.91	-13.00	-10.91
	L	32/0	27.500	-17.18	-5.00	-12.18
			27.495	-19.81	-13.00	-6.81
	H	1/31	28.350	-9.02	-5.00	-4.02
			28.355	-24.76	-13.00	-11.76
	H	32/0	28.350	-16.56	-5.00	-11.56
			28.355	-18.06	-13.00	-5.06

50 MHz, SISO-DUAL, 1CC, 64QAM


BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-9.28	-5.00	-4.28
			27.495	-24.23	-13.00	-11.23
	L	32/0	27.500	-19.40	-5.00	-14.40
			27.495	-23.66	-13.00	-10.66
	H	1/31	28.350	-9.88	-5.00	-4.88
			28.355	-25.16	-13.00	-12.16
	H	32/0	28.350	-19.37	-5.00	-14.37
			28.355	-22.38	-13.00	-9.38

100 MHz, SISO-DUAL, 1CC, QPSK

Low-side, Single RB




Low-side, Full RB




100 MHz, SISO-DUAL, 1CC, QPSK

High-side, Single RB



High-side, Full RB



100 MHz, SISO-DUAL, 1CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	1/0	27.50	-12.25	-5.00	-7.25
			27.49	-24.41	-13.00	-11.41
	L	64/0	27.50	-19.36	-5.00	-14.36
			27.49	-20.91	-13.00	-7.91
	H	1/65	28.35	-11.00	-5.00	-6.00
			28.36	-24.50	-13.00	-11.50
	H	64/2	28.35	-19.13	-5.00	-14.13
			28.36	-20.42	-13.00	-7.42

100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	27.50	-20.11	-5.00	-15.11
			27.49	-22.63	-13.00	-9.63
	H	64/2	28.35	-19.98	-5.00	-14.98
			28.36	-22.32	-13.00	-9.32

100 MHz, SISO-DUAL, 1CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	27.50	-21.22	-5.00	-16.22
			27.49	-22.23	-13.00	-9.23
	H	64/2	28.35	-20.49	-5.00	-15.49
			28.36	-20.97	-13.00	-7.97


100 MHz, SISO-DUAL, 1CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
100	L	64/0	27.50	-23.00	-5.00	-18.00
			27.49	-23.98	-13.00	-10.98
	H	64/2	28.35	-22.61	-5.00	-17.61
			28.36	-23.57	-13.00	-10.57

8.4.30. BAND EDGE n261 SISO-DUAL 2CC STATE B

50 MHz, SISO-DUAL, 2CC, QPSK

Low-side, Single RB




Low-side, Full RB




50 MHz, SISO-DUAL, 2CC, QPSK

High-side, Single RB



High-side, Full RB



50 MHz, SISO-DUAL, 2CC, QPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-13.17	-5.00	-8.17
			27.495	-24.55	-13.00	-11.55
	L	32/0	27.500	-22.36	-5.00	-17.36
			27.495	-22.86	-13.00	-9.86
	H	1/31	28.350	-15.88	-5.00	-10.88
			28.355	-25.82	-13.00	-12.82
	H	32/0	28.350	-21.67	-5.00	-16.67
			28.355	-23.37	-13.00	-10.37

50 MHz, SISO-DUAL, 2CC, Pi/2 BPSK

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-14.80	-5.00	-9.80
			27.495	-24.61	-13.00	-11.61
	H	1/31	28.350	-15.93	-5.00	-10.93
			28.355	-25.84	-13.00	-12.84

50 MHz, SISO-DUAL, 2CC, 16QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-13.44	-5.00	-8.44
			27.495	-24.59	-13.00	-11.59
	H	1/31	28.350	-15.82	-5.00	-10.82
			28.355	-25.86	-13.00	-12.86

50 MHz, SISO-DUAL, 2CC, 64QAM

BW	Channel	RB	Freq.	Avg EIRP	Avg TRP Limit	Margin
(MHz)		(Size Offset)	(GHz)	(dBm)	(dBm)	(dB)
50	L	1/0	27.500	-16.23	-5.00	-11.23
			27.495	-24.67	-13.00	-11.67
	H	1/31	28.350	-16.83	-5.00	-11.83
			28.355	-25.95	-13.00	-12.95