


**100 MHz, SISO-DUAL, 2CC, QPSK**

**Low-side, Single RB**



**Low-side, Full RB**



**100 MHz, SISO-DUAL, 2CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, SISO-DUAL, 2CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -19.27   | -5.00         | -14.27 |
|       |         |               | 27.49 | -24.68   | -13.00        | -11.68 |
|       | L       | 64/0          | 27.50 | -23.54   | -5.00         | -18.54 |
|       |         |               | 27.49 | -24.02   | -13.00        | -11.02 |
|       | H       | 1/65          | 28.35 | -18.32   | -5.00         | -13.32 |
|       |         |               | 28.36 | -24.90   | -13.00        | -11.90 |
|       | H       | 64/2          | 28.35 | -23.56   | -5.00         | -18.56 |
|       |         |               | 28.36 | -23.69   | -13.00        | -10.69 |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |


## 8.4.31. BAND EDGE n261 SISO-DUAL 3CC STATE B

### 50 MHz, SISO-DUAL, 3CC, QPSK




**50 MHz, SISO-DUAL, 3CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**



**50 MHz, SISO-DUAL, 3CC, QPSK**

| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -14.56   | -5.00         | -9.56  |
|       |         |               | 27.495 | -24.62   | -13.00        | -11.62 |
|       | L       | 32/0          | 27.500 | -22.97   | -5.00         | -17.97 |
|       |         |               | 27.495 | -23.07   | -13.00        | -10.07 |
|       | H       | 1/31          | 28.350 | -17.41   | -5.00         | -12.41 |
|       |         |               | 28.355 | -25.94   | -13.00        | -12.94 |
|       | H       | 32/0          | 28.350 | -22.56   | -5.00         | -17.56 |
|       |         |               | 28.355 | -23.07   | -13.00        | -10.07 |

**50 MHz, SISO-DUAL, 3CC, Pi/2 BPSK**

| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -16.16   | -5.00         | -11.16 |
|       |         |               | 27.495 | -24.66   | -13.00        | -11.66 |
|       | H       | 1/31          | 28.350 | -17.40   | -5.00         | -12.40 |
|       |         |               | 28.355 | -25.96   | -13.00        | -12.96 |

**50 MHz, SISO-DUAL, 3CC, 16QAM**


| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -14.83   | -5.00         | -9.83  |
|       |         |               | 27.495 | -24.63   | -13.00        | -11.63 |
|       | H       | 1/31          | 28.350 | -17.44   | -5.00         | -12.44 |
|       |         |               | 28.355 | -25.98   | -13.00        | -12.98 |

**50 MHz, SISO-DUAL, 3CC, 64QAM**

| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -17.75   | -5.00         | -12.75 |
|       |         |               | 27.495 | -24.68   | -13.00        | -11.68 |
|       | H       | 1/31          | 28.350 | -18.38   | -5.00         | -13.38 |
|       |         |               | 28.355 | -26.10   | -13.00        | -13.10 |

**100 MHz, SISO-DUAL, 3CC, QPSK**

Low-side, Single RB



Low-side, Full RB



**100 MHz, SISO-DUAL, 3CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, SISO-DUAL, 3CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -18.70   | -5.00         | -13.70 |
|       |         |               | 27.49 | -24.74   | -13.00        | -11.74 |
|       | L       | 64/0          | 27.50 | -23.69   | -5.00         | -18.69 |
|       |         |               | 27.49 | -23.95   | -13.00        | -10.95 |
|       | H       | 1/65          | 28.35 | -17.60   | -5.00         | -12.60 |
|       |         |               | 28.36 | -24.91   | -13.00        | -11.91 |
|       | H       | 64/2          | 28.35 | -23.56   | -5.00         | -18.56 |
|       |         |               | 28.36 | -23.72   | -13.00        | -10.72 |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |

## 8.4.32. BAND EDGE n261 SISO-DUAL 4CC STATE B

### 50 MHz, SISO-DUAL, 4CC, QPSK

#### Low-side, Single RB




#### Low-side, Full RB




**50 MHz, SISO-DUAL, 4CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**



**50 MHz, SISO-DUAL, 4CC, QPSK**

| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -15.73   | -5.00         | -10.73 |
|       |         |               | 27.495 | -24.65   | -13.00        | -11.65 |
|       | L       | 32/0          | 27.500 | -23.19   | -5.00         | -18.19 |
|       |         |               | 27.495 | -23.49   | -13.00        | -10.49 |
|       | H       | 1/31          | 28.350 | -18.49   | -5.00         | -13.49 |
|       |         |               | 28.355 | -26.02   | -13.00        | -13.02 |
|       | H       | 32/0          | 28.350 | -23.09   | -5.00         | -18.09 |
|       |         |               | 28.355 | -23.78   | -13.00        | -10.78 |

**50 MHz, SISO-DUAL, 4CC, Pi/2 BPSK**

| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -17.25   | -5.00         | -12.25 |
|       |         |               | 27.495 | -24.69   | -13.00        | -11.69 |
|       | H       | 1/31          | 28.350 | -18.40   | -5.00         | -13.40 |
|       |         |               | 28.355 | -25.96   | -13.00        | -12.96 |

**50 MHz, SISO-DUAL, 4CC, 16QAM**


| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -16.05   | -5.00         | -11.05 |
|       |         |               | 27.495 | -24.63   | -13.00        | -11.63 |
|       | H       | 1/31          | 28.350 | -18.60   | -5.00         | -13.60 |
|       |         |               | 28.355 | -26.01   | -13.00        | -13.01 |

**50 MHz, SISO-DUAL, 4CC, 64QAM**


| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -18.71   | -5.00         | -13.71 |
|       |         |               | 27.495 | -24.77   | -13.00        | -11.77 |
|       | H       | 1/31          | 28.350 | -19.36   | -5.00         | -14.36 |
|       |         |               | 28.355 | -26.13   | -13.00        | -13.13 |

**100 MHz, SISO-DUAL, 4CC, QPSK**

**Low-side, Single RB**




**Low-side, Full RB**



**100 MHz, SISO-DUAL, 4CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, SISO-DUAL, 4CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -19.63   | -5.00         | -14.63 |
|       |         |               | 27.49 | -24.74   | -13.00        | -11.74 |
|       | L       | 64/0          | 27.50 | -23.81   | -5.00         | -18.81 |
|       |         |               | 27.49 | -24.15   | -13.00        | -11.15 |
|       | H       | 1/65          | 28.35 | -18.87   | -5.00         | -13.87 |
|       |         |               | 28.36 | -24.94   | -13.00        | -11.94 |
|       | H       | 64/2          | 28.35 | -23.86   | -5.00         | -18.86 |
|       |         |               | 28.36 | -23.78   | -13.00        | -10.78 |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |


### 8.4.33. BAND EDGE n261 MIMO 1CC STATE A

#### 50 MHz, MIMO, 1CC, QPSK

##### Low-side, Single RB




##### Low-side, Full RB




**50 MHz, MIMO, 1CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**50 MHz, MIMO, 1CC, QPSK**


| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -11.80   | -5.00         | -6.80  |
|       |         |               | 27.495 | -24.43   | -13.00        | -11.43 |
|       | L       | 32/0          | 27.500 | -15.88   | -5.00         | -10.88 |
|       |         |               | 27.495 | -18.13   | -13.00        | -5.13  |
|       | H       | 1/31          | 28.350 | -9.74    | -5.00         | -4.74  |
|       |         |               | 28.355 | -23.99   | -13.00        | -10.99 |
|       | H       | 32/0          | 28.350 | -16.52   | -5.00         | -11.52 |
|       |         |               | 28.355 | -17.78   | -13.00        | -4.78  |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |

**100 MHz, MIMO, 1CC, QPSK**

Low-side, Single RB




Low-side, Full RB




**100 MHz, MIMO, 1CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, MIMO, 1CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -15.23   | -5.00         | -10.23 |
|       |         |               | 27.49 | -24.65   | -13.00        | -11.65 |
|       |         |               |       |          |               |        |
|       | L       | 66/0          | 27.50 | -21.99   | -5.00         | -16.99 |
|       |         |               | 27.49 | -22.20   | -13.00        | -9.20  |
|       |         |               |       |          |               |        |
|       | H       | 1/65          | 28.35 | -14.41   | -5.00         | -9.41  |
|       |         |               | 28.36 | -24.73   | -13.00        | -11.73 |
|       |         |               |       |          |               |        |
|       | H       | 66/0          | 28.35 | -19.38   | -5.00         | -14.38 |
|       |         |               | 28.36 | -20.15   | -13.00        | -7.15  |

## 8.4.34. BAND EDGE n261 MIMO 2CC STATE A

### 50 MHz, MIMO, 2CC, QPSK

#### Low-side, Single RB




#### Low-side, Full RB




**50 MHz, MIMO, 2CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**



**50 MHz, MIMO, 2CC, QPSK**

| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -17.69   | -5.00         | -12.69 |
|       |         |               | 27.495 | -24.71   | -13.00        | -11.71 |
|       | L       | 32/0          | 27.500 | -20.44   | -5.00         | -15.44 |
|       |         |               | 27.495 | -21.70   | -13.00        | -8.70  |
|       | H       | 1/31          | 28.350 | -16.43   | -5.00         | -11.43 |
|       |         |               | 28.355 | -24.64   | -13.00        | -11.64 |
|       | H       | 32/0          | 28.350 | -21.22   | -5.00         | -16.22 |
|       |         |               | 28.355 | -21.91   | -13.00        | -8.91  |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |

**100 MHz, MIMO, 2CC, QPSK**

Low-side, Single RB




Low-side, Full RB



**100 MHz, MIMO, 2CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, MIMO, 2CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -20.50   | -5.00         | -15.50 |
|       |         |               | 27.49 | -24.68   | -13.00        | -11.68 |
|       | L       | 66/0          | 27.50 | -23.88   | -5.00         | -18.88 |
|       |         |               | 27.49 | -23.97   | -13.00        | -10.97 |
|       | H       | 1/65          | 28.35 | -20.26   | -5.00         | -15.26 |
|       |         |               | 28.36 | -24.89   | -13.00        | -11.89 |
|       | H       | 66/0          | 28.35 | -22.84   | -5.00         | -17.84 |
|       |         |               | 28.36 | -23.04   | -13.00        | -10.04 |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |

## 8.4.35. BAND EDGE n261 MIMO 3CC STATE A

### 50 MHz, MIMO, 3CC, QPSK

#### Low-side, Single RB




#### Low-side, Full RB




**50 MHz, MIMO, 3CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**



**50 MHz, MIMO, 3CC, QPSK**

| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -18.97   | -5.00         | -13.97 |
|       |         |               | 27.495 | -24.66   | -13.00        | -11.66 |
|       | L       | 32/0          | 27.500 | -21.54   | -5.00         | -16.54 |
|       |         |               | 27.495 | -22.47   | -13.00        | -9.47  |
|       | H       | 1/31          | 28.350 | -17.84   | -5.00         | -12.84 |
|       |         |               | 28.355 | -24.74   | -13.00        | -11.74 |
|       | H       | 32/0          | 28.350 | -22.19   | -5.00         | -17.19 |
|       |         |               | 28.355 | -22.63   | -13.00        | -9.63  |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |

**100 MHz, MIMO, 3CC, QPSK**

Low-side, Single RB



Low-side, Full RB




**100 MHz, MIMO, 3CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, MIMO, 3CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -19.56   | -5.00         | -14.56 |
|       |         |               | 27.49 | -24.68   | -13.00        | -11.68 |
|       | L       | 66/0          | 27.50 | -24.10   | -5.00         | -19.10 |
|       |         |               | 27.49 | -24.28   | -13.00        | -11.28 |
|       | H       | 1/65          | 28.35 | -19.90   | -5.00         | -14.90 |
|       |         |               | 28.36 | -24.94   | -13.00        | -11.94 |
|       | H       | 66/0          | 28.35 | -23.37   | -5.00         | -18.37 |
|       |         |               | 28.36 | -23.63   | -13.00        | -10.63 |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |


## 8.4.36. BAND EDGE n261 MIMO 4CC STATE A

### 50 MHz, MIMO, 4CC, QPSK




**50 MHz, MIMO, 4CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**50 MHz, MIMO, 4CC, QPSK**

| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -19.94   | -5.00         | -14.94 |
|       |         |               | 27.495 | -24.72   | -13.00        | -11.72 |
|       | L       | 32/0          | 27.500 | -22.32   | -5.00         | -17.32 |
|       |         |               | 27.495 | -23.03   | -13.00        | -10.03 |
|       | H       | 1/31          | 28.350 | -18.87   | -5.00         | -13.87 |
|       |         |               | 28.355 | -24.80   | -13.00        | -11.80 |
|       | H       | 32/0          | 28.350 | -22.64   | -5.00         | -17.64 |
|       |         |               | 28.355 | -22.97   | -13.00        | -9.97  |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |

**100 MHz, MIMO, 4CC, QPSK**

Low-side, Single RB




Low-side, Full RB



**100 MHz, MIMO, 4CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, MIMO, 4CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -20.60   | -5.00         | -15.60 |
|       |         |               | 27.49 | -24.69   | -13.00        | -11.69 |
|       | L       | 66/0          | 27.50 | -24.28   | -5.00         | -19.28 |
|       |         |               | 27.49 | -24.37   | -13.00        | -11.37 |
|       | H       | 1/65          | 28.35 | -21.05   | -5.00         | -16.05 |
|       |         |               | 28.36 | -24.88   | -13.00        | -11.88 |
|       | H       | 66/0          | 28.35 | -23.63   | -5.00         | -18.63 |
|       |         |               | 28.36 | -23.89   | -13.00        | -10.89 |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |


## 8.4.37. BAND EDGE n261 MIMO 1CC STATE B

### 50 MHz, MIMO, 1CC, QPSK

#### Low-side, Single RB




#### Low-side, Full RB




**50 MHz, MIMO, 1CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**50 MHz, MIMO, 1CC, QPSK**


| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -9.12    | -5.00         | -4.12  |
|       |         |               | 27.495 | -24.38   | -13.00        | -11.38 |
|       | L       | 32/0          | 27.500 | -16.48   | -5.00         | -11.48 |
|       |         |               | 27.495 | -18.00   | -13.00        | -5.00  |
|       | H       | 1/31          | 28.350 | -8.91    | -5.00         | -3.91  |
|       |         |               | 28.355 | -24.13   | -13.00        | -11.13 |
|       | H       | 32/0          | 28.350 | -17.90   | -5.00         | -12.90 |
|       |         |               | 28.355 | -18.98   | -13.00        | -5.98  |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |

**100 MHz, MIMO, 1CC, QPSK**

Low-side, Single RB




Low-side, Full RB




**100 MHz, MIMO, 1CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, MIMO, 1CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -16.53   | -5.00         | -11.53 |
|       |         |               | 27.49 | -24.72   | -13.00        | -11.72 |
|       |         |               |       |          |               |        |
|       | L       | 66/0          | 27.50 | -21.27   | -5.00         | -16.27 |
|       |         |               | 27.49 | -21.60   | -13.00        | -8.60  |
|       |         |               |       |          |               |        |
|       | H       | 1/65          | 28.35 | -14.56   | -5.00         | -9.56  |
|       |         |               | 28.36 | -24.74   | -13.00        | -11.74 |
|       |         |               |       |          |               |        |
|       | H       | 66/0          | 28.35 | -19.32   | -5.00         | -14.32 |
|       |         |               | 28.36 | -20.26   | -13.00        | -7.26  |

## 8.4.38. BAND EDGE n261 MIMO 2CC STATE B

### 50 MHz, MIMO, 2CC, QPSK

#### Low-side, Single RB



#### Low-side, Full RB




**50 MHz, MIMO, 2CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**



**50 MHz, MIMO, 2CC, QPSK**

| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -15.71   | -5.00         | -10.71 |
|       |         |               | 27.495 | -24.68   | -13.00        | -11.68 |
|       | L       | 32/0          | 27.500 | -20.84   | -5.00         | -15.84 |
|       |         |               | 27.495 | -21.75   | -13.00        | -8.75  |
|       | H       | 1/31          | 28.350 | -15.54   | -5.00         | -10.54 |
|       |         |               | 28.355 | -24.73   | -13.00        | -11.73 |
|       | H       | 32/0          | 28.350 | -21.71   | -5.00         | -16.71 |
|       |         |               | 28.355 | -22.29   | -13.00        | -9.29  |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |

**100 MHz, MIMO, 2CC, QPSK**

Low-side, Single RB




Low-side, Full RB




**100 MHz, MIMO, 2CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, MIMO, 2CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -21.52   | -5.00         | -16.52 |
|       |         |               | 27.49 | -24.70   | -13.00        | -11.70 |
|       |         |               |       |          |               |        |
|       | L       | 66/0          | 27.50 | -23.75   | -5.00         | -18.75 |
|       |         |               | 27.49 | -23.83   | -13.00        | -10.83 |
|       |         |               |       |          |               |        |
|       | H       | 1/65          | 28.35 | -20.14   | -5.00         | -15.14 |
|       |         |               | 28.36 | -24.79   | -13.00        | -11.79 |
|       |         |               |       |          |               |        |
|       | H       | 66/0          | 28.35 | -22.79   | -5.00         | -17.79 |
|       |         |               | 28.36 | -23.08   | -13.00        | -10.08 |

## 8.4.39. BAND EDGE n261 MIMO 3CC STATE B

### 50 MHz, MIMO, 3CC, QPSK

#### Low-side, Single RB




#### Low-side, Full RB




**50 MHz, MIMO, 3CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**50 MHz, MIMO, 3CC, QPSK**


| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -17.30   | -5.00         | -12.30 |
|       |         |               | 27.495 | -24.65   | -13.00        | -11.65 |
|       | L       | 32/0          | 27.500 | -21.84   | -5.00         | -16.84 |
|       |         |               | 27.495 | -22.41   | -13.00        | -9.41  |
|       | H       | 1/31          | 28.350 | -17.04   | -5.00         | -12.04 |
|       |         |               | 28.355 | -24.84   | -13.00        | -11.84 |
|       | H       | 32/0          | 28.350 | -22.61   | -5.00         | -17.61 |
|       |         |               | 28.355 | -22.98   | -13.00        | -9.98  |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |

**100 MHz, MIMO, 3CC, QPSK**

Low-side, Single RB




Low-side, Full RB



**100 MHz, MIMO, 3CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, MIMO, 3CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -20.74   | -5.00         | -15.74 |
|       |         |               | 27.49 | -24.77   | -13.00        | -11.77 |
|       |         |               |       |          |               |        |
|       | L       | 66/0          | 27.50 | -23.85   | -5.00         | -18.85 |
|       |         |               | 27.49 | -24.19   | -13.00        | -11.19 |
|       |         |               |       |          |               |        |
|       | H       | 1/65          | 28.35 | -19.98   | -5.00         | -14.98 |
|       |         |               | 28.36 | -24.92   | -13.00        | -11.92 |
|       |         |               |       |          |               |        |
|       | H       | 66/0          | 28.35 | -23.33   | -5.00         | -18.33 |
|       |         |               | 28.36 | -23.53   | -13.00        | -10.53 |

## 8.4.40. BAND EDGE n261 MIMO 4CC STATE B

### 50 MHz, MIMO, 4CC, QPSK

#### Low-side, Single RB




#### Low-side, Full RB




**50 MHz, MIMO, 4CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**50 MHz, MIMO, 4CC, QPSK**


| BW    | Channel | RB            | Freq.  | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|--------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz)  | (dBm)    | (dBm)         | (dB)   |
| 50    | L       | 1/0           | 27.500 | -18.28   | -5.00         | -13.28 |
|       |         |               | 27.495 | -24.66   | -13.00        | -11.66 |
|       | L       | 32/0          | 27.500 | -22.52   | -5.00         | -17.52 |
|       |         |               | 27.495 | -23.00   | -13.00        | -10.00 |
|       | H       | 1/31          | 28.350 | -18.21   | -5.00         | -13.21 |
|       |         |               | 28.355 | -24.86   | -13.00        | -11.86 |
|       | H       | 32/0          | 28.350 | -23.25   | -5.00         | -18.25 |
|       |         |               | 28.355 | -23.48   | -13.00        | -10.48 |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |
|       |         |               |        |          |               |        |

**100 MHz, MIMO, 4CC, QPSK**

Low-side, Single RB




Low-side, Full RB



**100 MHz, MIMO, 4CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**




**100 MHz, MIMO, 4CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 27.50 | -21.53   | -5.00         | -16.53 |
|       |         |               | 27.49 | -24.78   | -13.00        | -11.78 |
|       | L       | 66/0          | 27.50 | -24.16   | -5.00         | -19.16 |
|       |         |               | 27.49 | -24.27   | -13.00        | -11.27 |
|       | H       | 1/65          | 28.35 | -20.92   | -5.00         | -15.92 |
|       |         |               | 28.36 | -24.82   | -13.00        | -11.82 |
|       | H       | 66/0          | 28.35 | -23.61   | -5.00         | -18.61 |
|       |         |               | 28.36 | -23.75   | -13.00        | -10.75 |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |
|       |         |               |       |          |               |        |


## 8.4.41. BAND EDGE n260 SISO-DUAL 1CC STATE A

### 100 MHz, SISO-DUAL, 1CC, QPSK

#### Low-side, Single RB




#### Low-side, Full RB




**100 MHz, SISO-DUAL, 1CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**



**100 MHz, SISO-DUAL, 1CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -10.56   | -5.00         | -5.56  |
|       |         |               | 36.99 | -28.83   | -13.00        | -15.83 |
|       | L       | 64/0          | 37.00 | -19.97   | -5.00         | -14.97 |
|       |         |               | 36.99 | -21.60   | -13.00        | -8.60  |
|       | H       | 1/65          | 40.00 | -10.37   | -5.00         | -5.37  |
|       |         |               | 40.01 | -26.04   | -13.00        | -13.04 |
|       | H       | 64/2          | 40.00 | -15.98   | -5.00         | -10.98 |
|       |         |               | 40.01 | -17.52   | -13.00        | -4.52  |

**100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -9.97    | -5.00         | -4.97  |
|       |         |               | 36.99 | -28.90   | -13.00        | -15.90 |
|       | L       | 64/0          | 37.00 | -20.67   | -5.00         | -15.67 |
|       |         |               | 36.99 | -24.44   | -13.00        | -11.44 |
|       | H       | 1/65          | 40.00 | -11.12   | -5.00         | -6.12  |
|       |         |               | 40.01 | -25.99   | -13.00        | -12.99 |
|       | H       | 64/2          | 40.00 | -17.34   | -5.00         | -12.34 |
|       |         |               | 40.01 | -20.73   | -13.00        | -7.73  |

**100 MHz, SISO-DUAL, 1CC, 16QAM**



| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -11.87   | -5.00         | -6.87  |
|       |         |               | 36.99 | -28.84   | -13.00        | -15.84 |
|       | L       | 64/0          | 37.00 | -21.49   | -5.00         | -16.49 |
|       |         |               | 36.99 | -22.37   | -13.00        | -9.37  |
|       | H       | 1/65          | 40.00 | -10.76   | -5.00         | -5.76  |
|       |         |               | 40.01 | -26.24   | -13.00        | -13.24 |
|       | H       | 64/2          | 40.00 | -17.78   | -5.00         | -12.78 |
|       |         |               | 40.01 | -18.72   | -13.00        | -5.72  |

**100 MHz, SISO-DUAL, 1CC, 64QAM**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -13.51   | -5.00         | -8.51  |
|       |         |               | 36.99 | -29.28   | -13.00        | -16.28 |
|       | L       | 64/0          | 37.00 | -24.28   | -5.00         | -19.28 |
|       |         |               | 36.99 | -26.07   | -13.00        | -13.07 |
|       | H       | 1/65          | 40.00 | -12.76   | -5.00         | -7.76  |
|       |         |               | 40.01 | -26.43   | -13.00        | -13.43 |
|       | H       | 64/2          | 40.00 | -21.66   | -5.00         | -16.66 |
|       |         |               | 40.01 | -23.37   | -13.00        | -10.37 |


## 8.4.42. BAND EDGE n260 SISO-DUAL 2CC STATE A

### 100 MHz, SISO-DUAL, 2CC, QPSK




**100 MHz, SISO-DUAL, 2CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**



**100 MHz, SISO-DUAL, 2CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -18.60   | -5.00         | -13.60 |
|       |         |               | 36.99 | -29.58   | -13.00        | -16.58 |
|       | L       | 64/0          | 37.00 | -25.51   | -5.00         | -20.51 |
|       |         |               | 36.99 | -26.66   | -13.00        | -13.66 |
|       | H       | 1/65          | 40.00 | -18.01   | -5.00         | -13.01 |
|       |         |               | 40.01 | -26.71   | -13.00        | -13.71 |
|       | H       | 64/2          | 40.00 | -23.24   | -5.00         | -18.24 |
|       |         |               | 40.01 | -23.82   | -13.00        | -10.82 |

**100 MHz, SISO-DUAL, 2CC, Pi/2 BPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -17.67   | -5.00         | -12.67 |
|       |         |               | 36.99 | -29.64   | -13.00        | -16.64 |
|       | L       | 64/0          | 37.00 | -25.98   | -5.00         | -20.98 |
|       |         |               | 36.99 | -27.14   | -13.00        | -14.14 |
|       | H       | 1/65          | 40.00 | -18.71   | -5.00         | -13.71 |
|       |         |               | 40.01 | -26.74   | -13.00        | -13.74 |
|       | H       | 64/2          | 40.00 | -23.68   | -5.00         | -18.68 |
|       |         |               | 40.01 | -24.69   | -13.00        | -11.69 |

**100 MHz, SISO-DUAL, 2CC, 16QAM**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -18.43   | -5.00         | -13.43 |
|       |         |               | 36.99 | -29.61   | -13.00        | -16.61 |
|       | L       | 64/0          | 37.00 | -27.01   | -5.00         | -22.01 |
|       |         |               | 36.99 | -27.60   | -13.00        | -14.60 |
|       | H       | 1/65          | 40.00 | -17.50   | -5.00         | -12.50 |
|       |         |               | 40.01 | -26.78   | -13.00        | -13.78 |
|       | H       | 64/2          | 40.00 | -24.34   | -5.00         | -19.34 |
|       |         |               | 40.01 | -25.22   | -13.00        | -12.22 |


**100 MHz, SISO-DUAL, 2CC, 64QAM**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -20.91   | -5.00         | -15.91 |
|       |         |               | 36.99 | -29.73   | -13.00        | -16.73 |
|       | L       | 64/0          | 37.00 | -28.68   | -5.00         | -23.68 |
|       |         |               | 36.99 | -29.27   | -13.00        | -16.27 |
|       | H       | 1/65          | 40.00 | -19.75   | -5.00         | -14.75 |
|       |         |               | 40.01 | -26.80   | -13.00        | -13.80 |
|       | H       | 64/2          | 40.00 | -26.01   | -5.00         | -21.01 |
|       |         |               | 40.01 | -26.46   | -13.00        | -13.46 |


## 8.4.43. BAND EDGE n260 SISO-DUAL 3CC STATE A

### 100 MHz, SISO-DUAL, 3CC, QPSK

#### Low-side, Single RB




#### Low-side, Full RB




**100 MHz, SISO-DUAL, 3CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**



**100 MHz, SISO-DUAL, 3CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -17.62   | -5.00         | -12.62 |
|       |         |               | 36.99 | -29.65   | -13.00        | -16.65 |
|       | L       | 64/0          | 37.00 | -26.15   | -5.00         | -21.15 |
|       |         |               | 36.99 | -26.50   | -13.00        | -13.50 |
|       | H       | 1/65          | 40.00 | -16.82   | -5.00         | -11.82 |
|       |         |               | 40.01 | -26.76   | -13.00        | -13.76 |
|       | H       | 64/2          | 40.00 | -23.52   | -5.00         | -18.52 |
|       |         |               | 40.01 | -23.92   | -13.00        | -10.92 |

**100 MHz, SISO-DUAL, 3CC, Pi/2 BPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -16.59   | -5.00         | -11.59 |
|       |         |               | 36.99 | -29.58   | -13.00        | -16.58 |
|       | L       | 64/0          | 37.00 | -26.34   | -5.00         | -21.34 |
|       |         |               | 36.99 | -26.72   | -13.00        | -13.72 |
|       | H       | 1/65          | 40.00 | -17.75   | -5.00         | -12.75 |
|       |         |               | 40.01 | -26.74   | -13.00        | -13.74 |
|       | H       | 64/2          | 40.00 | -23.61   | -5.00         | -18.61 |
|       |         |               | 40.01 | -24.34   | -13.00        | -11.34 |

**100 MHz, SISO-DUAL, 3CC, 16QAM**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -17.57   | -5.00         | -12.57 |
|       |         |               | 36.99 | -29.65   | -13.00        | -16.65 |
|       | L       | 64/0          | 37.00 | -27.40   | -5.00         | -22.40 |
|       |         |               | 36.99 | -27.63   | -13.00        | -14.63 |
|       | H       | 1/65          | 40.00 | -16.63   | -5.00         | -11.63 |
|       |         |               | 40.01 | -26.70   | -13.00        | -13.70 |
|       | H       | 64/2          | 40.00 | -24.65   | -5.00         | -19.65 |
|       |         |               | 40.01 | -25.34   | -13.00        | -12.34 |


**100 MHz, SISO-DUAL, 3CC, 64QAM**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -19.48   | -5.00         | -14.48 |
|       |         |               | 36.99 | -29.65   | -13.00        | -16.65 |
|       | L       | 64/0          | 37.00 | -28.78   | -5.00         | -23.78 |
|       |         |               | 36.99 | -29.21   | -13.00        | -16.21 |
|       | H       | 1/65          | 40.00 | -18.93   | -5.00         | -13.93 |
|       |         |               | 40.01 | -26.71   | -13.00        | -13.71 |
|       | H       | 64/2          | 40.00 | -26.04   | -5.00         | -21.04 |
|       |         |               | 40.01 | -26.60   | -13.00        | -13.60 |


## 8.4.44. BAND EDGE n260 SISO-DUAL 4CC STATE A

### 100 MHz, SISO-DUAL, 4CC, QPSK

#### Low-side, Single RB




#### Low-side, Full RB




**100 MHz, SISO-DUAL, 4CC, QPSK**

High-side, Single RB



High-side, Full RB



**100 MHz, SISO-DUAL, 4CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -19.08   | -5.00         | -14.08 |
|       |         |               | 36.99 | -29.66   | -13.00        | -16.66 |
|       | L       | 64/0          | 37.00 | -26.73   | -5.00         | -21.73 |
|       |         |               | 36.99 | -27.32   | -13.00        | -14.32 |
|       | H       | 1/65          | 40.00 | -18.04   | -5.00         | -13.04 |
|       |         |               | 40.01 | -26.80   | -13.00        | -13.80 |
|       | H       | 64/2          | 40.00 | -23.74   | -5.00         | -18.74 |
|       |         |               | 40.01 | -24.28   | -13.00        | -11.28 |

**100 MHz, SISO-DUAL, 4CC, Pi/2 BPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -17.57   | -5.00         | -12.57 |
|       |         |               | 36.99 | -29.70   | -13.00        | -16.70 |
|       | L       | 64/0          | 37.00 | -26.94   | -5.00         | -21.94 |
|       |         |               | 36.99 | -27.55   | -13.00        | -14.55 |
|       | H       | 1/65          | 40.00 | -18.82   | -5.00         | -13.82 |
|       |         |               | 40.01 | -26.83   | -13.00        | -13.83 |
|       | H       | 64/2          | 40.00 | -24.03   | -5.00         | -19.03 |
|       |         |               | 40.01 | -24.63   | -13.00        | -11.63 |

**100 MHz, SISO-DUAL, 4CC, 16QAM**



| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -18.73   | -5.00         | -13.73 |
|       |         |               | 36.99 | -29.70   | -13.00        | -16.70 |
|       | L       | 64/0          | 37.00 | -27.92   | -5.00         | -22.92 |
|       |         |               | 36.99 | -28.42   | -13.00        | -15.42 |
|       | H       | 1/65          | 40.00 | -17.62   | -5.00         | -12.62 |
|       |         |               | 40.01 | -26.66   | -13.00        | -13.66 |
|       | H       | 64/2          | 40.00 | -25.07   | -5.00         | -20.07 |
|       |         |               | 40.01 | -25.63   | -13.00        | -12.63 |

**100 MHz, SISO-DUAL, 4CC, 64QAM**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -21.19   | -5.00         | -16.19 |
|       |         |               | 36.99 | -29.81   | -13.00        | -16.81 |
|       | L       | 64/0          | 37.00 | -29.04   | -5.00         | -24.04 |
|       |         |               | 36.99 | -29.55   | -13.00        | -16.55 |
|       | H       | 1/65          | 40.00 | -20.04   | -5.00         | -15.04 |
|       |         |               | 40.01 | -26.85   | -13.00        | -13.85 |
|       | H       | 64/2          | 40.00 | -26.27   | -5.00         | -21.27 |
|       |         |               | 40.01 | -26.64   | -13.00        | -13.64 |


## 8.4.45. BAND EDGE n260 SISO-DUAL 1CC STATE B

### 100 MHz, SISO-DUAL, 1CC, QPSK




**100 MHz, SISO-DUAL, 1CC, QPSK**

**High-side, Single RB**



**High-side, Full RB**



**100 MHz, SISO-DUAL, 1CC, QPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -8.83    | -5.00         | -3.83  |
|       |         |               | 36.99 | -28.08   | -13.00        | -15.08 |
|       | L       | 64/0          | 37.00 | -16.11   | -5.00         | -11.11 |
|       |         |               | 36.99 | -17.66   | -13.00        | -4.66  |
|       | H       | 1/65          | 40.00 | -11.12   | -5.00         | -6.12  |
|       |         |               | 40.01 | -26.18   | -13.00        | -13.18 |
|       | H       | 64/2          | 40.00 | -17.93   | -5.00         | -12.93 |
|       |         |               | 40.01 | -19.29   | -13.00        | -6.29  |

**100 MHz, SISO-DUAL, 1CC, Pi/2 BPSK**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -7.38    | -5.00         | -2.38  |
|       |         |               | 36.99 | -28.19   | -13.00        | -15.19 |
|       | L       | 64/0          | 37.00 | -17.10   | -5.00         | -12.10 |
|       |         |               | 36.99 | -21.04   | -13.00        | -8.04  |
|       | H       | 1/65          | 40.00 | -11.81   | -5.00         | -6.81  |
|       |         |               | 40.01 | -26.14   | -13.00        | -13.14 |
|       | H       | 64/2          | 40.00 | -19.14   | -5.00         | -14.14 |
|       |         |               | 40.01 | -22.27   | -13.00        | -9.27  |

**100 MHz, SISO-DUAL, 1CC, 16QAM**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -9.38    | -5.00         | -4.38  |
|       |         |               | 36.99 | -28.12   | -13.00        | -15.12 |
|       | L       | 64/0          | 37.00 | -17.93   | -5.00         | -12.93 |
|       |         |               | 36.99 | -18.80   | -13.00        | -5.80  |
|       | H       | 1/65          | 40.00 | -11.68   | -5.00         | -6.68  |
|       |         |               | 40.01 | -26.32   | -13.00        | -13.32 |
|       | H       | 64/2          | 40.00 | -19.95   | -5.00         | -14.95 |
|       |         |               | 40.01 | -20.59   | -13.00        | -7.59  |


**100 MHz, SISO-DUAL, 1CC, 64QAM**

| BW    | Channel | RB            | Freq. | Avg EIRP | Avg TRP Limit | Margin |
|-------|---------|---------------|-------|----------|---------------|--------|
| (MHz) |         | (Size Offset) | (GHz) | (dBm)    | (dBm)         | (dB)   |
| 100   | L       | 1/0           | 37.00 | -11.59   | -5.00         | -6.59  |
|       |         |               | 36.99 | -28.82   | -13.00        | -15.82 |
|       | L       | 64/0          | 37.00 | -21.38   | -5.00         | -16.38 |
|       |         |               | 36.99 | -23.49   | -13.00        | -10.49 |
|       | H       | 1/65          | 40.00 | -13.80   | -5.00         | -8.80  |
|       |         |               | 40.01 | -26.51   | -13.00        | -13.51 |
|       | H       | 64/2          | 40.00 | -23.28   | -5.00         | -18.28 |
|       |         |               | 40.01 | -24.79   | -13.00        | -11.79 |

## 8.4.46. BAND EDGE n260 SISO-DUAL 2CC STATE B

### 100 MHz, SISO-DUAL, 2CC, QPSK

#### Low-side, Single RB



#### Low-side, Full RB

