

MEASUREMENT REPORT

LTE

Applicant Name:

Apple Inc.
One Apple Park Way
Cupertino, CA 95014
United States

Date of Testing:

07/27/2018-10/16/2018

Test Site/Location:

PCTEST Lab. Morgan Hill, CA, USA

Test Report Serial No.:

1C1806050012-03.BCG

FCC ID:

BCGA2013

APPLICANT:

Apple Inc.

Application Type:

Certification

Model:

A2013

EUT Type:

Tablet Device

FCC Classification:

PCS Licensed Transmitter (PCB)

FCC Rule Part(s):

22, 24, & 27

Test Procedure(s):

ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



Randy Ortanez
President




FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 1 of 398

TABLE OF CONTENTS


1.0	INTRODUCTION.....	5
1.1	Scope	5
1.2	PCTEST Test Location.....	5
1.3	Test Facility / Accreditations.....	5
2.0	PRODUCT INFORMATION.....	6
2.1	Equipment Description	6
2.2	Device Capabilities.....	6
2.3	Antenna Description.....	7
2.4	Test Support Equipment.....	7
2.5	Test Configuration	8
2.6	Software and Firmware	8
2.7	EMI Suppression Device(s)/Modifications	8
3.0	DESCRIPTION OF TESTS	9
3.1	Measurement Procedure.....	9
3.2	Block C Frequency Range	9
3.3	Block A Frequency Range.....	9
3.4	Cellular - Base Frequency Blocks	9
3.5	Cellular - Mobile Frequency Blocks.....	9
3.6	PCS - Base Frequency Blocks	10
3.7	PCS - Mobile Frequency Blocks.....	10
3.8	AWS - Base Frequency Blocks	10
3.9	AWS - Mobile Frequency Blocks.....	10
3.10	WCS – Mobile/Base Frequency Blocks.....	11
3.11	BRS/EBS Frequency Block	11
3.12	Radiated Power and Radiated Spurious Emissions	12
4.0	MEASUREMENT UNCERTAINTY	13
5.0	TEST EQUIPMENT CALIBRATION DATA.....	14
6.0	SAMPLE CALCULATIONS	15
7.0	TEST RESULTS.....	16
7.1	Summary.....	16
7.2	Occupied Bandwidth	18
7.3	Spurious and Harmonic Emissions at Antenna Terminal	73
7.4	Band Edge Emissions at Antenna Terminal	116
7.5	Peak-Average Ratio	201
7.6	Uplink Carrier Aggregation	237
7.7	Radiated Power (ERP/EIRP).....	267
7.7.1	PORT-A RADIATED POWER (ERP/EIRP)	269
7.7.2	PORT-B RADIATED POWER (ERP/EIRP)	281
7.7.3	PORT-C RADIATED POWER (ERP/EIRP)	293
7.7.4	PORT-D RADIATED POWER (ERP/EIRP)	300
7.8	Radiated Spurious Emissions Measurements.....	307
7.8.1	ANT 3 (PORT-A) RADIATED SPURIOUS EMISSIONS MEASUREMENTS.....	309
7.8.2	ANT 4B (PORT-A) RADIATED SPURIOUS EMISSIONS MEASUREMENTS	318
7.8.3	ANT 1 (PORT-B) RADIATED SPURIOUS EMISSIONS MEASUREMENTS	331
7.8.4	ANT 2B (PORT-B) RADIATED SPURIOUS EMISSIONS MEASUREMENTS	339
7.8.5	ANT 4A (PORT-C) RADIATED SPURIOUS EMISSIONS MEASUREMENTS	349
7.8.6	ANT 2A (PORT-D) RADIATED SPURIOUS EMISSIONS MEASUREMENTS	359
	Uplink Carrier Aggregation Radiated Measurements	369
7.9	Frequency Stability / Temperature Variation	379
8.0	CONCLUSION	398

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 2 of 398



MEASUREMENT REPORT

FCC Part 22, 24, & 27



Mode	FCC Rule Part	Tx Frequency (MHz)	ERP		EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)	Max. Power (W)	Max. Power (dBm)		
LTE Band 71	27	665.5 - 695.5	0.111	20.45			4M54G7W	QPSK
LTE Band 71	27	665.5 - 695.5	0.094	19.74			4M53D7W	16QAM
LTE Band 71	27	665.5 - 695.5	0.081	19.11			4M53D7W	64QAM
LTE Band 71	27	668 - 693	0.110	20.43			9M07G7W	QPSK
LTE Band 71	27	668 - 693	0.097	19.89			9M09D7W	16QAM
LTE Band 71	27	668 - 693	0.081	19.07			9M07D7W	64QAM
LTE Band 71	27	670.5 - 690.5	0.111	20.45			13M6G7W	QPSK
LTE Band 71	27	670.5 - 690.5	0.097	19.85			13M6D7W	16QAM
LTE Band 71	27	670.5 - 690.5	0.082	19.15			13M6D7W	64QAM
LTE Band 71	27	673 - 688	0.107	20.28			18M1G7W	QPSK
LTE Band 71	27	673 - 688	0.095	19.80			18M1D7W	16QAM
LTE Band 71	27	673 - 688	0.080	19.01			18M1D7W	64QAM
LTE Band 12	27	699.7 - 715.3	0.127	21.04	0.209	23.19	1M11G7W	QPSK
LTE Band 12	27	699.7 - 715.3	0.111	20.47	0.183	22.62	1M11D7W	16QAM
LTE Band 12	27	699.7 - 715.3	0.089	19.50	0.146	21.65	1M11D7W	64QAM
LTE Band 12	27	700.5 - 714.5	0.125	20.97	0.205	23.12	2M72G7W	QPSK
LTE Band 12	27	700.5 - 714.5	0.113	20.53	0.185	22.68	2M73D7W	16QAM
LTE Band 12	27	700.5 - 714.5	0.088	19.46	0.145	21.61	2M73D7W	64QAM
LTE Band 12	27	701.5 - 713.5	0.133	21.24	0.218	23.39	4M54G7W	QPSK
LTE Band 12	27	701.5 - 713.5	0.114	20.57	0.187	22.72	4M54D7W	16QAM
LTE Band 12	27	701.5 - 713.5	0.090	19.53	0.147	21.68	4M54D7W	64QAM
LTE Band 12	27	704 - 711	0.133	21.25	0.219	23.40	9M09G7W	QPSK
LTE Band 12	27	704 - 711	0.115	20.59	0.188	22.74	9M06D7W	16QAM
LTE Band 12	27	704 - 711	0.091	19.57	0.149	21.72	9M06D7W	64QAM
LTE Band 17	27	706.5 - 713.5	0.130	21.13	0.213	23.28	4M54G7W	QPSK
LTE Band 17	27	706.5 - 713.5	0.099	19.96	0.163	22.11	4M54D7W	16QAM
LTE Band 17	27	706.5 - 713.5	0.092	19.62	0.150	21.77	4M54D7W	64QAM
LTE Band 17	27	709 - 711	0.113	20.55	0.186	22.70	9M09G7W	QPSK
LTE Band 17	27	709 - 711	0.098	19.90	0.160	22.05	9M06D7W	16QAM
LTE Band 17	27	709 - 711	0.090	19.55	0.148	21.70	9M06D7W	64QAM
LTE Band 13	27	779.5 - 784.5	0.133	21.25	0.219	23.40	4M54G7W	QPSK
LTE Band 13	27	779.5 - 784.5	0.122	20.88	0.201	23.03	4M54D7W	16QAM
LTE Band 13	27	779.5 - 784.5	0.098	19.90	0.160	22.05	4M55D7W	64QAM
LTE Band 13	27	782	0.133	21.25	0.219	23.40	9M08G7W	QPSK
LTE Band 13	27	782	0.119	20.77	0.196	22.92	9M03D7W	16QAM
LTE Band 13	27	782	0.101	20.03	0.165	22.18	9M04D7W	64QAM
LTE Band 5	22H	824.7 - 848.3	0.186	22.70	0.305	24.85	1M11G7W	QPSK
LTE Band 5	22H	824.7 - 848.3	0.157	21.95	0.257	24.10	1M11D7W	16QAM
LTE Band 5	22H	824.7 - 848.3	0.127	21.04	0.208	23.19	1M11D7W	64QAM
LTE Band 5	22H	825.5 - 847.5	0.185	22.68	0.304	24.83	2M72G7W	QPSK
LTE Band 5	22H	825.5 - 847.5	0.157	21.95	0.257	24.10	2M74D7W	16QAM
LTE Band 5	22H	825.5 - 847.5	0.129	21.09	0.211	23.24	2M72D7W	64QAM
LTE Band 5	22H	826.5 - 846.5	0.188	22.74	0.308	24.89	4M54G7W	QPSK
LTE Band 5	22H	826.5 - 846.5	0.158	21.98	0.259	24.13	4M54D7W	16QAM
LTE Band 5	22H	826.5 - 846.5	0.129	21.11	0.212	23.26	4M55D7W	64QAM
LTE Band 5	22H	829 - 844	0.187	22.73	0.308	24.88	9M07G7W	QPSK
LTE Band 5	22H	829 - 844	0.160	22.03	0.262	24.18	9M05D7W	16QAM
LTE Band 5	22H	829 - 844	0.129	21.10	0.211	23.25	9M05D7W	64QAM
LTE Band 26	22H	824.7 - 848.3	0.188	22.75	0.309	24.90	1M11G7W	QPSK
LTE Band 26	22H	824.7 - 848.3	0.159	22.00	0.260	24.15	1M11D7W	16QAM
LTE Band 26	22H	824.7 - 848.3	0.129	21.11	0.212	23.26	1M11D7W	64QAM
LTE Band 26	22H	825.5 - 847.5	0.188	22.74	0.308	24.89	2M72G7W	QPSK
LTE Band 26	22H	825.5 - 847.5	0.161	22.06	0.264	24.21	2M74D7W	16QAM
LTE Band 26	22H	825.5 - 847.5	0.128	21.06	0.209	23.21	2M72D7W	64QAM
LTE Band 26	22H	826.5 - 846.5	0.188	22.74	0.308	24.89	4M54G7W	QPSK
LTE Band 26	22H	826.5 - 846.5	0.158	21.98	0.259	24.13	4M54D7W	16QAM
LTE Band 26	22H	826.5 - 846.5	0.124	20.94	0.204	23.09	4M55D7W	64QAM
LTE Band 26	22H	829 - 844	0.187	22.72	0.307	24.87	9M07G7W	QPSK
LTE Band 26	22H	829 - 844	0.158	21.98	0.259	24.13	9M05D7W	16QAM
LTE Band 26	22H	829 - 844	0.131	21.17	0.215	23.32	9M05D7W	64QAM

EUT Overview (<1GHz)

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 3 of 398

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 4	27	1710.7 - 1754.3	0.224	23.50	1M11G7W	QPSK
LTE Band 4	27	1710.7 - 1754.3	0.190	22.79	1M10D7W	16QAM
LTE Band 4	27	1710.7 - 1754.3	0.155	21.90	1M11D7W	64QAM
LTE Band 4	27	1711.5 - 1753.5	0.224	23.50	2M72G7W	QPSK
LTE Band 4	27	1711.5 - 1753.5	0.186	22.69	2M72D7W	16QAM
LTE Band 4	27	1711.5 - 1753.5	0.152	21.82	2M72D7W	64QAM
LTE Band 4	27	1712.5 - 1752.5	0.224	23.50	4M55G7W	QPSK
LTE Band 4	27	1712.5 - 1752.5	0.182	22.61	4M53D7W	16QAM
LTE Band 4	27	1712.5 - 1752.5	0.156	21.92	4M55D7W	64QAM
LTE Band 4	27	1715 - 1750	0.224	23.50	9M06G7W	QPSK
LTE Band 4	27	1715 - 1750	0.189	22.76	9M03D7W	16QAM
LTE Band 4	27	1715 - 1750	0.156	21.92	9M02D7W	64QAM
LTE Band 4	27	1717.5 - 1747.5	0.224	23.50	13M6G7W	QPSK
LTE Band 4	27	1717.5 - 1747.5	0.182	22.61	13M6D7W	16QAM
LTE Band 4	27	1717.5 - 1747.5	0.163	22.13	13M6D7W	64QAM
LTE Band 4	27	1720 - 1745	0.224	23.50	18M0G7W	QPSK
LTE Band 4	27	1720 - 1745	0.190	22.78	18M1D7W	16QAM
LTE Band 4	27	1720 - 1745	0.166	22.21	18M1D7W	64QAM
LTE Band 66	27	1710.7 - 1779.3	0.224	23.50	1M11G7W	QPSK
LTE Band 66	27	1710.7 - 1779.3	0.189	22.77	1M10D7W	16QAM
LTE Band 66	27	1710.7 - 1779.3	0.157	21.97	1M11D7W	64QAM
LTE Band 66	27	1711.5 - 1778.5	0.224	23.50	2M72G7W	QPSK
LTE Band 66	27	1711.5 - 1778.5	0.187	22.71	2M72D7W	16QAM
LTE Band 66	27	1711.5 - 1778.5	0.151	21.79	2M72D7W	64QAM
LTE Band 66	27	1712.5 - 1777.5	0.224	23.50	4M55G7W	QPSK
LTE Band 66	27	1712.5 - 1777.5	0.178	22.51	4M53D7W	16QAM
LTE Band 66	27	1712.5 - 1777.5	0.158	21.99	4M55D7W	64QAM
LTE Band 66	27	1715 - 1775	0.224	23.50	9M06G7W	QPSK
LTE Band 66	27	1715 - 1775	0.184	22.65	9M03D7W	16QAM
LTE Band 66	27	1715 - 1775	0.156	21.94	9M02D7W	64QAM
LTE Band 66	27	1717.5 - 1772.5	0.224	23.50	13M6G7W	QPSK
LTE Band 66	27	1717.5 - 1772.5	0.181	22.58	13M6D7W	16QAM
LTE Band 66	27	1717.5 - 1772.5	0.160	22.04	13M6D7W	64QAM
LTE Band 66	27	1720 - 1770	0.224	23.50	18M0G7W	QPSK
LTE Band 66	27	1720 - 1770	0.174	22.40	18M1D7W	16QAM
LTE Band 66	27	1720 - 1770	0.156	21.94	18M1D7W	64QAM
LTE Band 2	24E	1850.7 - 1909.3	0.220	23.43	1M11G7W	QPSK
LTE Band 2	24E	1850.7 - 1909.3	0.189	22.76	1M11D7W	16QAM
LTE Band 2	24E	1850.7 - 1909.3	0.159	22.02	1M11D7W	64QAM
LTE Band 2	24E	1851.5 - 1908.5	0.218	23.39	2M72G7W	QPSK
LTE Band 2	24E	1851.5 - 1908.5	0.181	22.57	2M73D7W	16QAM
LTE Band 2	24E	1851.5 - 1908.5	0.145	21.60	2M73D7W	64QAM
LTE Band 2	24E	1852.5 - 1907.5	0.219	23.40	4M54G7W	QPSK
LTE Band 2	24E	1852.5 - 1907.5	0.183	22.62	4M54D7W	16QAM
LTE Band 2	24E	1852.5 - 1907.5	0.160	22.03	4M55D7W	64QAM
LTE Band 2	24E	1855 - 1905	0.219	23.40	9M06G7W	QPSK
LTE Band 2	24E	1855 - 1905	0.186	22.70	9M06D7W	16QAM
LTE Band 2	24E	1855 - 1905	0.161	22.08	9M06D7W	64QAM
LTE Band 2	24E	1857.5 - 1902.5	0.219	23.40	13M6G7W	QPSK
LTE Band 2	24E	1857.5 - 1902.5	0.187	22.71	13M6D7W	16QAM
LTE Band 2	24E	1857.5 - 1902.5	0.156	21.92	13M6D7W	64QAM
LTE Band 2	24E	1860 - 1900	0.219	23.40	18M1G7W	QPSK
LTE Band 2	24E	1860 - 1900	0.186	22.68	18M1D7W	16QAM
LTE Band 2	24E	1860 - 1900	0.163	22.12	18M1D7W	64QAM
LTE Band 25	24E	1850.7 - 1914.3	0.215	23.32	1M11G7W	QPSK
LTE Band 25	24E	1850.7 - 1914.3	0.185	22.68	1M11D7W	16QAM
LTE Band 25	24E	1850.7 - 1914.3	0.151	21.79	1M11D7W	64QAM
LTE Band 25	24E	1851.5 - 1913.5	0.214	23.31	2M72G7W	QPSK
LTE Band 25	24E	1851.5 - 1913.5	0.180	22.55	2M73D7W	16QAM
LTE Band 25	24E	1851.5 - 1913.5	0.148	21.70	2M73D7W	64QAM
LTE Band 25	24E	1852.5 - 1912.5	0.219	23.40	4M54G7W	QPSK
LTE Band 25	24E	1852.5 - 1912.5	0.180	22.56	4M54D7W	16QAM
LTE Band 25	24E	1852.5 - 1912.5	0.164	22.14	4M55D7W	64QAM
LTE Band 25	24E	1855 - 1910	0.219	23.40	9M06G7W	QPSK
LTE Band 25	24E	1855 - 1910	0.188	22.74	9M06D7W	16QAM
LTE Band 25	24E	1855 - 1910	0.157	21.97	9M06D7W	64QAM
LTE Band 25	24E	1857.5 - 1907.5	0.219	23.40	13M6G7W	QPSK
LTE Band 25	24E	1857.5 - 1907.5	0.186	22.70	13M6D7W	16QAM
LTE Band 25	24E	1857.5 - 1907.5	0.157	21.96	13M6D7W	64QAM
LTE Band 25	24E	1860 - 1905	0.219	23.40	18M1G7W	QPSK
LTE Band 25	24E	1860 - 1905	0.189	22.76	18M1D7W	16QAM
LTE Band 25	24E	1860 - 1905	0.161	22.08	18M1D7W	64QAM
LTE Band 30	27	2307.5 - 2312.5	0.129	21.10	4M54G7W	QPSK
LTE Band 30	27	2307.5 - 2312.5	0.111	20.47	4M55D7W	16QAM
LTE Band 30	27	2307.5 - 2312.5	0.082	19.14	4M54D7W	64QAM
LTE Band 30	27	2310	0.129	21.10	9M08G7W	QPSK
LTE Band 30	27	2310	0.104	20.15	9M05D7W	16QAM
LTE Band 30	27	2310	0.080	19.02	9M04D7W	64QAM
LTE Band 7	27	2502.5 - 2567.5	0.229	23.60	4M53G7W	QPSK
LTE Band 7	27	2502.5 - 2567.5	0.190	22.80	4M54D7W	16QAM
LTE Band 7	27	2502.5 - 2567.5	0.164	22.16	4M53D7W	64QAM
LTE Band 7	27	2505 - 2565	0.229	23.60	9M05G7W	QPSK
LTE Band 7	27	2505 - 2565	0.195	22.89	9M01D7W	16QAM
LTE Band 7	27	2505 - 2565	0.161	22.06	9M02D7W	64QAM
LTE Band 7	27	2507.5 - 2562.5	0.227	23.56	13M6G7W	QPSK
LTE Band 7	27	2507.5 - 2562.5	0.189	22.77	13M6D7W	16QAM
LTE Band 7	27	2507.5 - 2562.5	0.156	21.90	13M6D7W	64QAM
LTE Band 7	27	2510 - 2560	0.229	23.60	18M1G7W	QPSK
LTE Band 7	27	2510 - 2560	0.193	22.86	18M1D7W	16QAM
LTE Band 7	27	2510 - 2560	0.153	21.84	18M0D7W	64QAM
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.324	25.10	4M54G7W	QPSK
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.272	24.34	4M54D7W	16QAM
LTE Band 41 (PC2)	27	2498.5 - 2687.5	0.193	22.86	4M52D7W	64QAM
LTE Band 41 (PC2)	27	2501 - 2685	0.324	25.10	9M02G7W	QPSK
LTE Band 41 (PC2)	27	2501 - 2685	0.265	24.23	9M02D7W	16QAM
LTE Band 41 (PC2)	27	2501 - 2685	0.195	22.90	9M06D7W	64QAM
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.324	25.10	13M6G7W	QPSK
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.296	24.72	13M5D7W	16QAM
LTE Band 41 (PC2)	27	2503.5 - 2682.5	0.195	22.90	13M6D7W	64QAM
LTE Band 41 (PC2)	27	2506 - 2680	0.324	25.10	18M1G7W	QPSK
LTE Band 41 (PC2)	27	2506 - 2680	0.288	24.59	18M1D7W	16QAM
LTE Band 41 (PC2)	27	2506 - 2680	0.199	22.99	18M1D7W	64QAM

EUT Overview (>1GHz)

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 4 of 398

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 18855 Adams Court, Morgan Hill, CA 95037. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014 and KDB 414788 D01 v01.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Morgan Hill, CA 95037, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.02 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISSED Standards (RSS).
- PCTEST facility is a registered (22831) test laboratory with the site description on file with ISSED.

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 5 of 398

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Apple Tablet Device FCC ID: BCGA2013**. The test data contained in this report pertains only to the emissions due to the EUT's LTE function.

Test Device Serial No.: DLXX4040KR54, DLXX4036KR54, DLXWX006KR50

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, 802.11b/g/n WLAN, 802.11a/n/ac UNII, Bluetooth (1x, EDR, LE, HDR4, HDR8)

LTE Band 12 (698 - 716 MHz) overlaps the entire frequency range of LTE Band 17 (704 - 716 MHz). Therefore, test data provided in this report covers Band 17 as well as Band 12.

LTE Band 26 (814.7 – 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz). Therefore, test data provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.

LTE Band 66 (1710 - 1780 MHz) overlaps the entire frequency range of LTE Band 4 (1710 - 1755 MHz). Therefore, test data provided in this report covers Band 4 as well as Band 66.

LTE Band 25 (1850 - 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 6 of 398

2.3 Antenna Description

Following antenna was used for the testing.

Frequency [MHz]	Antennas			
	Port A	Port B	Port C	Port D
700-800	ANT 3	ANT 1	N/A	
820-960				
1700-1800	ANT 4b	ANT 2b	ANT 4a	ANT 2a
1820-2100				
2300-2520				
2540-2700				

Table 2-1. Antennas vs Ports

Frequency [MHz]	Antenna Gain (dBi)			
	Port A	Port B	Port C	Port D
700-800	-2.1	-4.2	N/A	
820-960	-0.6	-2.9		
1700-1800	-2.0	-2.0	-2.4	-1.1
1820-2100	-2.1	-2.1	-1.8	0.0
2300-2520	-2.4	-2.4	0.5	0.5
2540-2700	-1.9	-1.9	0.0	0.1

Table 2-2. Antenna Peak Gain

2.4 Test Support Equipment

1	Apple MacBook	Model:	A1398	S/N:	C2QKP008F6F3
	w/AC/DC Adapter	Model:	A1435	S/N:	C04325505K1F288BG
2	Apple USB-C Cable	Model:	Chimp	S/N:	300C44
3	USB-C Cable	Model:	A146	S/N:	N/A
	w/ AC Adapter	Model:	A1720	S/N:	C3D8257A2EPGKVP2C
4	USB-C to 3.5mm Aux Adapter	Model:	A2049	S/N:	DWH413100GJJKLT12
5	DC Power Supply	Model:	KPS3010D	S/N:	N/A

Table 2-3. Test Support Equipment Used

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device		Page 7 of 398

2.5 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

There are two vendors of the radio modules, variant 1 and variant 2. Both radio modules have the same mechanical outline, same on-board antenna matching circuit, identical antenna structure, and are built and tested to conform to the same specifications and to operate within the same tolerances. The worst case configuration was found between the two variants. The EUT was also investigated with and without charger.

The emissions below 1GHz and above 18GHz were tested with the highest transmitting power channel and the worst case configuration.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report. The worst orientation was found to be Y-orientation (landscape).

2.6 Software and Firmware

The test was conducted with firmware version 16B64 installed on the EUT.

2.7 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 8 of 398

3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in the document titled "Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards" (ANSI/TIA-603-E-2016) and "Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems" (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

3.2 Block C Frequency Range


Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.

3.3 Block A Frequency Range

698-746 MHz band. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:

Block A: 698-704 MHz and 728-734 MHz;
Block B: 704-710 MHz and 734-740 MHz; and
Block C: 710-716 MHz and 740-746 MHz.


3.4 Cellular - Base Frequency Blocks



BLOCK 1: 869 – 880 MHz (A* Low + A)
BLOCK 2: 880 – 890 MHz (B)

BLOCK 3: 890 – 891.5 MHz (A* High)
BLOCK 4: 891.5 – 894 MHz (B*)

3.5 Cellular - Mobile Frequency Blocks




BLOCK 1: 824 – 835 MHz (A* Low + A)
BLOCK 2: 835 – 845 MHz (B)


BLOCK 3: 845 – 846.5 MHz (A* High)
BLOCK 4: 846.5 – 849 MHz (B*)

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 9 of 398


3.6 PCS - Base Frequency Blocks




3.7 PCS - Mobile Frequency Blocks



3.8 AWS - Base Frequency Blocks



3.9 AWS - Mobile Frequency Blocks



FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 10 of 398

3.10 WCS – Mobile/Base Frequency Blocks

The following frequencies are available for WCS in the 2305-2320 MHz and 2345-2360 MHz bands:


BLOCK 1: 2305-2310 and 2350-2355 MHz (A)

BLOCK 2: 2310-2315 and 2355-236 MHz (B)

BLOCK 3: 2315-2320 MHz (C)

BLOCK 4: 2345-2350 MHz (D)

3.11 BRS/EBS Frequency Block



FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 11 of 398

3.12 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Per the guidelines of KDB 412172 D01 v01r01, radiated power levels are measured using the following formula:

$$ERP \text{ or } EIRP = P_T + G_T - L_C$$

Where P_T is the transmitter output power, expressed in dBm, G_T is the gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP), and L_C signal attenuation in the connecting cable between the transmitter and antenna in dB.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]}$$

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g \text{ [dBm]} - \text{cable loss [dB]}$.

The calculated P_d levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of $43 + 10\log_{10}(\text{Power [Watts]})$. For Band 7 and 41, the calculated P_d levels are compared to the absolute spurious emission limit of -25dBm which is equivalent to the required minimum attenuation of $55 + 10\log_{10}(\text{Power [Watts]})$. For Band 30, the calculated P_d levels are compared to the absolute spurious emission limit of -40dBm which is equivalent to the required minimum attenuation of $70 + 10\log_{10}(\text{Power [Watts]})$.

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 12 of 398

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ($\pm$ dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: BCGA2013		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 13 of 398

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
ATM	180-442A-KF	20dB Nominal Gain Horn Antenna	3/13/2018	Annual	3/13/2019	T058601-02
COM-POWER	LIN-120A	LISN	3/7/2018	Annual	3/7/2019	241296
ESPEC	SU-241	Temperature Chamber	8/10/2018	Annual	8/10/2019	92009574
Keysight Technologies	N9030A	3Hz-44GHz PXA Signal Analyzer	2/27/2018	Annual	2/27/2019	MY49430244
Rohde & Schwarz	FSV40	Signal Analyzer (10Hz-40GHz)	2/6/2018	Annual	2/6/2019	101619
Rohde & Schwarz	ESW44	EMI Test Receiver	12/20/2017	Annual	12/20/2018	101668
Rohde & Schwarz	ESW44	EMI Test Receiver	11/16/2017	Annual	11/16/2018	101570
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	6/11/2018	Annual	6/11/2019	161675
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	4/16/2018	Annual	4/16/2019	161617
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	12/8/2017	Annual	12/8/2018	164175
Rohde & Schwarz	SFUNIT-RX	Shielded Filter Unit	9/11/2017	Annual	9/11/2018	102132
Rohde & Schwarz	SFUNIT-RX	Shielded Filter Unit	12/11/2017	Annual	12/11/2018	102136
Rohde & Schwarz	TS-PR1840	Pre-Amplifier (18GHz - 40GHz)	6/11/2018	Annual	6/11/2019	100051
Rohde & Schwarz	TS-PR8	Pre-Amplifier (30MHz - 8GHz)	1/25/2018	Annual	1/25/2019	102333
Rohde & Schwarz	HL562E	Ultra Broadband Antenna (30MHz - 6GHz)	6/8/2018	Annual	6/8/2019	100810
Rohde & Schwarz	TC-TA18	Cross Polarized Vivaldi Antenna(400MHz-18GHz)	11/13/2017	Annual	11/13/2018	101057
Rohde & Schwarz	TC-TA18	Cross Polarized Vivaldi Antenna (400MHz-18GHz)	11/29/2017	Annual	11/29/2018	101063

Table 5-1. Test Equipment

Notes:

For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 14 of 398

6.0 SAMPLE CALCULATIONS

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

Spurious Radiated Emission – LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was –81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of –81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of –30.9 dBm yielding –24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm – (-24.80).

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 15 of 398

7.0 TEST RESULTS

7.1 Summary

Company Name: Apple Inc.
 FCC ID: BCGA2013
 FCC Classification: PCS Licensed Transmitter (PCB)
 Mode(s): LTE

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
2.1049	Occupied Bandwidth	N/A	CONDUCTED	PASS	Section 7.2
2.1051 2.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Out of Band Emissions	$> 43 + 10\log_{10}(P[\text{Watts}])$ at Band Edge and for all out-of-band emissions			Section 7.3, 7.4
27.53(m)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.3, 7.4
27.53(a)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(a)			Section 7.3, 7.4
24.232(d) 27.50(d)(5)	Peak-Average Ratio	$< 13 \text{ dB}$			Section 7.5
2.1046	Transmitter Conducted Output Power	N/A			See RF Exposure Report
2.1055 22.355 24.235 27.54	Frequency Stability	$< 2.5 \text{ ppm}$ (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27)			Section 0

Table 7-1. Summary of Conducted Test Results

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 16 of 398

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
22.913(a)(5)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 5, 26)	< 7 Watts max. ERP	RADIATED	PASS	Section 7.7
27.50(b)(10) 27.50(c)(10)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 12, 17, 13)	< 3 Watts max. ERP			Section 7.7
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 2, 25, 7, 41)	< 2 Watts max. EIRP			Section 7.7
27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4, 66)	< 1 Watts max. EIRP			Section 7.7
27.50(a)(3)	Equivalent Isotropic Radiated Power (Band 30)	< 0.25 Watts max. EIRP			Section 7.7
2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Undesirable Emissions	$> 43 + 10\log_{10}(P[\text{Watts}])$ for all out-of-band emissions			Section 7.8
27.53(f)	Undesirable Emissions (Band 13)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz			Section 7.8
27.53(a)	Undesirable Emissions (Band 30)	$> 70 + 10\log_{10}(P[\text{Watts}])$			Section 7.8
27.53(m)	Undesirable Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.8

Table 7-2. Summary of Radiated Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 7.5) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 4.8.

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 17 of 398

7.2 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-1. Test Instrument & Measurement Setup

Test Notes


1. All ports were tested and only the worst case data were reported.
2. Refer to Table 2-1 Section 2.3 of this test report for correlation between Antennas and Ports.

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 18 of 398

Band 71




Plot 7-1. Occupied Bandwidth Plot (Band 71 – 5.0MHz QPSK – RB Size 25)




Plot 7-2. Occupied Bandwidth Plot (Band 71 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 19 of 398




Plot 7-3. Occupied Bandwidth Plot (Band 71 – 5.0MHz 64-QAM – RB Size 25)



Plot 7-4. Occupied Bandwidth Plot (Band 71 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 20 of 398




Plot 7-5. Occupied Bandwidth Plot (Band 71 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-6. Occupied Bandwidth Plot (Band 71 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 21 of 398




Plot 7-7. Occupied Bandwidth Plot (Band 71 – 15.0MHz QPSK – RB Size 75)




Plot 7-8. Occupied Bandwidth Plot (Band 71 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 22 of 398




Plot 7-9. Occupied Bandwidth Plot (Band 71 – 15.0MHz 64-QAM – RB Size 75)



Plot 7-10. Occupied Bandwidth Plot (Band 71 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 23 of 398




Plot 7-11. Occupied Bandwidth Plot (Band 71 – 20.0MHz 16-QAM – RB Size 100)




Plot 7-12. Occupied Bandwidth Plot (Band 71 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 24 of 398

Band 12/17




Plot 7-13. Occupied Bandwidth Plot (Band 12 – 1.4MHz QPSK – RB Size 6)




Plot 7-14. Occupied Bandwidth Plot (Band 12 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 25 of 398




Plot 7-15. Occupied Bandwidth Plot (Band 12 – 1.4MHz 64-QAM – RB Size 6)




Plot 7-16. Occupied Bandwidth Plot (Band 12 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 26 of 398




Plot 7-17. Occupied Bandwidth Plot (Band 12 – 3.0MHz 16-QAM – RB Size 15)




Plot 7-18. Occupied Bandwidth Plot (Band 12 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 27 of 398




Plot 7-19. Occupied Bandwidth Plot (Band 12/17 – 5.0MHz QPSK – RB Size 25)




Plot 7-20. Occupied Bandwidth Plot (Band 12/17 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 28 of 398




Plot 7-21. Occupied Bandwidth Plot (Band 12/17 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-22. Occupied Bandwidth Plot (Band 12/17 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 29 of 398




Plot 7-23. Occupied Bandwidth Plot (Band 12/17 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-24. Occupied Bandwidth Plot (Band 12/17 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 30 of 398

Band 13




Plot 7-25. Occupied Bandwidth Plot (Band 13 – 5.0MHz QPSK – RB Size 25)




Plot 7-26. Occupied Bandwidth Plot (Band 13 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 31 of 398




Plot 7-27. Occupied Bandwidth Plot (Band 13 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-28. Occupied Bandwidth Plot (Band 13 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 32 of 398




Plot 7-29. Occupied Bandwidth Plot (Band 13 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-30. Occupied Bandwidth Plot (Band 13 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 33 of 398

Band 26/5




Plot 7-31. Occupied Bandwidth Plot (Band 26/5 – 1.4MHz QPSK – RB Size 6)




Plot 7-32. Occupied Bandwidth Plot (Band 26/5 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 34 of 398




Plot 7-33. Occupied Bandwidth Plot (Band 26/5 – 1.4MHz 64-QAM – RB Size 6)




Plot 7-34. Occupied Bandwidth Plot (Band 26/5 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 35 of 398




Plot 7-35. Occupied Bandwidth Plot (Band 26/5 – 3.0MHz 16-QAM – RB Size 15)



Plot 7-36. Occupied Bandwidth Plot (Band 26/5 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 36 of 398




Plot 7-37. Occupied Bandwidth Plot (Band 26/5 – 5.0MHz QPSK – RB Size 25)




Plot 7-38. Occupied Bandwidth Plot (Band 26/5 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 37 of 398




Plot 7-39. Occupied Bandwidth Plot (Band 26/5 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-40. Occupied Bandwidth Plot (Band 26/5 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 38 of 398




Plot 7-41. Occupied Bandwidth Plot (Band 26/5 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-42. Occupied Bandwidth Plot (Band 26/5 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 39 of 398

Band 66/4




Plot 7-43. Occupied Bandwidth Plot (Band 66/4 – 1.4MHz QPSK – RB Size 6)




Plot 7-44. Occupied Bandwidth Plot (Band 66/4 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 40 of 398




Plot 7-45. Occupied Bandwidth Plot (Band 66/4 – 1.4MHz 64-QAM – RB Size 6)




Plot 7-46. Occupied Bandwidth Plot (Band 66/4 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 41 of 398




Plot 7-47. Occupied Bandwidth Plot (Band 66/4 – 3.0MHz 16-QAM – RB Size 15)




Plot 7-48. Occupied Bandwidth Plot (Band 66/4 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 42 of 398




Plot 7-49. Occupied Bandwidth Plot (Band 66/4 – 5.0MHz QPSK – RB Size 25)




Plot 7-50. Occupied Bandwidth Plot (Band 66/4 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 43 of 398




Plot 7-51. Occupied Bandwidth Plot (Band 66/4 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-52. Occupied Bandwidth Plot (Band 66/4 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 44 of 398




Plot 7-53. Occupied Bandwidth Plot (Band 66/4 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-54. Occupied Bandwidth Plot (Band 66/4 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 45 of 398




Plot 7-55. Occupied Bandwidth Plot (Band 66/4 – 15.0MHz QPSK – RB Size 75)




Plot 7-56. Occupied Bandwidth Plot (Band 66/4 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 46 of 398




Plot 7-57. Occupied Bandwidth Plot (Band 66/4 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-58. Occupied Bandwidth Plot (Band 66/4 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 47 of 398




Plot 7-59. Occupied Bandwidth Plot (Band 66/4 – 20.0MHz 16-QAM – RB Size 100)




Plot 7-60. Occupied Bandwidth Plot (Band 66/4 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 48 of 398

Band 25/2




Plot 7-61. Occupied Bandwidth Plot (Band 25/2 – 1.4MHz QPSK – RB Size 6)




Plot 7-62. Occupied Bandwidth Plot (Band 25/2 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 49 of 398




Plot 7-63. Occupied Bandwidth Plot (Band 25/2 – 1.4MHz 64-QAM – RB Size 6)




Plot 7-64. Occupied Bandwidth Plot (Band 25/2 – 3.0MHz QPSK – RB Size 15)

FCC ID: BCGA2013	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 50 of 398




Plot 7-65. Occupied Bandwidth Plot (Band 25/2 – 3.0MHz 16-QAM – RB Size 15)




Plot 7-66. Occupied Bandwidth Plot (Band 25/2 – 3.0MHz 64-QAM – RB Size 15)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 51 of 398



Plot 7-67. Occupied Bandwidth Plot (Band 25/2 – 5.0MHz QPSK – RB Size 25)




Plot 7-68. Occupied Bandwidth Plot (Band 25/2 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 52 of 398




Plot 7-69. Occupied Bandwidth Plot (Band 25/2 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-70. Occupied Bandwidth Plot (Band 25/2 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 53 of 398




Plot 7-71. Occupied Bandwidth Plot (Band 25/2 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-72. Occupied Bandwidth Plot (Band 25/2 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 54 of 398




Plot 7-73. Occupied Bandwidth Plot (Band 25/2 – 15.0MHz QPSK – RB Size 75)




Plot 7-74. Occupied Bandwidth Plot (Band 25/2 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 55 of 398




Plot 7-75. Occupied Bandwidth Plot (Band 25/2 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-76. Occupied Bandwidth Plot (Band 25/2 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 56 of 398




Plot 7-77. Occupied Bandwidth Plot (Band 25/2 – 20.0MHz 16-QAM – RB Size 100)




Plot 7-78. Occupied Bandwidth Plot (Band 25/2 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 57 of 398

Band 30




Plot 7-79. Occupied Bandwidth Plot (Band 30 – 5.0MHz QPSK – RB Size 25)




Plot 7-80. Occupied Bandwidth Plot (Band 30 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 58 of 398




Plot 7-81. Occupied Bandwidth Plot (Band 30 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-82. Occupied Bandwidth Plot (Band 30 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 59 of 398




Plot 7-83. Occupied Bandwidth Plot (Band 30 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-84. Occupied Bandwidth Plot (Band 30 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 60 of 398

Band 7




Plot 7-85. Occupied Bandwidth Plot (Band 7 – 5.0MHz QPSK – RB Size 25)




Plot 7-86. Occupied Bandwidth Plot (Band 7 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 61 of 398




Plot 7-87. Occupied Bandwidth Plot (Band 7 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-88. Occupied Bandwidth Plot (Band 7 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 62 of 398




Plot 7-89. Occupied Bandwidth Plot (Band 7 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-90. Occupied Bandwidth Plot (Band 7 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 63 of 398




Plot 7-91. Occupied Bandwidth Plot (Band 7 – 15.0MHz QPSK – RB Size 75)




Plot 7-92. Occupied Bandwidth Plot (Band 7 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 64 of 398




Plot 7-93. Occupied Bandwidth Plot (Band 7 – 15.0MHz 64-QAM – RB Size 75)




Plot 7-94. Occupied Bandwidth Plot (Band 7 – 20.0MHz QPSK – RB Size 100)

FCC ID: BCGA2013	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 65 of 398




Plot 7-95. Occupied Bandwidth Plot (Band 7 – 20.0MHz 16-QAM – RB Size 100)




Plot 7-96. Occupied Bandwidth Plot (Band 7 – 20.0MHz 64-QAM – RB Size 100)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 66 of 398

Band 41




Plot 7-97. Occupied Bandwidth Plot (Band 41 – 5.0MHz QPSK – RB Size 25)




Plot 7-98. Occupied Bandwidth Plot (Band 41 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 67 of 398




Plot 7-99. Occupied Bandwidth Plot (Band 41 – 5.0MHz 64-QAM – RB Size 25)




Plot 7-100. Occupied Bandwidth Plot (Band 41 – 10.0MHz QPSK – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 68 of 398




Plot 7-101. Occupied Bandwidth Plot (Band 41 – 10.0MHz 16-QAM – RB Size 50)




Plot 7-102. Occupied Bandwidth Plot (Band 41 – 10.0MHz 64-QAM – RB Size 50)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 69 of 398



Plot 7-103. Occupied Bandwidth Plot (Band 41 – 15.0MHz QPSK – RB Size 75)



Plot 7-104. Occupied Bandwidth Plot (Band 41 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: BCGA2013	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1806050012-03.BCG	Test Dates: 07/27/2018-10/16/2018	EUT Type: Tablet Device	Page 70 of 398