



FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.

FREQUENCY RANGE 6.5 GHz to 17 GHz.




Date: 2 JAN 2019 13:11:14

FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5180MHz), 802.11n HT20 – 20MHz – SISO (2472MHz) and Bluetooth Basic Rate with DH5 (2402)**

**Frequency range 30 MHz-1000 MHz.**

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.


| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 120.647                  | Horizontal   | Quasi-Peak | 23.9                    | 43.5           | 19.6        | ± 3.88                       |
| 143.409                  | Horizontal   | Quasi-Peak | 28.3                    | 43.5           | 15.2        | ± 3.88                       |
| 167.336                  | Horizontal   | Quasi-Peak | 36.4                    | 43.5           | 7.1         | ± 3.88                       |
| 198.473                  | Horizontal   | Quasi-Peak | 23.9                    | 43.5           | 12.1        | ± 3.88                       |
| 287.228                  | Horizontal   | Quasi-Peak | 20.1                    | 46             | 25.9        | ± 3.88                       |

**Frequency range 1 GHz-40 GHz**


| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2334.025                 | Vertical     | Peak     | 54.15                   | 74             | 19.85       | ± 3.05                       |
| 2330.364                 |              | Average  | 44.06                   | 54             | 9.94        | ± 3.05                       |

Verdict: PASS

FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.


FREQUENCY RANGE 6.5 GHz to 17 GHz.



FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5320MHz), 802.11n HT20 – 20MHz – SISO (2412MHz) and Bluetooth Basic Rate with DH5 (2480).**

**Frequency range 30 MHz-1000 MHz.**

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.


| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 76.027                   | Vertical     | Quasi-Peak | 25.3                    | 40             | 14.7        | ± 3.88                       |
| 120.679                  | Vertical     | Quasi-Peak | 32                      | 43.5           | 11.5        | ± 3.88                       |
| 144.412                  | Horizontal   | Quasi-Peak | 28.5                    | 43.5           | 15          | ± 3.88                       |
| 167.336                  | Vertical     | Quasi-Peak | 37.6                    | 43.5           | 5.9         | ± 3.88                       |
| 191.230                  | Horizontal   | Quasi-Peak | 30.5                    | 43.5           | 13          | ± 3.88                       |

**Frequency range 1 GHz-40 GHz**


| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2554.941                 | Vertical     | Peak     | 55.92                   | 74             | 18.08       | ± 3.05                       |
| 2555.654                 |              | Average  | 45.91                   | 54             | 8.09        | ± 3.05                       |
| 5187.402                 | Horizontal   | Peak     | 57.14                   | 74             | 16.86       | ± 3.05                       |
| 5187.247                 |              | Average  | 48.95                   | 54             | 5.05        | ± 3.05                       |

Verdict: PASS

FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.


FREQUENCY RANGE 6.5 GHz to 17 GHz.



FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5500MHz), 802.11n HT20 – 20MHz – SISO (2472MHz) and Bluetooth Basic Rate with DH5 (2402).**

**Frequency range 30 MHz-1000 MHz.**

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.


| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 120.356                  | Horizontal   | Quasi-Peak | 23.6                    | 43.5           | 19.9        | ± 3.88                       |
| 144.379                  | Horizontal   | Quasi-Peak | 28.2                    | 43.5           | 15.3        | ± 3.88                       |
| 167.304                  | Horizontal   | Quasi-Peak | 37.4                    | 43.5           | 6.1         | ± 3.88                       |
| 191.230                  | Horizontal   | Quasi-Peak | 31.8                    | 43.5           | 11.7        | ± 3.88                       |
| 193.073                  | Horizontal   | Quasi-Peak | 30.3                    | 43.5           | 13.2        | ± 3.88                       |

**Frequency range 1 GHz-40 GHz**


| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2340.434                 | Vertical     | Peak     | 53.62                   | 74             | 20.38       | ± 3.05                       |
| 2333.623                 |              | Average  | 43.85                   | 54             | 10.15       | ± 3.05                       |

Verdict: PASS

FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.


FREQUENCY RANGE 6.5 GHz to 18 GHz.



FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5700MHz), 802.11n HT20 – 20MHz – SISO (2412MHz) and Bluetooth Basic Rate with DH5 (2480).**

**Frequency range 30 MHz-1000 MHz.**

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.


| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 120.356                  | Horizontal   | Quasi-Peak | 23.6                    | 43.5           | 19.9        | ± 3.88                       |
| 143.442                  | Horizontal   | Quasi-Peak | 28.4                    | 43.5           | 15.1        | ± 3.88                       |
| 168.5                    | Horizontal   | Quasi-Peak | 35.2                    | 43.5           | 8.3         | ± 3.88                       |
| 191.23                   | Horizontal   | Quasi-Peak | 35.4                    | 46             | 8.1         | ± 3.88                       |
| 288.683                  | Horizontal   | Quasi-Peak | 32                      | 46             | 14          | ± 3.88                       |

**Frequency range 1 GHz-40 GHz**


| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2549.255                 | Vertical     | Peak     | 54.79                   | 74             | 19.21       | ± 3.05                       |
| 2554.593                 |              | Average  | 46.05                   | 54             | 7.95        | ± 3.05                       |
| 5278.736                 | Horizontal   | Peak     | 56.30                   | 74             | 17.70       | ± 3.05                       |
| 5277.987                 |              | Average  | 47.60                   | 54             | 6.40        | ± 3.05                       |
| 5497.257                 | Horizontal   | Peak     | 58.44                   | 74             | 15.56       | ± 3.05                       |
| 5496.905                 |              | Average  | 48.17                   | 54             | 5.83        | ± 3.05                       |

Verdict: PASS

FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.


FREQUENCY RANGE 6.5 GHz to 17 GHz.



FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5745MHz), 802.11n HT20 – 20MHz – SISO (2472MHz) and Bluetooth Basic Rate with DH5 (2402).**

**Frequency range 30 MHz-1000 MHz.**

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.


| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 144.832                  | Horizontal   | Quasi-Peak | 26.70                   | 43.5           | 16.8        | ± 3.88                       |
| 167.336                  | Horizontal   | Quasi-Peak | 37                      | 43.5           | 6.5         | ± 3.88                       |
| 191.230                  | Horizontal   | Quasi-Peak | 31.6                    | 43.5           | 11.9        | ± 3.88                       |
| 198.473                  | Horizontal   | Quasi-Peak | 23.9                    | 43.5           | 19.6        | ± 3.88                       |
| 288.683                  | Horizontal   | Quasi-Peak | 27.3                    | 46             | 18.7        | ± 3.88                       |

**Frequency range 1 GHz-40 GHz**


| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2333.868                 | Vertical     | Peak     | 53.51                   | 74             | 20.59       | ± 3.05                       |
| 2337.540                 |              | Average  | 43.78                   | 54             | 10.22       | ± 3.05                       |

Verdict: PASS

FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.


FREQUENCY RANGE 6.5 GHz to 17 GHz.



FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5825MHz), 802.11n HT20 – 20MHz – SISO (2412MHz) and Bluetooth Basic Rate with DH5 (2480).**

**Frequency range 30 MHz-1000 MHz.**

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.


| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 144.347                  | Horizontal   | Quasi-Peak | 28                      | 43.5           | 15.5        | ± 3.88                       |
| 167.368                  | Horizontal   | Quasi-Peak | 32.8                    | 43.5           | 10.7        | ± 3.88                       |
| 191.166                  | Horizontal   | Quasi-Peak | 31.7                    | 43.5           | 11.8        | ± 3.88                       |
| 288.683                  | Horizontal   | Quasi-Peak | 25.5                    | 46             | 20.5        | ± 3.88                       |
| 362.015                  | Horizontal   | Quasi-Peak | 24.6                    | 46             | 21.4        | ± 3.88                       |

**Frequency range 1 GHz-40 GHz**


| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2340.264                 | Vertical     | Peak     | 54.03                   | 74             | 19.97       | ± 3.05                       |
| 2327.456                 |              | Average  | 43.88                   | 54             | 10.12       | ± 3.05                       |

Verdict: PASS

FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.


FREQUENCY RANGE 6.5 GHz to 17 GHz.



FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5825MHz), 802.11n HT20 – 20MHz – SISO (2472MHz) and Bluetooth Basic Rate with DH5 (2402)**

**Frequency range 30 MHz-1000 MHz.**

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.


| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 143.377                  | Vertical     | Quasi-Peak | 28.1                    | 43.5           | 15.4        | ± 3.88                       |
| 168.920                  | Vertical     | Quasi-Peak | 35.3                    | 43.5           | 8.2         | ± 3.88                       |
| 191.230                  | Vertical     | Quasi-Peak | 30.6                    | 43.5           | 12.9        | ± 3.88                       |
| 198.473                  | Vertical     | Quasi-Peak | 26.1                    | 43.5           | 17.4        | ± 3.88                       |
| 288.683                  | Horizontal   | Quasi-Peak | 27.6                    | 46             | 18.4        | ± 3.88                       |

**Frequency range 1 GHz-40 GHz**


| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2554.748                 | Vertical     | Peak     | 54.98                   | 74             | 19.02       | ± 3.05                       |
| 2555.486                 |              | Average  | 45.62                   | 54             | 8.38        | ± 3.05                       |

Verdict: PASS

FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.


FREQUENCY RANGE 6.5 GHz to 17 GHz.



FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



\* 5 GHz WLAN, 2.4 GHz WLAN and Bluetooth Low Energy co-location, with the EUT configured to simultaneously transmit three signals at maximum output power, 5GHz WLAN (WIFI main mode) in 802.11n / HT20 / MCS0 / MIMO (CDD), 2.4GHz WLAN (WIFI aux mode) in 802.11n / HT20 / MCS0 / SISO and the Bluetooth Low Energy transmitting in LE1M.

- Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5180MHz), 802.11n HT20 – 20MHz – SISO (2412MHz) and Bluetooth Low Energy with BTLE1M (2480).

- Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5180MHz), 802.11n HT20 – 20MHz – SISO (2472MHz) and Bluetooth Low Energy with BTLE1M (2402).

- Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5825MHz), 802.11n HT20 – 20MHz – SISO (2412MHz) and Bluetooth Low Energy with BTLE1M (2480).

- Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5825MHz), 802.11n HT20 – 20MHz – SISO (2472MHz) and Bluetooth Low Energy with BTLE1M (2402).

**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5180MHz), 802.11n HT20 – 20MHz – SISO (2412MHz) and Bluetooth Low Energy with BTLE1M (2480)**

#### Frequency range 30 MHz-1000 MHz.

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.


| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 144.800                  | Horizontal   | Quasi-Peak | 27.5                    | 43.5           | 16          | ± 3.88                       |
| 167.304                  | Horizontal   | Quasi-Peak | 36.4                    | 43.5           | 7.1         | ± 3.88                       |
| 191.198                  | Horizontal   | Quasi-Peak | 31.3                    | 43.5           | 12.2        | ± 3.88                       |
| 198.376                  | Horizontal   | Quasi-Peak | 21.9                    | 43.5           | 21.6        | ± 3.88                       |
| 288.683                  | Horizontal   | Quasi-Peak | 25.2                    | 46             | 20.8        | ± 3.88                       |

#### Frequency range 1 GHz-40 GHz


| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2556.398                 | Vertical     | Peak     | 54.36                   | 74             | 19.64       | ± 3.05                       |
| 2555.125                 |              | Average  | 44.56                   | 54             | 9.44        | ± 3.05                       |

Verdict: PASS

FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.


FREQUENCY RANGE 6.5 GHz to 17 GHz.



FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5180MHz), 802.11n HT20 – 20MHz – SISO (2472MHz) and Bluetooth Low Energy with BTLE1M (2402)**

#### Frequency range 30 MHz-1000 MHz.

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.


| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 144.800                  | Horizontal   | Quasi-Peak | 28.3                    | 43.5           | 15.2        | ± 3.88                       |
| 167.336                  | Horizontal   | Quasi-Peak | 35.3                    | 43.5           | 8.2         | ± 3.88                       |
| 191.263                  | Horizontal   | Quasi-Peak | 29.1                    | 43.5           | 14.4        | ± 3.88                       |
| 198.505                  | Horizontal   | Quasi-Peak | 24.9                    | 43.5           | 18.6        | ± 3.88                       |
| 288.683                  | Horizontal   | Quasi-Peak | 27.5                    | 46             | 18.5        | ± 3.88                       |

#### Frequency range 1 GHz-40 GHz


| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2333.636                 | Vertical     | Peak     | 53.23                   | 74             | 20.73       | ± 3.05                       |
| 2327.595                 |              | Average  | 42.37                   | 54             | 11.63       | ± 3.05                       |

Verdict: PASS

FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.


FREQUENCY RANGE 6.5 GHz to 17 GHz.



FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5825MHz), 802.11n HT20 – 20MHz – SISO (2412MHz) and Bluetooth Low Energy with BTLE1M (2480)**

**Frequency range 30 MHz-1000 MHz.**

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.


| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 144.412                  | Horizontal   | Quasi-Peak | 28.5                    | 43.5           | 15          | ± 3.88                       |
| 167.336                  | Horizontal   | Quasi-Peak | 35.1                    | 43.5           | 8.4         | ± 3.88                       |
| 191.230                  | Horizontal   | Quasi-Peak | 31.3                    | 43.5           | 12.2        | ± 3.88                       |
| 198.441                  | Horizontal   | Quasi-Peak | 25.7                    | 43.5           | 17.8        | ± 3.88                       |
| 288.683                  | Horizontal   | Quasi-Peak | 27.8                    | 46             | 18.2        | ± 3.88                       |

**Frequency range 1 GHz-40 GHz**


| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2552.923                 | Vertical     | Peak     | 54.48                   | 74             | 19.52       | ± 3.05                       |
| 2555.125                 |              | Average  | 44.31                   | 54             | 9.69        | ± 3.05                       |

Verdict: PASS

FREQUENCY RANGE 30 MHz-1000 MHz.




FREQUENCY RANGE 1 GHz to 6.5 GHz.




Note: The peaks shown in the plot above the limit are the carrier frequencies.


FREQUENCY RANGE 6.5 GHz to 17 GHz.



FREQUENCY RANGE 17 GHz to 26 GHz.



FREQUENCY RANGE 26 GHz to 40 GHz.



**Mode: 802.11n HT20 – CDD – 20MHz – MIMO – CORE 0 & CORE 1 & CORE 2 (5825MHz), 802.11n HT20 – 20MHz – SISO (2472MHz) and Bluetooth Low Energy with BTLE1M (2402)**

#### Frequency range 30 MHz-1000 MHz.

Note: The spurious emissions below 1 GHz do not depend on either the operating channel or the modulation mode selected in the EUT.

Spurious levels operating (radiated) closest to limit.

| Spurious frequency (MHz) | Polarization | Detector   | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|------------|-------------------------|----------------|-------------|------------------------------|
| 144.800                  | Horizontal   | Quasi-Peak | 28.2                    | 43.5           | 15.3        | ± 3.88                       |
| 168.468                  | Horizontal   | Quasi-Peak | 35.8                    | 43.5           | 7.7         | ± 3.88                       |
| 191.230                  | Horizontal   | Quasi-Peak | 31.1                    | 43.5           | 12.4        | ± 3.88                       |
| 288.683                  | Horizontal   | Quasi-Peak | 27.5                    | 46             | 18.5        | ± 3.88                       |
| 720.010                  | Horizontal   | Quasi-Peak | 26.9                    | 46             | 19.1        | ± 3.88                       |

#### Frequency range 1 GHz-40 GHz

| Spurious frequency (MHz) | Polarization | Detector | Emission Level (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Measurement Uncertainty (dB) |
|--------------------------|--------------|----------|-------------------------|----------------|-------------|------------------------------|
| 2334.573                 | Vertical     | Peak     | 52.38                   | 74             | 21.62       | ± 3.05                       |
| 2328.525                 |              | Average  | 42.35                   | 54             | 11.65       | ± 3.05                       |

Verdict: PASS