

MEASUREMENT REPORT LTE

Applicant Name:

Apple Inc.
One Apple Park Way
Cupertino, CA 95014
United States

Date of Testing:

12/19/2018-02/13/2019

Test Site/Location:

PCTEST Lab. Morgan Hill, CA, USA

Test Report Serial No.:

1C1811080026-03-R2.BCG

FCC ID:

BCGA2126

APPLICANT:

Apple Inc.

Application Type:

Certification

Model:

A2126

EUT Type:

Tablet Device

FCC Classification:

PCS Licensed Transmitter (PCB)

FCC Rule Part(s):

22, 24, & 27


Test Procedure(s):

ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

This revised Test Report (S/N: 1C1811080026-03-R2.BCG) supersedes and replaces the previously issued test report (S/N: 1C1811080026-03-R1.BCG) on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



Randy Ortanez
President




FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 1 of 363

TABLE OF CONTENTS


1.0	INTRODUCTION	6
1.1	Scope	6
1.2	PCTEST Test Location	6
1.3	Test Facility / Accreditations	6
2.0	PRODUCT INFORMATION	7
2.1	Equipment Description	7
2.2	Device Capabilities	7
2.3	Antenna Description	7
2.4	Test Support Equipment	8
2.5	Test Configuration	8
2.6	Software and Firmware	8
2.7	EMI Suppression Device(s)/Modifications	8
3.0	DESCRIPTION OF TESTS	9
3.1	Measurement Procedure	9
3.2	Block C Frequency Range	9
3.3	Block A Frequency Range	9
3.4	600MHz Frequency Range	9
3.5	Cellular - Base Frequency Blocks	9
3.6	Cellular - Mobile Frequency Blocks	10
3.7	PCS - Base Frequency Blocks	10
3.8	PCS - Mobile Frequency Blocks	10
3.9	AWS - Base Frequency Blocks	10
3.10	AWS - Mobile Frequency Blocks	11
3.11	WCS – Mobile/Base Frequency Blocks	11
3.12	BRS/EBS Frequency Block	11
3.13	Radiated Power and Radiated Spurious Emissions	12
4.0	MEASUREMENT UNCERTAINTY	13
5.0	TEST EQUIPMENT CALIBRATION DATA	14
6.0	SAMPLE CALCULATIONS	15
7.0	TEST RESULTS	16
7.1	Summary	16
7.2	Occupied Bandwidth	18
7.3	Spurious and Harmonic Emissions at Antenna Terminal	76
7.4	Band Edge Emissions at Antenna Terminal	122
7.5	Peak-Average Ratio	206
7.6	Additional Maximum Power Reduction (A-MPR)	244
7.7	Uplink Carrier Aggregation	246
7.8	Radiated Power (ERP/EIRP)	268
7.9	Radiated Spurious Emissions Measurements	294
7.10	Uplink Carrier Aggregation Radiated Measurements	334
7.11	Frequency Stability / Temperature Variation	344
8.0	CONCLUSION	363

FCC ID: BCGA2126		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 2 of 363



MEASUREMENT REPORT

FCC Part 22, 24, & 27



Mode	FCC Rule Part	Tx Frequency (MHz)	ERP		EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)	Max. Power (W)	Max. Power (dBm)		
LTE Band 71	27	665.5 - 695.5	0.140	21.45			4M55G7W	QPSK
LTE Band 71	27	665.5 - 695.5	0.119	20.74			4M54D7W	16QAM
LTE Band 71	27	665.5 - 695.5	0.095	19.78			4M55D7W	64QAM
LTE Band 71	27	668 - 693	0.139	21.44			9M06G7W	QPSK
LTE Band 71	27	668 - 693	0.115	20.61			9M05D7W	16QAM
LTE Band 71	27	668 - 693	0.090	19.56			9M06D7W	64QAM
LTE Band 71	27	670.5 - 690.5	0.138	21.41			13M6G7W	QPSK
LTE Band 71	27	670.5 - 690.5	0.116	20.63			13M6D7W	16QAM
LTE Band 71	27	670.5 - 690.5	0.093	19.68			13M6D7W	64QAM
LTE Band 71	27	673 - 688	0.140	21.45			18M0G7W	QPSK
LTE Band 71	27	673 - 688	0.116	20.64			18M1D7W	16QAM
LTE Band 71	27	673 - 688	0.092	19.62			18M0D7W	64QAM
LTE Band 12	27	699.7 - 715.3	0.140	21.45	0.229	23.60	1M11G7W	QPSK
LTE Band 12	27	699.7 - 715.3	0.119	20.75	0.195	22.90	1M11D7W	16QAM
LTE Band 12	27	699.7 - 715.3	0.098	19.92	0.161	22.07	1M11D7W	64QAM
LTE Band 12	27	700.5 - 714.5	0.138	21.40	0.226	23.55	2M73G7W	QPSK
LTE Band 12	27	700.5 - 714.5	0.122	20.88	0.201	23.03	2M73D7W	16QAM
LTE Band 12	27	700.5 - 714.5	0.096	19.82	0.157	21.97	2M73D7W	64QAM
LTE Band 12	27	701.5 - 713.5	0.140	21.45	0.229	23.60	4M55G7W	QPSK
LTE Band 12	27	701.5 - 713.5	0.127	21.04	0.208	23.19	4M54D7W	16QAM
LTE Band 12	27	701.5 - 713.5	0.099	19.96	0.163	22.11	4M55D7W	64QAM
LTE Band 12	27	704 - 711	0.140	21.45	0.229	23.60	9M07G7W	QPSK
LTE Band 12	27	704 - 711	0.124	20.92	0.203	23.07	9M05D7W	16QAM
LTE Band 12	27	704 - 711	0.097	19.86	0.159	22.01	9M08D7W	64QAM
LTE Band 17	27	706.5 - 713.5	0.140	21.45	0.229	23.60	4M55G7W	QPSK
LTE Band 17	27	706.5 - 713.5	0.126	21.01	0.207	23.16	4M54D7W	16QAM
LTE Band 17	27	706.5 - 713.5	0.099	19.97	0.163	22.12	4M55D7W	64QAM
LTE Band 17	27	709 - 711	0.140	21.45	0.229	23.60	9M07G7W	QPSK
LTE Band 17	27	709 - 711	0.125	20.97	0.205	23.12	9M05D7W	16QAM
LTE Band 17	27	709 - 711	0.098	19.90	0.160	22.05	9M08D7W	64QAM
LTE Band 13	27	779.5 - 784.5	0.139	21.42	0.228	23.57	4M56G7W	QPSK
LTE Band 13	27	779.5 - 784.5	0.115	20.61	0.189	22.76	4M54D7W	16QAM
LTE Band 13	27	779.5 - 784.5	0.105	20.20	0.172	22.35	4M54D7W	64QAM
LTE Band 13	27	782	0.139	21.44	0.229	23.59	9M04G7W	QPSK
LTE Band 13	27	782	0.115	20.60	0.188	22.75	9M05D7W	16QAM
LTE Band 13	27	782	0.089	19.48	0.146	21.63	9M03D7W	64QAM
LTE Band 5	22H	824.7 - 848.3	0.153	21.85	0.251	24.00	1M11G7W	QPSK
LTE Band 5	22H	824.7 - 848.3	0.131	21.18	0.215	23.33	1M11D7W	16QAM
LTE Band 5	22H	824.7 - 848.3	0.106	20.24	0.173	22.39	1M11D7W	64QAM
LTE Band 5	22H	825.5 - 847.5	0.153	21.85	0.251	24.00	2M73G7W	QPSK
LTE Band 5	22H	825.5 - 847.5	0.131	21.16	0.214	23.31	2M73D7W	16QAM
LTE Band 5	22H	825.5 - 847.5	0.104	20.15	0.170	22.30	2M73D7W	64QAM
LTE Band 5	22H	826.5 - 846.5	0.152	21.82	0.249	23.97	4M56G7W	QPSK
LTE Band 5	22H	826.5 - 846.5	0.131	21.16	0.214	23.31	4M54D7W	16QAM
LTE Band 5	22H	826.5 - 846.5	0.105	20.20	0.172	22.35	4M55D7W	64QAM
LTE Band 5	22H	829 - 844	0.152	21.83	0.250	23.98	9M06G7W	QPSK
LTE Band 5	22H	829 - 844	0.130	21.15	0.214	23.30	9M05D7W	16QAM
LTE Band 5	22H	829 - 844	0.104	20.17	0.171	22.32	9M06D7W	64QAM
LTE Band 26	22H	824.7 - 848.3	0.153	21.85	0.251	24.00	1M11G7W	QPSK
LTE Band 26	22H	824.7 - 848.3	0.131	21.16	0.214	23.31	1M11D7W	16QAM
LTE Band 26	22H	824.7 - 848.3	0.104	20.19	0.171	22.34	1M11D7W	64QAM
LTE Band 26	22H	825.5 - 847.5	0.151	21.80	0.248	23.95	2M73G7W	QPSK
LTE Band 26	22H	825.5 - 847.5	0.127	21.04	0.208	23.19	2M73D7W	16QAM
LTE Band 26	22H	825.5 - 847.5	0.105	20.23	0.173	22.38	2M73D7W	64QAM
LTE Band 26	22H	826.5 - 846.5	0.153	21.85	0.251	24.00	4M56G7W	QPSK
LTE Band 26	22H	826.5 - 846.5	0.127	21.03	0.208	23.18	4M54D7W	16QAM
LTE Band 26	22H	826.5 - 846.5	0.099	19.95	0.162	22.10	4M55D7W	64QAM
LTE Band 26	22H	829 - 844	0.153	21.85	0.251	24.00	9M06G7W	QPSK
LTE Band 26	22H	829 - 844	0.124	20.93	0.203	23.08	9M05D7W	16QAM
LTE Band 26	22H	829 - 844	0.094	19.72	0.154	21.87	9M06D7W	64QAM

EUT Overview (Low Bands)

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 3 of 363

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 4	27	1710.7 - 1754.3	0.269	24.30	1M11G7W	QPSK
LTE Band 4	27	1710.7 - 1754.3	0.229	23.60	1M11D7W	16QAM
LTE Band 4	27	1710.7 - 1754.3	0.185	22.68	1M11D7W	64QAM
LTE Band 4	27	1711.5 - 1753.5	0.269	24.30	2M73G7W	QPSK
LTE Band 4	27	1711.5 - 1753.5	0.225	23.52	2M73D7W	16QAM
LTE Band 4	27	1711.5 - 1753.5	0.180	22.56	2M72D7W	64QAM
LTE Band 4	27	1712.5 - 1752.5	0.268	24.28	4M54G7W	QPSK
LTE Band 4	27	1712.5 - 1752.5	0.220	23.42	4M53D7W	16QAM
LTE Band 4	27	1712.5 - 1752.5	0.173	22.39	4M55D7W	64QAM
LTE Band 4	27	1715 - 1750	0.269	24.30	9M06G7W	QPSK
LTE Band 4	27	1715 - 1750	0.232	23.65	9M05D7W	16QAM
LTE Band 4	27	1715 - 1750	0.178	22.51	9M08D7W	64QAM
LTE Band 4	27	1717.5 - 1747.5	0.269	24.30	13M6G7W	QPSK
LTE Band 4	27	1717.5 - 1747.5	0.230	23.61	13M6D7W	16QAM
LTE Band 4	27	1717.5 - 1747.5	0.177	22.47	13M6D7W	64QAM
LTE Band 4	27	1720 - 1745	0.269	24.30	18M1G7W	QPSK
LTE Band 4	27	1720 - 1745	0.228	23.57	18M0D7W	16QAM
LTE Band 4	27	1720 - 1745	0.179	22.54	18M1D7W	64QAM
LTE Band 66	27	1710.7 - 1779.3	0.269	24.30	1M11G7W	QPSK
LTE Band 66	27	1710.7 - 1779.3	0.235	23.71	1M11D7W	16QAM
LTE Band 66	27	1710.7 - 1779.3	0.191	22.80	1M11D7W	64QAM
LTE Band 66	27	1711.5 - 1778.5	0.269	24.30	2M73G7W	QPSK
LTE Band 66	27	1711.5 - 1778.5	0.237	23.75	2M73D7W	16QAM
LTE Band 66	27	1711.5 - 1778.5	0.198	22.96	2M72D7W	64QAM
LTE Band 66	27	1712.5 - 1777.5	0.269	24.30	4M54G7W	QPSK
LTE Band 66	27	1712.5 - 1777.5	0.239	23.79	4M53D7W	16QAM
LTE Band 66	27	1712.5 - 1777.5	0.199	22.98	4M55D7W	64QAM
LTE Band 66	27	1715 - 1775	0.269	24.30	9M06G7W	QPSK
LTE Band 66	27	1715 - 1775	0.245	23.89	9M05D7W	16QAM
LTE Band 66	27	1715 - 1775	0.194	22.87	9M08D7W	64QAM
LTE Band 66	27	1717.5 - 1772.5	0.269	24.29	13M6G7W	QPSK
LTE Band 66	27	1717.5 - 1772.5	0.242	23.83	13M6D7W	16QAM
LTE Band 66	27	1717.5 - 1772.5	0.198	22.97	13M6D7W	64QAM
LTE Band 66	27	1720 - 1770	0.269	24.30	18M1G7W	QPSK
LTE Band 66	27	1720 - 1770	0.231	23.64	18M0D7W	16QAM
LTE Band 66	27	1720 - 1770	0.182	22.60	18M1D7W	64QAM
LTE Band 2	24E	1850.7 - 1909.3	0.256	24.08	1M11G7W	QPSK
LTE Band 2	24E	1850.7 - 1909.3	0.208	23.18	1M11D7W	16QAM
LTE Band 2	24E	1850.7 - 1909.3	0.191	22.82	1M11D7W	64QAM
LTE Band 2	24E	1851.5 - 1908.5	0.261	24.17	2M72G7W	QPSK
LTE Band 2	24E	1851.5 - 1908.5	0.217	23.36	2M72D7W	16QAM
LTE Band 2	24E	1851.5 - 1908.5	0.195	22.89	2M72D7W	64QAM
LTE Band 2	24E	1852.5 - 1907.5	0.267	24.27	4M55G7W	QPSK
LTE Band 2	24E	1852.5 - 1907.5	0.244	23.87	4M54D7W	16QAM
LTE Band 2	24E	1852.5 - 1907.5	0.200	23.01	4M54D7W	64QAM
LTE Band 2	24E	1855 - 1905	0.286	24.57	9M04G7W	QPSK
LTE Band 2	24E	1855 - 1905	0.238	23.77	9M06D7W	16QAM
LTE Band 2	24E	1855 - 1905	0.196	22.92	9M07D7W	64QAM
LTE Band 2	24E	1857.5 - 1902.5	0.288	24.60	13M6G7W	QPSK
LTE Band 2	24E	1857.5 - 1902.5	0.233	23.68	13M6D7W	16QAM
LTE Band 2	24E	1857.5 - 1902.5	0.195	22.91	13M6D7W	64QAM
LTE Band 2	24E	1860 - 1900	0.287	24.58	18M1G7W	QPSK
LTE Band 2	24E	1860 - 1900	0.238	23.76	18M0D7W	16QAM
LTE Band 2	24E	1860 - 1900	0.198	22.97	18M1D7W	64QAM
LTE Band 25	24E	1850.7 - 1914.3	0.288	24.60	1M11G7W	QPSK
LTE Band 25	24E	1850.7 - 1914.3	0.240	23.81	1M11D7W	16QAM
LTE Band 25	24E	1850.7 - 1914.3	0.193	22.85	1M11D7W	64QAM
LTE Band 25	24E	1851.5 - 1913.5	0.284	24.54	2M72G7W	QPSK
LTE Band 25	24E	1851.5 - 1913.5	0.245	23.90	2M72D7W	16QAM
LTE Band 25	24E	1851.5 - 1913.5	0.198	22.96	2M72D7W	64QAM
LTE Band 25	24E	1852.5 - 1912.5	0.287	24.58	4M55G7W	QPSK
LTE Band 25	24E	1852.5 - 1912.5	0.242	23.84	4M54D7W	16QAM
LTE Band 25	24E	1852.5 - 1912.5	0.201	23.04	4M54D7W	64QAM
LTE Band 25	24E	1855 - 1910	0.288	24.59	9M04G7W	QPSK
LTE Band 25	24E	1855 - 1910	0.235	23.71	9M06D7W	16QAM
LTE Band 25	24E	1855 - 1910	0.200	23.02	9M07D7W	64QAM
LTE Band 25	24E	1857.5 - 1907.5	0.287	24.58	13M6G7W	QPSK
LTE Band 25	24E	1857.5 - 1907.5	0.228	23.58	13M6D7W	16QAM
LTE Band 25	24E	1857.5 - 1907.5	0.197	22.94	13M6D7W	64QAM
LTE Band 25	24E	1860 - 1905	0.287	24.58	18M1G7W	QPSK
LTE Band 25	24E	1860 - 1905	0.249	23.97	18M0D7W	16QAM
LTE Band 25	24E	1860 - 1905	0.198	22.97	18M1D7W	64QAM

EUT Overview (Mid Bands)

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 4 of 363

Mode	FCC Rule Part	Tx Frequency (MHz)	EIRP		Emission Designator	Modulation
			Max. Power (W)	Max. Power (dBm)		
LTE Band 30	27	2307.5 - 2312.5	0.216	23.34	4M54G7W	QPSK
LTE Band 30	27	2307.5 - 2312.5	0.186	22.69	4M53D7W	16QAM
LTE Band 30	27	2307.5 - 2312.5	0.149	21.74	4M54D7W	64QAM
LTE Band 30	27	2310	0.216	23.34	9M06G7W	QPSK
LTE Band 30	27	2310	0.182	22.61	9M04D7W	16QAM
LTE Band 30	27	2310	0.148	21.71	9M06D7W	64QAM
LTE Band 7	27	2502.5 - 2567.5	0.407	26.10	4M54G7W	QPSK
LTE Band 7	27	2502.5 - 2567.5	0.356	25.51	4M55D7W	16QAM
LTE Band 7	27	2502.5 - 2567.5	0.290	24.62	4M54D7W	64QAM
LTE Band 7	27	2505 - 2565	0.407	26.10	9M07G7W	QPSK
LTE Band 7	27	2505 - 2565	0.352	25.47	9M06D7W	16QAM
LTE Band 7	27	2505 - 2565	0.290	24.62	9M05D7W	64QAM
LTE Band 7	27	2507.5 - 2562.5	0.407	26.10	13M6G7W	QPSK
LTE Band 7	27	2507.5 - 2562.5	0.330	25.19	13M6D7W	16QAM
LTE Band 7	27	2507.5 - 2562.5	0.283	24.52	13M6D7W	64QAM
LTE Band 7	27	2510 - 2560	0.406	26.08	18M1G7W	QPSK
LTE Band 7	27	2510 - 2560	0.321	25.07	18M1D7W	16QAM
LTE Band 7	27	2510 - 2560	0.280	24.47	18M1D7W	64QAM
LTE Band 41	27	2498.5 - 2687.5	0.568	27.54	4M55G7W	QPSK
LTE Band 41	27	2498.5 - 2687.5	0.502	27.01	4M55D7W	16QAM
LTE Band 41	27	2498.5 - 2687.5	0.395	25.97	4M58D7W	64QAM
LTE Band 41	27	2501 - 2685	0.573	27.58	9M08G7W	QPSK
LTE Band 41	27	2501 - 2685	0.499	26.98	9M11D7W	16QAM
LTE Band 41	27	2501 - 2685	0.390	25.91	9M08D7W	64QAM
LTE Band 41	27	2503.5 - 2682.5	0.575	27.60	13M7G7W	QPSK
LTE Band 41	27	2503.5 - 2682.5	0.520	27.16	13M7D7W	16QAM
LTE Band 41	27	2503.5 - 2682.5	0.381	25.81	13M7D7W	64QAM
LTE Band 41	27	2506 - 2680	0.575	27.60	18M4G7W	QPSK
LTE Band 41	27	2506 - 2680	0.478	26.79	18M1D7W	16QAM
LTE Band 41	27	2506 - 2680	0.390	25.91	18M1D7W	64QAM

EUT Overview (High Bands)

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 5 of 363

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 18855 Adams Court, Morgan Hill, CA 95037. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014 and KDB 414788 D01 v01.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Morgan Hill, CA 95037, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.02 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISSED Standards (RSS).
- PCTEST facility is a registered (22831) test laboratory with the site description on file with ISSED.

FCC ID: BCGA2126		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 6 of 363

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Apple Tablet Device FCC ID: BCGA2126**. The test data contained in this report pertains only to the emissions due to the EUT's LTE function.

Test Device Serial No.: DLXXT027LQJY, DLXXT005LQK0

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 802.11b/g/n WLAN, 802.11a/n/ac UNII, Bluetooth (HDR4, HDR8, 1x, EDR, LE)

LTE Band 12 (698 - 716 MHz) overlaps the entire frequency range of LTE Band 17 (704 - 716 MHz). Therefore, test data provided in this report covers Band 17 as well as Band 12.

LTE Band 26 (814.7 – 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz). Therefore, test data provided in this report covers Band 5 as well as Band 26.

LTE Band 66 (1710 - 1780 MHz) overlaps the entire frequency range of LTE Band 4 (1710 - 1755 MHz). Therefore, test data provided in this report covers Band 4 as well as Band 66.

LTE Band 25 (1850 - 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.

2.3 Antenna Description

Following antenna was used for the testing.

Antennas	
Port A	Port B
WF3	WF5

Table 2-1. Antennas vs Ports

Frequency [MHz]	Antenna Gain (dBi)	
	Port A	Port B
700-800	-1.9	-3.5
820-960	-1.5	-2.6
1700-1800	-1.2	-0.8
1820-2100	-0.9	0.0
2300-2350	0.3	0.8
2350-2520	0.6	1.5
2540-2700	0.6	1.4

Table 2-2. Highest Antenna Gain

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 7 of 363

2.4 Test Support Equipment

1	Apple MacBook	Model:	A1398	S/N:	C2QKP008F6F3
	w/AC/DC Adapter	Model:	A1435	S/N:	C04325505K1F288BG
2	Apple Lightning Cable	Model:	Kanzi	S/N:	3252E9
3	USB Lightning Cable	Model:	N/A	S/N:	N/A
	w/ AC Adapter	Model:	A1385	S/N:	D292066H2NLDHLHAE
4	Apple Pencil	Model:	A1603	S/N:	G64TG0FEGWTJ
5	DC Power Supply	Model:	KPS3010D	S/N:	N/A

Table 2-3. Test Support Equipment Used

2.5 Test Configuration

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

There are two vendors of the WiFi/Bluetooth radio modules, variant 1 and variant 2. Both radio modules have the same mechanical outline, same on-board antenna matching circuit, identical antenna structure, and are built and tested to conform to the same specifications and to operate within the same tolerances. The worst case configuration was found between the two variants. The EUT was also investigated with and without charger.

The emissions below 1GHz and above 18GHz were tested with the highest transmitting power channel and the worst case configuration.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report.

2.6 Software and Firmware

The test was conducted with firmware version 16E31520i installed on the EUT.

2.7 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: BCGA2126		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 8 of 363

3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in the document titled "Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards" (ANSI/TIA-603-E-2016) and "Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems" (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

3.2 Block C Frequency Range

Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.

3.3 Block A Frequency Range

698-746 MHz band. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:


Block A: 698-704 MHz and 728-734 MHz;
Block B: 704-710 MHz and 734-740 MHz; and
Block C: 710-716 MHz and 740-746 MHz

3.4 600MHz Frequency Range

600MHz band. The following frequencies are available for licensing pursuant to this part in the 600 MHz band: (1) Seven paired channel blocks of 5 megahertz each are available for assignment as follows:

Block A: 617-622 MHz and 663-668 MHz;
Block B: 622-627 MHz and 668-673 MHz;
Block C: 627-632 MHz and 673-678 MHz;
Block D: 632-637 MHz and 678-683 MHz;
Block E: 637-642 MHz and 683-688 MHz;
Block F: 642-647 MHz and 688-693 MHz; and
Block G: 647-652 MHz and 693-698 MHz

3.5 Cellular - Base Frequency Blocks




BLOCK 1: 869 – 880 MHz (A* Low + A)
BLOCK 2: 880 – 890 MHz (B)

BLOCK 3: 890 – 891.5 MHz (A* High)
BLOCK 4: 891.5 – 894 MHz (B*)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 9 of 363


3.6 Cellular - Mobile Frequency Blocks



BLOCK 1: 824 – 835 MHz (A* Low + A)
BLOCK 2: 835 – 845 MHz (B)

BLOCK 3: 845 – 846.5 MHz (A* High)
BLOCK 4: 846.5 – 849 MHz (B*)


3.7 PCS - Base Frequency Blocks



BLOCK 1: 1930 – 1945 MHz (A)
BLOCK 2: 1945 – 1950 MHz (D)
BLOCK 3: 1950 – 1965 MHz (B)

BLOCK 4: 1965 – 1970 MHz (E)
BLOCK 5: 1970 – 1975 MHz (F)
BLOCK 6: 1975 – 1990 MHz (C)


3.8 PCS - Mobile Frequency Blocks



BLOCK 1: 1850 – 1865 MHz (A)
BLOCK 2: 1865 – 1870 MHz (D)
BLOCK 3: 1870 – 1885 MHz (B)

BLOCK 4: 1885 – 1890 MHz (E)
BLOCK 5: 1890 – 1895 MHz (F)
BLOCK 6: 1895 – 1910 MHz (C)

3.9 AWS - Base Frequency Blocks




BLOCK 1: 2110 – 2120 MHz (A)
BLOCK 2: 2120 – 2130 MHz (B)
BLOCK 3: 2130 – 2135 MHz (C)

BLOCK 4: 2135 – 2140 MHz (D)
BLOCK 5: 2140 – 2145 MHz (E)
BLOCK 6: 2145 – 2155 MHz (F)

FCC ID: BCGA2126		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 10 of 363

3.10 AWS - Mobile Frequency Blocks



BLOCK 1: 1710 – 1720 MHz (A)

BLOCK 2: 1720 – 1730 MHz (B)

BLOCK 3: 1730 – 1735 MHz (C)

BLOCK 4: 1735 – 1740 MHz (D)

BLOCK 5: 1740 – 1745 MHz (E)

BLOCK 6: 1745 – 1755 MHz (F)

3.11 WCS – Mobile/Base Frequency Blocks

The following frequencies are available for WCS in the 2305-2320 MHz and 2345-2360 MHz bands:


BLOCK 1: 2305-2310 and 2350-2355 MHz (A)

BLOCK 2: 2310-2315 and 2355-236 MHz (B)

BLOCK 3: 2315-2320 MHz (C)

BLOCK 4: 2345-2350 MHz (D)

3.12 BRS/EBS Frequency Block



FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 11 of 363

3.13 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Per the guidelines of KDB 412172 D01 v01r01, radiated power levels are measured using the following formula:

$$ERP \text{ or } EIRP = P_T + G_T - L_C$$

Where P_T is the transmitter output power, expressed in dBm, G_T is the gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP), and L_C signal attenuation in the connecting cable between the transmitter and antenna in dB.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]}$$

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g \text{ [dBm]} - \text{cable loss [dB]}$.

The calculated P_d levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of $43 + 10\log_{10}(\text{Power [Watts]})$. For Band 7 and 41, the calculated P_d levels are compared to the absolute spurious emission limit of -25dBm which is equivalent to the required minimum attenuation of $55 + 10\log_{10}(\text{Power [Watts]})$. For Band 30 the calculated P_d levels are compared to the absolute spurious emission limit of -40dBm which is equivalent to the required minimum attenuation of $70 + 10\log_{10}(\text{Power [Watts]})$.

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 12 of 363

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ($\pm$ dB)
Conducted Bench Top Measurements	1.29
Radiated Disturbance (<1GHz)	4.15
Radiated Disturbance (>1GHz)	4.70
Radiated Disturbance (>18GHz)	5.01
Temperature	0.01

FCC ID: BCGA2126		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 13 of 363

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
ATM	180-442A-KF	20dB Nominal Gain Horn Antenna	3/13/2018	Annual	3/13/2019	T058601-02
COM-POWER	LIN-120A	LISN	3/7/2018	Annual	3/7/2019	241296
ESPEC	SU-241	Temperature Chamber	8/10/2018	Annual	8/10/2019	92009574
Keysight Technologies	N9030A	3Hz-44GHz PXA Signal Analyzer	2/27/2018	Annual	2/27/2019	MY49430244
Rohde & Schwarz	FSV40	Signal Analyzer (10Hz-40GHz)	2/6/2018	Annual	2/6/2019	101619
Rohde & Schwarz	ESW26	EMI Test Receiver	7/19/2018	Annual	7/19/2019	101299
Rohde & Schwarz	ESW44	EMI Test Receiver	11/20/2018	Annual	11/20/2019	101570
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	6/11/2018	Annual	6/11/2019	161675
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	4/16/2018	Annual	4/16/2019	161617
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	11/16/2018	Annual	11/16/2019	164175
Rohde & Schwarz	TS-PR1840	Pre-Amplifier (18GHz - 40GHz)	6/11/2018	Annual	6/11/2019	100051
Rohde & Schwarz	TS-PR8	Pre-Amplifier (30MHz - 8GHz)	1/25/2018	Annual	1/25/2019	102333
Rohde & Schwarz	HL562E	Ultra Broadband Antenna (30MHz - 6GHz)	6/8/2018	Annual	6/8/2019	100810
Rohde & Schwarz	TC-TA18	Cross Polarized Vivaldi Antenna (400MHz-18GHz)	11/21/2018	Annual	11/21/2019	101057
Rohde & Schwarz	TC-TA18	Cross Polarized Vivaldi Antenna (400MHz-18GHz)	12/7/2018	Annual	12/7/2019	101063
Rohde & Schwarz	HFH2-Z2	Loop Antenna	3/13/2018	Annual	3/13/2019	100519

Table 5-1. Test Equipment

Notes:

1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 14 of 363

6.0 SAMPLE CALCULATIONS

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

Spurious Radiated Emission – LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was –81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of –81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of –30.9 dBm yielding –24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm – (-24.80).

FCC ID: BCGA2126		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 15 of 363

7.0 TEST RESULTS

7.1 Summary

Company Name: Apple Inc.
 FCC ID: BCGA2126
 FCC Classification: PCS Licensed Transmitter (PCB)
 Mode(s): LTE

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
2.1049	Occupied Bandwidth	N/A	CONDUCTED	PASS	Section 7.2
2.1051 2.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Out of Band Emissions	$> 43 + 10\log_{10}(P[\text{Watts}])$ at Band Edge and for all out-of-band emissions			Section 7.3, 7.4
27.53(m)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.3, 7.4
27.53(a)	Out of Band Emissions	Undesirable emissions must meet the limits detailed in 27.53(a)			Section 7.3, 7.4
24.232(d) 27.50(d)(5)	Peak-Average Ratio	$< 13 \text{ dB}$			Section 7.5
2.1046	Transmitter Conducted Output Power	N/A			See RF Exposure Report
2.1055 22.355 24.235 27.54	Frequency Stability	$< 2.5 \text{ ppm}$ (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27)			Section 7.11

Table 7-1. Summary of Conducted Test Results

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 16 of 363

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
22.913(a)(5)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 26/5)	< 7 Watts max. ERP	RADIATED	PASS	Section 7.6
27.50(b)(10) 27.50(c)(10)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 71, 12/17, 13)	< 3 Watts max. ERP			Section 7.6
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 25/2, 7, 41)	< 2 Watts max. EIRP			Section 7.6
27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 66/4)	< 1 Watts max. EIRP			Section 7.6
27.50(a)(3)	Equivalent Isotropic Radiated Power (Band 30)	< 0.25 Watts max. EIRP			Section 7.6
2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Undesirable Emissions	> 43 + 10log ₁₀ (P[Watts]) for all out-of-band emissions			Section 7.9
27.53(f)	Undesirable Emissions (Band 13)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz			Section 7.9
27.53(a)	Undesirable Emissions (Band 30)	> 70 + 10log ₁₀ (P[Watts])			Section 7.9
27.53(m)	Undesirable Emissions	Undesirable emissions must meet the limits detailed in 27.53(m)			Section 7.9

Table 7-2. Summary of Radiated Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 7.5) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 4.8.

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 17 of 363

7.2 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-1. Test Instrument & Measurement Setup

Test Notes

None.

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 18 of 363

Mode	BW (MHz)	Modulation	Occupied BW [kHz]
LTE Band 71	5	QPSK	4546.1
LTE Band 71	5	16QAM	4540.8
LTE Band 71	5	64QAM	4549.6
LTE Band 71	10	QPSK	9057.9
LTE Band 71	10	16QAM	9052.9
LTE Band 71	10	64QAM	9055.1
LTE Band 71	15	QPSK	13618.5
LTE Band 71	15	16QAM	13620.7
LTE Band 71	15	64QAM	13604.5
LTE Band 71	20	QPSK	18032.6
LTE Band 71	20	16QAM	18077.1
LTE Band 71	20	64QAM	18048.1
LTE Band 12	1.4	QPSK	1109.0
LTE Band 12	1.4	16QAM	1107.6
LTE Band 12	1.4	64QAM	1108.0
LTE Band 12	3	QPSK	2719.7
LTE Band 12	3	16QAM	2730.6
LTE Band 12	3	64QAM	2732.8
LTE Band 12	5	QPSK	4547.6
LTE Band 12	5	16QAM	4550.7
LTE Band 12	5	64QAM	4551.8
LTE Band 12	10	QPSK	9073.8
LTE Band 12	10	16QAM	9048.7
LTE Band 12	10	64QAM	9084.0
LTE Band 17	5	QPSK	4543.5
LTE Band 17	5	16QAM	4552.0
LTE Band 17	5	64QAM	4569.0
LTE Band 17	10	QPSK	9049.0
LTE Band 17	10	16QAM	9057.2
LTE Band 17	10	64QAM	9070.9
LTE Band 13	5	QPSK	4560.5
LTE Band 13	5	16QAM	4543.4
LTE Band 13	5	64QAM	4541.7
LTE Band 13	10	QPSK	9038.5
LTE Band 13	10	16QAM	9047.2
LTE Band 13	10	64QAM	9032.1
LTE Band 5	1.4	QPSK	1108.8
LTE Band 5	1.4	16QAM	1108.7
LTE Band 5	1.4	64QAM	1111.7
LTE Band 5	3	QPSK	2729.1
LTE Band 5	3	16QAM	2727.3
LTE Band 5	3	64QAM	2735.9
LTE Band 5	5	QPSK	4539.4
LTE Band 5	5	16QAM	4548.7
LTE Band 5	5	64QAM	4556.5
LTE Band 5	10	QPSK	9066.1
LTE Band 5	10	16QAM	9081.9
LTE Band 5	10	64QAM	9057.1
LTE Band 26	1.4	QPSK	1107.9
LTE Band 26	1.4	16QAM	1107.2
LTE Band 26	1.4	64QAM	1110.2
LTE Band 26	3	QPSK	2730.7
LTE Band 26	3	16QAM	2727.4
LTE Band 26	3	64QAM	2733.1
LTE Band 26	5	QPSK	4563.4
LTE Band 26	5	16QAM	4544.9
LTE Band 26	5	64QAM	4546.8
LTE Band 26	10	QPSK	9063.4
LTE Band 26	10	16QAM	9047.0
LTE Band 26	10	64QAM	9064.8

Table 7-3. Occupied Bandwidth (Low Bands)

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 19 of 363

Mode	BW (MHz)	Modulation	Occupied BW [kHz]
LTE Band 4	1.4	QPSK	1113.0
LTE Band 4	1.4	16QAM	1101.9
LTE Band 4	1.4	64QAM	1112.6
LTE Band 4	3	QPSK	2723.1
LTE Band 4	3	16QAM	2722.2
LTE Band 4	3	64QAM	2733.0
LTE Band 4	5	QPSK	4551.8
LTE Band 4	5	16QAM	4545.6
LTE Band 4	5	64QAM	4564.5
LTE Band 4	10	QPSK	9080.4
LTE Band 4	10	16QAM	9029.7
LTE Band 4	10	64QAM	9067.1
LTE Band 4	15	QPSK	13599.4
LTE Band 4	15	16QAM	13592.7
LTE Band 4	15	64QAM	13604.5
LTE Band 4	20	QPSK	18108.5
LTE Band 4	20	16QAM	18086.3
LTE Band 4	20	64QAM	18115.3
LTE Band 66	1.4	QPSK	1108.2
LTE Band 66	1.4	16QAM	1108.4
LTE Band 66	1.4	64QAM	1108.7
LTE Band 66	3	QPSK	2727.6
LTE Band 66	3	16QAM	2725.9
LTE Band 66	3	64QAM	2720.9
LTE Band 66	5	QPSK	4542.9
LTE Band 66	5	16QAM	4532.7
LTE Band 66	5	64QAM	4545.5
LTE Band 66	10	QPSK	9057.1
LTE Band 66	10	16QAM	9048.4
LTE Band 66	10	64QAM	9076.0
LTE Band 66	15	QPSK	13577.7
LTE Band 66	15	16QAM	13589.9
LTE Band 66	15	64QAM	13644.9
LTE Band 66	20	QPSK	18121.3
LTE Band 66	20	16QAM	18041.9
LTE Band 66	20	64QAM	18083.5
LTE Band 2	1.4	QPSK	1107.8
LTE Band 2	1.4	16QAM	1112.1
LTE Band 2	1.4	64QAM	1108.5
LTE Band 2	3	QPSK	2724.5
LTE Band 2	3	16QAM	2718.2
LTE Band 2	3	64QAM	2727.1
LTE Band 2	5	QPSK	4542.6
LTE Band 2	5	16QAM	4550.8
LTE Band 2	5	64QAM	4579.1
LTE Band 2	10	QPSK	9068.6
LTE Band 2	10	16QAM	9041.4
LTE Band 2	10	64QAM	9068.3
LTE Band 2	15	QPSK	13639.9
LTE Band 2	15	16QAM	13640.5
LTE Band 2	15	64QAM	13614.3
LTE Band 2	20	QPSK	18091.0
LTE Band 2	20	16QAM	18108.8
LTE Band 2	20	64QAM	18068.8
LTE Band 25	1.4	QPSK	1109.5
LTE Band 25	1.4	16QAM	1107.9
LTE Band 25	1.4	64QAM	1110.2
LTE Band 25	3	QPSK	2724.5
LTE Band 25	3	16QAM	2721.7
LTE Band 25	3	64QAM	2723.4
LTE Band 25	5	QPSK	4546.4
LTE Band 25	5	16QAM	4544.7
LTE Band 25	5	64QAM	4544.7
LTE Band 25	10	QPSK	9043.5
LTE Band 25	10	16QAM	9063.5
LTE Band 25	10	64QAM	9065.6
LTE Band 25	15	QPSK	13625.3
LTE Band 25	15	16QAM	13581.6
LTE Band 25	15	64QAM	13599.1
LTE Band 25	20	QPSK	18099.8
LTE Band 25	20	16QAM	18015.0
LTE Band 25	20	64QAM	18094.5

Table 7-4. Occupied Bandwidth (Mid Bands)


FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 20 of 363

Mode	BW (MHz)	Modulation	Occupied BW [kHz]
LTE Band 30	5	QPSK	4536.6
LTE Band 30	5	16QAM	4534.5
LTE Band 30	5	64QAM	4541.5
LTE Band 30	10	QPSK	9058.9
LTE Band 30	10	16QAM	9042.5
LTE Band 30	10	64QAM	9056.0
LTE Band 7	5	QPSK	4542.1
LTE Band 7	5	16QAM	4548.5
LTE Band 7	5	64QAM	4538.3
LTE Band 7	10	QPSK	9065.0
LTE Band 7	10	16QAM	9062.9
LTE Band 7	10	64QAM	9049.9
LTE Band 7	15	QPSK	13615.4
LTE Band 7	15	16QAM	13594.6
LTE Band 7	15	64QAM	13614.1
LTE Band 7	20	QPSK	18110.4
LTE Band 7	20	16QAM	18079.6
LTE Band 7	20	64QAM	18063.9
LTE Band 41	5	QPSK	4547.5
LTE Band 41	5	16QAM	4551.3
LTE Band 41	5	64QAM	4575.0
LTE Band 41	10	QPSK	9075.5
LTE Band 41	10	16QAM	9109.0
LTE Band 41	10	64QAM	9080.8
LTE Band 41	15	QPSK	13879.2
LTE Band 41	15	16QAM	13632.4
LTE Band 41	15	64QAM	13635.0
LTE Band 41	20	QPSK	18400.9
LTE Band 41	20	16QAM	18135.0
LTE Band 41	20	64QAM	18087.3


Table 7-5. Occupied Bandwidth (High Bands)

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 21 of 363

Band 71




Plot 7-1. Occupied Bandwidth Plot (Band 71 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-2. Occupied Bandwidth Plot (Band 71 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 22 of 363




Plot 7-3. Occupied Bandwidth Plot (Band 71 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-4. Occupied Bandwidth Plot (Band 71 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 23 of 363




Plot 7-5. Occupied Bandwidth Plot (Band 71 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-6. Occupied Bandwidth Plot (Band 71 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 24 of 363




Plot 7-7. Occupied Bandwidth Plot (Band 71 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-8. Occupied Bandwidth Plot (Band 71 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 25 of 363




Plot 7-9. Occupied Bandwidth Plot (Band 71 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-10. Occupied Bandwidth Plot (Band 71 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 26 of 363




Plot 7-11. Occupied Bandwidth Plot (Band 71 - 20.0MHz 16-QAM - Full RB Configuration)




Plot 7-12. Occupied Bandwidth Plot (Band 71 - 20.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 27 of 363

Band 12/17




Plot 7-13. Occupied Bandwidth Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-14. Occupied Bandwidth Plot (Band 12 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 28 of 363




Plot 7-15. Occupied Bandwidth Plot (Band 12 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-16. Occupied Bandwidth Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 29 of 363




Plot 7-17. Occupied Bandwidth Plot (Band 12 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-18. Occupied Bandwidth Plot (Band 12 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 30 of 363




Plot 7-19. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-20. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 31 of 363




Plot 7-21. Occupied Bandwidth Plot (Band 12/17 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-22. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 32 of 363




Plot 7-23. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-24. Occupied Bandwidth Plot (Band 12/17 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 33 of 363

Band 13




Plot 7-25. Occupied Bandwidth Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-26. Occupied Bandwidth Plot (Band 13 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 34 of 363




Plot 7-27. Occupied Bandwidth Plot (Band 13 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-28. Occupied Bandwidth Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 35 of 363




Plot 7-29. Occupied Bandwidth Plot (Band 13 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-30. Occupied Bandwidth Plot (Band 13 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 36 of 363

Band 26/5




Plot 7-31. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-32. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 37 of 363




Plot 7-33. Occupied Bandwidth Plot (Band 26/5 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-34. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 38 of 363




Plot 7-35. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-36. Occupied Bandwidth Plot (Band 26/5 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 39 of 363




Plot 7-37. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-38. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 40 of 363




Plot 7-39. Occupied Bandwidth Plot (Band 26/5 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-40. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 41 of 363




Plot 7-41. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-42. Occupied Bandwidth Plot (Band 26/5 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 42 of 363

Band 66/4




Plot 7-43. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-44. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 43 of 363




Plot 7-45. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-46. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 44 of 363




Plot 7-47. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-48. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 45 of 363




Plot 7-49. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-50. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 46 of 363




Plot 7-51. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 64-QAM - Full RB Configuration)



Plot 7-52. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 47 of 363




Plot 7-53. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-54. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 48 of 363




Plot 7-55. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-56. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 49 of 363




Plot 7-57. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-58. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 50 of 363




Plot 7-59. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 16-QAM - Full RB Configuration)




Plot 7-60. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 51 of 363

Band 25/2




Plot 7-61. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-62. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 52 of 363




Plot 7-63. Occupied Bandwidth Plot (Band 25/2 - 1.4MHz 64-QAM - Full RB Configuration)




Plot 7-64. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 53 of 363




Plot 7-65. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 16-QAM - Full RB Configuration)




Plot 7-66. Occupied Bandwidth Plot (Band 25/2 - 3.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 54 of 363




Plot 7-67. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-68. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 55 of 363




Plot 7-69. Occupied Bandwidth Plot (Band 25/2 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-70. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 56 of 363




Plot 7-71. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-72. Occupied Bandwidth Plot (Band 25/2 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 57 of 363




Plot 7-73. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-74. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 58 of 363




Plot 7-75. Occupied Bandwidth Plot (Band 25/2 - 15.0MHz 64-QAM - Full RB Configuration)



Plot 7-76. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 59 of 363




Plot 7-77. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz 16-QAM - Full RB Configuration)




Plot 7-78. Occupied Bandwidth Plot (Band 25/2 - 20.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 60 of 363

Band 30




Plot 7-79. Occupied Bandwidth Plot (Band 30 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-80. Occupied Bandwidth Plot (Band 30 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 61 of 363




Plot 7-81. Occupied Bandwidth Plot (Band 30 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-82. Occupied Bandwidth Plot (Band 30 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 62 of 363




Plot 7-83. Occupied Bandwidth Plot (Band 30 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-84. Occupied Bandwidth Plot (Band 30 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 63 of 363

Band 7




Plot 7-85. Occupied Bandwidth Plot (Band 7 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-86. Occupied Bandwidth Plot (Band 7 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 64 of 363




Plot 7-87. Occupied Bandwidth Plot (Band 7 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-88. Occupied Bandwidth Plot (Band 7 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 65 of 363




Plot 7-89. Occupied Bandwidth Plot (Band 7 - 10.0MHz 16-QAM - Full RB Configuration)




Plot 7-90. Occupied Bandwidth Plot (Band 7 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 66 of 363




Plot 7-91. Occupied Bandwidth Plot (Band 7 - 15.0MHz QPSK - Full RB Configuration)




Plot 7-92. Occupied Bandwidth Plot (Band 7 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 67 of 363




Plot 7-93. Occupied Bandwidth Plot (Band 7 - 15.0MHz 64-QAM - Full RB Configuration)




Plot 7-94. Occupied Bandwidth Plot (Band 7 - 20.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 68 of 363




Plot 7-95. Occupied Bandwidth Plot (Band 7 - 20.0MHz 16-QAM - Full RB Configuration)




Plot 7-96. Occupied Bandwidth Plot (Band 7 - 20.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 69 of 363

Band 41




Plot 7-97. Occupied Bandwidth Plot (Band 41 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-98. Occupied Bandwidth Plot (Band 41 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 70 of 363




Plot 7-99. Occupied Bandwidth Plot (Band 41 - 5.0MHz 64-QAM - Full RB Configuration)




Plot 7-100. Occupied Bandwidth Plot (Band 41 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: BCGA2126	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 71 of 363



Plot 7-101. Occupied Bandwidth Plot (Band 41 - 10.0MHz 16-QAM - Full RB Configuration)



Plot 7-102. Occupied Bandwidth Plot (Band 41 - 10.0MHz 64-QAM - Full RB Configuration)

FCC ID: BCGA2126	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1811080026-03-R2.BCG	Test Dates: 12/19/2018-02/13/2019	EUT Type: Tablet Device	Page 72 of 363