






Plot 7-195. Radiated Spurious Plot above 1GHz SDM (802.11n – U2A Ch. 52)




Plot 7-196. Radiated Spurious Plot above 1GHz SDM (802.11n – U2A Ch. 60)




Plot 7-197. Radiated Spurious Plot above 1GHz CDD (802.11n – U2A Ch. 64)


FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 147 of 205



Plot 7-198. Radiated Spurious Plot above 1GHz CDD (802.11n – U2C Ch. 100)




Plot 7-199. Radiated Spurious Plot above 1GHz CDD (802.11n – U2C Ch. 116)




Plot 7-200. Radiated Spurious Plot above 1GHz CDD (802.11n – U2C Ch. 144)


FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 148 of 205



Plot 7-201. Radiated Spurious Plot above 1GHz CDD (802.11n – U3 Ch. 149)




Plot 7-202. Radiated Spurious Plot above 1GHz CDD (802.11n – U3 Ch. 157)




Plot 7-203. Radiated Spurious Plot above 1GHz CDD (802.11n – U3 Ch. 165)

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 149 of 205

CDD Radiated Spurious Emissions Measurements (Above 18GHz)



Plot 7-204. Radiated Spurious Plot above 18GHz – 40GHz CDD (802.11n – Ch.36, Pol. H)



Plot 7-205. Radiated Spurious Plot above 18GHz - 40GHz CDD (802.11n – Ch.36, Pol. V)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 150 of 205

CDD Radiated Spurious Emission Measurements

§15.407(b) §15.205 & §15.209; RSS-Gen [8.9]

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	V	-	-	-70.66	14.34	50.68	68.20	-17.52
15540.00	Average	V	-	-	-84.34	20.37	43.03	53.98	-10.95
15540.00	Peak	V	-	-	-72.36	20.37	55.01	73.98	-18.97

Table 7-60. Radiated Measurements CDD

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	V	-	-	-71.22	14.43	50.21	68.20	-17.99
15600.00	Average	V	-	-	-84.44	20.56	43.12	53.98	-10.86
15600.00	Peak	V	-	-	-73.25	20.56	54.31	73.98	-19.67

Table 7-61. Radiated Measurements CDD

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 151 of 205

Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5240MHz
 Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	V	-	-	-71.62	14.63	50.01	68.20	-18.19
15720.00	Average	V	-	-	-84.48	21.60	44.12	53.98	-9.86
15720.00	Peak	V	-	-	-73.02	21.60	55.58	73.98	-18.40

Table 7-62. Radiated Measurements CDD

Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5260MHz
 Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	V	-	-	-70.93	14.85	50.92	68.20	-17.28
15780.00	Average	V	-	-	-84.80	21.89	44.09	53.98	-9.89
15780.00	Peak	V	-	-	-73.61	21.89	55.28	73.98	-18.70

Table 7-63. Radiated Measurements SDM

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 152 of 205

Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	V	-	-	-70.96	14.37	50.41	68.20	-17.79
15840.00	Average	V	-	-	-84.94	21.77	43.83	53.98	-10.15
15840.00	Peak	V	-	-	-73.77	21.77	55.00	73.98	-18.98

Table 7-64. Radiated Measurements SDM

Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5320MHz
 Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10640.00	Average	V	-	-	-82.23	14.85	39.62	53.98	-14.36
10640.00	Peak	V	-	-	-71.02	14.85	50.83	73.98	-23.15
15960.00	Average	V	-	-	-84.24	21.74	44.50	53.98	-9.48
15960.00	Peak	V	-	-	-72.70	21.74	56.04	73.98	-17.94

Table 7-65. Radiated Measurements CDD

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 153 of 205

Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5500MHz
 Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11000.00	Average	V	-	-	-84.27	15.88	38.61	53.98	-15.37
11000.00	Peak	V	-	-	-73.43	15.88	49.45	73.98	-24.53
16500.00	Peak	V	-	-	-73.73	21.60	54.87	68.20	-13.33

Table 7-66. Radiated Measurements CDD

Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11160.00	Average	V	-	-	-84.38	15.76	38.38	53.98	-15.60
11160.00	Peak	V	-	-	-73.05	15.76	49.71	73.98	-24.27
16740.00	Peak	V	-	-	-74.69	22.79	55.10	68.20	-13.10

Table 7-67. Radiated Measurements CDD

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 154 of 205

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11440.00	Average	V	-	-	-84.90	16.74	38.84	53.98	-15.14
11440.00	Peak	V	-	-	-73.74	16.74	50.00	73.98	-23.98
17160.00	Peak	V	-	-	-73.71	21.60	54.89	68.20	-13.31

Table 7-68. Radiated Measurements CDD

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11490.00	Average	V	-	-	-84.78	16.37	38.59	53.98	-15.39
11490.00	Peak	V	-	-	-73.07	16.37	50.30	73.98	-23.68
17235.00	Peak	V	-	-	-73.69	22.25	55.56	68.20	-12.64

Table 7-69. Radiated Measurements CDD

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 155 of 205

Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11570.00	Average	V	-	-	-84.17	17.01	39.84	53.98	-14.14
11570.00	Peak	V	-	-	-73.16	17.01	50.85	73.98	-23.13
17355.00	Peak	V	-	-	-73.88	22.61	55.73	68.20	-12.47

Table 7-70. Radiated Measurements CDD

Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
11650.00	Average	V	-	-	-84.64	16.45	38.81	53.98	-15.17
11650.00	Peak	V	-	-	-73.65	16.45	49.80	73.98	-24.18
17475.00	Peak	V	-	-	-73.94	21.94	55.00	68.20	-13.20


Table 7-71. Radiated Measurements CDD

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 156 of 205

7.6.4 SISO Core-0 Radiated Band Edge Measurements (20MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]

Worst Case Mode:	802.11n
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36



Plot 7-206. Radiated Lower Band Edge Plot SISO CORE0 (UNII Band 1)

Worst Case Mode:	802.11n
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5200MHz
Channel:	40




Plot 7-207. Radiated Lower Band Edge Plot SISO CORE0 (UNII Band 1)

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 157 of 205




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5300MHz
Channel: 60



Plot 7-208. Radiated Upper Band Edge Plot SISO CORE0 (UNII Band 2A)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64




Plot 7-209. Radiated Upper Band Edge Plot SISO CORE0 (UNII Band 2A)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 158 of 205




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100



Plot 7-210. Radiated Lower Band Edge Plot SISO CORE0 (UNII Band 2C)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5520MHz
Channel: 104



Plot 7-211. Radiated Upper Band Edge Plot SISO CORE0 (Peak - UNII Band 2C)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 159 of 205


© 2020 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

V 9.0 02/01/2019




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5680MHz
Channel: 136



Plot 7-212. Radiated Upper Band Edge Plot SISO CORE0 (Peak - UNII Band 2C)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5700MHz
Channel: 140



Plot 7-213. Radiated Upper Band Edge Plot SISO CORE0 (Peak - UNII Band 2C)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 160 of 205


© 2020 PCTEST

V 9.0 02/01/2019

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149



Plot 7-214. Radiated Lower Band Edge Plot SISO CORE0 (Peak – UNII Band 3)

Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165



Plot 7-215. Radiated Upper Band Edge Plot SISO CORE0 (Peak – UNII Band 3)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 161 of 205

© 2020 PCTEST


V 9.0 02/01/2019

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.6.5 SISO Core-0 Radiated Band Edge Measurements (40MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

Worst Case Mode:	802.11n
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5190MHz
Channel:	38



Plot 7-216. Radiated Lower Band Edge Plot SISO CORE0 (UNII Band 1)

Worst Case Mode:	802.11n
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5230MHz
Channel:	46




Plot 7-217. Radiated Lower Band Edge Plot SISO CORE0 (UNII Band 1)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 162 of 205




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5270MHz
Channel: 54



Plot 7-218. Radiated Upper Band Edge Plot SISO CORE0 (UNII Band 2A)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5310MHz
Channel: 62




Plot 7-219. Radiated Upper Band Edge Plot SISO CORE0 (UNII Band 2A)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 163 of 205




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5510MHz
Channel: 102



Plot 7-220. Radiated Lower Band Edge Plot SISO CORE0 (UNII Band 2C)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5550MHz
Channel: 110



Plot 7-221. Radiated Upper Band Edge Plot SISO CORE0 (Peak - UNII Band 2C)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 164 of 205


© 2020 PCTEST

V 9.0 02/01/2019

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5670MHz
Channel: 134



Plot 7-222. Radiated Upper Band Edge Plot SISO CORE0 (Peak - UNII Band 2C)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5755MHz
Channel: 151




Plot 7-223. Radiated Lower Band Edge Plot SISO CORE0 (Peak - UNII Band 3)

FCC ID: BCGA2229	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 165 of 205



Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5795MHz
Channel: 159



Plot 7-224. Radiated Upper Band Edge Plot SISO CORE0 (Peak – UNII Band 3)

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 166 of 205

© 2020 PCTEST


V 9.0 02/01/2019

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.6.6 SISO Core-0 Radiated Band Edge Measurements (80MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

Worst Case Mode:	802.11ac
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5210MHz
Channel:	42



Plot 7-225. Radiated Lower Band Edge Plot SISO CORE0 (UNII Band 1)

Worst Case Mode:	802.11ac
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5290MHz
Channel:	58




Plot 7-226. Radiated Upper Band Edge Plot SISO CORE0 (UNII Band 2A)

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 167 of 205




Worst Case Mode: 802.11ac
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5530MHz
Channel: 106



Plot 7-227. Radiated Lower Band Edge Plot SISO CORE0 (UNII Band 2C)

Worst Case Mode: 802.11ac
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5775MHz
Channel: 155



Plot 7-228. Radiated Lower Band Edge Plot SISO CORE0 (Peak – UNII Band 3)

FCC ID: BCGA2229	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 168 of 205


© 2020 PCTEST

V 9.0 02/01/2019

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Worst Case Mode: 802.11ac
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5775MHz
Channel: 155



Plot 7-229. Radiated Upper Band Edge Plot SISO CORE0 (Peak – UNII Band 3)

FCC ID: BCGA2229	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 169 of 205

© 2020 PCTEST


V 9.0 02/01/2019

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.6.7 SISO Core-1 Radiated Band Edge Measurements (20MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]

Worst Case Mode:	802.11n
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36



Plot 7-230. Radiated Lower Band Edge Plot SISO CORE1 (UNII Band 1)

Worst Case Mode:	802.11n
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5200MHz
Channel:	40




Plot 7-231. Radiated Lower Band Edge Plot SISO CORE1 (UNII Band 1)

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 170 of 205




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5300MHz
Channel: 60



Plot 7-232. Radiated Upper Band Edge Plot SISO CORE1 (UNII Band 2A)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64




Plot 7-233. Radiated Upper Band Edge Plot SISO CORE1 (UNII Band 2A)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 171 of 205




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100



Plot 7-234. Radiated Lower Band Edge Plot SISO CORE1 (UNII Band 2C)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5520MHz
Channel: 104



Plot 7-235. Radiated Upper Band Edge Plot SISO CORE1 (Peak - UNII Band 2C)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 172 of 205


© 2020 PCTEST

V 9.0 02/01/2019

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5680MHz
Channel: 136



Plot 7-236. Radiated Upper Band Edge Plot SISO CORE1 (Peak – UNII Band 2C)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5700MHz
Channel: 140



Plot 7-237. Radiated Upper Band Edge Plot SISO CORE1 (Peak – UNII Band 2C)

FCC ID: BCGA2229	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 173 of 205


© 2020 PCTEST

V 9.0 02/01/2019

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.




Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5745MHz
 Channel: 149



Plot 7-238. Radiated Lower Band Edge Plot SISO CORE1 (Peak – UNII Band 3)

Worst Case Mode: 802.11n
 Worst Case Transfer Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165



Plot 7-239. Radiated Upper Band Edge Plot SISO CORE1 (Peak – UNII Band 3)

FCC ID: BCGA2229	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 174 of 205

© 2020 PCTEST


V 9.0 02/01/2019

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.6.8 SISO Core-1 Radiated Band Edge Measurements (40MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

Worst Case Mode:	802.11n
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5190MHz
Channel:	38



Plot 7-240. Radiated Lower Band Edge Plot SISO CORE1 (UNII Band 1)

Worst Case Mode:	802.11n
Worst Case Transfer Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5230MHz
Channel:	46




Plot 7-241. Radiated Lower Band Edge Plot SISO CORE1 (UNII Band 1)

FCC ID: BCGA2229		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 175 of 205




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5270MHz
Channel: 54



Plot 7-242. Radiated Upper Band Edge Plot SISO CORE1 (UNII Band 2A)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5310MHz
Channel: 62




Plot 7-243. Radiated Upper Band Edge Plot SISO CORE1 (UNII Band 2A)

FCC ID: BCGA2229	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 176 of 205




Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5510MHz
Channel: 102



Plot 7-244. Radiated Lower Band Edge Plot SISO CORE1 (UNII Band 2C)

Worst Case Mode: 802.11n
Worst Case Transfer Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5550MHz
Channel: 110



Plot 7-245. Radiated Upper Band Edge Plot SISO CORE1 (Peak - UNII Band 2C)

FCC ID: BCGA2229	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C1912170053-08.BCG	Test Dates: 12/10/2019 - 02/12/2020	EUT Type: Tablet Device	Page 177 of 205

© 2020 PCTEST

V 9.0 02/01/2019

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.