




Plot 7-676. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 113 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	V	289	110	-79.82	18.84	46.02	68.20	-22.18

Table 7-57. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 189 of 323

V 10.5 12/15/2021



Plot 7-677. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 117 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	V	-	-	-83.55	18.01	41.46	68.20	-26.74

Table 7-58. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 190 of 323

V 10.5 12/15/2021



Plot 7-678. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 149 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-72.73	18.12	52.39	73.98	-21.59
* 13390.00	Average	V	-	-	-84.03	18.12	41.09	53.98	-12.89

Table 7-59. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 191 of 323

V 10.5 12/15/2021



Plot 7-679. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 185 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.25	17.82	41.57	68.20	-26.63

Table 7-60. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 192 of 323

V 10.5 12/15/2021



Plot 7-680. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 189 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	V	-	-	-83.30	17.46	41.16	68.20	-27.04

Table 7-61. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 193 of 323

V 10.5 12/15/2021



Plot 7-681. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 209 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	V	-	-	-83.22	17.85	41.63	68.20	-26.57

Table 7-62. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 194 of 323

V 10.5 12/15/2021



Plot 7-682. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 229 – RU26)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14230.00	Average	V	-	-	-83.79	18.13	41.34	68.20	-26.86

Table 7-63. Radiated Spurious Emission Measurements Antenna WF5t – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 195 of 323

V 10.5 12/15/2021

RU242



Plot 7-683. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 1 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11910.00	Peak	V	-	-	-71.36	16.96	52.60	73.98	-21.38
* 11910.00	Average	V	-	-	-83.03	16.96	40.93	53.98	-13.05
* 17865.00	Peak	V	-	-	-75.05	21.89	53.84	73.98	-20.14
* 17865.00	Average	V	-	-	-86.62	21.89	42.27	53.98	-11.71

Table 7-64. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 196 of 323

V 10.5 12/15/2021



Plot 7-684. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 45 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6175MHz
Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Peak	V	-	-	-72.35	17.84	52.49	73.98	-21.49
* 12350.00	Average	V	-	-	-84.28	17.84	40.56	53.98	-13.42

Table 7-65. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 197 of 323

V 10.5 12/15/2021



Plot 7-685. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 93 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	V	-	-	-84.26	18.55	41.29	68.20	-26.91

Table 7-66. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device		Page 198 of 323

V 10.5 12/15/2021



Plot 7-686. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 97 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	V	-	-	-83.92	18.68	41.76	68.20	-26.44

Table 7-67. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 199 of 323

V 10.5 12/15/2021



Plot 7-687. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 105 – RU242)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	-	-	-83.65	18.16	41.51	68.20	-26.69

Table 7-68. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 200 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-688. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 113 – RU242)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	V	-	-	-83.88	18.53	41.65	68.20	-26.55

Table 7-69. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 201 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-689. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 117 – RU242)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	V	-	-	-83.60	18.31	41.71	68.20	-26.49

Table 7-70. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 202 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-690. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 149 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-72.27	18.01	52.74	73.98	-21.24
* 13390.00	Average	V	-	-	-84.21	18.01	40.80	53.98	-13.18

Table 7-71. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 203 of 323

V 10.5 12/15/2021



Plot 7-691. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 185 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-86.33	17.82	38.49	68.20	-29.71

Table 7-72. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device		Page 204 of 323

V 10.5 12/15/2021



Plot 7-692. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 189 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.28	17.82	41.54	68.20	-26.66

Table 7-73. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 205 of 323

V 10.5 12/15/2021



Plot 7-693. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 209 – RU242)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	V	-	-	-83.30	17.85	41.55	68.20	-26.65

Table 7-74. Radiated Spurious Emission Measurements Antenna WF5t – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 206 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-694. Radiated Spurious Emissions above 1GHz Antenna WF5t (802.11ax – Ch. 229 – RU242)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14230.00	Average	V	-	-	-83.56	18.14	41.58	68.20	-26.62

Table 7-75. Radiated Spurious Emission Measurements Antenna WF5t – RU242


FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 207 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7.2 Antenna WF5b Primary Radiated Spurious Emission

RU26



Plot 7-695. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 1 – RU26)


Mode:	802.11ax
Data Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11910.00	Peak	V	-	-	-71.88	18.18	53.30	73.98	-20.68
* 11910.00	Average	V	-	-	-83.07	18.18	42.11	53.98	-11.87
* 17865.00	Peak	V	-	-	-75.48	23.46	54.98	73.98	-19.00
* 17865.00	Average	V	-	-	-86.61	23.46	43.85	53.98	-10.13

Table 7-76. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 208 of 323

V 10.5 12/15/2021



Plot 7-696. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 45 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6175MHz
Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Peak	V	-	-	-72.67	18.70	53.03	73.98	-20.95
* 12350.00	Average	V	-	-	-83.70	18.70	42.00	53.98	-11.98

Table 7-77. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 209 of 323

V 10.5 12/15/2021



Plot 7-697. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 93 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12830.00	Average	V	-	-	-83.74	18.94	42.20	68.20	-26.00

Table 7-78. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 210 of 323

V 10.5 12/15/2021



Plot 7-698. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 97 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	V	294	71	-77.81	19.59	48.78	68.20	-19.42

Table 7-79. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 211 of 323

V 10.5 12/15/2021



Plot 7-699. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 105 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	298	70	-75.37	19.17	50.80	68.20	-17.40

Table 7-80. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 212 of 323

V 10.5 12/15/2021



Plot 7-700. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 113 – RU26)

Mode: 802.11ax

Data Rate: MCS11

Distance of Measurements: 3 Meters

Operating Frequency: 6515MHz


Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	V	289	68	-79.05	18.84	46.79	68.20	-21.41

Table 7-81. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device		Page 213 of 323

V 10.5 12/15/2021



Plot 7-701. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 117 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	V	-	-	-83.53	18.01	41.48	68.20	-26.72

Table 7-82. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 214 of 323

V 10.5 12/15/2021



Plot 7-702. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 149 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-72.06	18.12	53.06	73.98	-20.92
* 13390.00	Average	V	-	-	-84.09	18.12	41.03	53.98	-12.95

Table 7-83. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 215 of 323

V 10.5 12/15/2021



Plot 7-703. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 185 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.23	17.82	41.59	68.20	-26.61

Table 7-84. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 216 of 323

V 10.5 12/15/2021



Plot 7-704. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 189 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	V	-	-	-83.20	17.46	41.26	68.20	-26.94

Table 7-85. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 217 of 323

V 10.5 12/15/2021



Plot 7-705. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 209 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	V	-	-	-83.50	17.85	41.35	68.20	-26.85

Table 7-86. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 218 of 323

V 10.5 12/15/2021



Plot 7-706. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 229 – RU26)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14230.00	Average	V	-	-	-83.58	18.13	41.55	68.20	-26.65


Table 7-87. Radiated Spurious Emission Measurements Antenna WF5b – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 219 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

RU242



Plot 7-707. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 1 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11910.00	Peak	V	-	-	-71.84	16.96	52.12	73.98	-21.86
* 11910.00	Average	V	-	-	-83.00	16.96	40.96	53.98	-13.02
* 17865.00	Peak	V	-	-	-72.12	21.89	56.77	73.98	-17.21
* 17865.00	Average	V	-	-	-84.26	21.89	44.63	53.98	-9.35

Table 7-88. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 220 of 323

V 10.5 12/15/2021



Plot 7-708. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 45 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6175MHz
Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Peak	V	-	-	-72.32	17.83	52.51	73.98	-21.47
* 12350.00	Average	V	-	-	-84.03	17.83	40.80	53.98	-13.18

Table 7-89. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 221 of 323

V 10.5 12/15/2021



Plot 7-709. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 93 – RU242)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12830.00	Average	V	-	-	-84.06	18.55	41.49	68.20	-26.71

Table 7-90. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 222 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-710. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 97 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	V	-	-	-83.73	18.68	41.95	68.20	-26.25

Table 7-91. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 223 of 323

V 10.5 12/15/2021



Plot 7-711. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 105 – RU242)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	-	-	-83.56	18.16	41.60	68.20	-26.60

Table 7-92. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 224 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-712. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 113 – RU242)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13030.00	Average	V	-	-	-83.89	18.52	41.63	68.20	-26.57

Table 7-93. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 225 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-713. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 117 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	V	-	-	-83.71	18.31	41.60	68.20	-26.60

Table 7-94. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 226 of 323

V 10.5 12/15/2021



Plot 7-714. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 149 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Peak	V	-	-	-72.96	18.01	52.05	73.98	-21.93
* 13390.00	Average	V	-	-	-84.03	18.01	40.98	53.98	-13.00

Table 7-95. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 227 of 323

V 10.5 12/15/2021



Plot 7-715. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 185 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.37	17.82	41.45	68.20	-26.75

Table 7-96. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 228 of 323

V 10.5 12/15/2021



Plot 7-716. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 189 – RU242)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.20	17.82	41.62	68.20	-26.58

Table 7-97. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 229 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-717. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 209 – RU242)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	V	-	-	-83.49	17.85	41.36	68.20	-26.84

Table 7-98. Radiated Spurious Emission Measurements Antenna WF5b – RU242

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 230 of 323

V 10.5 12/15/2021



Plot 7-718. Radiated Spurious Emissions above 1GHz Antenna WF5b (802.11ax – Ch. 229 – RU242)

Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14230.00	Average	V	-	-	-83.55	18.14	41.59	68.20	-26.61

Table 7-99. Radiated Spurious Emission Measurements Antenna WF5b – RU242


FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 231 of 323

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7.3 SDM Primary Radiated Spurious Emission

RU26



Plot 7-719. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU26)




Plot 7-720. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 1 – RU26, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 232 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



23:22:49 25.08.2022

Plot 7-721. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU26, Pol. V)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11910.00	Peak	H	-	-	-71.65	18.18	53.53	73.98	-20.45
* 11910.00	Average	H	-	-	-83.16	18.18	42.02	53.98	-11.96
* 17865.00	Peak	H	-	-	-75.17	23.46	55.29	73.98	-18.69
* 17865.00	Average	H	-	-	-86.63	23.46	43.83	53.98	-10.15

Table 7-100. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 233 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-722. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 45 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6175MHz
Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Peak	H	-	-	-72.23	18.70	53.47	73.98	-20.51
* 12350.00	Average	H	-	-	-83.67	18.70	42.03	53.98	-11.95

Table 7-101. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 234 of 323

V 10.5 12/15/2021



Plot 7-723. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 93 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12830.00	Average	H	230	117	-79.43	18.94	46.51	68.20	-21.69

Table 7-102. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 235 of 323

V 10.5 12/15/2021



Plot 7-724. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 97 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	H	291	79	-72.91	19.59	53.68	68.20	-14.52

Table 7-103. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 236 of 323

V 10.5 12/15/2021



Plot 7-725. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 105 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	H	224	119	-69.18	19.17	56.99	68.20	-11.21


Table 7-104. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 237 of 323

V 10.5 12/15/2021



Plot 7-726. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113 – RU26)




Plot 7-727. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 113 – RU26, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 238 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



23:33:49 25.08.2022

Plot 7-728. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113 – RU26, Pol. V)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	219	116	-72.85	18.84	52.99	68.20	-15.21

Table 7-105. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 239 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-729. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 117 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	H	-	-	-83.57	18.02	41.45	68.20	-26.75

Table 7-106. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 240 of 323

V 10.5 12/15/2021



Plot 7-730. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 149 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Peak	H	-	-	-72.94	18.12	52.18	73.98	-21.80
* 13390.00	Average	H	-	-	-83.98	18.12	41.14	53.98	-12.84


Table 7-107. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 241 of 323

V 10.5 12/15/2021



Plot 7-731. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU26)




Plot 7-732. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 185 – RU26, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759	MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 242 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



23:39:15 25.08.2022

Plot 7-733. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU26, Pol. V)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	V	-	-	-83.26	17.82	41.56	68.20	-26.64

Table 7-108. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 243 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-734. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 189 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13790.00	Average	V	-	-	-83.30	17.46	41.16	68.20	-27.04

Table 7-109. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 244 of 323

V 10.5 12/15/2021



Plot 7-735. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 209 – RU26)


Mode: 802.11ax
Data Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	V	-	-	-83.31	17.85	41.54	68.20	-26.66


Table 7-110. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 245 of 323

V 10.5 12/15/2021



Plot 7-736. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 229 – RU26)




Plot 7-737. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 1 – RU26, Pol. H)

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 246 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



23:53:31 25.08.2022

Plot 7-738. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU26, Pol. V)

Mode: 802.11ax
 Data Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	H	-	-	-83.62	18.14	41.52	68.20	-26.68

Table 7-111. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA2759 IC: 579C-A2759		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090024-12-R1.BCG	Test Dates: 05/27/2022 - 9/26/2022	EUT Type: Tablet Device	Page 247 of 323

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.