











FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270087-13 BCG	Test Dates: 12/06/2023-02/20/2024	EUT Type: Tablet Device	Page 113 of 567




Plot 7-193. Power Spectral Density Plot LPI Antenna WF5B (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)




Plot 7-196. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11a (UNII Band 8) – Ch. 209, 12Mbps)




Plot 7-194. Power Spectral Density Plot LPI Antenna WF5B (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)



Plot 7-197. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS2)




Plot 7-195. Power Spectral Density Plot LPI Antenna WF5B (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)



Plot 7-198. Power Spectral Density Plot LPI Antenna WF5B (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS2)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270087-13 BCG	Test Dates: 12/06/2023-02/20/2024	EUT Type: Tablet Device	Page 114 of 567



Plot 7-199. Power Spectral Density Plot LPI Antenna WF5B (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS2)




Plot 7-200. Power Spectral Density Plot LPI Antenna WF5B (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS2)

FCC ID: BCGA2836 IC: 579C-A2836	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270087-13 BCG	Test Dates: 12/06/2023-02/20/2024	EUT Type: Tablet Device	Page 115 of 567

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mid Data Rate



Plot 7-201. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11a (UNII Band 5) – Ch. 45, 24Mbps)



Plot 7-204. Power Spectral Density Plot LPI Antenna WF5B (80MHz 802.11ax (UNII Band 5) – Ch. 45, 24Mbps)




Plot 7-202. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)



Plot 7-205. Power Spectral Density Plot LPI Antenna WF5B (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)




Plot 7-203. Power Spectral Density Plot LPI Antenna WF5B (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)




Plot 7-206. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11a (UNII Band 6) – Ch. 105, 24Mbps)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270087-13 BCG	Test Dates: 12/06/2023-02/20/2024	EUT Type: Tablet Device	Page 116 of 567




Plot 7-207. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS4)




Plot 7-210. Power Spectral Density Plot LPI Antenna WF5B (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS4)




Plot 7-208. Power Spectral Density Plot LPI Antenna WF5B (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS4)



Plot 7-211. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11a (UNII Band 7) – Ch. 149, 24Mbps)




Plot 7-209. Power Spectral Density Plot LPI Antenna WF5B (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS4)




Plot 7-212. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)


FCC ID: BCGA2836 IC: 579C-A2836	 MEASUREMENT REPORT (CERTIFICAION)		Approved by: Technical Manager
Test Report S/N: 1C2311270087-13 BCG	Test Dates: 12/06/2023-02/20/2024	EUT Type: Tablet Device	Page 117 of 567




Plot 7-213. Power Spectral Density Plot LPI Antenna WF5B (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)



Plot 7-216. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11a (UNII Band 8) – Ch. 209, 24Mbps)




Plot 7-214. Power Spectral Density Plot LPI Antenna WF5B (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)



Plot 7-181. Power Spectral Density Plot LPI Antenna 5T LPI (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS4)




Plot 7-215. Power Spectral Density Plot LPI Antenna WF5B (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)




Plot 7-182. Power Spectral Density Plot LPI Antenna 5T LPI (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS4)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270087-13 BCG	Test Dates: 12/06/2023-02/20/2024	EUT Type: Tablet Device	Page 118 of 567



Plot 7-183. Power Spectral Density Plot LPI Antenna 5T LPI (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS4)




Plot 7-184. Power Spectral Density Plot LPI Antenna 5T LPI (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS4)

FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270087-13 BCG	Test Dates: 12/06/2023-02/20/2024	EUT Type: Tablet Device	Page 119 of 567


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


High Data Rate




Plot 7-217. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-220. Power Spectral Density Plot LPI Antenna WF5B (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-218. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-221. Power Spectral Density Plot LPI Antenna WF5B (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)



Plot 7-219. Power Spectral Density Plot LPI Antenna WF5B (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)








Plot 7-222. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11a (UNII Band 6) – Ch. 105, 54Mbps)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270087-13 BCG	Test Dates: 12/06/2023-02/20/2024	EUT Type: Tablet Device	Page 120 of 567

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-13-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 121 of 567




Plot 7-230. Power Spectral Density Plot LPI Antenna WF5B (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)




Plot 7-233. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS11)




Plot 7-231. Power Spectral Density Plot LPI Antenna WF5B (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)



Plot 7-234. Power Spectral Density Plot LPI Antenna WF5B (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS11)








Plot 7-232. Power Spectral Density Plot LPI Antenna WF5B (20MHz 802.11a (UNII Band 8) – Ch. 209, 54Mbps)



Plot 7-235. Power Spectral Density Plot LPI Antenna WF5B (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS11)

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-13-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 122 of 567



FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-13-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 123 of 567

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	12	5.96	1.70	7.66	17	-9.35
	6175	45	a	12	6.01	1.70	7.71	17	-9.29
	6415	93	a	12	6.48	1.70	8.18	17	-8.82
	5955	1	ax (20MHz)	24/25.8 (MCS2)	5.82	1.70	7.52	17	-9.48
	6175	45	ax (20MHz)	24/25.8 (MCS2)	5.89	1.70	7.59	17	-9.41
	6415	93	ax (20MHz)	24/25.8 (MCS2)	6.10	1.70	7.80	17	-9.20
	5965	3	ax (40MHz)	49/51.6 (MCS2)	2.98	1.70	4.68	17	-12.33
	6165	43	ax (40MHz)	49/51.6 (MCS2)	2.97	1.70	4.67	17	-12.33
	6405	91	ax (40MHz)	49/51.6 (MCS2)	3.37	1.70	5.07	17	-11.93
	5985	7	ax (80MHz)	102/108.1 (MCS2)	0.30	1.70	2.00	17	-15.00
	6145	39	ax (80MHz)	102/108.1 (MCS2)	0.06	1.70	1.76	17	-15.24
	6385	87	ax (80MHz)	102/108.1 (MCS2)	0.28	1.70	1.98	17	-15.02
	6025	15	ax (160MHz)	183.8/216.2 (MCS2)	-2.73	1.70	-1.03	17	-18.03
	6181	47	ax (160MHz)	183.8/216.2 (MCS2)	-2.68	1.70	-0.98	17	-17.98
Band 7	6345	79	ax (160MHz)	183.8/216.2 (MCS2)	-3.04	1.70	-1.34	17	-18.34
	6535	117	a	12	5.41	2.80	8.21	17	-8.79
	6695	149	a	12	6.21	2.80	9.01	17	-7.99
	6875	181	a	12	6.13	2.80	8.93	17	-8.07
	6535	117	ax (20MHz)	24/25.8 (MCS2)	5.30	2.80	8.10	17	-8.90
	6695	149	ax (20MHz)	24/25.8 (MCS2)	6.11	2.80	8.91	17	-8.09
	6875	181	ax (20MHz)	24/25.8 (MCS2)	6.14	2.80	8.94	17	-8.07
	6565	123	ax (40MHz)	49/51.6 (MCS2)	2.39	2.80	5.19	17	-11.82
	6725	155	ax (40MHz)	49/51.6 (MCS2)	3.57	2.80	6.37	17	-10.63
	6845	179	ax (40MHz)	49/51.6 (MCS2)	3.17	2.80	5.97	17	-11.03
	6545	135	ax (80MHz)	102/108.1 (MCS2)	-0.02	2.80	2.78	17	-14.22
	6705	151	ax (80MHz)	102/108.1 (MCS2)	0.37	2.80	3.17	17	-13.83
	6865	167	ax (80MHz)	102/108.1 (MCS2)	0.55	2.80	3.35	17	-13.65
	6665	143	ax (160MHz)	183.8/216.2 (MCS2)	-3.29	2.80	-0.49	17	-17.49

Table 7-134. Power Spectral Density Measurements Antenna WF5B Standard Power (Low Data Rate)

FCC ID: BCGA2836 IC: 579C-A2836	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270067-13-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 124 of 567

V 10.5 12/15/2021

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [MHz]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	24	6.08	1.70	7.78	17	-9.22
	6175	45	a	24	6.32	1.70	8.02	17	-8.98
	6415	93	a	24	6.62	1.70	8.32	17	-8.68
	5955	1	ax (20MHz)	49/51.6 (MCS4)	5.83	1.70	7.53	17	-9.47
	6175	45	ax (20MHz)	49/51.6 (MCS4)	6.08	1.70	7.78	17	-9.22
	6415	93	ax (20MHz)	49/51.6 (MCS4)	6.33	1.70	8.03	17	-8.97
	5965	3	ax (40MHz)	98/103.2 (MCS4)	3.09	1.70	4.79	17	-12.21
	6165	43	ax (40MHz)	98/103.2 (MCS4)	3.33	1.70	5.03	17	-11.97
	6405	91	ax (40MHz)	98/103.2 (MCS4)	3.47	1.70	5.17	17	-11.84
	5985	7	ax (80MHz)	204/216.2 (MCS4)	0.32	1.70	2.02	17	-14.99
	6145	39	ax (80MHz)	204/216.2 (MCS4)	0.24	1.70	1.94	17	-15.07
	6385	87	ax (80MHz)	204/216.2 (MCS4)	0.42	1.70	2.12	17	-14.88
	6025	15	ax (160MHz)	367.5/432.4 (MCS4)	-2.70	1.70	-1.00	17	-18.00
	6181	47	ax (160MHz)	367.5/432.4 (MCS4)	-2.47	1.70	-0.77	17	-17.77
Band 7	6345	79	ax (160MHz)	367.5/432.4 (MCS4)	-2.95	1.70	-1.25	17	-18.25
	6535	117	a	24	5.79	2.80	8.59	17	-8.41
	6695	149	a	24	6.31	2.80	9.11	17	-7.89
	6875	181	a	24	6.53	2.80	9.33	17	-7.67
	6535	117	ax (20MHz)	49/51.6 (MCS4)	6.62	2.80	8.32	17	-8.68
	6695	149	ax (20MHz)	49/51.6 (MCS4)	6.06	2.80	8.86	17	-8.14
	6875	181	ax (20MHz)	49/51.6 (MCS4)	6.31	2.80	9.11	17	-7.89
	6565	123	ax (40MHz)	98/103.2 (MCS4)	2.67	2.80	5.47	17	-11.53
	6725	155	ax (40MHz)	98/103.2 (MCS4)	3.51	2.80	6.31	17	-10.69
	6845	179	ax (40MHz)	98/103.2 (MCS4)	3.49	2.80	6.29	17	-10.72
	6545	135	ax (80MHz)	204/216.2 (MCS4)	0.13	2.80	2.93	17	-14.07
	6705	151	ax (80MHz)	204/216.2 (MCS4)	0.52	2.80	3.32	17	-13.68
	6865	167	ax (80MHz)	204/216.2 (MCS4)	0.62	2.80	3.42	17	-13.58
	6665	143	ax (160MHz)	367.5/432.4 (MCS4)	-3.13	2.80	-0.33	17	-17.33

Table 7-135. Power Spectral Density Measurements Antenna WF5B Standard Power (Mid Data Rate)

FCC ID: BCGA2836 IC: 579C-A2836	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270067-13-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 125 of 567

V 10.5 12/15/2021







	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [MHz]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	6.05	1.70	7.75	17	-9.25
	6175	45	a	54	6.39	1.70	8.09	17	-8.91
	6415	93	a	54	6.77	1.70	8.47	17	-8.53
	5955	1	ax (20MHz)	135/143.4 (MCS11)	5.84	1.70	7.54	17	-9.46
	6175	45	ax (20MHz)	135/143.4 (MCS11)	5.92	1.70	7.62	17	-9.38
	6415	93	ax (20MHz)	135/143.4 (MCS11)	6.54	1.70	8.24	17	-8.76
	5965	3	ax (40MHz)	271/286.8 (MCS11)	3.04	1.70	4.74	17	-12.26
	6165	43	ax (40MHz)	271/286.8 (MCS11)	3.11	1.70	4.81	17	-12.19
	6405	91	ax (40MHz)	271/286.8 (MCS11)	3.21	1.70	4.91	17	-12.09
	5985	7	ax (80MHz)	567/600.5 (MCS11)	0.26	1.70	1.96	17	-15.04
	6145	39	ax (80MHz)	567/600.5 (MCS11)	-0.09	1.70	1.61	17	-15.39
	6385	87	ax (80MHz)	567/600.5 (MCS11)	0.35	1.70	2.05	17	-14.95
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-2.99	1.70	-1.29	17	-18.29
	6181	47	ax (160MHz)	1020.8/1201 (MCS11)	-2.86	1.70	-1.16	17	-18.16
Band 7	6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-3.13	1.70	-1.43	17	-18.43
	6535	117	a	54	5.62	2.80	8.42	17	-8.58
	6695	149	a	54	6.40	2.80	9.20	17	-7.80
	6875	181	a	54	6.34	2.80	9.14	17	-7.86
	6535	117	ax (20MHz)	135/143.4 (MCS11)	5.40	2.80	8.20	17	-8.81
	6695	149	ax (20MHz)	135/143.4 (MCS11)	6.36	2.80	9.16	17	-7.84
	6875	181	ax (20MHz)	135/143.4 (MCS11)	6.21	2.80	9.01	17	-7.99
	6565	123	ax (40MHz)	271/286.8 (MCS11)	2.60	2.80	5.40	17	-11.60
	6725	155	ax (40MHz)	271/286.8 (MCS11)	3.39	2.80	6.19	17	-10.81
	6845	179	ax (40MHz)	271/286.8 (MCS11)	3.28	2.80	6.08	17	-10.92
	6545	135	ax (80MHz)	567/600.5 (MCS11)	0.18	2.80	2.98	17	-14.02
	6705	151	ax (80MHz)	567/600.5 (MCS11)	0.43	2.80	3.23	17	-13.78
	6865	167	ax (80MHz)	567/600.5 (MCS11)	0.45	2.80	3.25	17	-13.75
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-3.47	2.80	-0.67	17	-17.67

Table 7-136. Power Spectral Density Measurements Antenna WF5B Standard Power (High Data Rate)


FCC ID: BCGA2836 IC: 579C-A2836	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270067-13-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 126 of 567

V 10.5 12/15/2021


Low Data Rate




FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-13-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 127 of 567




Plot 7-191. Power Spectral Density Plot Antenna WF5B Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)



Plot 7-193. Power Spectral Density Plot Antenna WF5B Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)




Plot 7-192. Power Spectral Density Plot Antenna WF5B Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)




Plot 7-194. Power Spectral Density Plot Antenna WF5B Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-13-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 128 of 567


Mid Data Rate




Plot 7-195. Power Spectral Density Plot Antenna WF5B Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 24Mbps)




Plot 7-198. Power Spectral Density Plot Antenna WF5B Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)




Plot 7-196. Power Spectral Density Plot Antenna WF5B Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)



Plot 7-199. Power Spectral Density Plot Antenna WF5B Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)




Plot 7-197. Power Spectral Density Plot Antenna WF5B Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)




Plot 7-200. Power Spectral Density Plot Antenna WF5B Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 24Mbps)


FCC ID: BCGA2836 IC: 579C-A2836		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-13-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 129 of 567




Plot 7-201. Power Spectral Density Plot Antenna WF5B Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)



Plot 7-203. Power Spectral Density Plot Antenna WF5B Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)



Plot 7-202. Power Spectral Density Plot Antenna WF5B Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)



Plot 7-204. Power Spectral Density Plot Antenna WF5B Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)

FCC ID: BCGA2836 IC: 579C-A2836	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270067-13-R1.BCG	Test Dates: 1/8/2024 - 04/05/2024	EUT Type: Tablet Device	Page 130 of 567