







Plot 7-347. PSD Antenna WF7b (80MHz BW 11ax Index 37 - RU52 - Ch.122)




Plot 7-350. PSD Antenna WF7b (80MHz BW 11ax - RU996 - Ch.122)




Plot 7-348. PSD Antenna WF7b (80MHz BW 11ax Index 44 - RU52 - Ch.122)



Plot 7-351. PSD Antenna WF7b (160MHz BW 11ax Index 37 - RU52 - Ch.114 (L))




Plot 7-349. PSD Antenna WF7b (80MHz BW 11ax Index 52 - RU52 - Ch.122)




Plot 7-352. PSD Antenna WF7b (160MHz BW 11ax Index 52 - RU52 - Ch.114 (L))

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 166 of 447



Plot 7-353. PSD Antenna WF7b (160MHz BW 11ax Index 52 – RU52 – Ch.114 (U))



Plot 7-354. PSD Antenna WF7b (160MHz BW 11ax - RU996x2 - Ch.114)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 167 of 447

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.







	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	4.99	30.0	-25.01
				26	4	12.5/14.7 (MCS11)	4.46	30.0	-25.54
				26	8	12.5/14.7 (MCS11)	4.89	30.0	-25.11
	5785	157	ax (20MHz)	26	0	12.5/14.7 (MCS11)	4.85	30.0	-25.15
				26	4	12.5/14.7 (MCS11)	4.40	30.0	-25.60
				26	8	12.5/14.7 (MCS11)	4.36	30.0	-25.64
	5825	165	ax (20MHz)	26	0	12.5/14.7 (MCS11)	5.08	30.0	-24.92
				26	4	12.5/14.7 (MCS11)	4.95	30.0	-25.05
				26	8	12.5/14.7 (MCS11)	5.01	30.0	-24.99
	5755	151	ax (40MHz)	26	0	12.5/14.7 (MCS11)	4.60	30.0	-25.40
				26	8	12.5/14.7 (MCS11)	4.23	30.0	-25.77
				26	17	12.5/14.7 (MCS11)	5.03	30.0	-24.97
	5795	159	ax (40MHz)	26	0	12.5/14.7 (MCS11)	4.44	30.0	-25.56
				26	8	12.5/14.7 (MCS11)	4.44	30.0	-25.56
				26	17	12.5/14.7 (MCS11)	4.57	30.0	-25.43
	5775	155	ax (80MHz)	26	0	12.5/14.7 (MCS11)	4.47	30.0	-25.53
				26	18	12.5/14.7 (MCS11)	4.47	30.0	-25.53
				26	36	12.5/14.7 (MCS11)	4.97	30.0	-25.03

Table 7-184. Band 3 Power Spectral Density Measurements Antenna WF7b (RU26)







	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.11	30.0	-24.89
	5785	157	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.03	30.0	-24.98
	5825	165	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.50	30.0	-24.50
	5755	151	ax (40MHz)	484	65	243.8/286.8 (MCS11)	2.17	30.0	-27.83
	5795	159	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.99	30.0	-28.01
	5775	155	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-3.13	30.0	-33.13

Table 7-185. Band 3 Power Spectral Density Measurements Antenna WF7b (Fully-loaded RU)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 168 of 447



FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 169 of 447



FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 170 of 447







	Frequency [MHz]	Channel No.	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.25	0.10	7.35	10.0	-2.65
				26	4	12.5/14.7 (MCS11)	5.59	0.10	5.69	10.0	-4.31
				26	8	12.5/14.7 (MCS11)	6.54	0.10	6.64	10.0	-3.36
	5200	40	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.64	0.10	6.74	10.0	-3.27
				26	4	12.5/14.7 (MCS11)	6.12	0.10	6.22	10.0	-3.78
				26	8	12.5/14.7 (MCS11)	6.88	0.10	6.98	10.0	-3.02
	5240	48	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.07	0.10	7.17	10.0	-2.83
				26	4	12.5/14.7 (MCS11)	6.29	0.10	6.39	10.0	-3.62
				26	8	12.5/14.7 (MCS11)	6.64	0.10	6.74	10.0	-3.26
	5190	38	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.08	0.10	6.18	10.0	-3.83
				26	8	12.5/14.7 (MCS11)	6.88	0.10	6.98	10.0	-3.02
				26	17	12.5/14.7 (MCS11)	6.86	0.10	6.96	10.0	-3.04
	5230	46	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.75	0.10	6.85	10.0	-3.15
				26	8	12.5/14.7 (MCS11)	7.06	0.10	7.16	10.0	-2.84
				26	17	12.5/14.7 (MCS11)	6.52	0.10	6.62	10.0	-3.38
	5210	42	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.36	0.10	6.46	10.0	-3.54
				26	18	12.5/14.7 (MCS11)	5.89	0.10	5.99	10.0	-4.01
				26	36	12.5/14.7 (MCS11)	7.16	0.10	7.26	10.0	-2.74
	5250	50 (L)	ax (160MHz)	52	37	25/29.4 (MCS11)	7.21	0.10	7.31	10.0	-2.69
				52	52	25/29.4 (MCS11)	6.95	0.10	7.05	10.0	-2.95

Table 7-186. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF7b (RU26/RU52)


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	121.9/143.4 (MCS11)	5.12	0.10	5.22	10.0	-4.79
	5200	40	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.43	0.10	6.53	10.0	-3.47
	5240	48	ax (20MHz)	242	61	121.9/143.4 (MCS11)	6.35	0.10	6.45	10.0	-3.55
	5190	38	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-0.29	0.10	-0.19	10.0	-10.19
	5230	46	ax (40MHz)	484	65	243.8/286.8 (MCS11)	5.21	0.10	5.31	10.0	-4.69
	5210	42	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-3.27	0.10	-3.17	10.0	-13.17
	5250	50	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	-7.01	0.10	-6.91	10.0	-16.91

Table 7-187. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna WF7b (Fully-loaded RU)


FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 171 of 447




FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 172 of 447




Plot 7-373. ISED PSD Antenna WF7b (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-376. ISED PSD Antenna WF7b (80MHz BW 11ax Index 18 - RU26 - Ch.42)




Plot 7-374. ISED PSD Antenna WF7b (40MHz BW 11ax - RU484 - Ch.46)



Plot 7-377. ISED PSD Antenna WF7b (80MHz BW 11ax Index 36 - RU26 - Ch.42)






Plot 7-375. ISED PSD Antenna WF7b (80MHz BW 11ax Index 0 - RU26 - Ch.42)



Plot 7-378. ISED PSD Antenna WF7b (80MHz BW 11ax - RU996 - Ch.42)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 173 of 447



FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 174 of 447

Summed CDD/SDM Primary Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF7a Power Density [dBm/MHz]	Antenna WF2a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	5.66	6.11	8.90	11.0	-4.89
					26	4	25/29.4 (MCS11)	4.55	5.17	7.88	11.0	-5.83
					26	8	25/29.4 (MCS11)	5.65	5.68	8.67	11.0	-5.33
	5200	40	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	5.89	5.93	8.92	11.0	-5.08
					26	4	25/29.4 (MCS11)	4.76	4.89	7.84	11.0	-6.11
					26	8	25/29.4 (MCS11)	5.92	5.51	8.73	11.0	-5.49
	5240	48	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	5.27	6.11	8.72	11.0	-4.89
					26	4	25/29.4 (MCS11)	4.85	4.91	7.89	11.0	-6.09
					26	8	25/29.4 (MCS11)	6.01	5.44	8.75	11.0	-5.56
	5190	38	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	5.26	5.57	8.43	11.0	-5.43
					26	8	25/29.4 (MCS11)	5.41	5.60	8.51	11.0	-5.40
					26	17	25/29.4 (MCS11)	5.87	5.73	8.81	11.0	-5.28
	5230	46	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	5.82	6.24	9.05	11.0	-4.76
					26	8	25/29.4 (MCS11)	5.59	5.79	8.70	11.0	-5.21
					26	17	25/29.4 (MCS11)	5.89	5.70	8.81	11.0	-5.30
	5210	42	ax (80MHz)	CDD	26	0	25/29.4 (MCS11)	5.98	5.66	8.83	11.0	-5.34
					26	18	25/29.4 (MCS11)	4.31	4.43	7.38	11.0	-6.57
					26	36	25/29.4 (MCS11)	5.74	5.98	8.88	11.0	-5.02

Table 7-188. Bands 1 Power Spectral Density Measurements CDD Primary (RU26)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 175 of 447

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF7a Power Density [dBm/MHz]	Antenna WF2a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1/2A	5250	50 (L)	ax (160MHz)	CDD	52	37	50/58.8 (MCS11)	5.63	6.31	8.99	11.0	-4.69
		52			52	50/58.8 (MCS11)	5.91	6.42	9.18	11.0	-4.58	
		50 (U)			52	52	50/58.8 (MCS11)	5.19	5.54	8.38	11.0	-5.46
Band 2A	5260	52	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	6.00	6.68	9.36	11.0	-4.32
					52	38	50/58.8 (MCS11)	6.09	6.64	9.38	11.0	-4.36
					52	40	50/58.8 (MCS11)	5.98	6.06	9.03	11.0	-4.94
	5300	60	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	6.11	6.82	9.49	11.0	-4.18
					52	38	50/58.8 (MCS11)	6.07	6.76	9.44	11.0	-4.24
					52	40	50/58.8 (MCS11)	5.64	5.79	8.73	11.0	-5.21
	5320	64	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	5.89	6.45	9.19	11.0	-4.55
					52	38	50/58.8 (MCS11)	5.90	6.73	9.35	11.0	-4.27
					52	40	50/58.8 (MCS11)	5.70	5.66	8.69	11.0	-5.34
	5270	54	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	5.90	6.38	9.16	11.0	-4.62
					52	40	50/58.8 (MCS11)	6.23	6.41	9.33	11.0	-4.59
					52	44	50/58.8 (MCS11)	5.82	5.97	8.91	11.0	-5.03
	5310	62	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	5.82	6.62	9.25	11.0	-4.38
					52	40	50/58.8 (MCS11)	5.79	6.37	9.10	11.0	-4.63
					52	44	50/58.8 (MCS11)	5.60	5.69	8.66	11.0	-5.31
	5290	58	ax (80MHz)	CDD	52	37	50/58.8 (MCS11)	6.15	6.90	9.55	11.0	-4.10
					52	44	50/58.8 (MCS11)	5.92	6.36	9.16	11.0	-4.64
					52	52	50/58.8 (MCS11)	5.90	6.04	8.98	11.0	-4.96
Band 2C	5500	100	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	5.79	6.26	9.04	11.0	-4.74
					52	38	50/58.8 (MCS11)	6.27	6.34	9.31	11.0	-4.66
					52	40	50/58.8 (MCS11)	6.05	6.26	9.16	11.0	-4.75
	5580	116	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	6.30	6.29	9.31	11.0	-4.71
					52	38	50/58.8 (MCS11)	6.06	6.30	9.19	11.0	-4.70
					52	40	50/58.8 (MCS11)	6.23	6.15	9.20	11.0	-4.85
	5720	144	ax (20MHz)	CDD	52	37	50/58.8 (MCS11)	6.41	6.38	9.41	11.0	-4.62
					52	38	50/58.8 (MCS11)	6.21	6.37	9.30	11.0	-4.63
					52	40	50/58.8 (MCS11)	6.45	6.10	9.29	11.0	-4.91
	5510	102	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	6.49	6.37	9.44	11.0	-4.63
					52	40	50/58.8 (MCS11)	5.75	6.83	9.33	11.0	-4.17
					52	44	50/58.8 (MCS11)	5.94	6.38	9.17	11.0	-4.62
	5550	110	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	6.09	5.39	8.76	11.0	-5.62
					52	40	50/58.8 (MCS11)	6.07	6.41	9.25	11.0	-4.60
					52	44	50/58.8 (MCS11)	5.89	5.72	8.82	11.0	-5.28
	5710	142	ax (40MHz)	CDD	52	37	50/58.8 (MCS11)	6.27	5.95	9.12	11.0	-5.06
					52	40	50/58.8 (MCS11)	6.23	6.32	9.29	11.0	-4.68
					52	44	50/58.8 (MCS11)	5.78	6.27	9.04	11.0	-4.73
	5530	106	ax (80MHz)	CDD	52	37	50/58.8 (MCS11)	5.91	6.52	9.24	11.0	-4.48
					52	44	50/58.8 (MCS11)	5.82	6.31	9.08	11.0	-4.69
					52	52	50/58.8 (MCS11)	6.19	7.00	9.62	11.0	-4.00
	5610*	122	ax (80MHz)	CDD	52	37	50/58.8 (MCS11)	6.19	6.30	9.26	11.0	-4.70
					52	44	50/58.8 (MCS11)	5.77	6.41	9.11	11.0	-4.59
					52	52	50/58.8 (MCS11)	6.18	6.18	9.19	11.0	-4.82
	5690	138	ax (80MHz)	CDD	52	37	50/58.8 (MCS11)	6.13	6.21	9.18	11.0	-4.79
					52	44	50/58.8 (MCS11)	6.30	6.24	9.28	11.0	-4.76
					52	52	50/58.8 (MCS11)	6.31	6.59	9.46	11.0	-4.41
5570*	114 (L)	ax (160MHz)	CDD	52	37	50/58.8 (MCS11)	5.14	5.47	8.32	11.0	-5.54	
	114 (U)			52	52	50/58.8 (MCS11)	5.62	5.91	8.78	11.0	-5.10	
				52	52	50/58.8 (MCS11)	5.38	5.43	8.42	11.0	-5.57	

Table 7-189. Bands 2A, 2C Power Spectral Density Measurements CDD Primary (RU52)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 176 of 447

V 10.5 12/15/2021


	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF7a Power Density [dBm/MHz]	Antenna WF2a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	3.49	3.60	6.55	11.0	-7.40
	5200	40	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	5.12	4.98	8.06	11.0	-6.02
	5240	48	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	5.32	5.29	8.31	11.0	-5.71
	5190	38	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-1.08	-1.21	1.87	11.0	-12.21
	5230	46	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	4.58	4.97	7.79	11.0	-6.03
	5210	42	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-4.29	-4.09	-1.18	11.0	-15.09
Band 1/2A	5250	50	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-8.41	-8.17	-5.28	11.0	-19.17
Band 2A	5260	52	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.84	5.16	8.01	11.0	-5.85
	5300	60	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.80	5.26	8.05	11.0	-5.74
	5320	64	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	4.09	4.80	7.47	11.0	-6.20
	5270	54	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	4.93	5.22	8.09	11.0	-5.78
	5310	62	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-0.87	-0.08	2.55	11.0	-11.08
	5290	58	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-3.70	-3.33	-0.50	11.0	-14.33
Band 2C	5500	100	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	3.65	4.04	6.86	11.0	-6.96
	5580	116	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	5.30	5.47	8.39	11.0	-5.54
	5720	144	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	5.56	5.40	8.49	11.0	-5.60
	5510	102	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-1.01	-0.48	2.27	11.0	-11.48
	5550	110	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	4.99	5.44	8.23	11.0	-5.56
	5710	142	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	4.74	5.05	7.91	11.0	-5.95
	5530	106	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-4.23	-3.57	-0.88	11.0	-14.57
	5610*	122	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	0.84	1.55	4.22	11.0	-9.45
	5690	138	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	2.08	2.81	5.47	11.0	-8.19
	5570*	114	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-8.38	-8.14	-5.25	11.0	-19.14

Table 7-190. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Primary (Fully-loaded RU)


*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 177 of 447


V 10.5 12/15/2021




Plot 7-382. PSD CDD Primary Antenna WF7a (20MHz BW 11ax Index 0 - RU26 - Ch.40)




Plot 7-385. PSD CDD Primary Antenna WF2a (20MHz BW 11ax Index 4 - RU26 - Ch.40)




Plot 7-383. PSD CDD Primary Antenna WF2a (20MHz BW 11ax Index 0 - RU26 - Ch.40)



Plot 7-386. PSD CDD Primary Antenna WF7a (20MHz BW 11ax Index 8 - RU26 - Ch.40)




Plot 7-384. PSD CDD Primary Antenna WF7a (20MHz BW 11ax Index 4 - RU26 - Ch.40)




Plot 7-387. PSD CDD Primary Antenna WF2a (20MHz BW 11ax Index 8 - RU26 - Ch.40)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 178 of 447




Plot 7-388. PSD CDD Primary Antenna WF7a (20MHz BW 11ax- RU242 - Ch.40)




Plot 7-391. PSD CDD Primary Antenna WF2a (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-389. PSD CDD Primary Antenna WF2a (20MHz BW 11ax- RU242 - Ch.40)



Plot 7-392. PSD CDD Primary Antenna WF7a (40MHz BW 11ax Index 8 - RU26 - Ch.46)




Plot 7-390. PSD CDD Primary Antenna WF7a (40MHz BW 11ax Index 0 - RU26 - Ch.46)




Plot 7-393. PSD CDD Primary Antenna WF2a (40MHz BW 11ax Index 8 - RU26 - Ch.46)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 179 of 447




Plot 7-394. PSD CDD Primary Antenna WF7a (40MHz BW 11ax Index 17 - RU26 - Ch.46)




Plot 7-397. PSD CDD Primary Antenna WF2a (40MHz BW 11ax - RU484 - Ch.46)




Plot 7-395. PSD CDD Primary Antenna WF2a (40MHz BW 11ax Index 17 - RU26 - Ch.46)



Plot 7-398. PSD CDD Primary Antenna WF7a (80MHz BW 11ax Index 0 - RU26 - Ch.42)



Plot 7-396. PSD CDD Primary Antenna WF7a (40MHz BW 11ax - RU484 - Ch.46)








Plot 7-399. PSD CDD Primary Antenna WF2a (80MHz BW 11ax Index 0 - RU26 - Ch.42)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 180 of 447

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 181 of 447




Plot 7-406. PSD CDD Primary Antenna WF7a (160MHz BW 11ax Index 37 - RU52 - Ch.50 (L))




Plot 7-409. PSD CDD Primary Antenna WF2a (160MHz BW 11ax Index 52 - RU52 - Ch.50 (L))




Plot 7-407. PSD CDD Primary Antenna WF2a (160MHz BW 11ax Index 37 - RU52 - Ch.50 (L))



Plot 7-410. PSD CDD Primary Antenna WF7a (160MHz BW 11ax Index 52 - RU52 - Ch.50 (U))




Plot 7-408. PSD CDD Primary Antenna WF7a (160MHz BW 11ax Index 52 - RU52 - Ch.50 (L))




Plot 7-411. PSD CDD Primary Antenna WF2a (160MHz BW 11ax Index 52 - RU52 - Ch.50 (U))


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 182 of 447




Plot 7-412. PSD CDD Primary Antenna WF7a (160MHz BW 11ax - RU996x2 - Ch.50)




Plot 7-415. PSD CDD Primary Antenna WF2a (20MHz BW 11ax Index 37 - RU52 - Ch.60)



Plot 7-413. PSD CDD Primary Antenna WF2a (160MHz BW 11ax - RU996x2 - Ch.50)



Plot 7-416. PSD CDD Primary Antenna WF7a (20MHz BW 11ax Index 38 - RU52 - Ch.60)









Plot 7-414. PSD CDD Primary Antenna WF7a (20MHz BW 11ax Index 37 - RU52 - Ch.60)



Plot 7-417. PSD CDD Primary Antenna WF2a (20MHz BW 11ax Index 38 - RU52 - Ch.60)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 183 of 447



FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 184 of 447