







Plot 7-424. PSD CDD Primary Antenna WF7a (40MHz BW 11ax Index 40 - RU52 - Ch.54)




Plot 7-427. PSD CDD Primary Antenna WF2a (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-425. PSD CDD Primary Antenna WF2a (40MHz BW 11ax Index 40 - RU52 - Ch.54)



Plot 7-428. PSD CDD Primary Antenna WF7a (40MHz BW 11ax - RU484 - Ch.54)




Plot 7-426. PSD CDD Primary Antenna WF7a (40MHz BW 11ax Index 44 - RU52 - Ch.54)




Plot 7-429. PSD CDD Primary Antenna WF2a (40MHz BW 11ax - RU484 - Ch.54)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 185 of 447




Plot 7-430. PSD CDD Primary Antenna WF7a (80MHz BW 11ax Index 37 - RU52 - Ch.58)




Plot 7-433. PSD CDD Primary Antenna WF2a (80MHz BW 11ax Index 44 - RU52 - Ch.58)




Plot 7-431. PSD CDD Primary Antenna WF2a (80MHz BW 11ax Index 37 - RU52 - Ch.58)



Plot 7-434. PSD CDD Primary Antenna WF7a (80MHz BW 11ax Index 52 - RU52 - Ch.58)









Plot 7-432. PSD CDD Primary Antenna WF7a (80MHz BW 11ax Index 44 - RU52 - Ch.58)




Plot 7-435. PSD CDD Primary Antenna WF2a (80MHz BW 11ax Index 52 - RU52 - Ch.58)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 186 of 447




FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 187 of 447




Plot 7-442. PSD CDD Primary Antenna WF7a (20MHz BW 11ax Index 40 - RU52 - Ch.116)




Plot 7-445. PSD CDD Primary Antenna WF2a (20MHz BW 11ax- RU242 - Ch.116)




Plot 7-443. PSD CDD Primary Antenna WF2a (20MHz BW 11ax Index 40 - RU52 - Ch.116)



Plot 7-446. PSD CDD Primary Antenna WF7a (40MHz BW 11ax Index 37 - RU52 - Ch.110)




Plot 7-444. PSD CDD Primary Antenna WF7a (20MHz BW 11ax- RU242 - Ch.116)




Plot 7-447. PSD CDD Primary Antenna WF2a (40MHz BW 11ax Index 37 - RU52 - Ch.110)


FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 188 of 447




Plot 7-448. PSD CDD Primary Antenna WF7a (40MHz BW 11ax Index 40 - RU52 - Ch.110)




Plot 7-451. PSD CDD Primary Antenna WF2a (40MHz BW 11ax Index 44 - RU52 - Ch.110)




Plot 7-449. PSD CDD Primary Antenna WF2a (40MHz BW 11ax Index 40 - RU52 - Ch.110)



Plot 7-452. PSD CDD Primary Antenna WF7a (40MHz BW 11ax - RU484 - Ch.110)









Plot 7-450. PSD CDD Primary Antenna WF7a (40MHz BW 11ax Index 44 - RU52 - Ch.110)









Plot 7-453. PSD CDD Primary Antenna WF2a (40MHz BW 11ax - RU484 - Ch.110)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 189 of 447




FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 190 of 447




FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 191 of 447

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-466. PSD CDD Primary Antenna WF7a (160MHz BW 11ax Index 52 - RU52 - Ch.114 (U))



Plot 7-468. PSD CDD Primary Antenna WF7a (160MHz BW 11ax - RU996x2 - Ch.114)



Plot 7-467. PSD CDD Primary Antenna WF2a (160MHz BW 11ax Index 52 - RU52 - Ch.114 (U))



Plot 7-469. PSD CDD Primary Antenna WF2a (160MHz BW 11ax - RU996x2 - Ch.114)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 192 of 447







	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF7a Power Density [dBm/500kHz]	Antenna WF2a Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	4.58	4.96	7.78	30.0	-25.04
					26	4	25/29.4 (MCS11)	4.57	4.72	7.66	30.0	-25.28
					26	8	25/29.4 (MCS11)	4.67	4.43	7.56	30.0	-25.57
	5785	157	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	4.55	4.34	7.45	30.0	-25.67
					26	4	25/29.4 (MCS11)	4.82	4.25	7.56	30.0	-25.75
					26	8	25/29.4 (MCS11)	4.36	4.13	7.26	30.0	-25.87
	5825	165	ax (20MHz)	CDD	26	0	25/29.4 (MCS11)	4.58	4.71	7.66	30.0	-25.29
					26	4	25/29.4 (MCS11)	4.61	4.64	7.63	30.0	-25.37
					26	8	25/29.4 (MCS11)	4.69	4.40	7.56	30.0	-25.60
	5755	151	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	4.47	4.48	7.49	30.0	-25.52
					26	8	25/29.4 (MCS11)	5.13	4.43	7.81	30.0	-25.57
					26	17	25/29.4 (MCS11)	4.57	4.60	7.59	30.0	-25.40
	5795	159	ax (40MHz)	CDD	26	0	25/29.4 (MCS11)	4.84	4.76	7.81	30.0	-25.24
					26	8	25/29.4 (MCS11)	4.81	4.49	7.66	30.0	-25.51
					26	17	25/29.4 (MCS11)	4.39	4.06	7.24	30.0	-25.94
	5775	155	ax (80MHz)	CDD	26	0	25/29.4 (MCS11)	4.43	4.61	7.53	30.0	-25.39
					26	18	25/29.4 (MCS11)	3.76	4.04	6.91	30.0	-25.96
					26	36	25/29.4 (MCS11)	4.56	4.71	7.64	30.0	-25.29

Table 7-191. Band 3 Power Spectral Density Measurements CDD Primary (RU26)







	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF7a Power Density [dBm/500kHz]	Antenna WF2a Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	5.08	4.93	8.01	30.0	-25.08
	5785	157	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	5.10	4.74	7.93	30.0	-25.26
	5825	165	ax (20MHz)	CDD	242	61	243.8/286.8 (MCS11)	5.22	4.84	8.04	30.0	-25.17
	5755	151	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	1.65	1.79	4.73	30.0	-28.21
	5795	159	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	1.72	1.79	4.76	30.0	-28.21
	5775	155	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-3.62	-3.50	-0.55	30.0	-33.50

Table 7-192. Band 3 Power Spectral Density Measurements CDD Primary (Fully-loaded RU)


FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 193 of 447




FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 194 of 447




FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 195 of 447




Plot 7-482. PSD CDD Primary Antenna WF7a (40MHz BW 11ax Index 17 - RU26 - Ch.151)




Plot 7-485. PSD CDD Primary Antenna WF2a (40MHz BW 11ax - RU484 - Ch.151)




Plot 7-483. PSD CDD Primary Antenna WF2a (40MHz BW 11ax Index 17 - RU26 - Ch.151)



Plot 7-486. PSD CDD Primary Antenna WF7a (80MHz BW 11ax Index 0 - RU26 - Ch.155)



Plot 7-484. PSD CDD Primary Antenna WF7a (40MHz BW 11ax - RU484 - Ch.151)









Plot 7-487. PSD CDD Primary Antenna WF2a (80MHz BW 11ax Index 0 - RU26 - Ch.155)

FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 196 of 447

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 197 of 447







	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF7a Power Density [dBm/MHz]	Antenna WF2a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	3.63	3.76	6.71	0.47	7.18	10.0	-2.82
					26	4	25/29.4 (MCS11)	2.47	2.69	5.59	0.47	6.06	10.0	-3.94
					26	8	25/29.4 (MCS11)	3.56	3.51	6.55	0.47	7.02	10.0	-2.98
	5200	40	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	4.06	3.85	6.96	0.47	7.44	10.0	-2.56
					26	4	25/29.4 (MCS11)	2.76	3.09	5.94	0.47	6.41	10.0	-3.59
					26	8	25/29.4 (MCS11)	3.66	3.93	6.81	0.47	7.28	10.0	-2.72
	5240	48	ax (20MHz)	SDM	26	0	25/29.4 (MCS11)	3.54	4.32	6.96	0.47	7.43	10.0	-2.57
					26	4	25/29.4 (MCS11)	2.90	3.40	6.17	0.47	6.64	10.0	-3.36
					26	8	25/29.4 (MCS11)	3.93	4.05	7.00	0.47	7.47	10.0	-2.53
	5190	38	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	3.70	3.28	6.50	0.47	6.98	10.0	-3.02
					26	8	25/29.4 (MCS11)	3.34	3.54	6.45	0.47	6.92	10.0	-3.08
					26	17	25/29.4 (MCS11)	3.61	3.54	6.58	0.47	7.06	10.0	-2.94
	5230	46	ax (40MHz)	SDM	26	0	25/29.4 (MCS11)	3.31	3.58	6.46	0.47	6.93	10.0	-3.07
					26	8	25/29.4 (MCS11)	3.40	4.44	6.96	0.47	7.43	10.0	-2.57
					26	17	25/29.4 (MCS11)	3.59	3.92	6.77	0.47	7.24	10.0	-2.76
	5210	42	ax (80MHz)	SDM	26	0	25/29.4 (MCS11)	3.31	3.56	6.45	0.47	6.92	10.0	-3.08
					26	18	25/29.4 (MCS11)	2.86	2.99	5.93	0.47	6.41	10.0	-3.59
					26	36	25/29.4 (MCS11)	3.59	3.80	6.71	0.47	7.18	10.0	-2.82
	5250	50 (L)	ax (160MHz)	SDM	52	37	50/58.8 (MCS11)	4.22	4.09	7.17	0.47	7.64	10.0	-2.36
					52	52	50/58.8 (MCS11)	3.54	4.10	6.84	0.47	7.31	10.0	-2.69

Table 7-193. ISED Band 1 e.i.r.p. Power Spectral Density Measurements SDM Primary (RU26/RU52)

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna WF7a Power Density [dBm/MHz]	Antenna WF2a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	3.07	3.27	6.18	0.47	6.66	10.0	-3.34
	5200	40	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	2.97	3.36	6.18	0.47	6.65	10.0	-3.35
	5240	48	ax (20MHz)	SDM	242	61	243.8/286.8 (MCS11)	3.23	3.62	6.44	0.47	6.92	10.0	-3.08
	5190	38	ax (40MHz)	CDD	484	65	487.5/573.5 (MCS11)	-1.45	-1.26	1.65	3.47	5.13	10.0	-4.87
	5230	46	ax (40MHz)	SDM	484	65	487.5/573.5 (MCS11)	3.25	3.13	6.20	0.47	6.67	10.0	-3.33
	5210	42	ax (80MHz)	CDD	996	67	1020.8/1201 (MCS11)	-4.78	-4.50	-1.63	3.47	1.84	10.0	-8.16
	5250	50	ax (160MHz)	CDD	996x2	68	2041.6/2402 (MCS11)	-8.75	-8.17	-5.44	3.47	-1.97	10.0	-11.97

Table 7-194. ISED Band 1 e.i.r.p. Power Spectral Density Measurements SDM Primary (Fully-loaded RU)

FCC ID: BCGA2898 IC: 579C-A2898	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 198 of 447



FCC ID: BCGA2898 IC: 579C-A2898		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270065-12-R1.BCG	Test Dates: 11/29/2023-2/29/2024	EUT Type: Tablet Device	Page 199 of 447