







Plot 7-1903. CDD/SDM Diversity (Pk & Avg, Ch.56, 802.11ax(SU), MCS11)




Plot 7-1906. CDD/SDM Diversity (Pk & Avg, Ch.60, 802.11ax(SU), MCS11)




Plot 7-1904. CDD/SDM Diversity (Pk & Avg, Ch.60, 802.11ax(SU), MCS2)



Plot 7-1907. CDD/SDM Diversity (Pk & Avg, Ch.64, 802.11ax(SU), MCS2)



Plot 7-1905. CDD/SDM Diversity (Pk & Avg, Ch.60, 802.11ax(SU), MCS4)




Plot 7-1908. CDD/SDM Diversity (Pk & Avg, Ch.64, 802.11ax(SU), MCS4)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 550 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1909. CDD/SDM Diversity (Pk & Avg, Ch.64, 802.11ax(SU), MCS11)




Plot 7-1912. CDD/SDM Diversity (Pk & Avg, Ch.100, 802.11ax(SU), MCS11)




Plot 7-1910. CDD/SDM Diversity (Pk & Avg, Ch.100, 802.11ax(SU), MCS2)



Plot 7-1913. CDD/SDM Diversity (Pk & Avg, Ch.104, 802.11ax(SU), MCS2)



Plot 7-1911. CDD/SDM Diversity (Pk & Avg, Ch.100, 802.11ax(SU), MCS4)




Plot 7-1914. CDD/SDM Diversity (Pk & Avg, Ch.104, 802.11ax(SU), MCS4)


FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 551 of 597	

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1915. CDD/SDM Diversity (Pk & Avg, Ch.104, 802.11ax(SU), MCS11)




Plot 7-1918. CDD/SDM Diversity (Pk & Avg, Ch.108, 802.11ax(SU), MCS11)




Plot 7-1916. CDD/SDM Diversity (Pk & Avg, Ch.108, 802.11ax(SU), MCS2)



Plot 7-1919. CDD/SDM Diversity (Pk & Avg, Ch.112, 802.11ax(SU), MCS11)



Plot 7-1917. CDD/SDM Diversity (Pk & Avg, Ch.108, 802.11ax(SU), MCS4)




Plot 7-1920. CDD/SDM Diversity (Pk, Ch.132, 802.11ax(SU), MCS2)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 552 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1921. CDD/SDM Diversity (Pk, Ch.132, 802.11ax(SU), MCS4)




Plot 7-1924. CDD/SDM Diversity (Pk, Ch.136, 802.11ax(SU), MCS4)




Plot 7-1922. CDD/SDM Diversity (Pk, Ch.132, 802.11ax(SU), MCS11)



Plot 7-1925. CDD/SDM Diversity (Pk, Ch.136, 802.11ax(SU), MCS11)




Plot 7-1923. CDD/SDM Diversity (Pk, Ch.136, 802.11ax(SU), MCS2)




Plot 7-1926. CDD/SDM Diversity (Pk, Ch.140, 802.11ax(SU), MCS2)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 553 of 597




Plot 7-1927. CDD/SDM Diversity (Pk, Ch.140, 802.11ax(SU), MCS4)




Plot 7-1930. CDD/SDM Diversity (Pk, Ch.149, 802.11ax(SU), MCS4)




Plot 7-1928. CDD/SDM Diversity (Pk, Ch.140, 802.11ax(SU), MCS11)



Plot 7-1931. CDD/SDM Diversity (Pk, Ch.149, 802.11ax(SU), MCS11)




Plot 7-1929. CDD/SDM Diversity (Pk, Ch.149, 802.11ax(SU), MCS2)




Plot 7-1932. CDD/SDM Diversity (Pk, Ch.153, 802.11ax(SU), MCS2)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device		Page 554 of 597




Plot 7-1933. CDD/SDM Diversity (Pk, Ch.153, 802.11ax(SU), MCS4)




Plot 7-1936. CDD/SDM Diversity (Pk, Ch.165, 802.11ax(SU), MCS4)



Plot 7-1934. CDD/SDM Diversity (Pk, Ch.153, 802.11ax(SU), MCS11)



Plot 7-1937. CDD/SDM Diversity (Pk, Ch.165, 802.11ax(SU), MCS11)




Plot 7-1935. CDD/SDM Diversity (Pk, Ch.165, 802.11ax(SU), MCS2)

FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 555 of 597	


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.24 CDD/SDM Diversity Radiated Band Edge Measurements (40MHz BW) \$15.407(B.1)(B.2) \$15.205 \$15.209; RSS-Gen [8.9]




Plot 7-1938. CDD/SDM Diversity (Pk & Avg, Ch.38, 802.11n, MCS10)




Plot 7-1941. CDD/SDM Diversity (Pk & Avg, Ch.46, 802.11n, MCS10)




Plot 7-1939. CDD/SDM Diversity (Pk & Avg, Ch.38, 802.11n, MCS12)



Plot 7-1942. CDD/SDM Diversity (Pk & Avg, Ch.46, 802.11n, MCS12)



Plot 7-1940. CDD/SDM Diversity (Pk & Avg, Ch.38, 802.11n, MCS15)




Plot 7-1943. CDD/SDM Diversity (Pk & Avg, Ch.46, 802.11n, MCS15)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device		Page 556 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1944. CDD/SDM Diversity (Pk & Avg, Ch.54, 802.11n, MCS10)




Plot 7-1947. CDD/SDM Diversity (Pk & Avg, Ch.62, 802.11n, MCS10)




Plot 7-1945. CDD/SDM Diversity (Pk & Avg, Ch.54, 802.11n, MCS12)



Plot 7-1948. CDD/SDM Diversity (Pk & Avg, Ch.62, 802.11n, MCS12)



Plot 7-1946. CDD/SDM Diversity (Pk & Avg, Ch.54, 802.11n, MCS15)




Plot 7-1949. CDD/SDM Diversity (Pk & Avg, Ch.62, 802.11n, MCS15)


FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 557 of 597	

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1950. CDD/SDM Diversity (Pk & Avg, Ch.102, 802.11n, MCS10)




Plot 7-1953. CDD/SDM Diversity (Pk & Avg, Ch.110, 802.11n, MCS4)




Plot 7-1951. CDD/SDM Diversity (Pk & Avg, Ch.102, 802.11n, MCS12)



Plot 7-1954. CDD/SDM Diversity (Pk & Avg, Ch.110, 802.11n, MCS10)




Plot 7-1952. CDD/SDM Diversity (Pk & Avg, Ch.102, 802.11n, MCS15)




Plot 7-1955. CDD/SDM Diversity (Pk & Avg, Ch.110, 802.11n, MCS12)


FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 558 of 597	




Plot 7-1956. CDD/SDM Diversity (Pk & Avg, Ch.110, 802.11n, MCS15)




Plot 7-1959. CDD/SDM Diversity (Pk & Avg, Ch.118, 802.11n, MCS15)




Plot 7-1957. CDD/SDM Diversity (Pk & Avg, Ch.118, 802.11n, MCS10)



Plot 7-1960. CDD/SDM Diversity (Pk, Ch.126, 802.11n, MCS10)




Plot 7-1958. CDD/SDM Diversity (Pk & Avg, Ch.118, 802.11n, MCS12)




Plot 7-1961. CDD/SDM Diversity (Pk, Ch.126, 802.11n, MCS12)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 559 of 597




Plot 7-1962. CDD/SDM Diversity (Pk, Ch.126, 802.11n, MCS15)




Plot 7-1965. CDD/SDM Diversity (Pk, Ch.134, 802.11n, MCS15)




Plot 7-1963. CDD/SDM Diversity (Pk, Ch.134, 802.11n, MCS10)



Plot 7-1966. CDD/SDM Diversity (Pk, Ch.151, 802.11n, MCS10)




Plot 7-1964. CDD/SDM Diversity (Pk, Ch.134, 802.11n, MCS12)




Plot 7-1967. CDD/SDM Diversity (Pk, Ch.151, 802.11n, MCS12)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 560 of 597




Plot 7-1968. CDD/SDM Diversity (Pk, Ch.151, 802.11n, MCS15)




Plot 7-1971. CDD/SDM Diversity (Pk, Ch.159, 802.11n, MCS15)




Plot 7-1969. CDD/SDM Diversity (Pk, Ch.159, 802.11n, MCS10)



Plot 7-1972. CDD/SDM Diversity (Pk & Avg, Ch.38, 802.11ax(SU), MCS2)




Plot 7-1970. CDD/SDM Diversity (Pk, Ch.159, 802.11n, MCS12)




Plot 7-1973. CDD/SDM Diversity (Pk & Avg, Ch.38, 802.11ax(SU), MCS4)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device		Page 561 of 597




Plot 7-1974. CDD/SDM Diversity (Pk & Avg, Ch.38, 802.11ax(SU), MCS11)




Plot 7-1977. CDD/SDM Diversity (Pk & Avg, Ch.46, 802.11ax(SU), MCS11)




Plot 7-1975. CDD/SDM Diversity (Pk & Avg, Ch.46, 802.11ax(SU), MCS2)



Plot 7-1978. CDD/SDM Diversity (Pk & Avg, Ch.54, 802.11ax(SU), MCS2)



Plot 7-1976. CDD/SDM Diversity (Pk & Avg, Ch.46, 802.11ax(SU), MCS4)




Plot 7-1979. CDD/SDM Diversity (Pk & Avg, Ch.54, 802.11ax(SU), MCS4)


FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 562 of 597	

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1980. CDD/SDM Diversity (Pk & Avg, Ch.54, 802.11ax(SU), MCS11)




Plot 7-1983. CDD/SDM Diversity (Pk & Avg, Ch.62, 802.11ax(SU), MCS11)




Plot 7-1981. CDD/SDM Diversity (Pk & Avg, Ch.62, 802.11ax(SU), MCS2)



Plot 7-1984. CDD/SDM Diversity (Pk & Avg, Ch.102, 802.11ax(SU), MCS2)



Plot 7-1982. CDD/SDM Diversity (Pk & Avg, Ch.62, 802.11ax(SU), MCS4)




Plot 7-1985. CDD/SDM Diversity (Pk & Avg, Ch.102, 802.11ax(SU), MCS4)


FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 563 of 597	

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1986. CDD/SDM Diversity (Pk & Avg, Ch.102, 802.11ax(SU), MCS11)




Plot 7-1989. CDD/SDM Diversity (Pk & Avg, Ch.110, 802.11ax(SU), MCS11)




Plot 7-1987. CDD/SDM Diversity (Pk & Avg, Ch.110, 802.11ax(SU), MCS2)



Plot 7-1990. CDD/SDM Diversity (Pk & Avg, Ch.118, 802.11ax(SU), MCS2)



Plot 7-1988. CDD/SDM Diversity (Pk & Avg, Ch.110, 802.11ax(SU), MCS4)




Plot 7-1991. CDD/SDM Diversity (Pk & Avg, Ch.118, 802.11ax(SU), MCS4)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device		Page 564 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1992. CDD/SDM Diversity (Pk & Avg, Ch.118, 802.11ax(SU), MCS11)




Plot 7-1995. CDD/SDM Diversity (Pk, Ch.126, 802.11ax(SU), MCS11)




Plot 7-1993. CDD/SDM Diversity (Pk, Ch.126, 802.11ax(SU), MCS2)



Plot 7-1996. CDD/SDM Diversity (Pk, Ch.134, 802.11ax(SU), MCS2)




Plot 7-1994. CDD/SDM Diversity (Pk, Ch.126, 802.11ax(SU), MCS4)




Plot 7-1997. CDD/SDM Diversity (Pk, Ch.134, 802.11ax(SU), MCS4)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 565 of 597




Plot 7-1998. CDD/SDM Diversity (Pk, Ch.134, 802.11ax(SU), MCS11)




Plot 7-2001. CDD/SDM Diversity (Pk, Ch.151, 802.11ax(SU), MCS11)




Plot 7-1999. CDD/SDM Diversity (Pk, Ch.151, 802.11ax(SU), MCS2)



Plot 7-2002. CDD/SDM Diversity (Pk, Ch.159, 802.11ax(SU), MCS2)




Plot 7-2000. CDD/SDM Diversity (Pk, Ch.151, 802.11ax(SU), MCS4)



Plot 7-2003. CDD/SDM Diversity (Pk, Ch.159, 802.11ax(SU), MCS4)

FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 566 of 597	




Plot 7-2004. CDD/SDM Diversity (Pk, Ch.159, 802.11ax(SU), MCS11)

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 567 of 597


V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.25 CDD/SDM Diversity Radiated Band Edge Measurements (80MHz BW) \$15.407(B.1)(B.2) \$15.205 \$15.209; RSS-Gen [8.9]




Plot 7-2005. CDD/SDM Diversity (Pk & Avg, Ch.42, 802.11ac, MCS2)




Plot 7-2008. CDD/SDM Diversity (Pk & Avg, Ch.58, 802.11ac, MCS2)




Plot 7-2006. CDD/SDM Diversity (Pk & Avg, Ch.42, 802.11ac, MCS4)



Plot 7-2009. CDD/SDM Diversity (Pk & Avg, Ch.58, 802.11ac, MCS4)



Plot 7-2007. CDD/SDM Diversity (Pk & Avg, Ch.42, 802.11ac, MCS9)




Plot 7-2010. CDD/SDM Diversity (Pk & Avg, Ch.58, 802.11ac, MCS9)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 568 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-2011. CDD/SDM Diversity (Pk & Avg, Ch.106, 802.11ac, MCS2)




Plot 7-2014. CDD/SDM Diversity (Pk & Avg, Ch.122, 802.11ac, MCS2)




Plot 7-2012. CDD/SDM Diversity (Pk & Avg, Ch.106, 802.11ac, MCS4)



Plot 7-2015. CDD/SDM Diversity (Pk & Avg, Ch.122, 802.11ac, MCS4)




Plot 7-2013. CDD/SDM Diversity (Pk & Avg, Ch.106, 802.11ac, MCS9)




Plot 7-2016. CDD/SDM Diversity (Pk & Avg, Ch.122, 802.11ac, MCS9)


FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device		Page 569 of 597




Plot 7-2017. CDD/SDM Diversity (Pk, Ch.122, 802.11ac, MCS2)




Plot 7-2020. CDD/SDM Diversity (Pk, Ch.155, 802.11ac, MCS2)




Plot 7-2018. CDD/SDM Diversity (Pk, Ch.122, 802.11ac, MCS4)



Plot 7-2021. CDD/SDM Diversity (Pk, Ch.155, 802.11ac, MCS4)




Plot 7-2019. CDD/SDM Diversity (Pk, Ch.122, 802.11ac, MCS9)




Plot 7-2022. CDD/SDM Diversity (Pk, Ch.155, 802.11ac, MCS9)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 570 of 597




Plot 7-2023. CDD/SDM Diversity (Pk, Ch.155, 802.11ac, MCS2)




Plot 7-2026. CDD/SDM Diversity (Pk & Avg, Ch.42, 802.11ax(SU), MCS2)




Plot 7-2024. CDD/SDM Diversity (Pk, Ch.155, 802.11ac, MCS4)



Plot 7-2027. CDD/SDM Diversity (Pk & Avg, Ch.42, 802.11ax(SU), MCS4)



Plot 7-2025. CDD/SDM Diversity (Pk, Ch.155, 802.11ac, MCS9)




Plot 7-2028. CDD/SDM Diversity (Pk & Avg, Ch.42, 802.11ax(SU), MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device		Page 571 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-2029. CDD/SDM Diversity (Pk & Avg, Ch.58, 802.11ax(SU), MCS2)




Plot 7-2032. CDD/SDM Diversity (Pk & Avg, Ch.106, 802.11ax(SU), MCS2)




Plot 7-2030. CDD/SDM Diversity (Pk & Avg, Ch.58, 802.11ax(SU), MCS4)



Plot 7-2033. CDD/SDM Diversity (Pk & Avg, Ch.106, 802.11ax(SU), MCS4)



Plot 7-2031. CDD/SDM Diversity (Pk & Avg, Ch.58, 802.11ax(SU), MCS11)




Plot 7-2034. CDD/SDM Diversity (Pk & Avg, Ch.106, 802.11ax(SU), MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 572 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-2035. CDD/SDM Diversity (Pk & Avg, Ch.122, 802.11ax(SU), MCS2)




Plot 7-2038. CDD/SDM Diversity (Pk, Ch.122, 802.11ax(SU), MCS2)




Plot 7-2036. CDD/SDM Diversity (Pk & Avg, Ch.122, 802.11ax(SU), MCS4)



Plot 7-2039. CDD/SDM Diversity (Pk, Ch.122, 802.11ax(SU), MCS4)




Plot 7-2037. CDD/SDM Diversity (Pk & Avg, Ch.122, 802.11ax(SU), MCS11)




Plot 7-2040. CDD/SDM Diversity (Pk, Ch.122, 802.11ax(SU), MCS11)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 573 of 597




Plot 7-2041. CDD/SDM Diversity (Pk, Ch.155, 802.11ax(SU), MCS2)




Plot 7-2044. CDD/SDM Diversity (Pk, Ch.155, 802.11ax(SU), MCS2)




Plot 7-2042. CDD/SDM Diversity (Pk, Ch.155, 802.11ax(SU), MCS4)



Plot 7-2045. CDD/SDM Diversity (Pk, Ch.155, 802.11ax(SU), MCS4)




Plot 7-2043. CDD/SDM Diversity (Pk, Ch.155, 802.11ax(SU), MCS11)




Plot 7-2046. CDD/SDM Diversity (Pk, Ch.155, 802.11ax(SU), MCS11)

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 574 of 597


7.6.26 CDD/SDM Diversity Radiated Band Edge Measurements (160MHz BW) \$15.407(B.1)(B.2) \$15.205 \$15.209; RSS-Gen [8.9]




Plot 7-2047. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ac, MCS2)




Plot 7-2050. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ac, MCS2)




Plot 7-2048. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ac, MCS4)



Plot 7-2051. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ac, MCS4)



Plot 7-2049. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ac, MCS9)




Plot 7-2052. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ac, MCS9)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 575 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-2053. CDD/SDM Diversity (Pk & Avg, Ch.114, 802.11ac, MCS2)




Plot 7-2056. CDD/SDM Diversity (Pk, Ch.114, 802.11ac, MCS2)




Plot 7-2054. CDD/SDM Diversity (Pk & Avg, Ch.114, 802.11ac, MCS4)



Plot 7-2057. CDD/SDM Diversity (Pk, Ch.114, 802.11ac, MCS4)




Plot 7-2055. CDD/SDM Diversity (Pk & Avg, Ch.114, 802.11ac, MCS9)




Plot 7-2058. CDD/SDM Diversity (Pk, Ch.114, 802.11ac, MCS9)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device		Page 576 of 597




Plot 7-2059. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ax(SU), MCS2)




Plot 7-2062. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ax(SU), MCS2)




Plot 7-2060. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ax(SU), MCS4)



Plot 7-2063. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ax(SU), MCS4)




Plot 7-2061. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ax(SU), MCS11)




Plot 7-2064. CDD/SDM Diversity (Pk & Avg, Ch.50, 802.11ax(SU), MCS11)


FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 577 of 597




Plot 7-2065. CDD/SDM Diversity (Pk & Avg, Ch.114, 802.11ax(SU), MCS2)




Plot 7-2068. CDD/SDM Diversity (Pk, Ch.114, 802.11ax(SU), MCS2)




Plot 7-2066. CDD/SDM Diversity (Pk & Avg, Ch.114, 802.11ax(SU), MCS4)



Plot 7-2069. CDD/SDM Diversity (Pk, Ch.114, 802.11ax(SU), MCS4)



Plot 7-2067. CDD/SDM Diversity (Pk & Avg, Ch.114, 802.11ax(SU), MCS11)



Plot 7-2070. CDD/SDM Diversity (Pk, Ch.114, 802.11ax(SU), MCS11)

FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 578 of 597	

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7 Radiated Spurious Emissions – Below 1GHz

§15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-370 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-370. Radiated Limits

Test Procedures Used

ANSI C63.10-2013

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = quasi-peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 579 of 597

V 10.6 9/14/2023

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-6. Radiated Test Setup < 30MHz




Figure 7-7. Radiated Test Setup < 1GHz

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 580 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (8.10) are below the limit shown in Table 7-370.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector on emissions that were within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger
10. All antenna configurations were investigated and only the worst case is reported.
11. The unit was tested with all possible modes and only the highest emission is reported.

Sample Calculations

Determining Spurious Emissions Levels


- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level}_{[dBm]} + 107 + \text{AFCL}_{[dB/m]}$
- $\text{AFCL}_{[dB/m]} = \text{Antenna Factor}_{[dB/m]} + \text{Cable Loss}_{[dB]} - \text{Preamp Gain}_{[dB]}$
- $\text{Margin}_{[dB]} = \text{Field Strength Level}_{[dB\mu V/m]} - \text{Limit}_{[dB\mu V/m]}$

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 581 of 597

V 10.6 9/14/2023

SDM Primary Radiated Spurious Emissions Measurements (Below 1GHz)

§15.209; RSS-Gen [8.9]



Plot 7-2071. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11n, Ch.36 with AC/DC Adapter


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
32.91	Max-Peak	V	100	196	-60.63	-15.80	30.57	40.00	-9.43
48.62	Quasi-Peak	V	105	328	-58.38	-12.59	36.03	40.00	-3.97
94.51	Max-Peak	V	100	172	-64.93	-16.91	25.16	43.52	-18.36
179.48	Max-Peak	H	200	192	-60.04	-18.36	28.60	43.52	-14.92
347.77	Max-Peak	H	100	342	-74.18	-12.47	20.35	46.02	-25.67
929.43	Max-Peak	H	100	38	-80.69	-3.03	23.28	46.02	-22.74

Table 7-371. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11n, Ch.36 with AC/DC Adapter

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 582 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-2072. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11ax (SU), Ch.36 with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
30.87	Max-Peak	V	100	276	-67.20	-15.53	24.27	40.00	-15.73
48.67	Quasi-Peak	V	104	326	-58.61	-12.59	35.80	40.00	-4.20
94.51	Max-Peak	V	100	196	-65.63	-16.91	24.46	43.52	-19.06
181.08	Max-Peak	H	200	189	-60.68	-18.27	28.05	43.52	-15.47
301.99	Max-Peak	H	100	345	-69.40	-14.15	23.45	46.02	-22.57
956.11	Max-Peak	V	200	342	-79.93	-2.96	24.11	46.02	-21.91

Table 7-372. Radiated Spurious Emissions below 1GHz, 802.11ax (SU) CDD Primary, Ch.36 with AC/DC Adapter

FCC ID: BCGA2903 IC: 579C-A2903		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 583 of 597