












FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 175 of 597




Plot 7-463. ISED PSD Antenna 3a (40MHz BW 11n – Ch.46, MCS7)




Plot 7-466. ISED PSD Antenna 3a (80MHz BW 11ax (SU) – Ch.42, MCS11)




Plot 7-464. ISED PSD Antenna 3a (40MHz BW 11ax(SU) – Ch.46, MCS11)



Plot 7-467. ISED PSD Antenna 3a (160MHz BW 11ac – Ch.50, MCS9)



Plot 7-465. ISED PSD Antenna 3a (80MHz BW 11ac – Ch.42, MCS9)



Plot 7-468. ISED PSD Antenna 3a (160MHz BW 11ax (SU) – Ch.50, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 176 of 597

7.5.3 Antenna 1b Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	8.32	11.00	-2.68
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	9.68	11.00	-1.32
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	9.85	11.00	-1.15
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	5.90	11.00	-5.10
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	8.04	11.00	-2.96
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	8.41	11.00	-2.59
	5190	38	n (40MHz)	40/40.5 (MCS2)	3.36	11.00	-7.64
	5230	46	n (40MHz)	40/40.5 (MCS2)	6.99	11.00	-4.01
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	0.56	11.00	-10.44
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	5.27	11.00	-5.73
Band 1/2	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-0.09	11.00	-11.09
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-1.75	11.00	-12.75
Band 2A	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-4.80	11.00	-15.80
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-6.22	11.00	-17.22
	5260	52	n (20MHz)	19.5/21.7 (MCS2)	9.90	11.00	-1.10
	5300	60	n (20MHz)	19.5/21.7 (MCS2)	9.68	11.00	-1.32
	5320	64	n (20MHz)	19.5/21.7 (MCS2)	8.16	11.00	-2.84
	5260	52	ax (SU) (20MHz)	24/25.8 (MCS2)	8.14	11.00	-2.86
	5300	60	ax (SU) (20MHz)	24/25.8 (MCS2)	8.02	11.00	-2.98
	5320	64	ax (SU) (20MHz)	24/25.8 (MCS2)	5.60	11.00	-5.40
	5270	54	n (40MHz)	40/40.5 (MCS2)	6.58	11.00	-4.42
	5310	62	n (40MHz)	40/40.5 (MCS2)	3.45	11.00	-7.55
	5270	54	ax (SU) (40MHz)	49/51.6 (MCS2)	5.27	11.00	-5.73
	5310	62	ax (SU) (40MHz)	49/51.6 (MCS2)	1.04	11.00	-9.96
	5290	58	ac (80MHz)	87.8/97.5 (MCS2)	-0.73	11.00	-11.73
	5290	58	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.15	11.00	-13.15
Band 2C	5500	100	n (20MHz)	19.5/21.7 (MCS2)	8.69	11.00	-2.31
	5580	116	n (20MHz)	19.5/21.7 (MCS2)	9.90	11.00	-1.10
	*5600	120	n (20MHz)	19.5/21.7 (MCS2)	9.86	11.00	-1.14
	5700	140	n (20MHz)	19.5/21.7 (MCS2)	7.05	11.00	-3.95
	5720	144	n (20MHz)	19.5/21.7 (MCS2)	9.62	11.00	-1.38
	5500	100	ax (SU) (20MHz)	24/25.8 (MCS2)	5.85	11.00	-5.15
	5580	116	ax (SU) (20MHz)	24/25.8 (MCS2)	8.38	11.00	-2.62
	*5600	120	ax (SU) (20MHz)	24/25.8 (MCS2)	8.55	11.00	-2.45
	5700	140	ax (SU) (20MHz)	24/25.8 (MCS2)	3.91	11.00	-7.09
	5720	144	ax (SU) (20MHz)	24/25.8 (MCS2)	8.18	11.00	-2.82
	5510	102	n (40MHz)	40/40.5 (MCS2)	3.53	11.00	-7.47
	5550	110	n (40MHz)	40/40.5 (MCS2)	6.64	11.00	-4.36
	*5590	118	n (40MHz)	40/40.5 (MCS2)	6.72	11.00	-4.28
	5670	134	n (40MHz)	40/40.5 (MCS2)	5.63	11.00	-5.37
	5710	142	n (40MHz)	40/40.5 (MCS2)	6.80	11.00	-4.20
	5510	102	ax (SU) (40MHz)	49/51.6 (MCS2)	1.04	11.00	-9.96
	5550	110	ax (SU) (40MHz)	49/51.6 (MCS2)	4.86	11.00	-6.14
	*5590	118	ax (SU) (40MHz)	49/51.6 (MCS2)	5.22	11.00	-5.78
	5670	134	ax (SU) (40MHz)	49/51.6 (MCS2)	3.91	11.00	-7.09
	5710	142	ax (SU) (40MHz)	49/51.6 (MCS2)	5.16	11.00	-5.84
	5530	106	ac (80MHz)	87.8/97.5 (MCS2)	0.25	11.00	-10.75
	*5610	122	ac (80MHz)	87.8/97.5 (MCS2)	4.09	11.00	-6.91
	5690	138	ac (80MHz)	87.8/97.5 (MCS2)	3.64	11.00	-7.36
	5530	106	ax (SU) (80MHz)	102/108.1 (MCS2)	-2.60	11.00	-13.60
	*5610	122	ax (SU) (80MHz)	102/108.1 (MCS2)	1.38	11.00	-9.62
	5690	138	ax (SU) (80MHz)	102/108.1 (MCS2)	2.02	11.00	-8.98
	*5570	114	ac (160MHz)	87.8/97.5 (MCS2)	-5.33	11.00	-16.33
	*5570	114	ax (SU) (160MHz)	102/108.1 (MCS2)	-6.56	11.00	-17.56

Table 7-218. Power Spectral Density Measurements Antenna 1b (Low Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 177 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	7.56	11.00	-3.45
	5200	40	n (20MHz)	39/43.3 (MCS4)	9.70	11.00	-1.31
	5240	48	n (20MHz)	39/43.3 (MCS4)	10.26	11.00	-0.74
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	5.31	11.00	-5.69
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	8.45	11.00	-2.55
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	8.61	11.00	-2.39
	5190	38	n (40MHz)	81/90 (MCS4)	3.07	11.00	-7.93
	5230	46	n (40MHz)	81/90 (MCS4)	6.99	11.00	-4.01
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	0.54	11.00	-10.46
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	5.51	11.00	-5.49
Band 1/2	5210	42	ac (80MHz)	175.5/195 (MCS4)	-0.52	11.00	-11.52
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.42	11.00	-13.42
Band 2A	5250	50	ac (160MHz)	175.5/195 (MCS4)	-5.15	11.00	-16.15
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-6.17	11.00	-17.17
	5260	52	n (20MHz)	39/43.3 (MCS4)	9.71	11.00	-1.29
	5300	60	n (20MHz)	39/43.3 (MCS4)	9.49	11.00	-1.51
	5320	64	n (20MHz)	39/43.3 (MCS4)	7.90	11.00	-3.10
	5260	52	ax (SU) (20MHz)	49/51.6 (MCS4)	8.47	11.00	-2.53
	5300	60	ax (SU) (20MHz)	49/51.6 (MCS4)	8.14	11.00	-2.86
	5320	64	ax (SU) (20MHz)	49/51.6 (MCS4)	5.21	11.00	-5.79
	5270	54	n (40MHz)	81/90 (MCS4)	6.61	11.00	-4.39
	5310	62	n (40MHz)	81/90 (MCS4)	2.90	11.00	-8.10
	5270	54	ax (SU) (40MHz)	98/103.2 (MCS4)	5.25	11.00	-5.75
	5310	62	ax (SU) (40MHz)	98/103.2 (MCS4)	0.45	11.00	-10.55
	5290	58	ac (80MHz)	175.5/195 (MCS4)	-1.21	11.00	-12.21
	5290	58	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.50	11.00	-13.50
Band 2C	5500	100	n (20MHz)	39/43.3 (MCS4)	7.27	11.00	-3.73
	5580	116	n (20MHz)	39/43.3 (MCS4)	9.96	11.00	-1.04
	*5600	120	n (20MHz)	39/43.3 (MCS4)	10.01	11.00	-0.99
	5700	140	n (20MHz)	39/43.3 (MCS4)	6.18	11.00	-4.82
	5720	144	n (20MHz)	39/43.3 (MCS4)	9.69	11.00	-1.32
	5500	100	ax (SU) (20MHz)	49/51.6 (MCS4)	4.81	11.00	-6.19
	5580	116	ax (SU) (20MHz)	49/51.6 (MCS4)	8.61	11.00	-2.39
	*5600	120	ax (SU) (20MHz)	49/51.6 (MCS4)	8.15	11.00	-2.85
	5700	140	ax (SU) (20MHz)	49/51.6 (MCS4)	3.88	11.00	-7.12
	5720	144	ax (SU) (20MHz)	49/51.6 (MCS4)	8.54	11.00	-2.46
	5510	102	n (40MHz)	81/90 (MCS4)	2.73	11.00	-8.27
	5550	110	n (40MHz)	81/90 (MCS4)	5.94	11.00	-5.06
	*5590	118	n (40MHz)	81/90 (MCS4)	6.72	11.00	-4.28
	5670	134	n (40MHz)	81/90 (MCS4)	4.91	11.00	-6.09
	5710	142	n (40MHz)	81/90 (MCS4)	6.69	11.00	-4.31
	5510	102	ax (SU) (40MHz)	98/103.2 (MCS4)	0.80	11.00	-10.20
	5550	110	ax (SU) (40MHz)	98/103.2 (MCS4)	3.95	11.00	-7.05
	*5590	118	ax (SU) (40MHz)	98/103.2 (MCS4)	5.32	11.00	-5.68
	5670	134	ax (SU) (40MHz)	98/103.2 (MCS4)	2.92	11.00	-8.09
	5710	142	ax (SU) (40MHz)	98/103.2 (MCS4)	5.40	11.00	-5.60
	5530	106	ac (80MHz)	175.5/195 (MCS4)	-0.72	11.00	-11.72
	*5610	122	ac (80MHz)	175.5/195 (MCS4)	2.79	11.00	-8.21
	5690	138	ac (80MHz)	175.5/195 (MCS4)	3.81	11.00	-7.19
	5530	106	ax (SU) (80MHz)	204/216.2 (MCS4)	-3.20	11.00	-14.20
	*5610	122	ax (SU) (80MHz)	204/216.2 (MCS4)	0.90	11.00	-10.10
	5690	138	ax (SU) (80MHz)	204/216.2 (MCS4)	2.39	11.00	-8.61
	*5570	114	ac (160MHz)	175.5/195 (MCS4)	-5.78	11.00	-16.78
	*5570	114	ax (SU) (160MHz)	204/216.2 (MCS4)	-7.19	11.00	-18.19

Table 7-219. Power Spectral Density Measurements Antenna 1b (Mid Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 178 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	5.45	11.00	-5.55
	5200	40	n (20MHz)	65/72.2 (MCS7)	8.54	11.00	-2.46
	5240	48	n (20MHz)	65/72.2 (MCS7)	8.69	11.00	-2.31
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	5.17	11.00	-5.84
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	8.22	11.00	-2.79
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	8.60	11.00	-2.40
	5190	38	n (40MHz)	135/150 (MCS7)	1.07	11.00	-9.94
	5230	46	n (40MHz)	135/150 (MCS7)	5.83	11.00	-5.17
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	0.36	11.00	-10.64
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	5.92	11.00	-5.08
Band 1/2	5210	42	ac (80MHz)	390/433.3 (MCS9)	-1.92	11.00	-12.92
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-2.11	11.00	-13.11
Band 2A	5250	50	ac (160MHz)	390/433.3 (MCS9)	-6.28	11.00	-17.28
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-6.84	11.00	-17.84
	5260	52	n (20MHz)	65/72.2 (MCS7)	8.78	11.00	-2.22
	5300	60	n (20MHz)	65/72.2 (MCS7)	8.18	11.00	-2.82
	5320	64	n (20MHz)	65/72.2 (MCS7)	5.58	11.00	-5.42
	5260	52	ax (SU) (20MHz)	135/143.4 (MCS11)	8.53	11.00	-2.47
	5300	60	ax (SU) (20MHz)	135/143.4 (MCS11)	7.95	11.00	-3.05
	5320	64	ax (SU) (20MHz)	135/143.4 (MCS11)	4.94	11.00	-6.06
	5270	54	n (40MHz)	135/150 (MCS7)	6.01	11.00	-4.99
	5310	62	n (40MHz)	135/150 (MCS7)	0.32	11.00	-10.68
Band 2C	5270	54	ax (SU) (40MHz)	271/286 (MCS11)	5.40	11.00	-5.60
	5310	62	ax (SU) (40MHz)	271/286 (MCS11)	0.32	11.00	-10.68
	5290	58	ac (80MHz)	390/433.3 (MCS9)	-2.88	11.00	-13.88
	5290	58	ax (SU) (80MHz)	567/600.5 (MCS11)	-3.59	11.00	-14.59
	5500	100	n (20MHz)	65/72.2 (MCS7)	3.91	11.00	-7.09
	5580	116	n (20MHz)	65/72.2 (MCS7)	8.47	11.00	-2.54
	*5600	120	n (20MHz)	65/72.2 (MCS7)	8.73	11.00	-2.27
	5700	140	n (20MHz)	65/72.2 (MCS7)	3.22	11.00	-7.78
	5720	144	n (20MHz)	65/72.2 (MCS7)	8.60	11.00	-2.41
	5500	100	ax (SU) (20MHz)	135/143.4 (MCS11)	3.40	11.00	-7.60
	5580	116	ax (SU) (20MHz)	135/143.4 (MCS11)	8.48	11.00	-2.52
	*5600	120	ax (SU) (20MHz)	135/143.4 (MCS11)	8.45	11.00	-2.55
	5700	140	ax (SU) (20MHz)	135/143.4 (MCS11)	2.46	11.00	-8.54
	5720	144	ax (SU) (20MHz)	135/143.4 (MCS11)	8.31	11.00	-2.69
	5510	102	n (40MHz)	135/150 (MCS7)	-0.81	11.00	-11.81
	5550	110	n (40MHz)	135/150 (MCS7)	4.80	11.00	-6.20
	*5590	118	n (40MHz)	135/150 (MCS7)	5.91	11.00	-5.10
	5670	134	n (40MHz)	135/150 (MCS7)	1.51	11.00	-9.49
	5710	142	n (40MHz)	135/150 (MCS7)	5.43	11.00	-5.57
	5510	102	ax (SU) (40MHz)	271/286 (MCS11)	-1.23	11.00	-12.23
	5550	110	ax (SU) (40MHz)	271/286 (MCS11)	3.46	11.00	-7.54
	*5590	118	ax (SU) (40MHz)	271/286 (MCS11)	5.35	11.00	-5.65
	5670	134	ax (SU) (40MHz)	271/286 (MCS11)	0.95	11.00	-10.05
	5710	142	ax (SU) (40MHz)	271/286 (MCS11)	5.13	11.00	-5.87
	5530	106	ac (80MHz)	390/433.3 (MCS9)	-3.43	11.00	-14.43
	*5610	122	ac (80MHz)	390/433.3 (MCS9)	0.19	11.00	-10.81
	5690	138	ac (80MHz)	390/433.3 (MCS9)	2.38	11.00	-8.62
	5530	106	ax (SU) (80MHz)	567/600.5 (MCS11)	-3.94	11.00	-14.94
	*5610	122	ax (SU) (80MHz)	567/600.5 (MCS11)	-0.25	11.00	-11.25
	5690	138	ax (SU) (80MHz)	567/600.5 (MCS11)	2.64	11.00	-8.36
	*5570	114	ac (160MHz)	390/433.3 (MCS9)	-7.75	11.00	-18.75
	*5570	114	ax (SU) (160MHz)	567/600.5 (MCS11)	-8.65	11.00	-19.65


Table 7-220. Power Spectral Density Measurements Antenna 1b (High Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 179 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-469. PSD Antenna 1b (20MHz BW 802.11n – Ch. 40, MCS2)




Plot 7-472. PSD Antenna 1b (40MHz BW 802.11ax(SU) – Ch. 46, MCS2)




Plot 7-470. PSD Antenna 1b (20MHz BW 802.11ax(SU) – Ch. 40, MCS2)



Plot 7-473. PSD Antenna 1b (80MHz BW 802.11ac – Ch. 42, MCS2)



Plot 7-471. PSD Antenna 1b (40MHz BW 802.11n – Ch. 46, MCS2)









Plot 7-474. PSD Antenna 1b (80MHz BW 802.11ax(SU) – Ch. 42, MCS2)







FCC ID: BCGA2903 IC: 579C-A2903	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 180 of 597

V 10.6 9/14/2023







Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 181 of 597




FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 182 of 597




FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 183 of 597




Plot 7-493. PSD Antenna 1b (40MHz BW 802.11n – Ch. 46, MCS4)




Plot 7-494. PSD Antenna 1b (40MHz BW 802.11ax(SU) – Ch. 46, MCS4)




Plot 7-495. PSD Antenna 1b (80MHz BW 802.11ac – Ch. 42, MCS4)



Plot 7-496. PSD Antenna 1b (80MHz BW 802.11ax(SU) – Ch. 42, MCS4)



Plot 7-497. PSD Antenna 1b (160MHz BW 802.11ac – Ch. 50, MCS4)









Plot 7-498. PSD Antenna 1b (160MHz BW 802.11ax(SU) – Ch. 50, MCS4)






FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 184 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 185 of 597




FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 186 of 597




Plot 7-511. PSD Antenna 1b (160MHz BW 802.11ac – Ch. 114, MCS4)




Plot 7-514. PSD Antenna 1b (20MHz BW 802.11ax(SU) – Ch. 40, MCS11)




Plot 7-512. PSD Antenna 1b (160MHz BW 802.11ax(SU) – Ch. 114, MCS4)



Plot 7-515. PSD Antenna 1b (40MHz BW 802.11n – Ch. 46, MCS7)



Plot 7-513. PSD Antenna 1b (20MHz BW 802.11n – Ch. 40, MCS7)




Plot 7-516. PSD Antenna 1b (40MHz BW 802.11ax(SU) – Ch. 46, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 187 of 597

V 10.6 9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-517. PSD Antenna 1b (80MHz BW 802.11ac – Ch. 42, MCS9)




Plot 7-520. PSD Antenna 1b (160MHz BW 802.11ax(SU) – Ch. 50, MCS11)




Plot 7-518. PSD Antenna 1b (80MHz BW 802.11ax(SU) – Ch. 42, MCS11)



Plot 7-521. PSD Antenna 1b (20MHz BW 802.11n – Ch. 60, MCS7)



Plot 7-519. PSD Antenna 1b (160MHz BW 802.11ac – Ch. 50, MCS9)




Plot 7-522. PSD Antenna 1b (20MHz BW 802.11ax(SU) – Ch. 60, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 188 of 597

V 10.6/9/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-523. PSD Antenna 1b (40MHz BW 802.11n – Ch. 54, MCS7)




Plot 7-526. PSD Antenna 1b (80MHz BW 802.11ax(SU) – Ch. 58, MCS11)




Plot 7-524. PSD Antenna 1b (40MHz BW 802.11ax(SU) – Ch. 54, MCS11)



Plot 7-527. PSD Antenna 1b (20MHz BW 802.11n – Ch. 116, MCS7)




Plot 7-525. PSD Antenna 1b (80MHz BW 802.11ac – Ch. 58, MCS9)




Plot 7-528. PSD Antenna 1b (20MHz BW 802.11ax(SU) – Ch. 116, MCS11)


FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 189 of 597




Plot 7-529. PSD Antenna 1b (40MHz BW 802.11n – Ch. 110, MCS7)




Plot 7-532. PSD Antenna 1b (80MHz BW 802.11ax(SU) – Ch. 122, MCS11)




Plot 7-530. PSD Antenna 1b (40MHz BW 802.11ax(SU) – Ch. 110, MCS11)



Plot 7-533. PSD Antenna 1b (160MHz BW 802.11ac – Ch. 114, MCS9)



Plot 7-531. PSD Antenna 1b (80MHz BW 802.11ac – Ch. 122, MCS9)



Plot 7-534. PSD Antenna 1b (160MHz BW 802.11ax(SU) – Ch. 114, MCS11)

FCC ID: BCGA2903 IC: 579C-A2903			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device		Page 190 of 597

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	19.5/21.7 (MCS2)	7.24	30.0	-22.76
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	6.30	30.0	-23.70
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	6.68	30.0	-23.32
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	5.69	30.0	-24.31
	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	5.08	30.0	-24.92
	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	5.17	30.0	-24.83
	5755	151	n (40MHz)	40/40.5 (MCS2)	3.79	30.0	-26.21
	5795	159	n (40MHz)	40/40.5 (MCS2)	3.43	30.0	-26.58
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	1.93	30.0	-28.07
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	2.20	30.0	-27.80
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	0.30	30.0	-29.70
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	-1.92	30.0	-31.92

Table 7-221. Band 3 Power Spectral Density Measurements Antenna 1b (Low Data Rate)

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	39/43.3 (MCS4)	7.42	30.0	-22.58
	5785	157	n (20MHz)	39/43.3 (MCS4)	6.46	30.0	-23.54
	5825	165	n (20MHz)	39/43.3 (MCS4)	6.74	30.0	-23.26
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	5.84	30.0	-24.16
	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	5.23	30.0	-24.77
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	5.42	30.0	-24.58
	5755	151	n (40MHz)	81/90 (MCS4)	3.56	30.0	-26.44
	5795	159	n (40MHz)	81/90 (MCS4)	3.64	30.0	-26.36
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	2.65	30.0	-27.35
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	2.54	30.0	-27.46
	5775	155	ac (80MHz)	175.5/195 (MCS4)	-0.44	30.0	-30.44
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.19	30.0	-32.19

Table 7-222. Band 3 Power Spectral Density Measurements Antenna 1b (Mid Data Rate)

	Frequency [MHz]	Channel	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	65/72.2 (MCS7)	6.07	30.0	-23.93
	5785	157	n (20MHz)	65/72.2 (MCS7)	5.42	30.0	-24.58
	5825	165	n (20MHz)	65/72.2 (MCS7)	5.88	30.0	-24.12
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	6.18	30.0	-23.82
	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	5.48	30.0	-24.52
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	5.66	30.0	-24.34
	5755	151	n (40MHz)	135/150 (MCS7)	2.72	30.0	-27.28
	5795	159	n (40MHz)	135/150 (MCS7)	2.40	30.0	-27.60
	5755	151	ax (SU) (40MHz)	271/286 (MCS11)	2.44	30.0	-27.56
	5795	159	ax (SU) (40MHz)	271/286 (MCS11)	2.47	30.0	-27.53
	5775	155	ac (80MHz)	390/433.3 (MCS9)	-1.95	30.0	-31.95
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	-2.39	30.0	-32.39

Table 7-223. Band 3 Power Spectral Density Measurements Antenna 1b (High Data Rate)

FCC ID: BCGA2903 IC: 579C-A2903	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270064-24.BCG	Test Dates: 11/28/2023 - 01/15/2024	EUT Type: Tablet Device	Page 191 of 597

V 10.6 9/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.