





Plot 7-197. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 6)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-78.17	4.32	33.16	53.98	-20.82
4874.00	Peak	H	-	-	-66.34	4.25	44.91	73.98	-29.07
7311.00	Average	H	-	-	-79.13	8.84	36.71	53.98	-17.27
7311.00	Peak	H	-	-	-66.69	8.75	49.06	73.98	-24.92
12185.00	Average	H	-	-	-80.62	12.46	38.84	53.98	-15.14
12185.00	Peak	H	-	-	-68.72	12.46	50.74	73.98	-23.24

Table 7-38. Radiated Measurements Antenna WF7 (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 144 of 226




Plot 7-198. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU26 – Ch. 11)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	H	-	-	-77.88	4.19	33.31	53.98	-20.67
4924.00	Peak	H	-	-	-65.62	4.46	45.84	73.98	-28.14
7386.00	Average	H	-	-	-78.79	8.52	36.72	53.98	-17.26
7386.00	Peak	H	-	-	-67.31	8.52	48.21	73.98	-25.77
12310.00	Average	H	-	-	-80.74	12.34	38.60	53.98	-15.38
12310.00	Peak	H	-	-	-68.87	12.35	50.48	73.98	-23.50

Table 7-39. Radiated Measurements Antenna WF7 (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 145 of 226



Plot 7-199. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 1)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-77.77	4.22	33.45	53.98	-20.53
4824.00	Peak	H	-	-	-66.09	4.22	45.13	73.98	-28.85
12060.00	Average	H	-	-	-80.06	11.95	38.89	53.98	-15.09
12060.00	Peak	H	-	-	-68.50	12.13	50.63	73.98	-23.35

Table 7-40. Radiated Measurements Antenna WF7 (RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 146 of 226

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-200. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 6)

Worst Case Mode: 802.11ax OFDMA
Worst Case Transfer Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-77.86	4.23	33.37	53.98	-20.61
4874.00	Peak	H	-	-	-66.15	4.32	45.18	73.98	-28.80
7311.00	Average	H	-	-	-78.77	8.70	36.93	53.98	-17.05
7311.00	Peak	H	-	-	-66.92	8.92	49.00	73.98	-24.98
12185.00	Average	H	-	-	-81.21	12.73	38.52	53.98	-15.46
12185.00	Peak	H	-	-	-69.29	12.73	50.44	73.98	-23.54

Table 7-41. Radiated Measurements Antenna WF7 (RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 147 of 226



Plot 7-201. Radiated Spurious Emissions above 1GHz Antenna WF7 (802.11ax OFDMA – RU242 – Ch. 11)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	H	-	-	-77.80	4.31	33.51	53.98	-20.47
4924.00	Peak	H	-	-	-66.52	4.46	44.94	73.98	-29.04
7386.00	Average	H	-	-	-78.74	8.69	36.94	53.98	-17.04
7386.00	Peak	H	-	-	-66.88	8.65	48.76	73.98	-25.22
12310.00	Average	H	-	-	-80.99	12.48	38.49	53.98	-15.49
12310.00	Peak	H	-	-	-69.00	12.43	50.43	73.98	-23.55

Table 7-42. Radiated Measurements Antenna WF7 (RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 148 of 226

7.7.3 Antenna WF9 Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



Plot 7-202. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 1)


Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-77.77	4.22	33.44	53.98	-20.54
4824.00	Peak	H	-	-	-66.26	4.22	44.96	73.98	-29.02
12060.00	Average	H	-	-	-80.44	12.13	38.69	53.98	-15.29
12060.00	Peak	H	-	-	-68.98	11.95	49.97	73.98	-24.01

Table 7-43. Radiated Measurements Antenna WF9 (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 149 of 226

V 10.6 09/14/2023




Plot 7-203. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 6)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-77.99	4.32	33.33	53.98	-20.65
4874.00	Peak	H	-	-	-66.70	4.32	44.62	73.98	-29.36
7311.00	Average	H	-	-	-78.76	8.84	37.08	53.98	-16.90
7311.00	Peak	H	-	-	-67.37	8.75	48.38	73.98	-25.60
12185.00	Average	H	-	-	-80.81	12.46	38.65	53.98	-15.33
12185.00	Peak	H	-	-	-69.58	12.42	49.84	73.98	-24.14

Table 7-44. Radiated Measurements Antenna WF9 (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 150 of 226



Plot 7-204. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU26 – Ch. 11)


Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	H	-	-	-78.06	4.31	33.25	53.98	-20.73
4924.00	Peak	H	-	-	-66.13	4.31	45.17	73.98	-28.81
7386.00	Average	H	-	-	-78.60	8.52	36.92	53.98	-17.06
7386.00	Peak	H	-	-	-66.79	8.69	48.90	73.98	-25.08
12310.00	Average	H	-	-	-80.86	12.43	38.57	53.98	-15.41
12310.00	Peak	H	-	-	-68.77	12.34	50.58	73.98	-23.40

Table 7-45. Radiated Measurements Antenna WF9 (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 151 of 226

V 10.6 09/14/2023




Plot 7-205. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 1)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-77.66	4.22	33.56	53.98	-20.42
4824.00	Peak	H	-	-	-66.00	4.22	45.22	73.98	-28.76
12060.00	Average	H	-	-	-80.69	12.13	38.44	53.98	-15.54
12060.00	Peak	H	-	-	-68.97	11.95	49.98	73.98	-24.00

Table 7-46. Radiated Measurements Antenna WF9 (RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 152 of 226




Plot 7-206. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 6)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-78.15	4.32	33.18	53.98	-20.80
4874.00	Peak	H	-	-	-66.87	4.32	44.46	73.98	-29.52
7311.00	Average	H	-	-	-78.98	8.84	36.85	53.98	-17.13
7311.00	Peak	H	-	-	-67.28	8.84	48.55	73.98	-25.43
12185.00	Average	H	-	-	-80.93	12.46	38.53	53.98	-15.45
12185.00	Peak	H	-	-	-69.29	12.46	50.17	73.98	-23.81

Table 7-47. Radiated Measurements Antenna WF9 (RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 153 of 226



Plot 7-207. Radiated Spurious Emissions above 1GHz Antenna WF9 (802.11ax OFDMA – RU242 – Ch. 11)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	H	-	-	-78.01	4.19	33.18	53.98	-20.80
4924.00	Peak	H	-	-	-65.95	4.31	45.35	73.98	-28.63
7386.00	Average	H	-	-	-79.02	8.69	36.66	53.98	-17.32
7386.00	Peak	H	-	-	-66.89	8.52	48.63	73.98	-25.35
12310.00	Average	H	-	-	-80.92	12.34	38.42	53.98	-15.56
12310.00	Peak	H	-	-	-69.07	12.34	50.27	73.98	-23.71

Table 7-48. Radiated Measurements Antenna WF9 (RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 154 of 226

7.7.4 CDD Primary Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



Plot 7-208. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax OFDMA – RU26 – Ch. 1)


Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4824.00	Average	H	-	-	-77.93	4.22	33.28	53.98	-20.70
4824.00	Peak	H	-	-	-66.19	4.22	45.03	73.98	-28.95
12060.00	Average	H	-	-	-80.31	12.13	38.82	53.98	-15.16
12060.00	Peak	H	-	-	-69.41	12.13	49.72	73.98	-24.26

Table 7-49. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 155 of 226

V 10.6 09/14/2023




Plot 7-209. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax OFDMA – RU26 – Ch. 6)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-78.07	4.23	33.16	53.98	-20.82
4874.00	Peak	H	-	-	-66.36	4.32	44.96	73.98	-29.02
7311.00	Average	H	-	-	-79.14	8.84	36.70	53.98	-17.28
7311.00	Peak	H	-	-	-67.39	8.75	48.36	73.98	-25.62
12185.00	Average	H	-	-	-80.77	12.46	38.69	53.98	-15.29
12185.00	Peak	H	-	-	-69.15	12.46	50.32	73.98	-23.66

Table 7-50. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 156 of 226



Plot 7-210. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax OFDMA – RU26 – Ch. 11)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Average	H	-	-	-77.93	4.31	33.38	53.98	-20.60
4924.00	Peak	H	-	-	-65.87	4.31	45.44	73.98	-28.54
7386.00	Average	H	-	-	-78.68	8.52	36.84	53.98	-17.14
7386.00	Peak	H	-	-	-67.32	8.69	48.36	73.98	-25.62
12310.00	Average	H	-	-	-81.00	12.48	38.48	53.98	-15.50
12310.00	Peak	H	-	-	-69.55	12.43	49.88	73.98	-24.10

Table 7-51. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 157 of 226

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-211. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax OFDMA – RU242 – Ch. 1)


Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-77.83	4.22	33.39	53.98	-20.59
4824.00	Peak	H	-	-	-66.01	4.22	45.20	73.98	-28.78
12060.00	Average	H	-	-	-80.60	12.13	38.53	53.98	-15.45
12060.00	Peak	H	-	-	-69.28	12.13	49.85	73.98	-24.13

Table 7-52. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 158 of 226

V 10.6 09/14/2023




Plot 7-212. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax OFDMA – RU242 – Ch. 6)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-78.06	4.29	33.23	53.98	-20.75
4874.00	Peak	H	-	-	-66.20	4.32	45.12	73.98	-28.86
7311.00	Average	H	-	-	-79.03	8.70	36.67	53.98	-17.31
7311.00	Peak	H	-	-	-67.52	8.70	48.18	73.98	-25.80
12185.00	Average	H	-	-	-81.13	12.73	38.60	53.98	-15.38
12185.00	Peak	H	-	-	-69.26	12.73	50.47	73.98	-23.51

Table 7-53. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 159 of 226



Plot 7-213. Radiated Spurious Emissions above 1GHz CDD Primary (802.11ax OFDMA – RU242 – Ch. 11)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Average	H	-	-	-78.02	4.19	33.17	53.98	-20.81
4924.00	Peak	H	-	-	-65.87	4.19	45.32	73.98	-28.66
7386.00	Average	H	-	-	-78.85	8.52	36.67	53.98	-17.31
7386.00	Peak	H	-	-	-67.04	8.69	48.65	73.98	-25.33
12310.00	Average	H	-	-	-80.80	12.25	38.46	53.98	-15.52
12310.00	Peak	H	-	-	-68.90	12.25	50.35	73.98	-23.63

Table 7-54. Radiated Measurements CDD Primary (RU242)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 160 of 226

CDD Primary Radiated Spurious Emission Measurements (Above 18GHz)

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



Plot 7-214. Radiated Spurious Emissions above 18GHz CDD Primary (802.11ax OFDMA – RU26 – Ch. 6)



Plot 7-215. Radiated Spurious Emissions above 18GHz CDD Primary (802.11ax OFDMA – RU242 – Ch. 6)


FCC ID: BCGA2925 IC: 579C-A2925	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 161 of 226

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7.5 CDD Diversity Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



Plot 7-216. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax OFDMA – RU26 – Ch. 1)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-77.85	4.22	33.37	53.98	-20.61
4824.00	Peak	H	-	-	-66.26	4.22	44.96	73.98	-29.02
12060.00	Average	H	-	-	-80.58	12.13	38.55	53.98	-15.43
12060.00	Peak	H	-	-	-68.55	11.95	50.40	73.98	-23.58

Table 7-55. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 162 of 226

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-217. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax OFDMA – RU26 – Ch. 6)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-78.16	4.32	33.17	53.98	-20.81
4874.00	Peak	H	-	-	-66.23	4.32	45.09	73.98	-28.89
7311.00	Average	H	-	-	-78.74	8.84	37.09	53.98	-16.89
7311.00	Peak	H	-	-	-66.93	8.92	48.99	73.98	-24.99
12185.00	Average	H	-	-	-80.66	12.49	38.82	53.98	-15.16
12185.00	Peak	H	-	-	-69.61	12.46	49.85	73.98	-24.13

Table 7-56. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 163 of 226



Plot 7-218. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax OFDMA – RU26 – Ch. 11)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	H	-	-	-77.87	4.19	33.32	53.98	-20.66
4924.00	Peak	H	-	-	-66.21	4.19	44.98	73.98	-29.00
7386.00	Average	H	-	-	-78.69	8.52	36.83	53.98	-17.15
7386.00	Peak	H	-	-	-66.87	8.52	48.65	73.98	-25.33
12310.00	Average	H	-	-	-80.87	12.43	38.56	53.98	-15.42
12310.00	Peak	H	-	-	-69.01	12.43	50.42	73.98	-23.56

Table 7-57. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 164 of 226

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-219. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax OFDMA – RU242 – Ch. 1)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-77.87	4.22	33.35	53.98	-20.63
4824.00	Peak	H	-	-	-66.43	4.22	44.79	73.98	-29.19
12060.00	Average	H	-	-	-80.49	12.27	38.79	53.98	-15.19
12060.00	Peak	H	-	-	-68.56	12.13	50.57	73.98	-23.41

Table 7-58. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 165 of 226

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-220. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax OFDMA – RU242 – Ch. 6)

Worst Case Mode: 802.11ax OFDMA
Worst Case Transfer Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-78.04	4.32	33.29	53.98	-20.69
4874.00	Peak	H	-	-	-65.75	4.32	45.57	73.98	-28.41
7311.00	Average	H	-	-	-79.02	8.92	36.90	53.98	-17.08
7311.00	Peak	H	-	-	-67.19	8.75	48.56	73.98	-25.42
12185.00	Average	H	-	-	-80.83	12.46	38.64	53.98	-15.34
12185.00	Peak	H	-	-	-69.28	12.42	50.14	73.98	-23.84

Table 7-59. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 166 of 226



Plot 7-221. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11ax OFDMA – RU242 – Ch. 11)

Worst Case Mode:	802.11ax OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	H	-	-	-77.87	4.31	33.44	53.98	-20.54
4924.00	Peak	H	-	-	-65.45	4.31	45.86	73.98	-28.12
7386.00	Average	H	-	-	-78.73	8.69	36.96	53.98	-17.02
7386.00	Peak	H	-	-	-67.15	8.69	48.54	73.98	-25.44
12310.00	Average	H	-	-	-80.70	12.48	38.77	53.98	-15.21
12310.00	Peak	H	-	-	-69.48	12.48	50.00	73.98	-23.98

Table 7-60. Radiated Measurements CDD Diversity (RU242)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 167 of 226

CDD Diversity Radiated Spurious Emission Measurements (Above 18GHz)

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



Plot 7-222. Radiated Spurious Emissions above 18GHz CDD Diversity (802.11ax OFDMA – RU26 – Ch. 6)



Plot 7-223. Radiated Spurious Emissions above 18GHz CDD Diversity (802.11ax OFDMA – RU242 – Ch. 6)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 168 of 226

V 10.6 09/14/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7.6 Antenna WF8 Radiated Restricted Band Edge Measurements

§15.205 §15.209; RSS-Gen [8.9]


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-224 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU26)

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-225 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU26)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 169 of 226

V 10.6 09/14/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-226 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2




Plot 7-227 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 170 of 226


V 10.6 09/14/2023

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-228 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-229 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 171 of 226

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-230 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-231 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 172 of 226

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-232 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-233 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 173 of 226

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-234 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-235 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 174 of 226

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-236 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-237 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 175 of 226

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-238 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 176 of 226


V 10.6 09/14/2023

7.7.7 Antenna WF7 Radiated Restricted Band Edge Measurements

§15.205 §15.209; RSS-Gen [8.9]


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-239 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU26)

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12




Plot 7-240 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 177 of 226

V 10.6 09/14/2023


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-241 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2




Plot 7-242 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 178 of 226


V 10.6 09/14/2023

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-243 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4




Plot 7-244 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 179 of 226


V 10.6 09/14/2023

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-245 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-246 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 180 of 226

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-247 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-248 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 181 of 226

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-249 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-250 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 182 of 226

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10




Plot 7-251 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-252 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 183 of 226


V 10.6 09/14/2023

7.7.8 Antenna WF9 Radiated Restricted Band Edge Measurements

§15.205 §15.209; RSS-Gen [8.9]


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-254 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU26)

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12




Plot 7-255 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU26)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 185 of 226

V 10.6 09/14/2023


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-256 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-257 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)

FCC ID: BCGA2925 IC: 579C-A2925		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270069-04.BCG	Test Dates: 1/8/2024 - 3/15/2024	EUT Type: Tablet Device	Page 186 of 226

V 10.6 09/14/2023