



A2926, A3007

Display Panel - Back and Multi-Touch Display Panel Removed




A2926, A3007

Antenna Structures - Front



A2926, A3007

Antenna Structures - Back




A2926, A3007

Speakers - Front

Top Left Speaker



Top Right Speaker



Bottom Left Speaker



Bottom Right Speaker



A2926, A3007

Speakers - Back

Top Left Speaker



Top Right Speaker



Bottom Left Speaker




Bottom Right Speaker



A2926, A3007

Battery




A2926, A3007

Battery Markings

Rechargeable Li-Ion Battery Model 0099S

⚠ WARNING / Avertissement Trained Technician Serviceable Only.
Potential for fire or burning. Do not disassemble, crush, heat, puncture,
or burn.

3.819V = 38.99Wh 10209mAh 020-0816C Assembled in China
锂离子电池组 / 二次锂电池组 型号 / 型号: 0099S 标称电压和额定容量 /
标称电压和额定容量: 3.819V=10209mAh 额定容量: 38.99Wh 警告: 请勿拆解、
刺破、挤压、加热或投入火中, 严重鼓胀或浸水后禁止使用 / 警告: 请勿拆解、刺破、挤压、
加热或投入火中 生产厂: 欣旺达电子股份有限公司第二分公司 / 制造商: 欣旺达电
子股份有限公司 充电限制电压 4.47V = 1(ICP3/68/176+ICP3/68/175)-2
中国制造 美国苹果公司监制 制造商: 欣旺达电子股份有限公司 080-333-4000 警告: 3.819V =
10209mAh 中国制造; 欣旺达电子股份有限公司; Sanwoda Electronic Co., Ltd. apple.com
One Apple Park Way, Cupertino, CA 95014 USA Apple Distribution
International Ltd. Hollyhill Industrial Estate, Cork, Ireland




METRIC
CONVERSIONS
1in = 25.4mm
1in = 2.54cm
1ft = 30.48cm
1mm = .039in
1cm = .393in
1mtr = 39.37in

2MM
GRADUATIONS

COMMON
RAFTER
REFERENC


A2926, A3007

Camera Modules - Front




A2926, A3007

Camera Modules - Back




A2926, A3007

USB-C - Front





A2926, A3007

USB-C - Back





A2926, A3007

MLB with Shield - Front



A2926, A3007

MLB - Back



A2926, A3007

MLB with Shield Removed - Front

