



Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 6025MHz  
Channel: 15



**Plot 7-1333. Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 6985MHz  
Channel: 207




**Plot 7-1334. Antenna 4a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 451 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207



**Plot 7-1335. Antenna 4a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207



**Plot 7-1336. Antenna 4a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**


|                                            |                                                                                                                                  |                            |                                   |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  <b>MEASUREMENT REPORT</b><br>(CERTIFICATION) |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                                                                           | EUT Type:<br>Tablet Device | Page 452 of 511                   |

V 10.50.40 12/15/2021

## 7.7.14 Antenna 2a Radiated Band Edge Measurements (20MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11a  |
| Worst Case Transfer Rate: | 12Mbps   |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 5955MHz  |
| Channel:                  | 1        |



Plot 7-1337. Antenna 2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11a  |
| Worst Case Transfer Rate: | 24Mbps   |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 5955MHz  |
| Channel:                  | 1        |




Plot 7-1338. Antenna 2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 453 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 54Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 5955MHz  
Channel: 1



**Plot 7-1339. Antenna 2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 12Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229




**Plot 7-1340. Antenna 2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 454 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 24Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229



**Plot 7-1341. Antenna 2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 54Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229




**Plot 7-1342. Antenna 2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 455 of 511                   |

V 10.50.40 12/15/2021

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11a  |
| Worst Case Transfer Rate: | 12Mbps   |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 7115MHz  |
| Channel:                  | 233      |




**Plot 7-1343. Antenna 2a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1344. Antenna 2a Radiated Upper Band Edge (Average – UNII Band 8)**

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11a  |
| Worst Case Transfer Rate: | 24Mbps   |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 7115MHz  |
| Channel:                  | 233      |



**Plot 7-1345. Antenna 2a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1346. Antenna 2a Radiated Upper Band Edge (Average – UNII Band 8)**


|                                            |                                                                                                                               |                            |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  <b>MEASUREMENT REPORT (CERTIFICATION)</b> |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                                                                        | EUT Type:<br>Tablet Device | Page 456 of 511                   |

V 10.50.40 12/15/2021

Worst Case Mode: 802.11a  
Worst Case Transfer Rate: 54Mbps  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233



**Plot 7-1347. Antenna 2a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1348. Antenna 2a Radiated Upper Band Edge (Average – UNII Band 8)**

|                                            |                                                                                                                               |                            |                                          |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  <b>MEASUREMENT REPORT (CERTIFICATION)</b> |                            | <b>Approved by:</b><br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                                                                        | EUT Type:<br>Tablet Device | Page 457 of 511                          |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 5955MHz  
Channel: 1



**Plot 7-1349. Antenna 2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 5955MHz  
Channel: 1




**Plot 7-1350. Antenna 2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 458 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 5955MHz  
Channel: 1



**Plot 7-1351. Antenna 2a Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229




**Plot 7-1352. Antenna 2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 459 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229



**Plot 7-1353. Antenna 2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229




**Plot 7-1354. Antenna 2a Radiated Upper Band Edge (Peak/Average – UNII Band 8)**


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 460 of 511                   |

V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233




**Plot 7-1355. Antenna 2a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1356. Antenna 2a Radiated Upper Band Edge (Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233



**Plot 7-1357. Antenna 2a Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1358. Antenna 2a Radiated Upper Band Edge (Average – UNII Band 8)**


|                                            |                                                                                                                               |                            |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  <b>MEASUREMENT REPORT (CERTIFICATION)</b> |                            | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                                                                        | EUT Type:<br>Tablet Device | Page 461 of 511                   |

V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233



**Plot 7-1359. Antenna 2a Radiated Upper Band Edge (Peak – UNII Band 8)**



**Plot 7-1360. Antenna 2a Radiated Upper Band Edge (Average – UNII Band 8)**


|                                            |                                                                                                                               |                            |                                          |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  <b>MEASUREMENT REPORT (CERTIFICATION)</b> |                            | <b>Approved by:</b><br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                                                                        | EUT Type:<br>Tablet Device | Page 462 of 511                          |

V 10.50.40 12/15/2021

## 7.7.15 Antenna 2a Radiated Band Edge Measurements (40MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11ax |
| Worst Case Transfer Rate: | MCS0     |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 5965MHz  |
| Channel:                  | 3        |



Plot 7-1361. Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11ax |
| Worst Case Transfer Rate: | MCS4     |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 5965MHz  |
| Channel:                  | 3        |




Plot 7-1362. Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 463 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 5965MHz  
Channel: 3



**Plot 7-1363. Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 7085MHz  
Channel: 227




**Plot 7-1364. Antenna 2a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 464 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 7085MHz  
Channel: 227



**Plot 7-1365. Antenna 2a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 7085MHz  
Channel: 227



**Plot 7-1366. Antenna 2a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 465 of 511                   |

V 10.50.40 12/15/2021

## 7.7.16 Antenna 2a Radiated Band Edge Measurements (80MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11ax |
| Worst Case Transfer Rate: | MCS0     |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 5985MHz  |
| Channel:                  | 7        |



Plot 7-1367. Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11ax |
| Worst Case Transfer Rate: | MCS4     |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 5985MHz  |
| Channel:                  | 7        |




Plot 7-1368. Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 466 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 5985MHz  
Channel: 7



**Plot 7-1369. Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 7025MHz  
Channel: 215




**Plot 7-1370. Antenna 2a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 467 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 7025MHz  
Channel: 215



**Plot 7-1371. Antenna 2a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 7025MHz  
Channel: 215



**Plot 7-1372. Antenna 2a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 468 of 511                   |

V 10.50.40 12/15/2021

## 7.7.17 Antenna 2a Radiated Band Edge Measurements (160MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11ax |
| Worst Case Transfer Rate: | MCS0     |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 6025MHz  |
| Channel:                  | 15       |



Plot 7-1373. Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11ax |
| Worst Case Transfer Rate: | MCS4     |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 6025MHz  |
| Channel:                  | 15       |




Plot 7-1374. Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 469 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 6025MHz  
Channel: 15



**Plot 7-1375. Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 6985MHz  
Channel: 207




**Plot 7-1376. Antenna 2a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 470 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS4  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207



**Plot 7-1377. Antenna 2a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
 Worst Case Transfer Rate: MCS11  
 Distance of Measurements: 3 Meters  
 Operating Frequency: 6985MHz  
 Channel: 207



**Plot 7-1378. Antenna 2a Radiated Upper Band Edge (Peak & Average – UNII Band 8)**


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 471 of 511                   |

V 10.50.40 12/15/2021

## 7.7.18 SDM Primary Radiated Band Edge Measurements (20MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11ax |
| Worst Case Transfer Rate: | MCS0     |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 5955MHz  |
| Channel:                  | 1        |



Plot 7-1379. SDM Primary Radiated Lower Band Edge (Peak/Average – UNII Band 5)

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11ax |
| Worst Case Transfer Rate: | MCS4     |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 5955MHz  |
| Channel:                  | 1        |




Plot 7-1380. SDM Primary Radiated Lower Band Edge (Peak/Average – UNII Band 5)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 472 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 5955MHz  
Channel: 1



**Plot 7-1381. SDM Primary Radiated Lower Band Edge (Peak/Average – UNII Band 5)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229




**Plot 7-1382. SDM Primary Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 473 of 511                   |


V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229



**Plot 7-1383. SDM Primary Radiated Upper Band Edge (Peak/Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 7095MHz  
Channel: 229




**Plot 7-1384. SDM Primary Radiated Upper Band Edge (Peak/Average – UNII Band 8)**


|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 474 of 511                   |

V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS0  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233




**Plot 7-1385. SDM Primary Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1386. SDM Primary Radiated Upper Band Edge (Average – UNII Band 8)**

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS4  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233



**Plot 7-1387. SDM Primary Radiated Upper Band Edge (Peak – UNII Band 8)**




**Plot 7-1388. SDM Primary Radiated Upper Band Edge (Average – UNII Band 8)**


|                                                   |                                                                                                                                   |                                   |                                          |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926                |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                   | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2311270070-24-R1.BCG | <b>Test Dates:</b><br>11/30/2023 - 04/05/2024                                                                                     | <b>EUT Type:</b><br>Tablet Device | Page 475 of 511                          |

V 10.50.40 12/15/2021

Worst Case Mode: 802.11ax  
Worst Case Transfer Rate: MCS11  
Distance of Measurements: 3 Meters  
Operating Frequency: 7115MHz  
Channel: 233



**Plot 7-1389. SDM Primary Radiated Upper Band Edge (Peak – UNII Band 8)**



**Plot 7-1390. SDM Primary Radiated Upper Band Edge (Average – UNII Band 8)**


|                                            |                                                                                                                                   |                            |                                          |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                            | <b>Approved by:</b><br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                                                                            | EUT Type:<br>Tablet Device | Page 476 of 511                          |

V 10.50.40 12/15/2021

## 7.7.19 SDM Primary Radiated Band Edge Measurements (40MHz BW)


§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11ax |
| Worst Case Transfer Rate: | MCS0     |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 5965MHz  |
| Channel:                  | 3        |



**Plot 7-1391. SDM Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

|                           |          |
|---------------------------|----------|
| Worst Case Mode:          | 802.11ax |
| Worst Case Transfer Rate: | MCS4     |
| Distance of Measurements: | 3 Meters |
| Operating Frequency:      | 5965MHz  |
| Channel:                  | 3        |



**Plot 7-1392. SDM Primary Radiated Lower Band Edge (Peak & Average – UNII Band 5)**

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA2926<br>IC: 579C-A2926         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2311270070-24-R1.BCG | Test Dates:<br>11/30/2023 - 04/05/2024                                              | EUT Type:<br>Tablet Device            | Page 477 of 511                   |

V 10.50.40 12/15/2021