







Plot 7-605. LPI Power Spectral Density Plot Antenna 2a (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)



Plot 7-607. LPI Power Spectral Density Plot Antenna 2a (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)



Plot 7-606. LPI Power Spectral Density Plot Antenna 2a (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)



Plot 7-608. LPI Power Spectral Density Plot Antenna 2a (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 200 of 600

7.4.9 SDM Primary LPI Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Antenna WFSB Power Density [dBm/MHz]	Antenna 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-9.49	-8.89	-6.17	1.66	-4.50	-1	-3.50
	5955	1	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.78	-10.88	-7.28	1.66	-5.62	-1	-4.62
	5955	1	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.72	-9.35	-6.01	1.66	-4.35	-1	-3.35
	6175	45	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.41	-8.56	-5.47	1.66	-3.81	-1	-2.81
	6175	45	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.49	-9.63	-6.55	1.66	-4.88	-1	-3.88
	6175	45	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.58	-8.94	-5.74	1.66	-4.08	-1	-3.08
	6415	93	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-7.58	-8.01	-4.78	1.66	-3.12	-1	-2.12
	6415	93	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-8.68	-8.75	-5.71	1.66	-4.04	-1	-3.04
	6415	93	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.33	-7.86	-5.07	1.66	-3.41	-1	-2.41
	5965	3	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.68	-8.63	-5.12	1.66	-3.45	-1	-2.45
	5965	3	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.67	-8.37	-4.99	1.66	-3.33	-1	-2.33
	5965	3	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-7.27	-8.58	-4.87	1.66	-3.20	-1	-2.20
	6165	43	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-8.41	-8.96	-5.66	1.66	-4.00	-1	-3.00
	6165	43	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.36	-9.04	-5.68	1.66	-4.01	-1	-3.01
	6165	43	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.51	-8.95	-5.71	1.66	-4.05	-1	-3.05
	6165	91	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.73	-7.68	-4.69	1.66	-3.03	-1	-2.03
	6165	91	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.40	-8.07	-4.71	1.66	-3.05	-1	-2.05
	6165	91	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-7.75	-7.63	-4.68	1.66	-3.01	-1	-2.01
	5985	7	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.46	-8.70	-5.56	1.66	-3.90	-1	-2.90
	5985	7	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-8.94	-10.04	-6.45	1.66	-4.78	-1	-3.78
	5985	7	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.08	-8.93	-5.47	1.66	-3.81	-1	-2.81
	6145	39	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.40	-8.92	-5.64	1.66	-3.98	-1	-2.98
	6145	39	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.18	-10.52	-6.79	1.66	-5.12	-1	-4.12
	6145	39	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.76	-8.73	-5.73	1.66	-4.07	-1	-3.07
	6385	87	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-8.41	-8.48	-5.43	1.66	-3.77	-1	-2.77
	6385	87	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-8.86	-9.51	-6.16	1.66	-4.50	-1	-3.50
	6385	87	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-7.50	-7.51	-4.50	1.66	-2.83	-1	-1.83
	6025	15	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-8.21	-9.64	-5.86	1.66	-4.19	-1	-3.19
	6025	15	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.61	-9.27	-5.92	1.66	-4.26	-1	-3.26
	6025	15	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-9.18	-9.71	-6.43	1.66	-4.76	-1	-3.76
	6185	47	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-8.39	-9.13	-5.73	1.66	-4.07	-1	-3.07
	6185	47	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.28	-9.27	-5.74	1.66	-4.08	-1	-3.08
	6185	47	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-8.92	-9.39	-6.14	1.66	-4.47	-1	-3.47
	6345	79	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-7.87	-9.14	-5.45	1.66	-3.78	-1	-2.78
	6345	79	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-8.22	-8.22	-5.21	1.66	-3.54	-1	-2.54
	6345	79	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-7.69	-8.52	-5.07	1.66	-3.41	-1	-2.41
Band 6	6345	97	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.42	-8.36	-5.38	1.66	-3.71	-1	-2.71
	6345	97	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.21	-9.55	-6.36	1.66	-4.70	-1	-3.70
	6345	97	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.38	-8.58	-5.95	1.66	-4.29	-1	-3.29
	6475	105	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.47	-8.11	-5.28	1.66	-3.61	-1	-2.61
	6475	105	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.24	-9.52	-6.37	1.66	-4.70	-1	-3.70
	6475	105	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-7.97	-8.79	-5.35	1.66	-3.69	-1	-2.69
	6515	113	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-8.64	-8.14	-5.37	1.66	-3.71	-1	-2.71
	6515	113	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-9.16	-8.91	-6.02	1.66	-4.36	-1	-3.36
	6515	113	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-8.87	-8.62	-5.73	1.66	-4.07	-1	-3.07
	6445	99	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.99	-8.12	-5.04	1.66	-3.38	-1	-2.38
	6445	99	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.54	-7.60	-4.56	1.66	-2.90	-1	-1.90
	6445	99	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.19	-7.26	-4.69	1.66	-3.02	-1	-2.02
	6485	107	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-7.95	-7.67	-4.80	1.66	-3.14	-1	-2.14
	6485	107	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-7.71	-7.84	-4.77	1.66	-3.10	-1	-2.10
	6485	107	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-8.23	-8.01	-5.11	1.66	-3.44	-1	-2.44
	6525	115	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.47	-9.01	-6.22	1.66	-4.56	-1	-3.56
	6525	115	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.55	-9.19	-6.36	1.66	-4.70	-1	-3.70
	6525	115	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-10.10	-9.67	-6.87	1.66	-5.20	-1	-4.20
	6465	103	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-7.73	-8.13	-4.92	1.66	-3.25	-1	-2.25
	6465	103	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-9.20	-9.80	-6.48	1.66	-4.82	-1	-3.82
	6465	103	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-8.22	-8.30	-5.25	1.66	-3.58	-1	-2.58
	6505	111	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-10.60	-9.62	-7.07	1.66	-5.41	-1	-4.41
	6505	111	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-9.58	-9.53	-6.54	1.66	-4.88	-1	-3.88
	6505	111	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-10.75	-10.78	-7.76	1.66	-6.09	-1	-5.09

Table 7-150. Bands 5, 6 LPI Power Spectral Density Measurements SDM Primary (RU26)

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 201 of 600

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Antenna WF5B Power Density [dBm/MHz]	Antenna 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 7	6535	117	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-10.27	-10.42	-7.33	3.43	-3.90	-1	-2.90
	6535	117	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-11.16	-11.09	-8.11	3.43	-4.68	-1	-3.68
	6535	117	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-10.10	-9.96	-7.02	3.43	-3.58	-1	-2.58
	6695	149	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-10.08	-10.22	-7.14	3.43	-3.71	-1	-2.71
	6695	149	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-11.18	-11.06	-8.11	3.43	-4.68	-1	-3.68
	6695	149	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.95	-10.14	-7.04	3.43	-3.60	-1	-2.60
	6875	185	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-10.22	-10.07	-7.13	3.43	-3.70	-1	-2.70
	6875	185	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-11.33	-10.59	-7.93	3.43	-4.50	-1	-3.50
	6875	185	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.83	-9.57	-6.68	3.43	-3.25	-1	-2.25
	6565	123	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.34	-10.06	-6.67	3.43	-3.24	-1	-2.24
	6565	123	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-10.09	-9.61	-6.83	3.43	-3.40	-1	-2.40
	6565	123	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.83	-10.46	-7.12	3.43	-3.69	-1	-2.69
	6725	155	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.44	-9.93	-6.67	3.43	-3.24	-1	-2.24
	6725	155	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.71	-9.57	-6.63	3.43	-3.20	-1	-2.20
	6725	155	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.46	-10.08	-6.75	3.43	-3.32	-1	-2.32
	6845	179	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.75	-9.46	-6.59	3.43	-3.16	-1	-2.16
	6845	179	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-10.34	-9.76	-7.03	3.43	-3.60	-1	-2.60
	6845	179	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.95	-9.60	-6.76	3.43	-3.33	-1	-2.33
	6545	119	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.41	-8.79	-6.08	3.43	-2.65	-1	-1.65
	6545	119	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.80	-10.11	-7.43	3.43	-4.00	-1	-3.00
	6545	119	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.98	-10.10	-7.03	3.43	-3.60	-1	-2.60
	6705	151	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-10.03	-10.88	-7.42	3.43	-3.99	-1	-2.99
	6705	151	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.50	-10.93	-7.70	3.43	-4.26	-1	-3.26
	6705	151	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.44	-9.43	-6.42	3.43	-2.99	-1	-1.99
	6865	183	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-10.82	-9.55	-7.13	3.43	-3.70	-1	-2.70
	6865	183	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-11.13	-10.66	-7.88	3.43	-4.44	-1	-3.44
	6865	183	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.66	-9.90	-6.77	3.43	-3.34	-1	-2.34
	6665	143	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-10.76	-11.08	-7.91	3.43	-4.47	-1	-3.47
	6665	143	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-9.74	-11.12	-7.37	3.43	-3.93	-1	-2.93
	6665	143	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-10.86	-10.53	-7.68	3.43	-4.25	-1	-3.25
	6825	175	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.90	-10.21	-7.04	3.43	-3.61	-1	-2.61
	6825	175	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-10.44	-10.23	-7.32	3.43	-3.89	-1	-2.89
	6825	175	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-10.20	-10.32	-7.25	3.43	-3.82	-1	-2.82
Band 8	6895	189	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-9.19	-10.02	-6.58	3.01	-3.56	-1	-2.56
	6895	189	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-10.67	-10.32	-7.48	3.01	-4.46	-1	-3.46
	6895	189	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.61	-9.55	-6.57	3.01	-3.55	-1	-2.55
	6995	209	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-9.76	-9.60	-6.67	3.01	-3.66	-1	-2.66
	6995	209	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-10.78	-11.27	-8.01	3.01	-4.99	-1	-3.99
	6995	209	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.88	-10.18	-7.02	3.01	-4.00	-1	-3.00
	7115	233	ax (20MHz)	26	0	SDM	25/29.4 (MCS11)	-9.32	-10.08	-6.67	3.01	-3.66	-1	-2.66
	7115	233	ax (20MHz)	26	4	SDM	25/29.4 (MCS11)	-10.53	-11.00	-7.75	3.01	-4.73	-1	-3.73
	7115	233	ax (20MHz)	26	8	SDM	25/29.4 (MCS11)	-9.68	-10.09	-6.87	3.01	-3.86	-1	-2.86
	6885	187	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-10.14	-9.82	-6.97	3.01	-3.95	-1	-2.95
	6885	187	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-9.55	-9.01	-6.26	3.01	-3.24	-1	-2.24
	6885	187	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-9.55	-10.01	-6.76	3.01	-3.75	-1	-2.75
	7005	211	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.28	-9.73	-6.49	3.01	-3.47	-1	-2.47
	7005	211	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-10.25	-9.17	-6.67	3.01	-3.65	-1	-2.65
	7005	211	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-10.16	-10.83	-7.47	3.01	-4.46	-1	-3.46
	7085	227	ax (40MHz)	26	0	SDM	25/29.4 (MCS11)	-9.79	-9.90	-6.83	3.01	-3.82	-1	-2.82
	7085	227	ax (40MHz)	26	8	SDM	25/29.4 (MCS11)	-8.83	-10.06	-6.39	3.01	-3.37	-1	-2.37
	7085	227	ax (40MHz)	26	17	SDM	25/29.4 (MCS11)	-10.06	-10.10	-7.07	3.01	-4.05	-1	-3.05
	6945	199	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.29	-9.54	-6.40	3.01	-3.39	-1	-2.39
	6945	199	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.37	-11.08	-7.70	3.01	-4.68	-1	-3.68
	6945	199	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.52	-9.90	-6.70	3.01	-3.68	-1	-2.68
	7025	215	ax (80MHz)	26	0	SDM	25/29.4 (MCS11)	-9.02	-9.84	-6.40	3.01	-3.39	-1	-2.39
	7025	215	ax (80MHz)	26	18	SDM	25/29.4 (MCS11)	-10.87	-11.67	-8.24	3.01	-5.22	-1	-4.22
	7025	215	ax (80MHz)	26	36	SDM	25/29.4 (MCS11)	-9.59	-10.41	-6.97	3.01	-3.95	-1	-2.95
	6985	207	ax (160MHz)	26	0	SDM	25/29.4 (MCS11)	-9.33	-10.32	-6.78	3.01	-3.77	-1	-2.77
	6985	207	ax (160MHz)	26	18	SDM	25/29.4 (MCS11)	-10.12	-10.63	-7.36	3.01	-4.34	-1	-3.34
	6985	207	ax (160MHz)	26	36	SDM	25/29.4 (MCS11)	-9.68	-9.97	-6.81	3.01	-3.79	-1	-2.79


Table 7-151. Bands 7, 8 LPI Power Spectral Density Measurements SDM Primary (RU26)

FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 202 of 600


	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Mode	Data Rate [Mbps]	Antenna WF5B Power Density [dBm/MHz]	Antenna 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.56	-8.59	-5.03	1.66	-3.37	-1	-2.37
	6175	45	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.45	-8.26	-4.83	1.66	-3.16	-1	-2.16
	6415	93	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.13	-7.36	-4.23	1.66	-2.57	-1	-1.57
	5965	3	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-6.96	-8.09	-4.48	1.66	-2.81	-1	-1.81
	6165	43	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-7.30	-7.73	-4.50	1.66	-2.84	-1	-1.84
	6165	91	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-6.77	-7.08	-3.91	1.66	-2.25	-1	-1.25
	5985	7	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-6.65	-7.27	-3.94	1.66	-2.27	-1	-1.27
	6145	39	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-7.29	-7.72	-4.49	1.66	-2.83	-1	-1.83
	6385	87	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-6.34	-6.69	-3.50	1.66	-1.84	-1	-0.84
	6025	15	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-7.23	-6.96	-4.08	1.66	-2.42	-1	-1.42
	6185	47	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-6.84	-7.69	-4.23	1.66	-2.57	-1	-1.57
	6345	79	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-6.38	-7.01	-3.67	1.66	-2.01	-1	-1.01
Band 6	6345	97	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.67	-8.00	-4.82	1.66	-3.16	-1	-2.16
	6475	105	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.62	-8.08	-4.83	1.66	-3.17	-1	-2.17
	6515	113	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-7.34	-7.80	-4.55	1.66	-2.89	-1	-1.89
	6445	99	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-6.92	-7.10	-4.00	1.66	-2.33	-1	-1.33
	6485	107	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-6.96	-7.17	-4.05	1.66	-2.39	-1	-1.39
	6525	115	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.42	-8.75	-5.58	1.66	-3.91	-1	-2.91
	6465	103	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-6.84	-6.78	-3.80	1.66	-2.14	-1	-1.14
	6505	111	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-8.81	-8.95	-5.86	1.66	-4.20	-1	-3.20
	6535	117	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-9.68	-10.87	-7.22	3.43	-3.79	-1	-2.79
	6695	149	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-9.62	-9.04	-6.31	3.43	-2.87	-1	-1.87
	6875	185	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-9.54	-10.80	-7.12	3.43	-3.68	-1	-2.68
	6565	123	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.64	-8.97	-5.79	3.43	-2.36	-1	-1.36
Band 7	6725	155	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.57	-8.84	-5.69	3.43	-2.26	-1	-1.26
	6845	179	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.83	-9.14	-5.97	3.43	-2.54	-1	-1.54
	6545	119	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.44	-8.40	-5.41	3.43	-1.98	-1	-0.98
	6705	151	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.46	-8.47	-5.45	3.43	-2.02	-1	-1.02
	6865	183	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.38	-8.70	-5.52	3.43	-2.09	-1	-1.09
	6665	143	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-8.68	-8.79	-5.72	3.43	-2.29	-1	-1.29
	6825	175	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-8.12	-8.30	-5.20	3.43	-1.77	-1	-0.77
	6895	189	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-8.91	-8.81	-5.85	3.01	-2.83	-1	-1.83
	6995	209	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-9.25	-9.11	-6.17	3.01	-3.16	-1	-2.16
	7115	233	ax (20MHz)	242	61	SDM	243.8/286.8 (MCS11)	-9.04	-9.17	-6.09	3.01	-3.08	-1	-2.08
	6885	187	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.97	-8.74	-5.84	3.01	-2.83	-1	-1.83
	7005	211	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.54	-8.60	-5.56	3.01	-2.55	-1	-1.55
	7085	227	ax (40MHz)	484	65	SDM	487.5/573.5 (MCS11)	-8.99	-8.74	-5.86	3.01	-2.84	-1	-1.84
Band 8	6945	199	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.43	-7.93	-5.16	3.01	-2.15	-1	-1.15
	7025	215	ax (80MHz)	996	67	SDM	1020.8/1201 (MCS11)	-8.32	-8.11	-5.20	3.01	-2.19	-1	-1.19
	6985	207	ax (160MHz)	996x2	68	SDM	2041.6/2402 (MCS11)	-8.09	-8.21	-5.14	3.01	-2.13	-1	-1.13

Table 7-152. LPI Power Spectral Density Measurements SDM Primary (Fully-loaded RU)


FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 203 of 600




Plot 7-609. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-612. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-610. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)



Plot 7-613. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-611. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)




Plot 7-614. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 45)


FCC ID: BCGA2926 IC: 579C-A2926	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 204 of 600




Plot 7-615. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)




Plot 7-618. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-616. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)



Plot 7-619. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-617. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-620. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			
Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 205 of 600




Plot 7-621. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)




Plot 7-624. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 43)




Plot 7-622. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 43)



Plot 7-625. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-623. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 43)




Plot 7-626. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)


FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 206 of 600




Plot 7-627. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-630. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-628. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)



Plot 7-631. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 39)




Plot 7-629. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 39)




Plot 7-632. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 39)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			
	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 207 of 600




Plot 7-633. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)




Plot 7-636. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)




Plot 7-634. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)



Plot 7-637. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)




Plot 7-635. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)




Plot 7-638. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 47)


FCC ID: BCGA2926 IC: 579C-A2926	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	Page 208 of 600
	EUT Type: Tablet Device	




Plot 7-639. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU996x2 (UNII Band 5) – Ch. 47)




Plot 7-642. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 105)




Plot 7-640. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU996x2 (UNII Band 5) – Ch. 47)



Plot 7-643. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 105)




Plot 7-641. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 105)




Plot 7-644. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 105)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			
Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 209 of 600




Plot 7-645. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 105)




Plot 7-648. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU242 (UNII Band 6) – Ch. 105)




Plot 7-646. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 105)



Plot 7-649. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 107)




Plot 7-647. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU242 (UNII Band 6) – Ch. 105)




Plot 7-650. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 107)


FCC ID: BCGA2926 IC: 579C-A2926	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device	Page 210 of 600




Plot 7-651. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 107)




Plot 7-654. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 107)




Plot 7-652. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 107)



Plot 7-655. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU484 (UNII Band 6) – Ch. 107)




Plot 7-653. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 107)




Plot 7-656. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU484 (UNII Band 6) – Ch. 107)


FCC ID: BCGA2926 IC: 579C-A2926	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG	Test Dates: 1/3/2024 - 2/28/2024	Page 211 of 600
	EUT Type: Tablet Device	




Plot 7-657. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)




Plot 7-660. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)




Plot 7-658. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)



Plot 7-661. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)




Plot 7-659. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)




Plot 7-662. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			
Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 212 of 600




Plot 7-663. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (80MHz 802.11ax RU996 (UNII Band 6) – Ch. 103)




Plot 7-666. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)




Plot 7-664. LPI Power Spectral Density Plot SDM Primary Antenna 4a (80MHz 802.11ax RU996 (UNII Band 6) – Ch. 103)



Plot 7-667. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)




Plot 7-665. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)




Plot 7-668. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			
Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 213 of 600




Plot 7-669. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)




Plot 7-672. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU996x2 (UNII Band 6) – Ch. 111)




Plot 7-670. LPI Power Spectral Density Plot SDM Primary Antenna 4a (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)



Plot 7-673. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)




Plot 7-671. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (160MHz 802.11ax RU996x2 (UNII Band 6) – Ch. 111)




Plot 7-674. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			
Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 214 of 600




Plot 7-675. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)




Plot 7-678. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)




Plot 7-676. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)



Plot 7-679. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU242 (UNII Band 7) – Ch. 149)




Plot 7-677. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)




Plot 7-680. LPI Power Spectral Density Plot SDM Primary Antenna 4a (20MHz 802.11ax RU242 (UNII Band 7) – Ch. 149)


FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			
Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 215 of 600




Plot 7-681. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)




Plot 7-684. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)




Plot 7-682. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)



Plot 7-685. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)



Plot 7-683. LPI Power Spectral Density Plot SDM Primary Antenna WF5B (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)



Plot 7-686. LPI Power Spectral Density Plot SDM Primary Antenna 4a (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)

FCC ID: BCGA2926 IC: 579C-A2926		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2311270070-25.BCG			
Test Dates: 1/3/2024 - 2/28/2024	EUT Type: Tablet Device		Page 216 of 600