TEST SETUP PHOTOS

Report Number: 14499781

1. SCOPE

The purpose of this document is to show test setup diagrams and photos for the following reports

Reports
14499781-E1 FCC_IC WPT Report
14499781-E2 FCC RF WPT Exposure Report
14499781-E3 IC WPT RF Exposure Report

2. Model: A2929

2.1. WPT TECHNOLOGY

2.1.1. AC LINE CONDUCTED SETUP

STANDBY MODE

	
AC LINE CONDUCTED (FRONT)	**AC LINE CONDUCTED (BACK)**

OPERATING MODE

AC LINE CONDUCTED (FRONT)	**AC LINE CONDUCTED (BACK)**

2.1.2. FERRITE PLACEMENT SPOTCHECKS









2.1.3. WPT RADIATED RF MEASUREMENT SETUP

STANDBY MODE



BELOW 30 MHz (FRONT)

BELOW 30 MHz (BACK)



BELOW 1GHz (FRONT)



BELOW 1GHz (BACK)

OPERATING MODE



BELOW 30 MHz (FRONT)



BELOW 30 MHz (BACK)



BELOW 1GHz (FRONT)



BELOW 1GHz (BACK)

3. RF EXPOSURE SETUP PHOTO

1. FCC setting: Top=20cm, S1/S2/S3/S4=15cm from the EUT)
2 IC Setting: Top=10cm, S1/S2/S3/S4=10cm from the EUT
3 IC NS Setting: Top=0cm, S1/S2/S3/S4=0cm from the EUT

3.1. A2929

3.1.1. FCC Standby Mode



S1

S2



S3



S4



Top

Bottom

3.1.2. FCC Operating Mode



S1

S2



S3



S4



Top



Bottom

3.1.3. IC Standby Mode

S1



S2



S3



S4



Top

Bottom

3.1.4. IC Standby Mode NS



S1

S2



S3



S4



Top



Bottom

3.1.5. IC Operating Mode



S1



S2

S3



S4



Top



Bottom

3.1.6. IC Operating Mode, NS



S1



S2



S3



S4



Top



Bottom

Probe side X

Probe side Y

Probe side Z

Model	Probe (EHP200)
X/Y/Z	8.5 cm

END OF REPORT