

APPENDIX F: 802.11AX RU SAR EXCLUSION

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 1 of 21

F.1 IEEE 802.11ax RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 106T, 242T, 484T, 996T and 996Tx2.

Per FCC Guidance, 802.11ax was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

F.2 IEEE 802.11ax RU Target Powers

F.2.1 Maximum 802.11ax RU WLAN Output Power

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna W78															
		SUHD								SUHD							
		Tones								Tones							
2.4 GHz W78 20 MHz bandwidth	1	26T Maximum	24T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	26T Maximum	24T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal
	2	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	3	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	4	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	5	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	6	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	7	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	8	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	9	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	10	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	11	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	12	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	13	13.75	12.25	16.75	15.25	16.75	15.25	16.75	15.25	13.75	12.25	16.75	15.25	16.75	15.25	16.75	15.25
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna W77															
		SUHD								SUHD							
		Tones								Tones							
2.4 GHz W77 20 MHz bandwidth	1	26T Maximum	24T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	26T Maximum	24T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal
	2	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	3	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	4	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	5	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	6	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	7	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	8	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	9	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	10	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	11	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	12	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50	14.00	12.50	17.00	15.50	17.00	15.50	17.00	15.50
	13	13.75	12.25	16.75	15.25	16.75	15.25	16.75	15.25	13.75	12.25	16.75	15.25	16.75	15.25	16.75	15.25
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 2 of 21

Mode		IEEE 802.11 (Maximum in dBm) - Antenna WPST															
		Channel	SSID														
			2617 Maximum	2617 Nominal	5217 Maximum	5217 Nominal	10617 Maximum	10617 Nominal	24217 Maximum	24217 Nominal	48417 Maximum	48417 Nominal	99617 Maximum	99617 Nominal	99617.2 Maximum	99617.2 Nominal	
5 GHz WiFi 20 MHz Bandwidth		36	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		48	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		52	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		56	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		60	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		64	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		68	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		72	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		76	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		80	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		84	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		88	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		92	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		96	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		100	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		104	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
5 GHz WiFi 40 MHz Bandwidth		108	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		112	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		116	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		120	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		124	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		128	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		132	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		136	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		140	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		144	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		148	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		152	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		156	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		160	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		164	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		168	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
5 GHz WiFi 80 MHz Bandwidth		172	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		176	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		180	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		184	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		188	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		192	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		196	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		200	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		204	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		208	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		212	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		216	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		220	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		224	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		228	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		232	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
5 GHz WiFi 160 MHz Bandwidth		236	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		240	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		244	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		
		248	17.00	18.50	15.00	15.00	15.75	14.25	14.25	15.75	14.25	14.25	15.75	14.25	14.25		

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WP71														
		MIMO CDD														
		Tones														
	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal		484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
5 GHz WiFi 20 MHz Bandwidth	36	9.00	7.50	11.00	10.50	15.00	13.50	18.75	17.25	23.25	21.75	27.25	25.75	31.25	29.75	
	40	9.00	7.50	11.00	10.50	15.00	13.50	18.75	17.25	23.25	21.75	27.25	25.75	31.25	29.75	
	44	9.00	7.50	11.00	10.50	15.00	13.50	18.75	17.25	23.25	21.75	27.25	25.75	31.25	29.75	
	48	9.00	7.50	11.00	10.50	15.00	13.50	18.75	17.25	23.25	21.75	27.25	25.75	31.25	29.75	
	52	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	56	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	60	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	64	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	100	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	104	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	108	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	112	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	116	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	120	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	124	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	128	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	132	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	136	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	140	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	144	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	31.25	
	148	12.00	10.50	15.00	13.50	19.25	17.75	23.25	21.75	27.25	25.75	31.25	29.75	35.25	33.75	
	152	12.00	10.50	15.00	13.50	19.25	17.75	23.25	21.75	27.25	25.75	31.25	29.75	35.25	33.75	
	156	12.00	10.50	15.00	13.50	19.25	17.75	23.25	21.75	27.25	25.75	31.25	29.75	35.25	33.75	
	160	12.00	10.50	15.00	13.50	19.25	17.75	23.25	21.75	27.25	25.75	31.25	29.75	35.25	33.75	
5 GHz WiFi 40 MHz Bandwidth	36	9.00	7.50	11.00	10.50	15.00	13.50	18.75	17.25	23.25	21.75	27.25	25.75			
	40	9.00	7.50	11.00	10.50	15.00	13.50	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00	
	44	9.00	7.50	11.00	10.50	15.00	13.50	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00	
	48	9.00	7.50	11.00	10.50	15.00	13.50	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00	
	52	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00
	56	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00
	60	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00
	64	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00
	100	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00
	104	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00
	108	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00
	112	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	25.75	14.50	13.00
5 GHz WiFi 80 MHz Bandwidth	36	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	40	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	44	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	48	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	52	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	56	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	60	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	64	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	100	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	104	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	108	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	112	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
5 GHz WiFi 160 MHz Bandwidth	36	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	
	40	NS	NS	NS	11.50	10.00	14.50	13.00	18.75	17.25	23.25	21.75	27.25	11.00	11.00	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above. 802.11a supports up to 20MHz. 802.11n supports up to 40MHz. 802.11ac/ax supports up to 160MHz.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WFS1													
		MIMO 10M										Tones			
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal
5 GHz WFS1 20 MHz Bandwidth	36	9.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25						
	40	9.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25						
	44	9.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25						
	48	9.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25						
	52	NS	NS	NS	12.00	10.50	13.50	15.75	14.25						
	56	NS	NS	NS	12.00	10.50	13.50	15.75	14.25						
	60	NS	NS	NS	12.00	10.50	13.50	15.75	14.25						
	64	NS	NS	NS	12.00	10.50	13.50	15.75	14.25						
	100	NS	NS	NS	12.00	10.50	13.50	15.00	13.50						
	104	NS	NS	NS	12.00	10.50	13.50	15.00	13.50						
	108	NS	NS	NS	12.00	10.50	13.50	15.00	13.50						
	112	NS	NS	NS	12.00	10.50	13.50	15.00	13.50						
	116	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50					
	120	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50					
	124	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50					
	128	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50					
	132	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50					
	136	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50					
	140	NS	NS	12.00	10.50	14.25	13.25	14.75	13.25						
	144	NS	NS	12.00	10.50	14.00	13.50	13.50	15.00	13.50					
	148	12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
	152	12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
	156	12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
	160	12.00	10.50	15.00	13.50	15.25	13.75	15.25	13.75						
5 GHz WFS1 40 MHz Bandwidth	36	9.00	7.50	12.00	10.50	14.50	13.00	14.50	13.00	14.50	13.00				
	40	9.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25	15.75	14.25				
	44	NS	NS	NS	12.00	10.50	13.50	15.75	14.25	15.75	14.25				
	48	NS	NS	NS	12.00	10.50	13.00	14.50	13.00	14.50	13.00				
	52	NS	NS	NS	12.00	10.50	14.00	12.50	14.00	12.50	14.00	12.50			
	56	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	60	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	64	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	108	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	112	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	116	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	120	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
5 GHz WFS1 80 MHz Bandwidth	36	9.00	7.50	12.00	10.50	14.75	13.25	14.75	13.25	14.75	13.25				
	40	9.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25	15.75	14.25				
	44	NS	NS	NS	12.00	10.50	13.50	15.75	14.25	15.75	14.25				
	48	NS	NS	NS	12.00	10.50	13.00	14.75	13.00	14.75	13.00				
	52	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	56	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	60	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	108	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	112	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	116	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	120	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
	124	NS	NS	NS	12.00	10.50	13.50	13.50	15.00	13.50	15.00	13.50			
5 GHz WFS1 160 MHz Bandwidth	36	9.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25	15.75	14.25				
	40	9.00	7.50	12.00	10.50	15.00	13.50	15.75	14.25	15.75	14.25				

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above. 802.11a supports up to 20MHz. 802.11n supports up to 40MHz. 802.11ac/ax supports up to 160MHz.

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by:
		Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 3 of 21

Mode	Channel	REF 602.11 (Maximum in dBm) - Antenna W12													
		SSO													
		Range													
	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
5 GHz WFI 20 MHz Bandwidth	36	12.00	18.50	15.00	13.50	16.50	15.00	18.50	16.50	15.00					
	40	12.00	18.50	15.00	13.50	16.50	15.00	18.50	16.50	15.00					
	44	12.00	18.50	15.00	13.50	16.50	15.00	18.50	16.50	15.00					
	48	12.00	18.50	15.00	13.50	16.50	15.00	18.50	16.50	15.00					
	52	NS	NS	NS	NS	13.50	13.50	18.50	16.50	15.00					
	56	NS	NS	NS	NS	13.50	13.50	18.50	16.50	15.00					
	60	NS	NS	NS	NS	13.50	13.50	18.50	16.50	15.00					
	64	NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
	100	NS	NS	NS	NS	15.00	13.50	15.00	13.50	15.00					
	104	NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
	108	NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
	112	NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
	116	NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
	120	NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
	124	NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
	5 GHz WFI 40 MHz Bandwidth	128	NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00				
132		NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
136		NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
140		NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
144		NS	NS	NS	NS	15.00	13.50	17.00	15.50	17.00					
148		12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
152		12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
156		12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
160		12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
164		12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
168		12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
172		12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
176		12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
180		12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
184		12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
5 GHz WFI 80 MHz Bandwidth		188	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25				
	192	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	196	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	200	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	204	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	208	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	212	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	216	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	220	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	224	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	228	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	232	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	236	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	240	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	244	12.00	18.50	15.00	13.50	17.25	15.75	17.25	15.75	17.25					
	5 GHz WFI 160 MHz Bandwidth	248	NS	NS	12.00	18.50	15.00	13.50	17.00	15.50	17.00	11.00	10.00	11.00	10.00
252		NS	NS	12.00	18.50	15.00	13.50	17.00	15.50	17.00	11.00	10.00	11.00	10.00	
256		NS	NS	12.00	18.50	15.00	13.50	17.00	15.50	17.00	11.00	10.00	11.00	10.00	
260		NS	NS	12.00	18.50	15.00	13.50	17.00	15.50	17.00	11.00	10.00	11.00	10.00	

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WFI2														
		MIMO CDD														
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	986T Maximum	986T Nominal	996T*2 Maximum	996T*2 Nominal	
5 GHz WFI 20 MHz Bandwidth	36	8.00	7.50	12.00	10.50	15.00	13.50	16.00	14.50							
	40	9.00	7.50	12.00	10.50	15.00	13.50	17.00	15.50							
	44	9.00	7.50	12.00	10.50	15.00	13.50	17.00	15.50							
	48	10.00	7.50	12.00	10.50	15.00	13.50	17.00	15.50							
	52	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	56	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	60	NS	NS	10.00	10.00	13.00	12.00	16.50	15.00							
	64	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	100	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	104	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	108	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	112	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	116	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	120	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	124	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	128	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	132	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	136	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	140	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00							
	5 GHz WFI 40 MHz Bandwidth	144	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00						
148		12.00	10.50	15.00	13.50	17.50	15.75	17.25	15.75							
152		12.00	10.50	15.00	13.50	17.50	15.75	17.25	15.75							
156		12.00	10.50	15.00	13.50	17.50	15.75	17.25	15.75							
160		12.00	10.50	15.00	13.50	17.50	15.75	17.25	15.75							
164		12.00	10.50	15.00	13.50	17.50	15.75	17.25	15.75							
168		12.00	10.50	15.00	13.50	17.50	15.75	17.25	15.75							
172		NS	7.50	12.00	10.50	14.50	13.00	16.50	15.00	14.50			11.00			
176		8.00	7.50	12.00	10.50	15.00	13.50	17.00	15.50	16.00			16.50			
180		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
184		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
188		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
192		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
196		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
200		NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
5 GHz WFI 80 MHz Bandwidth		204	NS	7.50	12.00	10.50	15.00	13.50	17.00	15.50	16.00			11.00		
		208	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50		
		212	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50		
		216	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50		
		220	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50		
	224	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
	228	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
	232	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
	236	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
	240	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
5 GHz WFI 160 MHz Bandwidth	244	NS	7.50	12.00	10.50	15.00	13.50	17.00	15.50	16.00			11.00			
	248	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
	252	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
	256	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			
	260	NS	NS	11.50	10.00	14.50	13.00	16.50	15.00	16.00			16.50			

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above. 802.11a supports up to 20MHz, 802.11n supports up to 40MHz, 802.11ac/ax supports up to 160MHz.

Mode	Channel	IEEE 802.11 (Maximum in dBm) Antenna WPA2												802.11a (Maximum in dBm) Antenna WPA2					
		2.4GHz												5GHz					
		2412 Maximum	2417 Nominal	2422 Maximum	2427 Nominal	2432 Maximum	2437 Nominal	2442 Maximum	2447 Nominal	2452 Maximum	2457 Nominal	2462 Maximum	2467 Nominal						
5 GHz WiFi 20 MHz Bandwidth	36	9.00	7.50	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	40	9.00	7.50	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	44	9.00	7.50	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	48	9.00	7.50	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	52	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	56	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	60	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	64	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	100	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	104	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	108	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	112	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	116	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	120	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	124	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	128	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	132	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	136	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	140	NS	NS	12.00	10.50	14.75	13.25	14.75	13.25										
	144	NS	NS	12.00	10.50	13.50	13.50	17.00	15.50										
5 GHz WiFi 40 MHz Bandwidth	148	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75										
	152	12.00	10.50	15.00	13.50	16.75	15.25	16.75	15.25										
	156	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75										
	160	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75										
	164	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75										
	168	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75										
	172	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75										
	176	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75										
	180	12.00	10.50	15.00	13.50	17.25	15.75	17.25	15.75										
	184	9.00	7.50	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
5 GHz WiFi 80 MHz Bandwidth	48	9.00	7.50	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	54	NS	NS	12.00	10.50	15.00	13.50	18.00	16.50	22.50	21.00	27.00	25.50						
	62	NS	NS	12.00	10.50	14.50	13.00	14.50	13.00										
	68	NS	NS	12.00	10.50	14.00	12.50	14.00	12.50										
	74	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00										
	80	NS	NS	12.00	10.50	13.00	11.50	13.00	11.50										
	86	NS	NS	12.00	10.50	13.00	11.50	13.00	11.50										
	92	NS	NS	12.00	10.50	13.00	11.50	13.00	11.50										
	98	NS	NS	12.00	10.50	13.00	11.50	13.00	11.50										
	104	NS	NS	12.00	10.50	13.00	11.50	13.00	11.50										
5 GHz WiFi 160 MHz Bandwidth	110	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	17.00	15.50	17.00	15.50						
	116	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	17.00	15.50	17.00	15.50						
	122	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	17.00	15.50	17.00	15.50						
	128	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	17.00	15.50	17.00	15.50						
	134	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	17.00	15.50	17.00	15.50						
	140	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	17.00	15.50	17.00	15.50						
	146	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	17.00	15.50	17.00	15.50						
	152	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	17.00	15.50	17.00	15.50						
	158	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	17.00	15.50	17.00	15.50						
	164	NS	NS	12.00	10.50	13.50	12.00	13.50	12.00	17.00	15.50	17.00	15.50						

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above. 802.11a supports up to 20MHz, 802.11n supports up to 40MHz, 802.11ac/ax supports up to 160MHz.

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 4 of 21

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna W5F7															
		3500 Tones															
		28T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T+2 Maximum	996T+2 Nominal		
6 GHz WIF1 (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS								
	1	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75								
	5	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75								
	9-29	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75								
	35-41	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75								
	46-48	10.00	8.50	10.75	10.75	12.25	10.75	12.25	10.75	12.25							
	89	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25							
	91	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25							
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	117-181	10.00	8.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75						
6 GHz WIF1 (40MHz BW) SP	3	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25							
	11	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25							
	19-27	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25							
	35-59	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25							
	67-81	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25							
	83	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25							
	81	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25							
	99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	123-179	10.00	8.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75						
6 GHz WIF1 (80MHz BW) SP	7	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25							
	19-219	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	23	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25							
	35-55	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25							
	71	10.00	8.50	10.75	10.75	12.25	10.75	12.25	10.75	12.25							
	87	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25							
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	135-167	10.00	8.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75						
6 GHz WIF1 (160MHz BW) SP	163	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	251	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	287	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	323	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	359	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	395	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	431	NS	NS	NS	NS	NS	NS	NS	NS	NS							
	467	NS	NS	NS	NS	NS	NS	NS	NS	NS							

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WFST													
		MIMO CDD													
		Tones													
		242T Maximum	242T Nominal	527T Maximum	527T Nominal	1067T Maximum	1067T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	956T Maximum	956T Nominal	956T*2 Maximum	956T*2 Nominal
6 GHz WFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	5	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	9-29	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	33-41	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75						
	45-85	7.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	89	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	93	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-145	8.75	7.25	11.25	9.75	11.25	9.75	12.25	11.25	9.75					
6 GHz WFI (20MHz BW) SP	149	NS	NS	NS	NS	NS	NS	NS	NS						
	153-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75				
	11	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75				
	15-27	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75				
	31-59	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75				
	63-75	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75				
	79	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75				
6 GHz WFI (20MHz BW) SP	83	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75				
	87	8.25	7.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75				
	91-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	8.75	7.25	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75				
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	187-215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	231	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75	11.25	11.75		
6 GHz WFI (20MHz BW) SP	235	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75	11.25	11.75		
	39-55	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75	11.25	11.75		
	59	7.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75		
	67	8.25	7.25	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75		
	71	8.25	7.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75		
	75	8.25	7.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75		
	79	8.25	7.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75		
	83	8.25	7.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75		
	87	8.25	7.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75		
	91-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WFI (20MHz BW) SP	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	115-167	8.75	7.25	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	169	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	173	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	177	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	181	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	193	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	197	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WFI (20MHz BW) SP	201	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75	11.25	11.75	11.25	11.75
	205	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75	11.25	11.75	11.25	11.75
	209	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75	11.25	11.75	11.25	11.75
	213	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75	11.25	11.75	11.25	11.75
	217	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75	11.25	11.75	11.25	11.75
	221	8.75	7.25	11.75	10.25	11.25	11.75	13.25	11.75	11.25	11.75	11.25	11.75	11.25	11.75

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) Antenna WP57														
		MIMO 10dBi														
		Tones														
		2dBi Maximum	2dBi Nominal	5dBi Maximum	5dBi Nominal	10dBi Maximum	10dBi Nominal	2dBi Maximum	2dBi Nominal	4dBi Maximum	4dBi Nominal	9dBi Maximum	9dBi Nominal	9dBi+2 Maximum	9dBi+2 Nominal	
6 GHz WFI (Down BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	1	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75							
	5	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75							
	6-29	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75							
	33-61	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75							
	63-85	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75							
	89	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75							
	89	NS	NS	NS	NS	NS	NS	NS	NS							
	92-113	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75							
	117-181	10.00	NS	11.25	9.75	11.25	9.75	11.25	9.75							
6 GHz WFI (Down BW) SP	183	NS	NS	NS	NS	NS	NS	NS	NS							
	189-225	NS	NS	NS	NS	NS	NS	NS	NS							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
	3	8.50	8.50	13.00	11.50	13.25	11.75	13.25	11.75	11.25	11.25					
	11	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25	11.75					
	18-27	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25	11.75					
	31-59	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25	11.75					
	67-75	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75					
	83	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75					
6 GHz WFI (Down BW) SP	91	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75					
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	123-179	10.00	8.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75					
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	23	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25	11.75	11.25	11.25			
	39-55	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25	11.75	13.25	13.25			
	67	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	13.25	13.25			
6 GHz WFI (Down BW) SP	87	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75			
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	118	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	133-167	10.00	NS	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	15	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25	11.75	13.25	13.25	11.75		
	47	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25	11.75	13.25	13.25	11.75		
	79	10.00	8.50	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	12.25	10.75	
6 GHz WFI (Down BW) SP	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	143	8.50	8.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	9.75	11.25	11.25		
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	261	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 5 of 21

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WFS1													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	5	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	9-23	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	33-43	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	65-85	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	89	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	91	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	97-113	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	117-181	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	185	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	189-225	-5.50	-5.50	-5.50	-5.50	-2.00	-2.00	0.50	0.50	6.00	6.00				
	229	-5.50	-5.50	-5.50	-5.50	-2.00	-2.00	0.50	0.50	6.00	6.00				
	233	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFI (40MHz BW) LP	3	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	11	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	19-27	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	35-59	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	67-75	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	81	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	91	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	99-107	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	119	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	123-179	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	183	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	185-219	-3.50	-5.00	-0.50	-2.00	-2.00	-2.00	0.50	0.50	4.00	4.00				
	227	-3.50	-5.00	-0.50	-2.00	-2.00	-2.00	0.50	0.50	4.00	4.00				
	7	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75		
6 GHz WFI (80MHz BW) LP	23	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	39-55	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	71	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	87	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	103-125	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	129	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	135-167	-3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75		
	183	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75				
	199	-3.50	-5.00	-0.50	-2.00	-2.00	-2.00	0.50	0.50	4.00	4.00				
	215	-3.50	-5.00	-0.50	-2.00	-2.00	-2.00	0.50	0.50	4.00	4.00				
	15	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75		
	47	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	79	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	111	-4.00	-5.50	-1.00	-2.50	-2.00	-2.00	0.50	0.50	1.50	1.50				
	143	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75		
6 GHz WFI (160MHz BW) LP	175	3.75	-5.25	-0.75	-2.25	-2.25	-2.25	-2.25	-2.25	8.25	6.75	11.25	9.75		
	207	-3.50	-5.00	-0.50	-2.00	-2.00	-2.00	0.50	0.50	4.00	4.00				

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WFS1													
		MIMO CDD													
		Powers													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	5	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	9-23	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	33-43	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	65-85	NS	NS	-5.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	-1.25				
	89	NS	NS	-5.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	-1.25				
	91	NS	NS	-5.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	-1.25				
	97-113	NS	NS	-4.00	-7.00	-3.00	-3.00	-4.50	-7.50	-1.50	-1.50				
	117-181	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	185	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	189-225	-5.50	-5.50	-5.50	-5.50	-2.00	-2.00	0.50	0.50	6.00	6.00				
	229	-5.25	-5.75	-5.25	-5.75	-2.25	-2.25	-1.75	-1.75	-0.75	-0.75				
	233	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFI (40MHz BW) LP	3	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	11	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	19-27	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	35-59	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	67-75	NS	NS	-3.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	-1.25				
	81	NS	NS	-4.75	-7.25	-3.75	-3.75	-4.25	-7.75	-1.25	-1.25				
	91	NS	NS	-4.75	-7.25	-3.75	-3.75	-4.25	-7.75	-1.25	-1.25				
	99-107	NS	NS	-4.00	-7.00	-3.00	-3.00	-4.00	-7.00	-1.00	-1.00				
	119	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	123-179	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	183	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75				
	185-219	-3.25	-5.75	-3.25	-6.75	-2.25	-2.25	-1.75	-1.75	-0.75	-0.75				
	227	-3.25	-5.75	-3.25	-6.75	-2.25	-2.25	-1.75	-1.75	-0.75	-0.75				
	6 GHz WFI (80MHz BW) LP	7	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75	5.75	4.25	
23		NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75			4.25	
39-55		NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75			4.25	
71		NS	NS	-5.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	-1.25			4.25	
87		NS	NS	-5.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	-1.25			4.25	
103		NS	NS	-4.00	-7.00	-3.00	-3.00	-4.50	-7.50	-1.50	-1.50	6.00	4.00		
129		NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75			4.25	
135-167		NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75			4.25	
183		NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75			4.25	
199		-4.25	-5.75	-3.25	-6.75	-2.25	-2.25	-1.75	-1.75	-0.75	-0.75			4.25	
215		-4.25	-5.75	-3.25	-6.75	-2.25	-2.25	-1.75	-1.75	-0.75	-0.75			4.25	
15		NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75	5.75	4.25		
47		NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75			4.25	
79		NS	NS	-5.75	-7.25	-2.75	-2.75	-4.25	-7.75	-1.25	-1.25			4.25	
6 GHz WFI (160MHz BW) LP	111	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75			4.25	
	143	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75			4.25	
	175	NS	NS	-4.25	-7.75	-3.25	-3.25	-4.75	-8.25	-1.75	-1.75			4.25	
	207	-5.25	-5.75	-5.25	-6.75	-2.25	-2.25	-1.75	-1.75	-0.75	-0.75			4.25	

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna W5F7													
		3500													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WIF (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	31-41	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	43-45	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	49	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	51	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	97-113	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	117-181	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
6 GHz WIF (40MHz BW) VLP	185	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	31-59	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	67-75	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	83	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
6 GHz WIF (80MHz BW) VLP	81	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	99-167	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	171	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	175	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	179-179	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	183	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	187-219	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	223	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIF (160MHz BW) VLP	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	71	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	87	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	135-167	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	169	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIF (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	79	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.00	8.00
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

[illegible]

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) Antenna WPST													
		MIMO 10dBi													
		Tones													
		2dF Maximum	2dF Nominal	3dF Maximum	3dF Nominal	10dF Maximum	10dF Nominal	24dF Maximum	24dF Nominal	48dF Maximum	48dF Nominal	96dF Maximum	96dF Nominal	99dF*2 Maximum	99dF*2 Nominal
6 GHz WPI (20MHz BW) VLP	2	NS		NS		NS		NS							
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	6	NS		NS		NS		NS							
	6-29	NS		NS		NS		NS							
	33-61	NS	NS	NS	NS	NS	NS	-1.25	-2.75						
	65-65	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	80	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	93	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	97-113	NS		NS		NS		NS							
	117-181	NS		NS		NS		NS							
6 GHz WPI (40MHz BW) VLP	183	NS		NS		NS		NS							
	189-225	NS		NS		NS		NS							
	229	NS		NS		NS		NS							
	233	NS		NS		NS		NS							
	3	NS	3	NS	NS	NS	NS	NS	NS		NS				
	11	NS	NS	NS	NS	NS	NS	NS	NS		NS				
	18-27	NS		NS		NS		NS							
	33-59	NS		NS		NS		-1.25	-2.75						
	67-75	NS	NS	NS	NS	NS	NS	-0.75	-2.25	1.75		NS			
	83	NS		NS		NS		-0.75	-2.25	2.25		NS			
6 GHz WPI (80MHz BW) VLP	91	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25		NS			
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS		NS			
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS		NS			
	123-179	NS	NS	NS	NS	NS	NS	-1.25	-2.75	1.75		NS			
	187	NS		NS		NS		NS		NS		NS			
	195-213	NS		NS		NS		NS		NS		NS			
	217	NS		NS		NS		NS		NS		NS			
	2	NS		NS		NS		NS		NS		NS			
	23	NS		NS		NS		NS		NS		NS			
	39-55	NS	NS	NS	NS	NS	NS	-1.25	-2.75	1.75		0.25	4.75	3.25	
6 GHz WPI (160MHz BW) VLP	71	NS		NS		NS		-0.75	-2.25	2.25		0.25	4.75	3.25	
	87	NS		NS		NS		-0.75	-2.25	2.25		0.25	4.75	3.25	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS		NS			
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS		NS			
	135-167	NS		NS		NS		-1.25	-2.75	1.75		0.25	4.75	3.25	
	183	NS		NS		NS		NS		NS		NS			
	199	NS		NS		NS		NS		NS		NS			
	215	NS		NS		NS		NS		NS		NS			
	15	NS		NS		NS		NS		NS		NS			
	47	NS		NS		NS		-1.25	-2.75	1.75		0.25	4.75	3.25	
6 GHz WPI (320MHz BW) VLP	79	NS		NS		NS		-0.75	-2.25	2.25		0.25	4.75	3.25	
	111	NS		NS		NS		NS		NS		NS			
	143	NS	NS	NS	NS	NS	NS	-1.25	-2.75	1.75		0.25	4.75	3.25	
	175	NS		NS		NS		NS		NS		NS			

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 7 of 21

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna W2													
		US90													
		Times													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WiFi (Channel BW)	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	10.00	8.50	11.00	11.50	11.00	11.50	11.00	11.50						
	5	10.00	8.50	11.00	11.50	11.00	11.50	11.00	11.50						
	9-9	10.00	8.50	11.00	11.50	11.00	11.50	11.00	11.50						
	13-13	10.00	8.50	11.00	11.50	11.00	11.50	11.00	11.50						
	17-17	10.00	8.50	11.00	11.50	11.00	11.50	11.00	11.50						
	21-21	10.00	8.50	11.00	11.50	11.00	11.50	11.00	11.50						
	25-25	10.00	8.50	11.00	11.50	11.00	11.50	12.00	12.00						
	29	NS	NS	NS	NS	NS	NS	NS	NS						
	33	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WiFi (Channel BW)	37-37	10.00	8.50	11.00	11.50	11.50	11.75	11.75	11.75	13.25	11.75				
	41-41	NS	NS	NS	NS	NS	NS	NS	NS						
	45-45	NS	NS	NS	NS	NS	NS	NS	NS						
	49	NS	NS	NS	NS	NS	NS	NS	NS						
	53	NS	NS	NS	NS	NS	NS	NS	NS						
	57	NS	NS	NS	NS	NS	NS	NS	NS						
	61	NS	NS	NS	NS	NS	NS	NS	NS						
	65	NS	NS	NS	NS	NS	NS	NS	NS						
	69	NS	NS	NS	NS	NS	NS	NS	NS						
	73	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WiFi (Channel BW)	77	NS	NS	NS	NS	NS	NS	NS	NS						
	81	NS	NS	NS	NS	NS	NS	NS	NS						
	85	NS	NS	NS	NS	NS	NS	NS	NS						
	89	NS	NS	NS	NS	NS	NS	NS	NS						
	93	NS	NS	NS	NS	NS	NS	NS	NS						
	97	NS	NS	NS	NS	NS	NS	NS	NS						
	101	NS	NS	NS	NS	NS	NS	NS	NS						
	105	NS	NS	NS	NS	NS	NS	NS	NS						
	109	NS	NS	NS	NS	NS	NS	NS	NS						
	113	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WiFi (Channel BW)	117	NS	NS	NS	NS	NS	NS	NS	NS						
	121	NS	NS	NS	NS	NS	NS	NS	NS						
	125	NS	NS	NS	NS	NS	NS	NS	NS						
	129	NS	NS	NS	NS	NS	NS	NS	NS						
	133	NS	NS	NS	NS	NS	NS	NS	NS						
	137	NS	NS	NS	NS	NS	NS	NS	NS						
	141	NS	NS	NS	NS	NS	NS	NS	NS						
	145	NS	NS	NS	NS	NS	NS	NS	NS						
	149	NS	NS	NS	NS	NS	NS	NS	NS						
	153	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WiFi (Channel BW)	157	NS	NS	NS	NS	NS	NS	NS	NS						
	161	NS	NS	NS	NS	NS	NS	NS	NS						
	165	NS	NS	NS	NS	NS	NS	NS	NS						
	169	NS	NS	NS	NS	NS	NS	NS	NS						
	173	NS	NS	NS	NS	NS	NS	NS	NS						
	177	NS	NS	NS	NS	NS	NS	NS	NS						
	181	NS	NS	NS	NS	NS	NS	NS	NS						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189	NS	NS	NS	NS	NS	NS	NS	NS						
	193	NS	NS	NS	NS	NS	NS	NS	NS						

[illegible]

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna W12													
		5GHz SSID													
		247 Maximum	247 Nominal	247 Minimum	247 Nominal	2487 Maximum	2487 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	2347 Nominal	2967 Maximum	2967 Nominal	2967*2 Maximum	2967*2 Nominal
6 GHz WFI (2GHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	12.00	8.50	13.00	11.50	11.00	13.50	13.00	11.50						
	5	8.50	8.50	13.00	11.50	11.00	13.50	13.00	11.50						
	8-29	13.00	8.50	13.00	11.00	11.00	13.50	13.00	11.50						
	31-61	12.00	8.50	13.00	11.50	11.00	13.50	13.00	11.50						
	63-85	12.00	8.50	13.00	11.50	11.00	13.50	13.00	11.50						
	89	12.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00						
	91	12.00	NS	13.00	11.50	13.50	12.00	13.50	12.00						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-141	12.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75						
6 GHz WFI (2GHz BW) SP	144	NS	NS	NS	NS	NS	NS	NS	NS						
	189-223	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	10.00	8.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.00	11.50			
	13	12.00	8.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.00	11.50			
	19-27	12.00	8.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.00	11.50			
	31-59	10.00	8.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.00	11.50			
	67-75	10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00	13.50	12.00	12.00			
	83	10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00	13.50	12.00	12.00			
6 GHz WFI (2GHz BW) SP	91	10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00	13.50	12.00	12.00			
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	123-179	10.00	8.50	13.00	11.50	13.25	11.75	13.25	11.75	13.25	11.75	13.25			
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	2	8.50	8.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.00	11.50			
	23	10.00	8.50	13.00	11.00	11.00	13.50	13.00	11.50	13.00	11.00	11.50			
	39-55	10.00	8.50	13.00	11.50	11.00	13.50	13.00	11.50	13.00	11.50	13.00			
6 GHz WFI (2GHz BW) SP	71	13.00	8.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.00	11.50			
	87	10.00	8.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.00	11.50			
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	135-167	10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50			
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	15	8.50	8.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.00	11.50		13.00	11.50
	47	10.00	8.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.00	11.50		13.00	11.50
6 GHz WFI (2GHz BW) SP	79	10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50		13.00	12.00
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		NS	NS
	143	10.00	8.50	13.00	11.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50		13.00	12.00
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF2													
		SISO													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	5	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	9-29	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	33-61	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	65-85	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	89	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	93	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	97-113	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00						
	117-181	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	185	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	189-225	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50						
	229	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	237	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75				
6 GHz WFI (40MHz BW) LP	1	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75						
	5	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75				
	9-29	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75				
	33-59	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00	8.00	6.50				
	63-75	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00	8.00	6.50				
	81	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00	8.00	6.50				
	85	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00	8.00	6.50				
	89-107	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00	8.00	6.50				
	111	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00	8.00	6.50				
	115-179	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75				
	183	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75				
	187-219	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50	8.00	7.00				
	223	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50	8.00	7.00				
	7	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75		
	21	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75		
6 GHz WFI (80MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	39-55	NS	NS	NS	NS	NS	NS	NS	NS						
	73	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-3.50	-4.00	8.00	6.50	11.00	9.50		
	87	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-3.50	-4.00	8.00	6.50	11.00	9.50		
	103	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-3.50	-4.00	8.00	6.50	11.00	9.50		
	119	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-3.50	-4.00	8.00	6.50	11.00	9.50		
	135-167	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75		
	183	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75		
	189	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75		
	199	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50	8.50	7.00	11.50	10.00		
	215	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50	8.50	7.00	11.50	10.00		
	45	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75	11.00	
	49	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75	11.00	
	79	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00	8.00	6.50	11.00	9.50	12.00	
	111	-4.00	-3.50	-1.00	-2.50	-2.50	-1.00	-1.50	-4.00	8.00	6.50	11.00	9.50	12.00	
6 GHz WFI (160MHz BW) LP	143	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75	13.50	
	175	-3.75	-3.25	-0.75	-2.25	-2.25	-0.75	-1.25	-3.75	8.25	6.75	11.25	9.75	13.50	
	207	-3.50	-3.00	-0.50	-2.00	-2.00	-0.50	-1.00	-3.50	8.50	7.00	11.50	10.00	13.00	

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF2													
		MIMO CDD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	5	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	9-29	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	33-61	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	65-85	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25						
	89	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25						
	93	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25						
	97-113	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25						
	117-181	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	185	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	189-225	-3.75	-8.25	-1.75	-5.25	-1.25	-4.75	-0.25	-2.25						
	229	-3.75	-8.25	-1.75	-5.25	-1.25	-4.75	-0.25	-2.25						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	237	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75	2.75	1.25				
6 GHz WFI (40MHz BW) LP	1	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	5	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	9-29	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	33-59	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	63-75	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	81	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25						
	85	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25						
	89-107	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25						
	111	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	115-179	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	183	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	187-219	-3.75	-8.25	-1.75	-5.25	-1.25	-4.75	-0.25	-2.25						
	223	-3.75	-8.25	-1.75	-5.25	-1.25	-4.75	-0.25	-2.25						
	7	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75	2.75	1.25	5.75	4.25		
	21	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75	2.75	1.25	5.75	4.25		
6 GHz WFI (80MHz BW) LP	2	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	39-55	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	73	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25	3.25	1.75	5.25	3.75		
	87	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25	3.25	1.75	5.25	3.75		
	103	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25	3.25	1.75	5.25	3.75		
	119	NS	NS	-3.75	-8.25	-1.75	-5.25	-0.25	-2.25	3.25	1.75	5.25	3.75		
	135-167	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	183	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	189	-3.75	-8.25	-1.75	-5.25	-1.25	-4.75	-0.25	-2.25	3.25	1.75	5.25	3.75		
	199	-3.75	-8.25	-1.75	-5.25	-1.25	-4.75	-0.25	-2.25	3.25	1.75	5.25	3.75		
	215	-3.75	-8.25	-1.75	-5.25	-1.25	-4.75	-0.25	-2.25	3.25	1.75	5.25	3.75		
	45	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						
	49	NS	NS	-3.25	-7.75	-1.25	-4.75	-0.25	-1.75						

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF2													
		SISO													
		Tones													
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal
6 GHz WPI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-63	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50						
	65-85	NS	NS	NS	NS	1.00	-1.50	1.00	-2.50						
	89	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50						
	93	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	6 GHz WPI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS					
11		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
19-27		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
35-39		NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50				
67-75		NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50				
81		NS	NS	NS	NS	1.00	-1.50	1.00	-2.50	4.00	2.50				
91		NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50				
99-107		NS	NS	NS	NS	NS	NS	NS	NS						
111		NS	NS	NS	NS	NS	NS	NS	NS						
123-179		NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75				
183		NS	NS	NS	NS	NS	NS	NS	NS						
189-219		NS	NS	NS	NS	NS	NS	NS	NS						
227		NS	NS	NS	NS	NS	NS	NS	NS						
23		NS	NS	NS	NS	NS	NS	NS	NS			NS	NS		
6 GHz WPI (80MHz BW) VLP		35-53	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	
	71	NS	NS	NS	NS	1.00	-1.50	1.00	-2.50	4.00	2.50	7.00	5.50		
	87	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50		
	103	NS	NS	NS	NS	NS	NS	NS	NS						
	119	NS	NS	NS	NS	NS	NS	NS	NS						
	135-167	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75				
	183	NS	NS	NS	NS	NS	NS	NS	NS						
	189	NS	NS	NS	NS	NS	NS	NS	NS						
	215	NS	NS	NS	NS	NS	NS	NS	NS						
	219	NS	NS	NS	NS	NS	NS	NS	NS						
	47	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	9.50	8.00
	79	NS	NS	NS	NS	-2.00	1.50	1.00	-0.50	4.00	2.50	7.00	5.50	9.50	8.00
	111	NS	NS	NS	NS	NS	NS	NS	NS						
	143	NS	NS	NS	NS	-1.75	1.25	1.25	-0.25	4.25	2.75	7.25	5.75	9.75	8.25
	215	NS	NS	NS	NS	NS	NS	NS	NS						
257	NS	NS	NS	NS	NS	NS	NS	NS							
257	NS	NS	NS	NS	NS	NS	NS	NS							

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF2													
		MIMO CDD													
		Tones													
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal
6 GHz WPI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-63	NS	NS	NS	NS	NS	NS	NS	NS						
	65-85	NS	NS	NS	NS	NS	NS	NS	NS						
	89	NS	NS	NS	NS	NS	NS	NS	NS						
	93	NS	NS	NS	NS	NS	NS	NS	NS						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	NS	NS	NS	NS						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	6 GHz WPI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS					
11		NS	NS	NS	NS	NS	NS	NS	NS						
19-27		NS	NS	NS	NS	NS	NS	NS	NS						
35-39		NS	NS	NS	NS	NS	NS	NS	NS						
67-75		NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.75				
81		NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.75				
91		NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.75				
99-107		NS	NS	NS	NS	NS	NS	NS	NS						
111		NS	NS	NS	NS	NS	NS	NS	NS						
123-179		NS	NS	NS	NS	NS	NS	NS	NS						
183		NS	NS	NS	NS	NS	NS	NS	NS	-1.25	-2.75				
189-219		NS	NS	NS	NS	NS	NS	NS	NS						
227		NS	NS	NS	NS	NS	NS	NS	NS						
23		NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WPI (80MHz BW) VLP		23	NS	NS	NS	NS	NS	NS	NS	NS					
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	-1.25	-2.75	1.75	0.25		
	71	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	1.25	0.75		
	87	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	0.75			
	103	NS	NS	NS	NS	NS	NS	NS	NS						
	119	NS	NS	NS	NS	NS	NS	NS	NS	-1.25	-2.75				
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	-1.25	-1.75	0.25			
	183	NS	NS	NS	NS	NS	NS	NS	NS						
	189	NS	NS	NS	NS	NS	NS	NS	NS						
	215	NS	NS	NS	NS	NS	NS	NS	NS						
	219	NS	NS	NS	NS	NS	NS	NS	NS						
	47	NS	NS	NS	NS	NS	NS	NS	NS	-1.25	1.75	0.25			
	79	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	2.25	0.75	4.75	1.25	
	111	NS	NS	NS	NS	NS	NS	NS	NS						
	143	NS	NS	NS	NS	NS	NS	NS	NS	-1.25	2.75	1.75	0.25	4.25	
6 GHz WPI (160MHz BW) VLP	175	NS	NS	NS	NS	NS	NS	NS	NS						
	207	NS	NS	NS	NS	NS	NS	NS	NS						
	237	NS	NS	NS	NS	NS	NS	NS	NS						

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WF2													
		MIMO SISO													
		Tones													
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal
6 GHz WPI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-63	NS	NS	NS	NS	NS	NS	-1.25	-2.75						
	65-85	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	89	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	93	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	NS	NS	-1.25	-2.75						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	6 GHz WPI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS		NS			
11		NS	NS	NS	NS	NS	NS	NS	NS		NS				
19-27		NS	NS	NS	NS	NS	NS	NS	NS		NS				
35-59		NS	NS	NS	NS	NS	NS	-1.25	-2.75		1.75		0.25		
67-79		NS	NS	NS	NS	NS	NS	-0.75	-2.25		2.25		0.75		
83		NS	NS	NS	NS	NS	NS	-0.75	-2.25		2.25		0.75		
91		NS	NS	NS	NS	NS	NS	-0.75	-2.25		2.25		0.75		
99-107		NS	NS	NS	NS	NS	NS	NS	NS		NS				
115		NS	NS	NS	NS	NS	NS	NS	NS		NS				
123-179		NS	NS	NS	NS	NS	NS	-1.25	-2.75		1.75		0.25		
187		NS	NS	NS	NS	NS	NS	NS	NS		NS				
195-219		NS	NS	NS	NS	NS	NS	NS	NS		NS				
227		NS	NS	NS	NS	NS	NS	NS	NS		NS				
2		NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
6 GHz WPI (80MHz BW) VLP		33	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS	
	39-55	NS	NS	NS	NS	NS	NS	-1.25	-2.75		1.75		0.25		4.75
	71	NS	NS	NS	NS	NS	NS	-0.75	-2.25		2.25		1.25		3.75
	87	NS	NS	NS	NS	NS	NS	-0.75	-2.25		2.25		0.75		5.25
	103	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	135-167	NS	NS	NS	NS	NS	NS	-1.25	-2.75		1.75		0.25		4.75
	163	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	179	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	231	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	47	NS	NS	NS	NS	NS	NS	-1.25	-2.75		1.75		0.25		7.25
	79	NS	NS	NS	NS	NS	NS	-0.75	-2.25		2.25		0.75		7.75
	111	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	143	NS	NS	NS	NS	NS	NS	-1.25	-2.75		1.75		0.25		7.75
6 GHz WPI (160MHz BW) VLP	175	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	207	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		
	239	NS	NS	NS	NS	NS	NS	NS	NS		NS		NS		

F.3 IEEE 802.11ax Measured Powers

Table F-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF8

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)			Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index						Ru Index		
			0	4	8				37	38	40
2412	1	26T	12.78	12.94	12.91	2412	1	52T	13.31	13.44	13.35
2437	6	26T	12.71	12.68	12.74	2437	6	52T	15.91	15.94	15.88
2462	11	26T	12.88	12.91	12.70	2462	11	52T	13.30	13.23	13.16
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)			Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index						Ru Index		
			53	54	N/A				61	N/A	N/A
2412	1	106T	13.50	13.49		2412	1	242T	13.50		
2437	6	106T	18.87	18.97		2437	6	242T	19.63		
2462	11	106T	13.49	13.43		2462	11	242T	13.48		

Table F-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF7

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)			Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index						Ru Index		
			0	4	8				37	38	40
2412	1	26T	12.80	12.94	13.00	2412	1	52T	13.46	13.50	13.49
2437	6	26T	12.82	12.99	12.84	2437	6	52T	15.98	15.97	15.96
2462	11	26T	12.83	12.86	12.92	2462	11	52T	13.46	13.35	13.49
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)			Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index						Ru Index		
			53	54	N/A				61	N/A	N/A
2412	1	106T	13.37	13.43		2412	1	242T	13.48		
2437	6	106T	18.99	19.00		2437	6	242T	20.31		
2462	11	106T	13.49	13.48		2462	11	242T	13.42		

Table F-3
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5T

20MHz BW					Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
													RU Index			
													37	39	40	
20MHz BW	1	5180	36	26T	11.21	11.23	11.45	20MHz BW <td colspan="1" rowspan="4">1</td> <td colspan="1">5180</td> <td colspan="1">36</td> <td colspan="1">52T</td> <td colspan="1">13.74</td> <td colspan="1">13.96</td> <td colspan="1">13.98</td>	1	5180	36	52T	13.74	13.96	13.98	
		5200	40	26T	11.29	11.22	11.45			5200	40	52T	13.75	13.93	13.97	
		5220	44	26T	10.66	10.87	11.00			5220	44	52T	13.70	13.94	14.00	
		5240	48	26T	10.79	10.84	10.94			5240	48	52T	13.80	13.96	14.09	
	2A	5260	52	26T	11.00	11.01	11.03	20MHz BW <td colspan="1" rowspan="4">2A<td colspan="1">5260</td><td colspan="1">52</td><td colspan="1">52T</td><td colspan="1">14.01</td><td colspan="1">14.13</td><td colspan="1">14.14</td></td>	2A <td colspan="1">5260</td> <td colspan="1">52</td> <td colspan="1">52T</td> <td colspan="1">14.01</td> <td colspan="1">14.13</td> <td colspan="1">14.14</td>	5260	52	52T	14.01	14.13	14.14	
		5280	56	26T	11.13	11.17	11.19			5280	56	52T	13.99	14.11	14.18	
		5300	60	26T	11.16	11.09	11.12			5300	60	52T	13.98	14.18	14.16	
		5320	64	26T						5320	64	52T	13.97	13.96	14.07	
	3	5745	149	26T				20MHz BW <td colspan="1" rowspan="4">3<td colspan="1">5500</td><td colspan="1">100</td><td colspan="1">52T</td><td colspan="1">13.89</td><td colspan="1">13.93</td><td colspan="1">13.88</td></td>	3 <td colspan="1">5500</td> <td colspan="1">100</td> <td colspan="1">52T</td> <td colspan="1">13.89</td> <td colspan="1">13.93</td> <td colspan="1">13.88</td>	5500	100	52T	13.89	13.93	13.88	
		5785	157	26T						5600	120	52T	13.91	13.93	13.94	
		5825	165	26T						5620	124	52T	13.95	13.90	13.89	
										5720	144	52T	13.99	14.04	14.00	
20MHz BW	1	5180	36	106T	13.90	14.02		20MHz BW	1	5180	36	242T	14.38			
		5200	40	106T	13.99	14.09				5200	40	242T	14.02			
		5220	44	106T	13.92	14.13				5220	44	242T	14.05			
		5240	48	106T	14.01	14.15				5240	48	242T	14.13			
	2A	5260	52	106T	14.22	14.13			20MHz BW	2A <td colspan="1">5260</td> <td colspan="1">52</td> <td colspan="1">242T</td> <td colspan="1">14.23</td> <td colspan="1"></td> <td colspan="1"></td>	5260	52	242T	14.23		
		5280	56	106T	14.14	14.33					5280	56	242T	14.13		
		5300	60	106T	14.18	14.28					5300	60	242T	14.23		
		5320	64	106T	14.08	14.20					5320	64	242T	14.56		
	2C	5500	100	106T	14.01	14.05			20MHz BW	2C <td colspan="1">5500</td> <td colspan="1">100</td> <td colspan="1">242T</td> <td colspan="1">14.44</td> <td colspan="1"></td> <td colspan="1"></td>	5500	100	242T	14.44		
		5600	120	106T	14.05	14.01					5600	120	242T	13.99		
		5620	124	106T	13.96	13.97					5620	124	242T	14.01		
		5720	144	106T	14.05	14.05					5720	144	242T	14.00		
3	5745	149	106T	13.91	13.99		20MHz BW	3 <td colspan="1">5745</td> <td colspan="1">149</td> <td colspan="1">242T</td> <td colspan="1">14.12</td> <td colspan="1"></td> <td colspan="1"></td>	5745	149	242T	14.12				
	5785	157	106T	14.18	14.10				5785	157	242T	14.20				
	5825	165	106T	13.99	14.00				5825	165	242T	13.99				
40MHz BW					Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
													RU Index			
													37	40	44	
40MHz BW	1	5190	38	26T	11.11	11.25	11.30	40MHz BW	1	5190	38	52T	12.83	13.49	13.49	
		5230	46	26T	10.95	11.25	11.03			5230	46	52T	13.92	13.93	14.11	
		5755	151	26T	11.23	11.09	11.15			5270	54	52T	14.14	14.04	14.20	
		5795	159	26T	11.17	11.11	11.14			5310	62	52T	14.10	14.14	14.18	
	2A	5260	52	106T	14.42	14.52	14.44		20MHz BW	2A <td colspan="1">5510</td> <td colspan="1">102</td> <td colspan="1">52T</td> <td colspan="1">13.20</td> <td colspan="1">12.80</td> <td colspan="1">13.06</td>	5510	102	52T	13.20	12.80	13.06
		5270	54	106T	14.70	14.62	14.70				5590	118	52T	14.08	13.85	14.20
		5310	62	106T	14.21	13.18	12.80				5630	126	52T	14.13	13.83	14.28
		5510	102	106T	13.21	13.18	12.80				5710	142	52T	14.03	13.90	14.12
2C	5590	118	106T	14.02	13.90	13.85	20MHz BW	2C <td colspan="1">5755</td> <td colspan="1">151</td> <td colspan="1">52T</td> <td colspan="1">14.23</td> <td colspan="1">13.95</td> <td colspan="1">14.16</td>	5755	151	52T	14.23	13.95	14.16		
	5670	126	106T	13.95	14.15	14.02			5795	159	52T	13.99	14.01	14.10		
	5710	142	106T	14.00	13.85	13.76										
	5755	151	106T	14.28	14.24	14.30										
3	5795	159	106T	14.30	14.25	14.25	20MHz BW	3 <td colspan="1">5755</td> <td colspan="1">151</td> <td colspan="1">242T</td> <td colspan="1">14.30</td> <td colspan="1">14.28</td> <td colspan="1"></td>	5755	151	242T	14.30	14.28			

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 12 of 21

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	13.55		
		5230	46	484T	14.70		
	2A	5270	54	484T	14.70		
		5310	62	484T	14.57		
	2C	5510	102	484T	12.97		
		5590	118	484T	14.07		
		5630	126	484T	14.04		
		5710	142	484T	13.70		
	3	5755	151	484T	14.23		
		5795	159	484T	14.30		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	12.54	12.62	12.43
	2A	5290	58	52T	13.92	14.04	13.98
		5530	106	52T	11.39	11.53	11.46
	2C	5610	122	52T	13.99	13.86	13.92
		5690	138	52T	13.81	13.70	13.73
	3	5775	155	52T	13.80	14.03	14.00
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5210	42	242T	12.51	12.48	12.53
	2A	5290	58	242T	14.44	14.32	14.43
		5530	106	242T	11.43	11.54	11.50
	2C	5610	122	242T	14.05	14.01	13.90
		5690	138	242T	14.09	14.11	13.80
	3	5775	155	242T	14.25	14.21	14.36
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5210	42	996T	12.63		
	2A	5290	58	996T	14.32		
		5530	106	996T	11.73		
	2C	5610	122	996T	14.16		
		5690	138	996T	13.73		
	3	5775	155	996T	14.42		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5250	50	106T	10.94	11.02	11.01
	2C	5570	114	106T	9.95	9.94	9.84
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5250	50	484T	10.77	10.96	
	2C	5570	114	484T	9.93	9.99	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996Tx2	10.91		
	2C	5570	114	996Tx2	9.80		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	10.78	11.04	11.01
	3	5775	155	26T	10.96	10.96	11.11
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	12.50	12.25	12.45
	2A	5290	58	106T	14.36	14.60	14.47
		5530	106	106T	11.36	11.56	11.57
	2C	5610	122	106T	14.02	14.00	13.99
		5690	138	106T	14.11	14.12	13.83
	3	5775	155	106T	14.11	14.23	14.20
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5210	42	484T	12.42	12.54	
	2A	5290	58	484T	14.32	14.47	
		5530	106	484T	11.32	11.59	
	2C	5610	122	484T	14.08	14.05	
		5690	138	484T	13.70	14.15	
	3	5775	155	484T	14.29	14.30	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5250	50	52T	10.88	11.16	11.16
	2C	5570	114	52T	9.90	9.83	10.06
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5250	50	242T	10.93	10.99	10.97
	2C	5570	114	242T	10.01	10.00	10.01
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996T	10.75		
	2C	5570	114	996T	9.95		

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 13 of 21

Table F-4
Maximum 5 GHz 802.11ax RU Output Power – Ant WF2

20MHz BW					20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW			20MHz BW		
----------	--	--	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--	----------	--	--

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 14 of 21

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
1	1	5190	38	484T	13.53		
		5230	46	484T	16.93		
2A	2A	5270	54	484T	17.08		
		5310	62	484T	14.23		
2C	2C	5510	102	484T	12.90		
		5590	118	484T	15.89		
		5630	126	484T	15.02		
		5710	142	484T	16.03		
3	3	5755	151	484T	16.30		
		5795	159	484T	16.36		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
1	1	5210	42	52T	12.47	12.52	12.40
2A	2A	5290	58	52T	13.99	13.91	13.82
2C	2C	5530	106	52T	11.54	11.48	11.35
		5610	122	52T	13.82	14.02	14.04
		5690	138	52T	13.92	14.00	13.90
3	3	5775	155	52T	13.96	14.00	13.85
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
1	1	5210	42	242T	12.45	12.37	12.59
2A	2A	5290	58	242T	14.50	14.49	14.55
2C	2C	5530	106	242T	11.52	11.47	11.52
		5610	122	242T	15.85	15.81	15.90
		5690	138	242T	14.30	14.16	14.21
3	3	5775	155	242T	15.95	15.85	15.94
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
1	1	5210	42	996T	12.51		
2A	2A	5290	58	996T	14.40		
2C	2C	5530	106	996T	11.52		
		5610	122	996T	16.02		
		5690	138	996T	16.00		
3	3	5775	155	996T	15.90		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
1	1	5250	50	106T	10.80	10.94	10.94
2C	2C	5570	114	106T	9.90	9.89	9.92
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
1	1	5250	50	484T	10.78	10.99	
2C	2C	5570	114	484T	9.90	9.99	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
1	1	5250	50	996Tx2	10.95		
2C	2C	5570	114	996Tx2	9.90		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
1	1	5210	42	26T	10.70	10.74	10.91
3	3	5775	155	26T	10.80	10.89	10.98
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
1	1	5210	42	106T	12.49	12.55	12.44
2A	2A	5290	58	106T	14.43	14.45	14.32
2C	2C	5530	106	106T	11.50	11.58	11.32
		5610	122	106T	15.80	15.86	15.92
		5690	138	106T	15.84	15.80	16.05
3	3	5775	155	106T	15.85	15.92	15.84
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
1	1	5210	42	484T	12.40	12.48	
2A	2A	5290	58	484T	14.50	14.55	
2C	2C	5530	106	484T	11.55	11.61	
		5610	122	484T	16.02	16.05	
		5690	138	484T	14.91	14.82	
3	3	5775	155	484T	15.86	15.80	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
1	1	5250	50	52T	10.96	10.90	10.99
2C	2C	5570	114	52T	9.75	9.94	9.90
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
1	1	5250	50	242T	10.92	10.95	10.99
2C	2C	5570	114	242T	9.95	9.90	9.90
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
1	1	5250	50	996T	10.98		
2C	2C	5570	114	996T	9.93		

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 15 of 21

Table F-5
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	4	8						37	39	40
	5	5955	1	26T	8.90	8.91	8.76		5955	1	52T	11.91	11.95	12.00	
6175		45	26T	8.99	9.90	8.92	6175	45	52T	11.75	11.80	11.70			
6195		49	26T	8.80	8.79	8.83	6195	49	52T	11.87	11.96	11.85			
6415		93	26T	8.81	8.83	8.80	6415	93	52T	11.25	11.20	11.21			
6	6435	97	26T	-6.03	-6.01	-6.07	6435	97	52T	-3.01	-3.03	-3.04			
	6475	105	26T	-6.02	-6.04	-5.99	6475	105	52T	-3.09	-3.08	-3.10			
	6515	113	26T	-6.08	-6.09	-6.10	6515	113	52T	-3.08	-3.06	-3.07			
	6535	117	26T	8.88	8.86	8.90	6535	117	52T	10.24	10.25	10.30			
7	6695	149	26T	8.93	8.94	8.97	6695	149	52T	10.27	10.31	10.28			
	6875	185	26T	-5.60	-5.59	-5.63	6875	185	52T	-2.81	-2.77	-2.83			
	6895	189	26T	-5.54	-5.52	-5.55	6895	189	52T	-2.43	-2.45	-2.47			
	6995	209	26T	-5.61	-5.57	-5.59	6995	209	52T	-2.40	-2.38	-2.41			
8	7015	213	26T	-5.56	-5.53	-5.58	7015	213	52T	-2.42	-2.44	-2.46			
	7115	233	26T	NS	NS	NS	7115	233	52T	NS	NS	NS			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	N/A						61	N/A	N/A
	5	5955	1	106T	12.22	12.24			5955	1	242T	12.24			
6175		45	106T	12.29	12.30		6175	45	242T	12.30					
6195		49	106T	12.22	12.24		6195	49	242T	12.22					
6415		93	106T	11.20	11.22		6415	93	242T	11.25					
6	6435	97	106T	1.87	1.84		6435	97	242T	3.90					
	6475	105	106T	1.79	1.80		6475	105	242T	3.95					
	6515	113	106T	1.86	1.88		6515	113	242T	3.88					
	6535	117	106T	10.34	10.35		6535	117	242T	10.28					
7	6695	149	106T	10.34	10.34		6695	149	242T	10.29					
	6875	185	106T	0.39	0.34		6875	185	242T	4.35					
	6895	189	106T	0.45	0.43		6895	189	242T	4.38					
	6995	209	106T	0.49	0.56		6995	209	242T	4.40					
8	7015	213	106T	0.58	0.55		7015	213	242T	4.54					
	7115	233	106T	NS	NS		7115	233	242T	NS					
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	8	17						37	40	44
	5	5965	3	26T	9.03	9.01	9.02		5965	3	52T	11.95	11.96	11.98	
6165		43	26T	8.70	8.74	8.78	6165	43	52T	11.86	11.88	11.80			
6205		51	26T	8.90	8.87	8.85	6205	51	52T	12.01	12.00	11.93			
6405		91	26T	9.09	9.05	9.06	6405	91	52T	11.22	11.20	11.23			
6	6445	99	26T	-5.09	-5.06	-5.10	6445	99	52T	-2.33	-2.32	-2.35			
	6485	107	26T	-4.84	-4.90	-4.91	6485	107	52T	-1.90	-1.97	-1.93			
	6525	115	26T	-4.91	-4.92	-4.88	6525	115	52T	-1.89	-1.96	-1.92			
	6565	123	26T	8.90	8.96	8.97	6565	123	52T	10.20	10.24	10.28			
7	6685	147	26T	9.00	8.98	9.00	6685	147	52T	10.27	10.24	10.25			
	6725	155	26T	8.85	8.80	8.97	6725	155	52T	10.25	10.27	10.24			
	6845	179	26T	8.89	8.91	9.90	6845	179	52T	10.15	10.16	10.20			
	6885	187	26T	-4.69	-4.71	-4.73	6885	187	52T	-1.90	-1.86	-1.83			
8	6965	203	26T	-4.34	-4.35	-4.33	6965	203	52T	-1.43	-1.41	-1.39			
	7005	211	26T	-4.78	-4.75	-4.73	7005	211	52T	-1.71	-1.69	-1.65			
	7085	227	26T	-4.57	-4.49	-4.42	7085	227	52T	-1.57	-1.55	-1.53			
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	56						61	62	N/A
	5	5965	3	106T	12.23	12.20	12.19		5965	3	242T	12.30	12.29		
6165		43	106T	12.21	12.12	12.23	6165	43	242T	12.21	12.20				
6205		51	106T	12.31	12.27	12.35	6205	51	242T	12.25	12.24				
6405		91	106T	11.21	11.22	11.21	6405	91	242T	11.18	11.22				
6	6445	99	106T	1.06	1.08	1.05	6445	99	242T	3.78	3.77				
	6485	107	106T	-0.29	-0.27	-0.31	6485	107	242T	3.80	3.77				
	6525	115	106T	0.29	-0.30	-0.28	6525	115	242T	3.84	3.85				
	6565	123	106T	10.30	10.24	10.25	6565	123	242T	10.26	10.25				
7	6685	147	106T	10.25	10.27	10.25	6685	147	242T	10.28	10.24				
	6725	155	106T	10.30	10.25	10.26	6725	155	242T	10.29	10.27				
	6845	179	106T	10.22	10.19	10.20	6845	179	242T	10.21	10.20				
	6885	187	106T	1.05	0.98	0.99	6885	187	242T	4.17	4.15				
8	6965	203	106T	2.31	2.34	2.35	6965	203	242T	4.41	4.39				
	7005	211	106T	1.00	0.56	0.63	7005	211	242T	4.39	4.39				
	7085	227	106T	2.49	2.48	2.46	7085	227	242T	4.28	4.30				

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 16 of 21

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	5	5965	3	484T	12.25		
		6165	43	484T	12.13		
		6205	51	484T	12.22		
		6405	91	484T	11.25		
	6	6445	99	484T	6.80		
		6485	107	484T	7.04		
		6525	115	484T	7.02		
		6565	123	484T	10.32		
	7	6685	147	484T	10.25		
		6725	155	484T	10.19		
		6845	179	484T	10.19		
		6885	187	484T	7.15		
	8	6965	203	484T	7.51		
		7005	211	484T	7.55		
		7085	227	484T	7.52		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	52T	11.96	12.03	12.01
		6145	39	52T	11.89	11.93	11.92
		6225	55	52T	12.04	12.11	12.12
		6385	87	52T	11.06	11.11	11.15
	6	6465	103	52T	-2.12	-2.10	-2.09
		6545	119	52T	-1.96	-1.98	-1.99
		6705	151	52T	10.30	10.20	10.24
		6865	183	52T	-1.86	-1.83	-1.91
	7	6945	199	52T	-1.65	-1.72	-1.68
		7025	215	52T	-1.63	-1.65	-1.61
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	106T	12.18	12.19	12.20
		6145	39	106T	12.21	12.21	12.20
		6225	55	106T	12.20	12.23	12.23
		6385	87	106T	11.44	11.44	11.45
	6	6465	103	106T	-0.87	-0.99	-0.89
		6545	119	106T	-0.77	-0.88	-0.82
		6705	151	106T	10.23	10.22	10.22
		6865	183	106T	1.29	1.38	1.32
	7	6945	199	106T	0.58	0.72	0.59
		7025	215	106T	0.18	0.77	0.26
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	5985	7	242T	12.34	12.33	12.26
		6145	39	242T	12.12	12.12	12.14
		6225	55	242T	12.20	12.21	12.20
		6385	87	242T	11.23	11.25	11.31
	6	6465	103	242T	3.91	3.90	3.90
		6545	119	242T	3.99	4.01	4.00
		6705	151	242T	10.26	10.17	10.13
		6865	183	242T	4.34	4.28	4.30
	7	6945	199	242T	4.52	4.51	4.48
		7025	215	242T	4.55	4.50	4.52
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	5	5985	7	996T	12.30		
		6145	39	996T	12.33		
		6225	55	996T	12.30		
		6385	87	996T	11.22		
	6	6465	103	996T	9.80		
		6545	119	996T	9.95		
		6705	151	996T	10.30		
		6865	183	996T	10.22		
	7	6945	199	996T	9.98		
		7025	215	996T	9.75		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	6025	15	52T	11.70	11.70	11.94
		6185	47	52T	11.84	11.86	11.84
		6345	79	52T	11.23	11.28	11.27
		6505	111	52T	-1.96	-1.95	-1.90
	6	6665	143	52T	10.24	10.35	10.35
		6825	175	52T	-1.77	-1.75	-1.72
		6985	207	52T	-1.42	-1.40	-1.38
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	6025	15	106T	12.30	12.29	12.22
		6185	47	106T	12.22	12.24	12.23
		6345	79	106T	11.19	11.19	11.19
		6505	111	106T	1.08	1.09	1.10
	6	6665	143	106T	10.21	10.23	10.23
		6825	175	106T	0.86	0.80	0.80
		6985	207	106T	1.20	1.24	1.35

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 17 of 21

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	6025	15	242T	12.33	12.32	12.32
		6185	47	242T	12.26	12.27	12.21
		6345	79	242T	11.20	11.19	11.20
	6	6505	111	242T	3.80	3.78	3.81
	7	6665	143	242T	10.20	10.21	10.22
		6825	175	242T	4.21	4.10	4.14
	8	6985	207	242T	4.33	4.34	4.40
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
	5	6025	15	996T	12.41		
		6185	47	996T	12.29		
		6345	79	996T	11.21		
	6	6505	111	996T	10.90		
	7	6665	143	996T	10.26		
		6825	175	996T	10.25		
	8	6985	207	996T	9.91		

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 18 of 21

Table F-6
Maximum 6 GHz 802.11ax RU Output Power – Ant WF2

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	4	8						37	39	40
	5	5955	1	26T	8.46	8.66	8.55		5955	1	52T	11.87	11.89	11.84	
6175		45	26T	8.30	8.39	8.40	6175	45	52T	12.00	11.99	11.92			
6195		49	26T	8.84	8.91	8.87	6195	49	52T	12.01	11.96	11.95			
6415		93	26T	8.58	8.52	8.57	6415	93	52T	12.06	12.01	12.13			
6	6435	97	26T	-5.46	-5.38	-5.44	6435	97	52T	-1.87	-1.91	-1.90			
	6475	105	26T	-5.18	-5.13	-5.07	6475	105	52T	-1.77	-2.15	-2.10			
	6515	113	26T	-5.15	-5.22	-5.09	6515	113	52T	-1.86	-1.90	-1.93			
	6535	117	26T	8.76	8.66	8.71	6535	117	52T	12.00	12.02	12.09			
7	6695	149	26T	9.07	9.10	9.12	6695	149	52T	11.99	11.71	11.87			
	6875	185	26T	-4.82	-4.79	-4.86	6875	185	52T	-1.63	-1.61	-1.62			
	6895	189	26T	-4.62	-4.81	-4.91	6895	189	52T	-1.53	-1.57	-1.52			
	6995	209	26T	-4.75	-4.80	-4.72	6995	209	52T	-1.50	-1.48	-1.87			
8	7015	213	26T	-4.64	-4.66	-4.58	7015	213	52T	-1.89	-1.77	-1.81			
	7115	233	26T	NS	NS	NS	7115	233	52T	NS	NS	NS			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	N/A						61	N/A	N/A
	5	5955	1	106T	11.12	11.39			5955	1	242T	11.20			
		6175	45	106T	10.86	11.20			6175	45	242T	10.99			
		6195	49	106T	11.66	11.89			6195	49	242T	11.70			
		6415	93	106T	10.63	10.79			6415	93	242T	10.72			
	6	6435	97	106T	1.18	0.63			6435	97	242T	3.33			
		6475	105	106T	0.38	0.45			6475	105	242T	3.11			
		6515	113	106T	0.15	0.60			6515	113	242T	3.25			
		6535	117	106T	12.22	12.19			6535	117	242T	10.44			
	7	6695	149	106T	12.31	12.28			6695	149	242T	12.19			
		6875	185	106T	-0.56	-0.17			6875	185	242T	3.20			
		6895	189	106T	-0.47	-0.10			6895	189	242T	3.22			
		6995	209	106T	0.35	0.74			6995	209	242T	3.82			
	8	7015	213	106T	-0.31	0.55			7015	213	242T	4.10			
		7115	233	106T	NS	NS			7115	233	242T	NS			
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					0	8	17						37	40	44
	5	5965	3	26T	7.38	7.43	7.63		5965	3	52T	11.07	11.41	11.40	
		6165	43	26T	7.65	7.56	7.47		6165	43	52T	11.01	11.38	11.43	
		6205	51	26T	7.39	7.36	7.49		6205	51	52T	11.20	11.24	11.33	
		6405	91	26T	7.54	7.56	7.65		6405	91	52T	11.19	11.37	11.54	
	6	6445	99	26T	-5.94	-5.99	-6.05		6445	99	52T	-3.20	-2.98	-2.96	
		6485	107	26T	-5.91	-5.93	-6.00		6485	107	52T	-3.17	-2.92	-2.91	
		6525	115	26T	-5.98	-5.97	-6.04		6525	115	52T	-3.21	-2.94	-2.98	
		6565	123	26T	7.66	7.54	7.50		6565	123	52T	11.08	11.29	11.47	
	7	6685	147	26T	7.54	7.40	7.52		6685	147	52T	11.13	11.31	11.27	
		6725	155	26T	7.53	7.51	7.49		6725	155	52T	11.10	11.46	11.24	
		6845	179	26T	7.68	7.72	7.62		6845	179	52T	11.35	11.45	11.39	
		6885	187	26T	-5.95	-6.15	-6.00		6885	187	52T	-3.21	-3.01	-2.65	
	8	6965	203	26T	-5.91	-6.03	-5.97		6965	203	52T	-3.12	-2.89	-2.94	
		7005	211	26T	-5.82	-5.94	-6.01		7005	211	52T	-3.03	-2.82	-2.90	
		7085	227	26T	-5.93	-6.02	-5.99		7085	227	52T	-3.11	-2.93	-2.93	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					53	54	56						61	62	N/A
	5	5965	3	106T	11.25	11.41	11.19		5965	3	242T	11.06	11.01		
		6165	43	106T	11.27	11.26	11.28		6165	43	242T	10.97	10.99		
		6205	51	106T	11.30	11.39	11.27		6205	51	242T	11.03	11.05		
		6405	91	106T	11.57	11.42	11.39		6405	91	242T	11.61	11.58		
	6	6445	99	106T	0.73	0.35	0.38		6445	99	242T	3.09	3.10		
		6485	107	106T	0.32	0.38	0.38		6485	107	242T	3.06	3.03		
		6525	115	106T	0.31	0.37	0.35		6525	115	242T	3.02	3.04		
		6565	123	106T	11.37	11.33	11.23		6565	123	242T	11.19	11.23		
	7	6685	147	106T	11.35	11.40	11.33		6685	147	242T	11.21	11.20		
		6725	155	106T	11.36	11.31	11.31		6725	155	242T	11.18	11.15		
		6845	179	106T	11.52	11.46	11.58		6845	179	242T	11.27	11.26		
		6885	187	106T	0.33	0.37	0.30		6885	187	242T	3.30	3.27		
	8	6965	203	106T	0.41	0.46	0.45		6965	203	242T	3.45	3.48		
		7005	211	106T	0.42	0.43	0.43		7005	211	242T	3.46	3.44		
7085		227	106T	0.40	0.40	0.41	7085	227	242T	3.49	3.42				

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 19 of 21

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	5	5965	3	484T	11.04		
		6165	43	484T	11.07		
		6205	51	484T	11.13		
		6405	91	484T	11.52		
		6445	99	484T	6.06		
	6	6485	107	484T	6.04		
		6525	115	484T	5.98		
		6565	123	484T	11.21		
	7	6685	147	484T	11.26		
		6725	155	484T	11.24		
		6845	179	484T	11.19		
		6885	187	484T	6.37		
		6965	203	484T	6.48		
	8	7005	211	484T	6.45		
		7085	227	484T	6.51		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	52T	10.97	11.01	10.99
		6145	39	52T	11.06	11.03	11.04
		6225	55	52T	11.10	11.08	11.09
		6385	87	52T	11.05	11.06	11.07
		6465	103	52T	-2.91	-2.92	-2.89
	7	6545	119	52T	-2.93	-2.95	-2.94
		6705	151	52T	11.12	11.07	11.05
		6865	183	52T	-2.64	-2.66	-2.63
		6945	199	52T	-2.58	-2.61	-2.57
		7025	215	52T	-2.59	-2.55	-2.60

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	106T	11.13	11.10	11.08
		6145	39	106T	10.98	11.06	11.05
		6225	55	106T	11.01	10.96	10.94
		6385	87	106T	11.48	11.50	11.43
		6465	103	106T	1.37	1.36	1.34
	7	6545	119	106T	1.29	1.33	1.30
		6705	151	106T	11.54	11.50	11.51
		6865	183	106T	0.15	0.12	0.10
		6945	199	106T	0.57	0.60	0.59
		7025	215	106T	0.61	0.57	0.55

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	5985	7	242T	11.95	11.99	11.97
		6145	39	242T	12.01	12.02	11.98
		6225	55	242T	12.05	12.06	12.03
		6385	87	242T	12.57	12.55	12.56
		6465	103	242T	4.06	4.09	4.05
	7	6545	119	242T	4.01	4.08	4.00
		6705	151	242T	12.43	12.41	12.36
		6865	183	242T	4.27	4.24	4.32
		6945	199	242T	4.42	4.39	4.53
		7025	215	242T	4.45	4.47	4.48

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	5	5985	7	996T	11.96		
		6145	39	996T	12.01		
		6225	55	996T	12.07		
		6385	87	996T	12.56		
		6465	103	996T	9.93		
	7	6545	119	996T	10.06		
		6705	151	996T	12.58		
		6865	183	996T	10.30		
		6945	199	996T	10.61		
		7025	215	996T	10.56		

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	6025	15	52T	11.95	11.98	11.96
		6185	47	52T	12.03	12.05	12.03
		6345	79	52T	11.98	11.99	12.00
	6	6505	111	52T	-2.10	-2.13	-2.15
		6665	143	52T	11.92	12.02	11.99
	7	6825	175	52T	-1.63	-1.59	-1.65
		6985	207	52T	-1.50	-1.49	-1.51

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	484T	11.93	11.94	N/A
		6145	39	484T	12.00	11.99	
		6225	55	484T	12.09	12.06	
		6385	87	484T	12.57	12.58	
		6465	103	484T	7.11	7.05	
	7	6545	119	484T	7.03	7.06	
		6705	151	484T	12.39	12.37	
		6865	183	484T	7.05	7.07	
		6945	199	484T	7.61	7.60	
		7025	215	484T	7.52	7.53	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	6025	15	26T	9.15	9.05	9.08
		6185	47	26T	9.05	9.06	9.02
		6345	79	26T	8.97	8.94	8.95
	6	6505	111	26T	-4.61	-4.68	-4.65
		6665	143	26T	9.03	8.93	9.02
	7	6825	175	26T	-4.52	-4.48	-4.57
		6985	207	26T	-4.43	-4.43	-4.22

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	6025	15	106T	11.98	12.01	11.99
		6185	47	106T	12.06	12.05	12.04
		6345	79	106T	12.46	12.44	12.45
	6	6505	111	106T	0.29	0.28	0.27
		6665	143	106T	12.58	12.68	12.67
	7	6825	175	106T	0.83	0.87	0.86
		6985	207	106T	1.39	1.45	1.40

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 20 of 21

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					61	62	64						65	66	N/A
	5	6025	15	242T	11.99	11.95	11.93		6025	15	484T	11.99	12.01		
6185		47	242T	12.05	12.08	12.01	6185	47	484T	12.03	11.99				
6345		79	242T	12.45	12.47	12.45	6345	79	484T	12.49	12.43				
6	6505	111	242T	4.08	4.09	4.05	6	6505	111	484T	7.09	7.08			
	6665	143	242T	12.54	12.58	12.52		6665	143	484T	12.56	12.51			
	6825	175	242T	4.25	4.28	4.26		6825	175	484T	7.11	7.09			
7	6985	207	242T	4.49	4.51	4.49	7	6985	207	484T	7.56	7.55			
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index								RU Index		
					67(L)	N/A	N/A						67(L)	N/A	N/A
	5	6025	15	996T	12.02				5	6025	15	996Tx2	12.00		
6185		47	996T	12.00			6185	47		996Tx2	11.99				
6345		79	996T	12.45			6345	79		996Tx2	12.46				
6	6505	111	996T	9.91			6	6505	111	996Tx2	12.26				
	6665	143	996T	12.53				6665	143	996Tx2	12.55				
	6825	175	996T	9.99				6825	175	996Tx2	12.66				
7	6985	207	996T	10.49			7	6985	207	996Tx2	12.16				

FCC ID: BCGA2993	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX F: Page 21 of 21