




Plot 7-1348. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 93 – RU242)


Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12830.00	Average	H	-	-	-85.79	22.36	43.57	68.23	-24.66
12830.00	Peak	H	-	-	-74.74	22.32	54.58	88.23	-33.65

Table 7-209. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 409 of 464

V 10.6 10/27/2023



Plot 7-1349. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 97 – RU242)


Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	V	-	-	-85.75	22.10	43.35	68.23	-24.88
12870.00	Peak	V	-	-	-74.40	22.10	54.70	88.23	-33.53

Table 7-210. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 410 of 464

V 10.6 10/27/2023



Plot 7-1350. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 105 – RU242)


Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	-	-	-85.63	22.26	43.63	68.23	-24.60
12950.00	Peak	V	-	-	-73.75	21.89	55.14	88.23	-33.09


Table 7-211. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 411 of 464

V 10.6 10/27/2023



Plot 7-1351. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113 – RU242)



Plot 7-1352. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 113 – RU242)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 412 of 464

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6515MHz
 Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
13030.00	Average	V	-	-	-85.46	22.59	44.13	68.23	-24.10
13030.00	Peak	V	-	-	-73.66	22.53	55.87	88.23	-32.36

Table 7-212. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 413 of 464

V 10.6 10/27/2023



Plot 7-1353. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 117 – RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6535MHz


Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	V	-	-	-85.47	22.59	44.12	68.23	-24.11
13070.00	Peak	V	-	-	-73.96	22.59	55.62	88.23	-32.61

Table 7-213. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 414 of 464

V 10.6 10/27/2023



Plot 7-1354. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 149 – RU242)


Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.81	22.63	43.82	53.98	-10.16
* 13390.00	Peak	H	-	-	-74.34	22.24	54.90	73.98	-19.08


Table 7-214. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 415 of 464

V 10.6 10/27/2023



Plot 7-1355. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU242)



Plot 7-1356. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 185 – RU242)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 416 of 464

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6875MHz
 Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	H	-	-	-85.90	22.04	43.14	68.23	-25.09
13750.00	Peak	H	-	-	-74.49	22.10	54.61	88.23	-33.62

Table 7-215. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 417 of 464

V 10.6 10/27/2023



Plot 7-1357. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 189 – RU242)

Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6895MHz
Channel:	189


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13790.00	Average	V	-	-	-85.90	22.23	43.34	68.23	-24.89
13790.00	Peak	V	-	-	-75.09	22.23	54.14	88.23	-34.09

Table 7-216. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 418 of 464

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-1358. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 209 – RU242)

Mode:	802.11ax
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	V	-	-	-86.28	22.30	43.03	68.23	-25.20
13990.00	Peak	V	-	-	-75.12	22.36	54.24	88.23	-33.99

Table 7-217. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 419 of 464



Plot 7-1359. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 229 – RU242)



Plot 7-1360. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 229 – RU242)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 420 of 464

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14190.00	Average	H	-	-	-82.77	16.31	40.54	68.23	-27.69
14190.00	Peak	H	-	-	-71.72	16.31	51.59	88.23	-36.64

Table 7-218. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 421 of 464


V 10.6 10/27/2023

7.7.4 Antenna WF5T Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	<u>802.11ax</u>
Worst Case Transfer Rate:	<u>MCS11</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>5955MHz</u>
Channel:	<u>1</u>



Plot 7-1361. Antenna WF5T Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU26)

Worst Case Mode:	<u>802.11ax</u>
Worst Case Transfer Rate:	<u>MCS11</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>7095MHz</u>
Channel:	<u>229</u>



Plot 7-1362. Antenna WF5T Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU26)


FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 422 of 464

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242

Worst Case Mode: 802.11ax
Worst Case Transfer Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1363. Antenna WF5T Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU242)

Worst Case Mode: 802.11ax
Worst Case Transfer Rate: MCS11
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-1364. Antenna WF5T Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU242)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 423 of 464


V 10.6 10/27/2023

7.7.5 Antenna WF5T Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



Plot 7-1365. Antenna WF5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS5
Distance of Measurements:	3 Meters
Operating Frequency:	7085MHz
Channel:	227




Plot 7-1366. Antenna WF5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 424 of 464

V 10.6 10/27/2023


RU484

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-1367. Antenna WF5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU484)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227



Plot 7-1368. Antenna WF5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU484)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 425 of 464


V 10.6 10/27/2023

7.7.6 Antenna WF5T Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7



Plot 7-1369. Antenna WF5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




Plot 7-1370. Antenna WF5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 426 of 464

V 10.6 10/27/2023


RU996

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-1371. Antenna WF5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215



Plot 7-1372. Antenna WF5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 427 of 464


V 10.6 10/27/2023

7.7.7 Antenna WF5T Radiated Band Edge Measurements (160MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	<u>802.11ax</u>
Worst Case Transfer Rate:	<u>MCS11</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>6025MHz</u>
Channel:	<u>15</u>



Plot 7-1373. Antenna WF5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	<u>802.11ax</u>
Worst Case Transfer Rate:	<u>MCS11</u>
Distance of Measurements:	<u>3 Meters</u>
Operating Frequency:	<u>6825MHz</u>
Channel:	<u>207</u>



Plot 7-1374. Antenna WF5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)


FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 428 of 464

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996x2

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025MHz
 Channel: 15



Plot 7-1375. Antenna WF5T Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207



Plot 7-1376. Antenna WF5T Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996x2)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 429 of 464

V 10.6 10/27/2023


7.7.8 Antenna WF2 Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209

RU26


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1



Plot 7-1377. Antenna WF2 Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229




Plot 7-1378. Antenna WF2 Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU26)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 430 of 464

V 10.6 10/27/2023


RU242

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-1379. Antenna WF2 Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU242)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-1380. Antenna WF2 Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU242)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 431 of 464


V 10.6 10/27/2023

7.7.9 Antenna WF2 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



Plot 7-1381. Antenna WF2 Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS5
Distance of Measurements:	3 Meters
Operating Frequency:	7085MHz
Channel:	227




Plot 7-1382. Antenna WF2 Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 432 of 464

V 10.6 10/27/2023


RU484

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-1383. Antenna WF2 Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU484)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227



Plot 7-1384. Antenna WF2 Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU484)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 433 of 464


V 10.6 10/27/2023

7.7.10 Antenna WF2 Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7



Plot 7-1385. Antenna WF2 Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




Plot 7-1386. Antenna WF2 Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 434 of 464

V 10.6 10/27/2023


RU996

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-1387. Antenna WF2 Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215



Plot 7-1388. Antenna WF2 Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 435 of 464


V 10.6 10/27/2023

7.7.11 Antenna WF2 Radiated Band Edge Measurements (160MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



Plot 7-1389. Antenna WF2 Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6985MHz
Channel:	207




Plot 7-1390. Antenna WF2 Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 436 of 464

V 10.6 10/27/2023


RU996x2

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025MHz
 Channel: 15



Plot 7-1391. Antenna WF2 Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207



Plot 7-1392. Antenna WF2 Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996x2)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 437 of 464


V 10.6 10/27/2023

7.7.12 SDM Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1



Plot 7-1393. SDM Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229



Plot 7-1394. SDM Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU26)


FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 438 of 464

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-1395. SDM Radiated Lower Band Edge (Peak/Average – UNII Band 5 – RU242)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-1396. SDM Radiated Upper Band Edge (Peak/Average – UNII Band 8 – RU242)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 439 of 464


V 10.6 10/27/2023

7.7.13 SDM Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



Plot 7-1397. SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS5
Distance of Measurements:	3 Meters
Operating Frequency:	7085MHz
Channel:	227




Plot 7-1398. SDM Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 440 of 464

V 10.6 10/27/2023


RU484

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-1399. SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU484)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS5
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227



Plot 7-1400. SDM Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU484)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 441 of 464


V 10.6 10/27/2023

7.7.14 SDM Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7



Plot 7-1401. SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	7025MHz
Channel:	215




Plot 7-1402. SDM Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 442 of 464

V 10.6 10/27/2023


RU996

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-1403. SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215



Plot 7-1404. SDM Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU996)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 443 of 464


V 10.6 10/27/2023

7.7.15 SDM Radiated Band Edge Measurements (160MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209


RU26

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



Plot 7-1405. SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU26)

Worst Case Mode:	802.11ax
Worst Case Transfer Rate:	MCS11
Distance of Measurements:	3 Meters
Operating Frequency:	6985MHz
Channel:	207




Plot 7-1406. SDM Radiated Upper Band Edge (Peak & Average – UNII Band 8 – RU26)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 444 of 464

V 10.6 10/27/2023


RU996x2

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025MHz
 Channel: 15



Plot 7-1407. SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)

Worst Case Mode: 802.11ax
 Worst Case Transfer Rate: MCS11
 Distance of Measurements: 3 Meters
 Operating Frequency: 6185MHz
 Channel: 47



Plot 7-1408. SDM Radiated Lower Band Edge (Peak & Average – UNII Band 5 – RU996x2)

FCC ID: BCGA2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-14-R3.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 445 of 464

V 10.6 10/27/2023