




Plot 7-121. RSE above 1GHz CDD (11ax – Ch.149 – RU26)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	V	122	24	-76.09	9.39	40.30	53.98	-13.68
*	11490.00	Peak	V	122	24	-65.57	9.40	50.83	73.98	-23.15
	17235.00	Peak	H	272	317	-62.55	15.91	60.36	68.23	-7.87

Table 7-137. Radiated Measurements CDD (RU26)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 122 of 198

V 12.0 03/03/2026



Plot 7-122. RSE above 1GHz CDD (11ax – Ch.157 – RU26)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11570.00	Average	V	163	31	-75.36	9.41	41.05	53.98	-12.93
*	11570.00	Peak	V	163	31	-66.51	9.41	49.90	73.98	-24.08
	17355.00	Peak	V	198	19	-62.20	16.46	61.27	68.23	-6.96


Table 7-138. Radiated Measurements CDD (RU26)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 123 of 198

V 12.0 03/03/2026



Plot 7-123. RSE above 1GHz CDD (11ax – Ch.165 – RU26)



Plot 7-124. RSE 18GHz – 40 GHz CDD (11ax Ch.165 — RU26)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 124 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 4
 Distance of Measurements: 3 Meters
 Operating Frequency: 5825MHz
 Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	V	276	29	-74.45	9.77	0.00	42.31	53.98	-11.67
* 11650.00	Peak	V	276	29	-64.56	9.68	0.00	52.11	73.98	-21.87
17475.00	Peak	V	397	24	-63.80	18.21	0.00	61.42	68.23	-6.81
23300.00	Peak	H	-	-	-49.79	-5.92	-9.54	41.75	68.20	-26.45
29125.00	Peak	H	-	-	-52.41	-3.79	-9.54	41.26	68.20	-26.94

Table 7-139. Radiated Measurements CDD (RU26)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 125 of 198

V 12.0 03/03/2026

RU242



Plot 7-125. RSE above 1GHz CDD (11ax – Ch.36 – RU242)



Plot 7-126. RSE 18GHz – 40 GHz CDD (11ax Ch.36 — RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 126 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Mode: 11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5180MHz
 Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	V	178	342	-65.48	8.46	0.00	49.98	68.23	-18.25
* 15540.00	Average	H	-	-	-78.85	14.12	0.00	42.27	53.98	-11.71
* 15540.00	Peak	H	-	-	-67.52	14.12	0.00	53.60	73.98	-20.38
* 20720.00	Average	V	-	-	-62.17	-5.85	-9.54	29.44	53.98	-24.54
* 20720.00	Peak	V	-	-	-51.04	-5.85	-9.54	40.57	73.98	-33.41
25900.00	Peak	H	249	172	-44.00	-5.34	-9.54	48.12	68.23	-20.11
31080.00	Peak	V	-	-	-52.65	-3.89	-9.54	40.92	68.23	-27.31
36260.00	Peak	H	-	-	-49.40	-5.10	-9.54	42.96	68.23	-25.27

Table 7-140. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 127 of 198

V 12.0 03/03/2026



Plot 7-127. RSE above 1GHz CDD (11ax – Ch.40 – RU242)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10400.00	Peak	V	-	-	-67.81	8.63	47.82	68.23	-20.41
*	15600.00	Average	H	-	-	-79.87	14.17	41.31	53.98	-12.67
*	15600.00	Peak	H	-	-	-68.67	14.09	52.42	73.98	-21.56

Table 7-141. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 128 of 198

V 12.0 03/03/2026



Plot 7-128. RSE above 1GHz CDD (11ax – Ch.48 – RU242)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10480.00	Peak	H	-	-	-68.27	8.84	47.57	68.23	-20.66
*	15720.00	Average	V	-	-	-79.70	13.52	40.82	53.98	-13.16
*	15720.00	Peak	V	-	-	-69.21	13.52	51.31	73.98	-22.67

Table 7-142. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 129 of 198

V 12.0 03/03/2026



Plot 7-129. RSE above 1GHz CDD (11ax – Ch.52 – RU242)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10520.00	Peak	H	-	-	-68.56	8.58	47.02	68.23	-21.21
*	15780.00	Average	H	-	-	-79.36	13.36	41.00	53.98	-12.98
*	15780.00	Peak	H	-	-	-67.65	13.36	52.71	73.98	-21.27


Table 7-143. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 130 of 198

V 12.0 03/03/2026



Plot 7-130. RSE above 1GHz CDD (11ax – Ch.56 – RU242)



Plot 7-131. RSE 18GHz – 40 GHz CDD (11ax Ch.56 — RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 131 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5280MHz
 Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-67.94	8.72	0.00	47.78	68.23	-20.45
* 15840.00	Average	V	-	-	-79.89	13.33	0.00	40.43	53.98	-13.55
* 15840.00	Peak	V	-	-	-68.82	13.33	0.00	51.50	73.98	-22.48
* 21120.00	Average	V	-	-	-61.21	-6.30	-9.54	29.95	53.98	-24.03
* 21120.00	Peak	V	-	-	-49.99	-6.30	-9.54	41.17	73.98	-32.81
26400.00	Peak	V	-	-	-50.56	-5.08	-9.54	41.82	68.23	-26.41

Table 7-144. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 132 of 198

V 12.0 03/03/2026



Plot 7-132. RSE above 1GHz CDD (11ax – Ch.64 – RU242)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	10640.00	Average	H	-	-	-79.19	8.82	36.62	53.98	-17.36
*	10640.00	Peak	H	-	-	-67.82	8.79	47.97	73.98	-26.01
*	15960.00	Average	H	-	-	-80.15	13.50	40.34	53.98	-13.64
*	15960.00	Peak	H	-	-	-68.91	13.35	51.44	73.98	-22.54

Table 7-145. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 133 of 198

V 12.0 03/03/2026



Plot 7-133. RSE above 1GHz CDD (11ax – Ch.100 – RU242)


Mode:	802.11ax (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5500MHz
Channel:	100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11000.00	Average	H	-	-	-79.27	9.12	36.85	53.98	-17.13
*	11000.00	Peak	H	-	-	-68.41	9.15	47.74	73.98	-26.24
	16500.00	Peak	H	-	-	-69.53	15.47	52.94	68.23	-15.29


Table 7-146. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 134 of 198

V 12.0 03/03/2026



Plot 7-134. RSE above 1GHz CDD (11ax - Ch.116 - RU242)



Plot 7-135. RSE 18GHz - 40 GHz CDD (11ax Ch.116 - RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 135 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5580MHz
 Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-78.21	9.05	0.00	37.84	53.98	-16.14
* 11160.00	Peak	V	-	-	-67.34	9.05	0.00	48.71	73.98	-25.27
16740.00	Peak	V	-	-	-69.39	15.12	0.00	52.73	68.23	-15.50
* 22320.00	Average	V	-	-	-61.39	-6.17	-9.54	29.90	53.98	-24.08
* 22320.00	Peak	V	-	-	-50.40	-6.17	-9.54	40.89	73.98	-33.09
27900.00	Peak	H	-	-	-51.99	-4.16	-9.54	41.31	68.23	-26.92

Table 7-147. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 136 of 198

V 12.0 03/03/2026



Plot 7-136. RSE above 1GHz CDD (11ax – Ch.144 – RU242)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	V	-	-	-79.31	9.47	37.16	53.98	-16.82
*	11440.00	Peak	V	-	-	-68.26	9.47	48.21	73.98	-25.77
	17160.00	Peak	H	-	-	-70.40	16.13	52.72	68.23	-15.51

Table 7-148. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 137 of 198

V 12.0 03/03/2026



Plot 7-137. RSE above 1GHz CDD (11ax – Ch.149 – RU242)


Mode:	802.11ax (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5745MHz
Channel:	149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-79.08	9.39	37.30	53.98	-16.68
*	11490.00	Peak	V	-	-	-68.28	9.39	48.11	73.98	-25.87
	17235.00	Peak	H	-	-	-69.74	15.89	53.15	68.23	-15.08


Table 7-149. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 138 of 198

V 12.0 03/03/2026



Plot 7-138. RSE above 1GHz CDD (11ax - Ch.157 - RU242)



Plot 7-139. RSE 18GHz - 40 GHz CDD (11ax Ch.157 - RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 139 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


Mode: 802.11ax (20MHz BW)
 Data Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-79.39	9.42	0.00	37.02	53.98	-16.96
* 11570.00	Peak	V	-	-	-67.94	9.41	0.00	48.47	73.98	-25.51
17355.00	Peak	V	-	-	-71.00	17.05	0.00	53.05	68.23	-15.18
23140.00	Peak	H	-	-	-50.09	-6.06	-9.54	41.31	68.20	-26.89
28925.00	Peak	V	-	-	-52.29	-3.15	-9.54	42.02	68.20	-26.18

Table 7-150. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 140 of 198

V 12.0 03/03/2026



Plot 7-140. RSE above 1GHz CDD (11ax – Ch.165 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	V	-	-	-79.03	9.77	37.74	53.98	-16.24
*	11650.00	Peak	V	-	-	-67.68	9.60	48.92	73.98	-25.06
	17475.00	Peak	V	-	-	-71.67	18.04	53.37	68.23	-14.86


Table 7-151. Radiated Measurements CDD (RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 141 of 198


V 12.0 03/03/2026

7.6.2 Antenna 0 Radiated Band Edge Measurements (20MHz BW)


RU26




Plot 7-141. Antenna 0 (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-144. Antenna 0 (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-142. Antenna 0 (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-145. Antenna 0 (Peak, RU26, Index 0, Ch.165, MCS11)



Plot 7-143. Antenna 0 (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-146. Antenna 0 (Peak, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 142 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242




Plot 7-153. Antenna 0 (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-156. Antenna 0 (Peak & Average, RU242, Index 61, Ch.64, MCS11)




Plot 7-154. Antenna 0 (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-157. Antenna 0 (Peak & Average, RU242, Index 61, Ch.100, MCS11)



Plot 7-155. Antenna 0 (Peak & Average, RU242, Index 61, Ch.60, MCS11)




Plot 7-158. Antenna 0 (Peak & Average, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 144 of 198

V 12.0 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-159. Antenna 0 (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-162. Antenna 0 (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-160. Antenna 0 (Peak, RU242, Index 61, Ch.132, MCS11)



Plot 7-163. Antenna 0 (Peak, RU242, Index 61, Ch.149, MCS11)



Plot 7-161. Antenna 0 (Peak, RU242, Index 61, Ch.136, MCS11)




Plot 7-164. Antenna 0 (Peak, RU242, Index 61, Ch.165, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 145 of 198

7.6.3 Antenna 0 Radiated Band Edge Measurements (40MHz BW)


RU26




Plot 7-165. Antenna 0 (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-168. Antenna 0 (Peak, RU26, Index 17, Ch.151, MCS11)




Plot 7-166. Antenna 0 (Peak & Average, RU26, Index 17, Ch.38, MCS11)



Plot 7-169. Antenna 0 (Peak, RU26, Index 0, Ch.159, MCS11)



Plot 7-167. Antenna 0 (Peak, RU26, Index 0, Ch.151, MCS11)




Plot 7-170. Antenna 0 (Peak, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 146 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU52




Plot 7-171. Antenna 0 (Peak & Average, RU52, Index 37, Ch.62, MCS11)




Plot 7-174. Antenna 0 (Peak & Average, RU52, Index 44, Ch.102, MCS11)




Plot 7-172. Antenna 0 (Peak & Average, RU52, Index 44, Ch.62, MCS11)



Plot 7-175. Antenna 0 (Peak, RU52, Index 37, Ch.134, MCS11)



Plot 7-173. Antenna 0 (Peak & Average, RU52, Index 37, Ch.102, MCS11)




Plot 7-176. Antenna 0 (Peak, RU52, Index 44, Ch.134, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 147 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU484




Plot 7-177. Antenna 0 (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-180. Antenna 0 (Peak & Average, RU484, Index 65, Ch.62, MCS11)




Plot 7-178. Antenna 0 (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-181. Antenna 0 (Peak & Average, RU484, Index 65, Ch.102, MCS11)



Plot 7-179. Antenna 0 (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-182. Antenna 0 (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 148 of 198

V 12.0 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-183. (FCC only) Antenna 0 (Peak & Average, RU484, Index 65, Ch.118, MCS11)




Plot 7-186. Antenna 0 (Peak, RU484, Index 65, Ch.134, MCS11)




Plot 7-184. (FCC only) Antenna 0 (Peak, RU484, Index 65, Ch.118, MCS11)



Plot 7-187. Antenna 0 (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-185. (FCC only) Antenna 0 (Peak, RU484, Index 65, Ch.126, MCS11)




Plot 7-188. Antenna 0 (Peak, RU484, Index 65, Ch.159, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 149 of 198

7.6.4 Antenna 0 Radiated Band Edge Measurements (80MHz BW)


RU26




Plot 7-189. Antenna 0 (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-192. Antenna 0 (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-190. Antenna 0 (Peak & Average, RU26, Index 36, Ch.42, MCS11)



Plot 7-193. Antenna 0 (Peak, RU26, Index 36, Ch.155, MCS11)



Plot 7-191. Antenna 0 (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-194. Antenna 0 (Peak, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 150 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996




Plot 7-201. Antenna 0 (Peak & Average, RU996, Index 67, Ch.42, MCS11)




Plot 7-204. (FCC only) Antenna 0 (Peak, RU996, Index 67, Ch.122, MCS11)




Plot 7-202. Antenna 0 (Peak & Average, RU996, Index 67, Ch.58, MCS11)



Plot 7-205. (FCC only) Antenna 0 (Peak, RU996, Index 67, Ch.122, MCS11)



Plot 7-203. Antenna 0 (Peak & Average, RU996, Index 67, Ch.106, MCS11)




Plot 7-206. Antenna 0 (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 152 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-207. Antenna 0 (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 153 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.5 Antenna 0 Radiated Band Edge Measurements (160MHz BW) RU52




Plot 7-208. Antenna 0 (Peak & Average, RU52, Index 37, Ch.50, MCS11)




Plot 7-211. Antenna 0 (Peak & Average, RU52, Index 52, Ch.50, MCS11)




Plot 7-209. Antenna 0 (Peak & Average, RU52, Index 52, Ch.50, MCS11)



Plot 7-212. (FCC only) Antenna 0 (Peak & Average, RU52, Index 37, Ch.114, MCS11)




Plot 7-210. Antenna 0 (Peak & Average, RU52, Index 37, Ch.50, MCS11)




Plot 7-213. (FCC only) Antenna 0 (Peak, RU52, Index 37, Ch.114, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 154 of 198



Plot 7-214. (FCC only) Antenna 0 (Peak & Average, RU52, Index 52, Ch.114, MCS11)




Plot 7-215. (FCC only) Antenna 0 (Peak, RU52, Index 52, Ch.114, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 155 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996X2




Plot 7-216. Antenna 0 (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-219. (FCC only) Antenna 0 (Peak, RU996X2, Index 68, Ch.114, MCS11)



Plot 7-217. Antenna 0 (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)




Plot 7-218. (FCC only) Antenna 0 (Peak & Average, RU996X2, Index 68, Ch.114, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 156 of 198

7.6.6 Antenna 1 Radiated Band Edge Measurements (20MHz BW)


RU26




Plot 7-220. Antenna 1 (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-223. Antenna 1 (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-221. Antenna 1 (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-224. Antenna 1 (Peak, RU26, Index 0, Ch.165, MCS11)




Plot 7-222. Antenna 1 (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-225. Antenna 1 (Peak, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 157 of 198


RU52




Plot 7-226. Antenna 1 (Peak & Average, RU52, Index 37, Ch.64, MCS11)




Plot 7-229. Antenna 1 (Peak & Average, RU52, Index 40, Ch.100, MCS11)




Plot 7-227. Antenna 1 (Peak & Average, RU52, Index 40, Ch.64, MCS11)



Plot 7-230. Antenna 1 (Peak, RU52, Index 37, Ch.140, MCS11)



Plot 7-228. Antenna 1 (Peak & Average, RU52, Index 37, Ch.100, MCS11)



Plot 7-231. Antenna 1 (Peak, RU52, Index 40, Ch.140, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 158 of 198