




RU242




Plot 7-232. Antenna 1 (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-235. Antenna 1 (Peak & Average, RU242, Index 61, Ch.64, MCS11)




Plot 7-233. Antenna 1 (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-236. Antenna 1 (Peak & Average, RU242, Index 61, Ch.100, MCS11)




Plot 7-234. Antenna 1 (Peak & Average, RU242, Index 61, Ch.60, MCS11)




Plot 7-237. Antenna 1 (Peak & Average, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 159 of 198




Plot 7-238. Antenna 1 (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-241. Antenna 1 (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-239. Antenna 1 (Peak, RU242, Index 61, Ch.132, MCS11)



Plot 7-242. Antenna 1 (Peak, RU242, Index 61, Ch.149, MCS11)



Plot 7-240. Antenna 1 (Peak, RU242, Index 61, Ch.136, MCS11)




Plot 7-243. Antenna 1 (Peak, RU242, Index 61, Ch.165, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 160 of 198

7.6.7 Antenna 1 Radiated Band Edge Measurements (40MHz BW)


RU26




Plot 7-244. Antenna 1 (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-247. Antenna 1 (Peak, RU26, Index 17, Ch.151, MCS11)




Plot 7-245. Antenna 1 (Peak & Average, RU26, Index 17, Ch.38, MCS11)



Plot 7-248. Antenna 1 (Peak, RU26, Index 0, Ch.159, MCS11)



Plot 7-246. Antenna 1 (Peak, RU26, Index 0, Ch.151, MCS11)




Plot 7-249. Antenna 1 (Peak, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 161 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU52




Plot 7-250. Antenna 1 (Peak & Average, RU52, Index 37, Ch.62, MCS11)




Plot 7-253. Antenna 1 (Peak & Average, RU52, Index 44, Ch.102, MCS11)




Plot 7-251. Antenna 1 (Peak & Average, RU52, Index 44, Ch.62, MCS11)



Plot 7-254. Antenna 1 (Peak, RU52, Index 37, Ch.134, MCS11)



Plot 7-252. Antenna 1 (Peak & Average, RU52, Index 37, Ch.102, MCS11)




Plot 7-255. Antenna 1 (Peak, RU52, Index 44, Ch.134, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 162 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU484




Plot 7-256. Antenna 1 (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-259. Antenna 1 (Peak & Average, RU484, Index 65, Ch.62, MCS11)




Plot 7-257. Antenna 1 (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-260. Antenna 1 (Peak & Average, RU484, Index 65, Ch.102, MCS11)




Plot 7-258. Antenna 1 (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-261. Antenna 1 (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 163 of 198




Plot 7-262. (FCC only) Antenna 1 (Peak & Average, RU484, Index 65, Ch.118, MCS11)




Plot 7-265. Antenna 1 (Peak, RU484, Index 65, Ch.134, MCS11)




Plot 7-263. (FCC only) Antenna 1 (Peak, RU484, Index 65, Ch.118, MCS11)



Plot 7-266. Antenna 1 (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-264. (FCC only) Antenna 1 (Peak, RU484, Index 65, Ch.126, MCS11)




Plot 7-267. Antenna 1 (Peak, RU484, Index 65, Ch.159, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 164 of 198

7.6.8 Antenna 1 Radiated Band Edge Measurements (80MHz BW)


RU26




Plot 7-268. Antenna 1 (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-271. Antenna 1 (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-269. Antenna 1 (Peak & Average, RU26, Index 36, Ch.42, MCS11)



Plot 7-272. Antenna 1 (Peak, RU26, Index 36, Ch.155, MCS11)



Plot 7-270. Antenna 1 (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-273. Antenna 1 (Peak, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 165 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU52




Plot 7-274. Antenna 1 (Peak & Average, RU52, Index 37, Ch.58, MCS11)




Plot 7-277. Antenna 1 (Peak & Average, RU52, Index 52, Ch.106, MCS11)




Plot 7-275. Antenna 1 (Peak & Average, RU52, Index 52, Ch.58, MCS11)



Plot 7-278. (FCC only) Antenna 1 (Peak & Average, RU52, Index 37, Ch.122, MCS11)



Plot 7-276. Antenna 1 (Peak & Average, RU52, Index 37, Ch.106, MCS11)




Plot 7-279. (FCC only) Antenna 1 (Peak, RU52, Index 37, Ch.122, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 166 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996




Plot 7-280. Antenna 1 (Peak & Average, RU996, Index 67, Ch.42, MCS11)




Plot 7-283. (FCC Only) Antenna 1 (Peak & Average, RU996, Index 67, Ch.122, MCS11)




Plot 7-281. Antenna 1 (Peak & Average, RU996, Index 67, Ch.58, MCS11)



Plot 7-284. (FCC Only) Antenna 1 (Peak, RU996, Index 67, Ch.122, MCS11)



Plot 7-282. Antenna 1 (Peak & Average, RU996, Index 67, Ch.106, MCS11)




Plot 7-285. Antenna 1 (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 167 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-286. Antenna 1 (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 168 of 198



Plot 7-293. (FCC only) Antenna 1 (Peak & Average, RU52, Index 52, Ch.114, MCS11)




Plot 7-294. (FCC only) Antenna 1 (Peak, RU52, Index 52, Ch.114, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 170 of 198

V 12.0 03/03/2026


RU996X2




Plot 7-295. Antenna 1 (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-298. (FCC only) Antenna 1 (Peak, RU996X2, Index 68, Ch.114, MCS11)



Plot 7-296. Antenna 1 (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-297. (FCC only) Antenna 1 (Peak & Average, RU996X2, Index 68, Ch.114, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 171 of 198

V 12.0 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.6.10 CDD Radiated Band Edge Measurements (20MHz BW)


RU26




Plot 7-299. CDD (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-302. CDD (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-300. CDD (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-303. CDD (Peak, RU26, Index 0, Ch.165, MCS11)



Plot 7-301. CDD (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-304. CDD (Peak, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 172 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242




Plot 7-311. CDD (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-314. CDD (Peak & Average, RU242, Index 61, Ch.64, MCS11)




Plot 7-312. CDD (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-315. CDD (Peak & Average, RU242, Index 61, Ch.100, MCS11)



Plot 7-313. CDD (Peak & Average, RU242, Index 61, Ch.60, MCS11)




Plot 7-316. CDD (Peak & Average, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 174 of 198

V 12.0 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-317. CDD (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-320. CDD (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-318. CDD (Peak, RU242, Index 61, Ch.132, MCS11)



Plot 7-321. CDD (Peak, RU242, Index 61, Ch.149, MCS11)



Plot 7-319. CDD (Peak, RU242, Index 61, Ch.136, MCS11)




Plot 7-322. CDD (Peak, RU242, Index 61, Ch.165, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 175 of 198

7.6.11 CDD Radiated Band Edge Measurements (40MHz BW)


RU26




Plot 7-323. CDD (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-326. CDD (Peak, RU26, Index 17, Ch.151, MCS11)




Plot 7-324. CDD (Peak & Average, RU26, Index 17, Ch.38, MCS11)



Plot 7-327. CDD (Peak, RU26, Index 0, Ch.159, MCS11)



Plot 7-325. CDD (Peak, RU26, Index 0, Ch.151, MCS11)




Plot 7-328. CDD (Peak, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 176 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU484




Plot 7-335. CDD (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-338. CDD (Peak & Average, RU484, Index 65, Ch.62, MCS11)




Plot 7-336. CDD (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-339. CDD (Peak & Average, RU484, Index 65, Ch.102, MCS11)



Plot 7-337. CDD (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-340. CDD (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 178 of 198

V 12.0 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-341. (FCC only) CDD (Peak & Average, RU484, Index 65, Ch.118, MCS11)




Plot 7-344. CDD (Peak, RU484, Index 65, Ch.134, MCS11)




Plot 7-342. (FCC only) CDD (Peak, RU484, Index 65, Ch.118, MCS11)



Plot 7-345. CDD (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-343. (FCC only) CDD (Peak, RU484, Index 65, Ch.126, MCS11)




Plot 7-346. CDD (Peak, RU484, Index 65, Ch.159, MCS11)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 179 of 198

7.6.12 CDD Radiated Band Edge Measurements (80MHz BW)


RU26




Plot 7-347. CDD (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-350. CDD (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-348. CDD (Peak & Average, RU26, Index 36, Ch.42, MCS11)



Plot 7-351. CDD (Peak, RU26, Index 36, Ch.155, MCS11)




Plot 7-349. CDD (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-352. CDD (Peak, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 180 of 198


RU52




Plot 7-353. CDD (Peak & Average, RU52, Index 37, Ch.58, MCS11)




Plot 7-356. CDD (Peak & Average, RU52, Index 52, Ch.106, MCS11)




Plot 7-354. CDD (Peak & Average, RU52, Index 52, Ch.58, MCS11)



Plot 7-357. CDD (Peak & Average, RU52, Index 37, Ch.122, MCS11)



Plot 7-355. CDD (Peak & Average, RU52, Index 37, Ch.106, MCS11)




Plot 7-358. CDD (Peak, RU52, Index 37, Ch.122, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 181 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996




Plot 7-359. CDD (Peak & Average, RU996, Index 67, Ch.42, MCS11)




Plot 7-362. (FCC Only) CDD (Peak & Average, RU996, Index 67, Ch.122, MCS11)




Plot 7-360. CDD (Peak & Average, RU996, Index 67, Ch.58, MCS11)



Plot 7-363. (FCC Only) CDD (Peak, RU996, Index 67, Ch.122, MCS11)




Plot 7-361. CDD (Peak & Average, RU996, Index 67, Ch.106, MCS11)




Plot 7-364. CDD (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 182 of 198




Plot 7-365. CDD (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 183 of 198



Plot 7-372. (FCC only) CDD (Peak & Average, RU52, Index 52, Ch.114, MCS11)




Plot 7-373. (FCC only) CDD (Peak, RU52, Index 52, Ch.114, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 185 of 198


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU996X2




Plot 7-374. CDD (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-377. (FCC only) CDD (Peak, RU996X2, Index 68, Ch.114, MCS11)



Plot 7-375. CDD (Peak & Average, RU996X2, Index 68, Ch.50, MCS11)



Plot 7-376. (FCC only) CDD (Peak & Average, RU996X2, Index 68, Ch.114, MCS11)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 186 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7 Radiated Spurious Emissions – Below 1GHz

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 6 of RSS-Gen (7.5) must not exceed the limits shown in Table 7-152 per Section 15.209 and RSS-Gen (7.4.3).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-152. Radiated Limits

Test Procedures Used

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 187 of 198

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-6. Radiated Test Setup < 30MHz




Figure 7-7. Radiated Test Setup < 1GHz

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 188 of 198

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (7.5) are below the limit shown in Table 7-152.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested while powered by an AC/DC Adapter via USB-C Cable.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector for emissions within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. All antenna configurations and data rates were investigated and only the worst case are reported.
10. The following configuration was investigated and EUT powered by AC/DC was the worst case.
 - a. EUT powered by an AC/DC Adapter via USB-C Cable.


Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level}_{[dBm]} + 107 + \text{AFCL}_{[dB/m]}$
- $\text{AFCL}_{[dB/m]} = \text{Antenna Factor}_{[dB/m]} + \text{Cable Loss}_{[dB]} - \text{Preamplifier Gain}_{[dB]}$
- $\text{Margin}_{[dB]} = \text{Field Strength Level}_{[dB\mu V/m]} - \text{Limit}_{[dB\mu V/m]}$

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 189 of 198

7.7.1 CDD Radiated Spurious Emissions (Below 1GHz)




Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
30.29	MaxPeak	V	200	94	-63.59	-18.38	25.03	40.00	-14.97
42.13	MaxPeak	V	100	22	-61.23	-15.11	30.66	40.00	-9.34
186.17	MaxPeak	H	200	207	-66.36	-17.14	23.50	43.52	-20.02
218.47	MaxPeak	H	100	199	-62.60	-15.84	28.56	46.02	-17.46
412.67	MaxPeak	H	300	332	-69.03	-10.08	27.89	46.02	-18.13
472.37	MaxPeak	H	200	226	-70.68	-8.99	27.33	46.02	-18.69

Table 7-153. RSE below 1GHz CDD (RU26 – Ch.40), with AC/DC Adapter via USB-C cable

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 190 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
43.29	MaxPeak	V	100	25	-62.11	-14.87	30.02	40.00	-9.98
177.00	MaxPeak	H	200	243	-66.15	-18.15	22.70	43.52	-20.82
218.47	MaxPeak	H	100	230	-64.24	-15.84	26.92	46.02	-19.10
254.26	MaxPeak	H	100	241	-67.71	-14.15	25.14	46.02	-20.88
412.33	MaxPeak	H	100	313	-66.58	-10.07	30.35	46.02	-15.67
472.32	MaxPeak	H	200	227	-70.57	-8.99	27.44	46.02	-18.58

Table 7-154. RSE below 1GHz CDD (RU242– Ch.40), with AC/DC Adapter via USB-C cable

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 191 of 198

V 12.0 03/03/2026

7.8 AC Line Conducted Emissions Measurement

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. All data rates and modes were investigated for AC Line conducted spurious emissions.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (7.4.2).

Frequency of emission (MHz)	Conducted Limit (dBμV)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-155. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024, Subclause 6.2

Test Settings

Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 192 of 198

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-8. Test Instrument & Measurement Setup


Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
2. This unit was tested while powered by an AC/DC Adapter via USB-C Cable.
3. The limit for an intentional radiator from 150kHz to 30MHz are specified in 15.207 and RSS-Gen (7.4.2).
4. $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
5. $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
6. $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
7. Traces shown in plots are made using quasi-peak and average detectors.
8. Deviations to the Specifications: None.

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 193 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-380. AC Line Conducted Plot with 11ax UNII Band 1 – RU26 – Ch.40 (L1) with AC/DC Adapter via USB-C cable

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.161	FINAL	—	19.96	55.40	-35.44	L1	ON
0.161	FINAL	37.5	—	65.40	-27.88	L1	ON
0.785	FINAL	30.7	—	56.00	-25.28	L1	ON
0.789	FINAL	—	16.92	46.00	-29.08	L1	ON
1.862	FINAL	16.0	—	56.00	-39.97	L1	ON
1.869	FINAL	—	7.16	46.00	-38.84	L1	ON
15.977	FINAL	14.4	—	60.00	-45.59	L1	ON
15.977	FINAL	—	10.75	50.00	-39.25	L1	ON
19.887	FINAL	13.4	—	60.00	-46.58	L1	ON
19.887	FINAL	—	8.04	50.00	-41.96	L1	ON
23.964	FINAL	—	2.97	50.00	-47.03	L1	ON
23.964	FINAL	8.9	—	60.00	-51.11	L1	ON

Table 7-156. AC Line Conducted with 11ax UNII Band 1 – RU26 – Ch.40 (L1) with AC/DC Adapter via USB-C cable

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 194 of 198

V 12.0 03/03/2026



Plot 7-381. AC Line Conducted Plot with 11ax UNII Band 1 – RU26 – Ch.40 (N) with AC/DC Adapter via USB-C cable


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.161	FINAL	37.3	—	65.40	-28.08	N	GND
0.164	FINAL	—	20.52	55.28	-34.76	N	GND
0.782	FINAL	—	20.53	46.00	-25.47	N	GND
0.785	FINAL	30.7	—	56.00	-25.28	N	GND
1.903	FINAL	16.5	—	56.00	-39.54	N	GND
1.905	FINAL	—	7.84	46.00	-38.16	N	GND
10.133	FINAL	9.2	—	60.00	-50.78	N	GND
10.133	FINAL	—	3.84	50.00	-46.16	N	GND
15.983	FINAL	11.3	—	60.00	-48.75	N	GND
15.983	FINAL	—	6.70	50.00	-43.30	N	GND
20.112	FINAL	—	7.16	50.00	-42.84	N	GND
20.114	FINAL	12.7	—	60.00	-47.29	N	GND

Table 7-157. AC Line Conducted with 11ax UNII Band 1 – RU26 – Ch.40 (N) with AC/DC Adapter via USB-C cable

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 195 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-382. AC Line Conducted Plot with 11ax UNII Band 1 – RU242 – Ch.40 (L1) with AC/DC Adapter via USB-C cable


Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.164	FINAL	—	19.91	55.28	-35.38	L1	GND
0.164	FINAL	39.1	—	65.28	-26.19	L1	GND
0.506	FINAL	—	11.29	46.00	-34.71	L1	GND
0.510	FINAL	32.4	—	56.00	-23.59	L1	GND
0.780	FINAL	—	16.88	46.00	-29.12	L1	GND
0.785	FINAL	31.1	—	56.00	-24.95	L1	GND
1.570	FINAL	19.0	—	56.00	-36.97	L1	GND
1.570	FINAL	—	8.71	46.00	-37.29	L1	GND
15.968	FINAL	—	10.38	50.00	-39.62	L1	GND
15.970	FINAL	14.5	—	60.00	-45.54	L1	GND
19.707	FINAL	—	8.24	50.00	-41.76	L1	GND
19.707	FINAL	13.6	—	60.00	-46.45	L1	GND

Table 7-158. AC Line Conducted with 11ax UNII Band 1 – RU242 – Ch.40 (L1) with AC/DC Adapter via USB-C cable

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 196 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-383. AC Line Conducted Plot with 11ax UNII Band 1 – RU242 – Ch.40 (N) with AC/DC Adapter via USB-C cable

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.166	FINAL	—	20.46	55.17	-34.71	N	GND
0.166	FINAL	37.1	—	65.17	-28.07	N	GND
0.310	FINAL	—	15.00	49.98	-34.98	N	GND
0.310	FINAL	30.4	—	59.98	-29.61	N	GND
0.780	FINAL	—	20.40	46.00	-25.60	N	GND
0.785	FINAL	30.8	—	56.00	-25.23	N	GND
10.131	FINAL	9.1	—	60.00	-50.87	N	GND
10.131	FINAL	—	3.76	50.00	-46.24	N	GND
15.981	FINAL	11.5	—	60.00	-48.52	N	GND
15.981	FINAL	—	7.03	50.00	-42.97	N	GND
20.036	FINAL	—	7.41	50.00	-42.59	N	GND
20.036	FINAL	12.8	—	60.00	-47.16	N	GND

Table 7-159. AC Line Conducted with 11ax UNII Band 1 – RU242 – Ch.40 (N) with AC/DC Adapter via USB-C cable

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 197 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Smart Speaker with Display FCC ID: BCGA3218** and **IC: 579C-A3218** is in compliance with Part 15 Subpart E (15.407) of the FCC Rules and RSS-247 of the Innovation, Science and Economic Development Canada Rules.

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 1/15/2026	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-07-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 198 of 198

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.