












FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 93 of 362



FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C24102800810-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 94 of 362




Plot 7-149. PSD Plot Antenna 0 (20MHz 802.11ax RU242 (UNII Band 6) – Ch. 97)



Plot 7-151. PSD Plot Antenna 0 (80MHz 802.11ax RU996 (UNII Band 6) – Ch. 103)



Plot 7-150. PSD Plot Antenna 0 (40MHz 802.11ax RU484 (UNII Band 6) – Ch. 99)




Plot 7-152. PSD Plot Antenna 0 (160MHz 802.11ax RU996x2 (UNII Band 6) – Ch. 111)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 95 of 362

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com



Plot 7-153. PSD Plot Antenna 0 (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 185)



Plot 7-155. PSD Plot Antenna 0 (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)



Plot 7-154. PSD Plot Antenna 0 (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 179)




Plot 7-156. PSD Plot Antenna 0 (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 175)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C24102800810-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 96 of 362


V 12.0 03/03/2026




Plot 7-157. PSD Plot Antenna 0 (20MHz 802.11ax RU242 (UNII Band 7) - Ch. 117)



Plot 7-159. PSD Plot Antenna 0 (80MHz 802.11ax RU996 (UNII Band 7) - Ch. 183)



Plot 7-158. PSD Plot Antenna 0 (40MHz 802.11ax RU484 (UNII Band 7) - Ch. 179)





Plot 7-160. PSD Plot Antenna 0 (160MHz 802.11ax RU996x2 (UNII Band 7) - Ch. 143)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 97 of 362

V 12.0 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com




FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C24102800810-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 98 of 362




Plot 7-165. PSD Plot Antenna 0 (20MHz 802.11ax RU242 (UNII Band 8) – Ch. 229)



Plot 7-167. PSD Plot Antenna 0 (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 199)



Plot 7-166. PSD Plot Antenna 0 (40MHz 802.11ax RU484 (UNII Band 8) – Ch. 227)



Plot 7-168. PSD Plot Antenna 0 (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 99 of 362

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com

7.4.3 Antenna 1 Power Spectral Density Measurements – SP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.06	1.66	8.72	17	-8.28
	5955	1	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.17	1.66	7.83	17	-9.17
	5955	1	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.80	1.66	8.46	17	-8.54
	6175	45	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.11	2.33	9.44	17	-7.56
	6175	45	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.91	2.33	8.24	17	-8.76
	6175	45	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.06	2.33	9.39	17	-7.61
	6415	93	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.31	0.68	7.99	17	-9.01
	6415	93	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.13	0.68	6.81	17	-10.19
	6415	93	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.17	0.68	7.85	17	-9.15
	5965	3	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.89	1.66	8.55	17	-8.45
	5965	3	ax (40MHz)	26	8	12.5/14.7 (MCS11)	7.05	1.66	8.71	17	-8.29
	5965	3	ax (40MHz)	26	17	12.5/14.7 (MCS11)	7.05	1.66	8.71	17	-8.29
	6165	43	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.09	2.33	9.42	17	-7.59
	6165	43	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.75	2.33	9.08	17	-7.92
	6165	43	ax (40MHz)	26	17	12.5/14.7 (MCS11)	7.25	2.33	9.58	17	-7.42
	6165	91	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.29	0.68	7.97	17	-9.03
	6165	91	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.97	0.68	7.65	17	-9.35
	6165	91	ax (40MHz)	26	17	12.5/14.7 (MCS11)	7.24	0.68	7.92	17	-9.08
	5985	7	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.78	1.66	8.44	17	-8.56
	5985	7	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.69	1.66	7.35	17	-9.65
	5985	7	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.94	1.66	8.60	17	-8.40
	6145	39	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.67	2.33	9.00	17	-8.00
	6145	39	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.81	2.33	8.14	17	-8.86
	6145	39	ax (80MHz)	26	36	12.5/14.7 (MCS11)	7.11	2.33	9.44	17	-7.56
	6385	87	ax (80MHz)	26	0	12.5/14.7 (MCS11)	7.20	0.68	7.88	17	-9.12
	6385	87	ax (80MHz)	26	18	12.5/14.7 (MCS11)	6.07	0.68	6.75	17	-10.25
	6385	87	ax (80MHz)	26	36	12.5/14.7 (MCS11)	7.16	0.68	7.84	17	-9.17
	6025	15 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.91	1.66	8.57	17	-8.43
	6025	15 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.53	1.66	8.19	17	-8.82
	6025	15 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.60	1.66	8.26	17	-8.74
	6181	47 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.70	2.33	9.03	17	-7.97
	6181	47 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.40	2.33	8.73	17	-8.27
	6181	47 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.57	2.33	8.90	17	-8.10
	6345	79 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.77	0.68	7.45	17	-9.55
	6345	79 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.67	0.68	7.35	17	-9.65
	6345	79 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.83	0.68	7.51	17	-9.49
Band 6	6345	97	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.04	0.28	7.32	17	-9.68
	6345	97	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.93	0.28	6.21	17	-10.80
	6345	97	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.09	0.28	7.37	17	-9.63
	6475	105	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.65	0.28	6.93	17	-10.07
	6475	105	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.88	0.28	6.16	17	-10.84
	6475	105	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.85	0.28	7.13	17	-9.87
	6515	113	ax (20MHz)	26	0	12.5/14.7 (MCS11)	6.56	0.28	6.84	17	-10.17
	6515	113	ax (20MHz)	26	4	12.5/14.7 (MCS11)	5.86	0.28	6.14	17	-10.86
	6515	113	ax (20MHz)	26	8	12.5/14.7 (MCS11)	6.54	0.28	6.82	17	-10.19
	6445	99	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.72	0.28	7.00	17	-10.00
	6445	99	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.78	0.28	7.06	17	-9.94
	6445	99	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.74	0.28	7.02	17	-9.98
	6485	107	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.39	0.28	6.67	17	-10.33
	6485	107	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.37	0.28	6.65	17	-10.35
	6485	107	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.07	0.28	6.35	17	-10.65
	6525	115	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.59	0.28	6.87	17	-10.13
	6525	115	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.73	0.28	7.01	17	-9.99
	6525	115	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.45	0.28	6.73	17	-10.27
	6465	103	ax (80MHz)	26	0	12.5/14.7 (MCS11)	6.61	0.28	6.89	17	-10.11
	6465	103	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.88	0.28	6.16	17	-10.84
	6465	103	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.78	0.28	7.06	17	-9.94
	6505	111 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	6.83	0.28	7.11	17	-9.89
	6505	111 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.00	0.28	6.28	17	-10.72
	6505	111 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.40	0.28	6.68	17	-10.32
Band 7	6535	117	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.35	-0.61	6.74	17	-10.26
	6535	117	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.34	-0.61	5.73	17	-11.27
	6535	117	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.14	-0.61	6.53	17	-10.47
	6695	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.19	-0.61	6.58	17	-10.42
	6695	149	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.02	-0.61	5.41	17	-11.59
	6695	149	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.13	-0.61	6.52	17	-10.48
	6875	181	ax (20MHz)	26	0	12.5/14.7 (MCS11)	7.16	-0.61	6.55	17	-10.45
	6875	181	ax (20MHz)	26	4	12.5/14.7 (MCS11)	6.04	-0.61	5.43	17	-11.57
	6875	181	ax (20MHz)	26	8	12.5/14.7 (MCS11)	7.17	-0.61	6.56	17	-10.45
	6565	123	ax (40MHz)	26	0	12.5/14.7 (MCS11)	6.91	-0.61	6.30	17	-10.70
	6565	123	ax (40MHz)	26	8	12.5/14.7 (MCS11)	7.20	-0.61	6.59	17	-10.42
	6565	123	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.78	-0.61	6.17	17	-10.83
	6725	155	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.16	-0.61	6.55	17	-10.45
	6725	155	ax (40MHz)	26	8	12.5/14.7 (MCS11)	6.98	-0.61	6.37	17	-10.63
	6725	155	ax (40MHz)	26	17	12.5/14.7 (MCS11)	7.08	-0.61	6.47	17	-10.53
	6845	179	ax (40MHz)	26	0	12.5/14.7 (MCS11)	7.22	-0.61	6.61	17	-10.39
	6845	179	ax (40MHz)	26	8	12.5/14.7 (MCS11)	7.08	-0.61	6.47	17	-10.53
	6845	179	ax (40MHz)	26	17	12.5/14.7 (MCS11)	6.77	-0.61	6.16	17	-10.84
	6625	135	ax (80MHz)	26	0	12.5/14.7 (MCS11)	7.27	-0.61	6.66	17	-10.35
	6625	135	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.61	-0.61	5.00	17	-12.00
	6625	135	ax (80MHz)	26	36	12.5/14.7 (MCS11)	6.99	-0.61	6.38	17	-10.62
	6705	151	ax (80MHz)	26	0	12.5/14.7 (MCS11)	7.18	-0.61	6.57	17	-10.43
	6705	151	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.95	-0.61	5.34	17	-11.66
	6705	151	ax (80MHz)	26	36	12.5/14.7 (MCS11)	7.32	-0.61	6.71	17	-10.29
	6865	167	ax (80MHz)	26	0	12.5/14.7 (MCS11)	7.30	-0.61	6.69	17	-10.31
	6865	167	ax (80MHz)	26	18	12.5/14.7 (MCS11)	5.98	-0.61	5.37	17	-11.63
	6865	167	ax (80MHz)	26	36	12.5/14.7 (MCS11)	7.27	-0.61	6.66	17	-10.35
	6665	143 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	7.08	-0.61	6.47	17	-10.53
	6665	143 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	7.12	-0.61	6.51	17	-10.49
	6665	143 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	6.53	-0.61	5.92	17	-11.08

Table 7-58. Power Spectral Density Measurements Antenna 1 (RU26)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 100 of 362

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.33	1.66	5.99	17	-11.01
	6175	45	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.52	2.33	6.85	17	-10.15
	6415	93	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.62	0.68	5.30	17	-11.70
	5965	3	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.76	1.66	3.42	17	-13.58
	6165	43	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.90	2.33	4.23	17	-12.77
	6165	91	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.80	0.68	2.48	17	-14.52
	5985	7	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-1.16	1.66	0.50	17	-16.50
	6145	39	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-1.11	2.33	1.22	17	-15.78
	6385	87	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-1.10	0.68	-0.42	17	-17.42
	6025	15	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-5.00	1.66	-3.34	17	-20.34
Band 6	6181	47	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-5.64	2.33	-3.31	17	-20.31
	6345	79	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-4.85	0.68	-4.17	17	-21.17
	6345	97	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.47	0.28	4.75	17	-12.25
	6475	105	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.49	0.28	4.77	17	-12.23
	6515	113	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.19	0.28	4.47	17	-12.53
	6445	99	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.79	0.28	2.07	17	-14.93
	6485	107	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.66	0.28	1.94	17	-15.06
	6525	115	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.40	0.28	1.68	17	-15.32
	6465	103	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-1.17	0.28	-0.89	17	-17.89
	6505	111	ax (80MHz)	996	68	1020.8/1201 (MCS11)	-5.21	0.28	-4.93	17	-21.93
Band 7	6535	117	ax (160MHz)	242	61	121.9/143.4 (MCS11)	4.26	-0.61	3.65	17	-13.35
	6695	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	4.06	-0.61	3.45	17	-13.55
	6875	181	ax (20MHz)	242	61	121.9/143.4 (MCS11)	3.99	-0.61	3.38	17	-13.62
	6565	123	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.16	-0.61	0.55	17	-16.45
	6725	155	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.70	-0.61	1.09	17	-15.92
	6845	179	ax (40MHz)	484	65	243.8/286.8 (MCS11)	1.33	-0.61	0.72	17	-16.28
	6625	135	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-1.01	-0.61	-1.62	17	-18.62
	6705	151	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-1.38	-0.61	-1.99	17	-18.99
	6865	167	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-1.49	-0.61	-2.10	17	-19.10
	6665	143	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-6.06	-0.61	-6.67	17	-23.67


Table 7-59. Power Spectral Density Measurements Antenna 1 (Fully – Loaded RU)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 101 of 362


V 12.0 03/03/2026




Plot 7-169. PSD Plot Antenna 1 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 93)



Plot 7-171. PSD Plot Antenna 1 (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 87)




Plot 7-170. PSD Plot Antenna 1 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 91)




Plot 7-172. PSD Plot Antenna 1 (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 15)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 102 of 362




Plot 7-173. PSD Plot Antenna 1 (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 93)



Plot 7-175. PSD Plot Antenna 1 (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 87)




Plot 7-174. PSD Plot Antenna 1 (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 43)



Plot 7-176. PSD Plot Antenna 1 (160MHz 802.11ax RU996x2 (UNII Band 5) – Ch. 79)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 103 of 362



Plot 7-177. PSD Plot Antenna 1 (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 97)



Plot 7-179. PSD Plot Antenna 1 (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)



Plot 7-178. PSD Plot Antenna 1 (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 99)





Plot 7-180. PSD Plot Antenna 1 (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C24102800810-1-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 104 of 362

V 12.0 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com




FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 105 of 362

V 12.0 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com




Plot 7-185. PSD Plot Antenna 1 (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 117)



Plot 7-187. PSD Plot Antenna 1 (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-186. PSD Plot Antenna 1 (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 179)




Plot 7-188. PSD Plot Antenna 1 (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 106 of 362




Plot 7-189. PSD Plot Antenna 1 (20MHz 802.11ax RU242 (UNII Band 7) - Ch. 117)



Plot 7-191. PSD Plot Antenna 1 (80MHz 802.11ax RU996 (UNII Band 7) - Ch. 151)



Plot 7-190. PSD Plot Antenna 1 (40MHz 802.11ax RU484 (UNII Band 7) - Ch. 155)



Plot 7-192. PSD Plot Antenna 1 (160MHz 802.11ax RU996x2 (UNII Band 7) - Ch. 143)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 107 of 362

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com

7.4.4 Antenna 1 Power Spectral Density Measurements – LPI

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-6.94	1.66	-5.28	-1	-4.28
	5955	1	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-8.06	1.66	-6.40	-1	-5.40
	5955	1	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-6.89	1.66	-5.23	-1	-4.23
	6175	45	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-6.84	2.33	-4.51	-1	-3.51
	6175	45	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-7.99	2.33	-5.66	-1	-4.66
	6175	45	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-6.91	2.33	-4.58	-1	-3.58
	6415	93	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-4.56	0.68	-3.88	-1	-2.88
	6415	93	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-5.68	0.68	-5.00	-1	-4.00
	6415	93	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-4.48	0.68	-3.80	-1	-2.80
	5965	3	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-6.85	1.66	-5.19	-1	-4.19
	5965	3	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-7.12	1.66	-5.46	-1	-4.46
	5965	3	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-6.81	1.66	-5.15	-1	-4.15
	6165	43	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-6.77	2.33	-4.44	-1	-3.44
	6165	43	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-7.14	2.33	-4.81	-1	-3.81
	6165	43	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-6.71	2.33	-4.38	-1	-3.38
	6165	91	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-4.44	0.68	-3.76	-1	-2.76
	6165	91	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-4.75	0.68	-4.07	-1	-3.07
	6165	91	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-4.40	0.68	-3.72	-1	-2.72
	5985	7	ax (80MHz)	26	0	12.5/14.7 (MCS11)	-6.99	1.66	-5.33	-1	-4.33
	5985	7	ax (80MHz)	26	18	12.5/14.7 (MCS11)	-8.19	1.66	-6.53	-1	-5.53
	5985	7	ax (80MHz)	26	36	12.5/14.7 (MCS11)	-6.51	1.66	-4.85	-1	-3.85
	6145	39	ax (80MHz)	26	0	12.5/14.7 (MCS11)	-7.08	2.33	-4.75	-1	-3.75
	6145	39	ax (80MHz)	26	18	12.5/14.7 (MCS11)	-7.94	2.33	-5.61	-1	-4.61
	6145	39	ax (80MHz)	26	36	12.5/14.7 (MCS11)	-6.85	2.33	-4.52	-1	-3.52
	6385	87	ax (80MHz)	26	0	12.5/14.7 (MCS11)	-4.70	0.68	-4.02	-1	-3.02
	6385	87	ax (80MHz)	26	18	12.5/14.7 (MCS11)	-5.83	0.68	-5.15	-1	-4.15
	6385	87	ax (80MHz)	26	36	12.5/14.7 (MCS11)	-4.58	0.68	-3.90	-1	-2.90
	6025	15 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	-7.10	1.66	-5.44	-1	-4.44
	6025	15 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-6.97	1.66	-5.31	-1	-4.31
	6025	15 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-7.08	1.66	-5.42	-1	-4.42
	6185	47 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	-7.16	2.33	-4.83	-1	-3.83
	6185	47 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-6.70	2.33	-4.37	-1	-3.37
	6185	47 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-7.07	2.33	-4.74	-1	-3.74
Band 6	6345	79 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	-4.79	0.68	-4.11	-1	-3.11
	6345	79 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-4.65	0.68	-3.97	-1	-2.97
	6345	79 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-5.01	0.68	-4.33	-1	-3.33
	6345	97	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-5.69	0.28	-5.41	-1	-4.41
	6345	97	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-6.36	0.28	-6.08	-1	-5.08
	6345	97	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-5.24	0.28	-4.96	-1	-3.96
	6475	105	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-5.20	0.28	-4.92	-1	-3.92
	6475	105	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-6.46	0.28	-6.18	-1	-5.18
	6475	105	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-5.43	0.28	-5.15	-1	-4.15
	6515	113	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-5.46	0.28	-5.18	-1	-4.18
	6515	113	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-6.61	0.28	-6.33	-1	-5.33
	6515	113	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-5.46	0.28	-5.18	-1	-4.18
	6445	99	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-5.57	0.28	-5.29	-1	-4.29
	6445	99	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-5.44	0.28	-5.16	-1	-4.16
	6445	99	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-5.60	0.28	-5.32	-1	-4.32
	6485	107	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-5.18	0.28	-4.90	-1	-3.90
	6485	107	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-5.61	0.28	-5.33	-1	-4.33
	6485	107	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-5.42	0.28	-5.14	-1	-4.14
	6525	115	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-5.91	0.28	-5.63	-1	-4.63
	6525	115	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-5.74	0.28	-5.46	-1	-4.46
	6525	115	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-6.06	0.28	-5.78	-1	-4.78
	6465	103	ax (80MHz)	26	0	12.5/14.7 (MCS11)	-5.33	0.28	-5.05	-1	-4.05
	6465	103	ax (80MHz)	26	18	12.5/14.7 (MCS11)	-6.77	0.28	-6.49	-1	-5.49
	6465	103	ax (80MHz)	26	36	12.5/14.7 (MCS11)	-5.93	0.28	-5.65	-1	-4.65
	6505	111 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	-5.22	0.28	-4.94	-1	-3.94
	6505	111 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-5.52	0.28	-5.24	-1	-4.24
	6505	111 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-6.11	0.28	-5.83	-1	-4.83

Table 7-60. Power Spectral Density Measurements Antenna 1 (RU26)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 108 of 362

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 7	6535	117	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-3.88	-0.61	-4.49	-1	-3.49
	6535	117	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-5.00	-0.61	-5.61	-1	-4.61
	6535	117	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-3.85	-0.61	-4.46	-1	-3.46
	6695	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-3.68	-0.61	-4.29	-1	-3.29
	6695	149	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-4.78	-0.61	-5.39	-1	-4.39
	6695	149	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-3.60	-0.61	-4.21	-1	-3.21
	6875	185	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-3.67	-0.61	-4.28	-1	-3.28
	6875	185	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-4.83	-0.61	-5.44	-1	-4.44
	6875	185	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-3.70	-0.61	-4.31	-1	-3.31
	6565	123	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-3.59	-0.61	-4.20	-1	-3.20
	6565	123	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-3.76	-0.61	-4.37	-1	-3.37
	6565	123	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-3.88	-0.61	-4.49	-1	-3.49
	6725	155	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-3.89	-0.61	-4.50	-1	-3.50
	6725	155	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-3.70	-0.61	-4.31	-1	-3.31
	6725	155	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-3.64	-0.61	-4.25	-1	-3.25
	6845	179	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-3.66	-0.61	-4.27	-1	-3.27
	6845	179	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-3.86	-0.61	-4.47	-1	-3.47
	6845	179	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-3.54	-0.61	-4.15	-1	-3.15
	6545	119	ax (80MHz)	26	0	12.5/14.7 (MCS11)	-5.86	-0.61	-6.47	-1	-5.47
	6545	119	ax (80MHz)	26	18	12.5/14.7 (MCS11)	-7.00	-0.61	-7.61	-1	-6.61
	6545	119	ax (80MHz)	26	36	12.5/14.7 (MCS11)	-5.64	-0.61	-6.25	-1	-5.25
	6705	151	ax (80MHz)	26	0	12.5/14.7 (MCS11)	-3.54	-0.61	-4.15	-1	-3.15
	6705	151	ax (80MHz)	26	18	12.5/14.7 (MCS11)	-4.79	-0.61	-5.40	-1	-4.40
	6705	151	ax (80MHz)	26	36	12.5/14.7 (MCS11)	-3.54	-0.61	-4.15	-1	-3.15
	6865	183	ax (80MHz)	26	0	12.5/14.7 (MCS11)	-3.92	-0.61	-4.53	-1	-3.53
	6865	183	ax (80MHz)	26	18	12.5/14.7 (MCS11)	-5.07	-0.61	-5.68	-1	-4.68
	6865	183	ax (80MHz)	26	36	12.5/14.7 (MCS11)	-3.32	-0.61	-3.93	-1	-2.93
	6665	143 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	-3.88	-0.61	-4.49	-1	-3.49
	6665	143 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-3.93	-0.61	-4.54	-1	-3.54
	6665	143 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-4.09	-0.61	-4.70	-1	-3.70
	6825	175 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	-3.63	-0.61	-4.24	-1	-3.24
	6825	175 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-4.08	-0.61	-4.69	-1	-3.69
	6825	175 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-4.10	-0.61	-4.71	-1	-3.71
Band 8	6895	189	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-3.66	-0.38	-4.04	-1	-3.04
	6895	189	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-4.84	-0.38	-5.22	-1	-4.22
	6895	189	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-3.64	-0.38	-4.02	-1	-3.02
	6995	209	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-3.29	-0.38	-3.67	-1	-2.67
	6995	209	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-4.28	-0.38	-4.66	-1	-3.66
	6995	209	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-3.73	-0.38	-4.11	-1	-3.11
	7095	229	ax (20MHz)	26	0	12.5/14.7 (MCS11)	-3.47	-0.38	-3.85	-1	-2.85
	7095	229	ax (20MHz)	26	4	12.5/14.7 (MCS11)	-4.62	-0.38	-5.00	-1	-4.00
	7095	229	ax (20MHz)	26	8	12.5/14.7 (MCS11)	-3.43	-0.38	-3.81	-1	-2.81
	6885	187	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-3.51	-0.38	-3.89	-1	-2.89
	6885	187	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-3.42	-0.38	-3.80	-1	-2.80
	6885	187	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-3.41	-0.38	-3.79	-1	-2.79
	7005	211	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-3.59	-0.38	-3.97	-1	-2.97
	7005	211	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-3.48	-0.38	-3.86	-1	-2.86
	7005	211	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-3.66	-0.38	-4.04	-1	-3.04
	7085	227	ax (40MHz)	26	0	12.5/14.7 (MCS11)	-3.36	-0.38	-3.74	-1	-2.74
	7085	227	ax (40MHz)	26	8	12.5/14.7 (MCS11)	-3.46	-0.38	-3.84	-1	-2.84
	7085	227	ax (40MHz)	26	17	12.5/14.7 (MCS11)	-3.56	-0.38	-3.94	-1	-2.94
	6945	199	ax (80MHz)	26	0	12.5/14.7 (MCS11)	-3.65	-0.38	-4.03	-1	-3.03
	6945	199	ax (80MHz)	26	18	12.5/14.7 (MCS11)	-4.64	-0.38	-5.02	-1	-4.02
	6945	199	ax (80MHz)	26	36	12.5/14.7 (MCS11)	-3.74	-0.38	-4.12	-1	-3.12
	7025	215	ax (80MHz)	26	0	12.5/14.7 (MCS11)	-3.71	-0.38	-4.09	-1	-3.09
	7025	215	ax (80MHz)	26	18	12.5/14.7 (MCS11)	-4.53	-0.38	-4.91	-1	-3.91
	7025	215	ax (80MHz)	26	36	12.5/14.7 (MCS11)	-3.56	-0.38	-3.94	-1	-2.94
	6985	207 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	-3.54	-0.38	-3.92	-1	-2.92
	6985	207 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-4.06	-0.38	-4.44	-1	-3.44
	6985	207 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	-4.36	-0.38	-4.74	-1	-3.74

Table 7-61. Power Spectral Density Measurements Antenna 1 (RU26)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 109 of 362


V 12.0 03/03/2026

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-7.39	1.66	-5.73	-1	-4.73
	6175	45	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-7.36	2.33	-5.03	-1	-4.03
	6415	93	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-4.79	0.68	-4.11	-1	-3.11
	5965	3	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-7.81	1.66	-6.15	-1	-5.15
	6165	43	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-7.54	2.33	-5.21	-1	-4.21
	6165	91	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-5.19	0.68	-4.51	-1	-3.51
	5985	7	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-6.67	1.66	-5.01	-1	-4.01
	6145	39	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-7.44	2.33	-5.11	-1	-4.11
	6385	87	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-5.09	0.68	-4.41	-1	-3.41
	6025	15	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-7.13	1.66	-5.47	-1	-4.47
Band 6	6185	47	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-7.75	2.33	-5.42	-1	-4.42
	6345	79	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-5.31	0.68	-4.63	-1	-3.63
	6345	97	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-5.91	0.28	-5.63	-1	-4.63
	6475	105	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-6.10	0.28	-5.82	-1	-4.82
	6515	113	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-6.53	0.28	-6.25	-1	-5.25
	6445	99	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-6.10	0.28	-5.82	-1	-4.82
	6485	107	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-6.40	0.28	-6.12	-1	-5.12
	6525	115	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-6.40	0.28	-6.12	-1	-5.12
Band 7	6465	103	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-6.05	0.28	-5.77	-1	-4.77
	6505	111	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-6.45	0.28	-6.17	-1	-5.17
	6535	117	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-4.39	-0.61	-5.00	-1	-4.00
	6695	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-4.14	-0.61	-4.75	-1	-3.75
	6875	185	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-4.00	-0.61	-4.61	-1	-3.61
	6565	123	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-4.24	-0.61	-4.85	-1	-3.85
	6725	155	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-4.33	-0.61	-4.94	-1	-3.94
	6845	179	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-4.25	-0.61	-4.86	-1	-3.86
	6545	119	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-6.26	-0.61	-6.87	-1	-5.87
	6705	151	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.31	-0.61	-4.92	-1	-3.92
Band 8	6865	183	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.31	-0.61	-4.92	-1	-3.92
	6665	143	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-5.75	-0.61	-6.36	-1	-5.36
	6825	175	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-7.54	-0.61	-8.15	-1	-7.15
	6895	189	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-3.91	-0.38	-4.29	-1	-3.29
	6995	209	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-3.80	-0.38	-4.18	-1	-3.18
	7095	229	ax (20MHz)	242	61	121.9/143.4 (MCS11)	-4.02	-0.38	-4.40	-1	-3.40
	6885	187	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-4.22	-0.38	-4.60	-1	-3.60
	7005	211	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-4.24	-0.38	-4.62	-1	-3.62
	7085	227	ax (40MHz)	484	65	243.8/286.8 (MCS11)	-4.19	-0.38	-4.57	-1	-3.57
	6945	199	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.33	-0.38	-4.71	-1	-3.71
	7025	215	ax (80MHz)	996	67	510.4/600.5 (MCS11)	-4.16	-0.38	-4.54	-1	-3.54
	6985	207	ax (160MHz)	996	68	1020.8/1201 (MCS11)	-7.47	-0.38	-7.85	-1	-6.85


Table 7-62. Power Spectral Density Measurements Antenna 1 (Fully – Loaded RU)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 110 of 362


V 12.0 03/03/2026




Plot 7-193. PSD Plot Antenna 1 (20MHz 802.11ax RU26 (UNII Band 5) – Ch. 93)



Plot 7-195. PSD Plot Antenna 1 (80MHz 802.11ax RU26 (UNII Band 5) – Ch. 87)




Plot 7-194. PSD Plot Antenna 1 (40MHz 802.11ax RU26 (UNII Band 5) – Ch. 91)




Plot 7-196. PSD Plot Antenna 1 (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 79)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 111 of 362




Plot 7-197. PSD Plot Antenna 1 (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 93)



Plot 7-199. PSD Plot Antenna 1 (80MHz 802.11ax RU996 (UNII Band 5) – Ch. 87)






Plot 7-198. PSD Plot Antenna 1 (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 91)




Plot 7-200. PSD Plot Antenna 1 (160MHz 802.11ax RU26 (UNII Band 5) – Ch. 79)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 112 of 362



FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C24102800810-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 113 of 362




Plot 7-205. PSD Plot Antenna 1 (20MHz 802.11ax RU242 (UNII Band 6) - Ch. 97)



Plot 7-207. PSD Plot Antenna 1 (80MHz 802.11ax RU996 (UNII Band 6) - Ch. 103)



Plot 7-206. PSD Plot Antenna 1 (40MHz 802.11ax RU484 (UNII Band 6) - Ch. 99)




Plot 7-208. PSD Plot Antenna 1 (160MHz 802.11ax RU26 (UNII Band 6) - Ch. 111)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 114 of 362

V 12.0 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com




Plot 7-209. PSD Plot Antenna 1 (20MHz 802.11ax RU26 (UNII Band 7) – Ch. 149)



Plot 7-211. PSD Plot Antenna 1 (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 183)






Plot 7-210. PSD Plot Antenna 1 (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 179)



Plot 7-212. PSD Plot Antenna 1 (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 175)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 115 of 362



FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C24102800810-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 116 of 362