





Plot 7-611. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 209 – RU26)



Plot 7-612. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 209 – RU26)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 265 of 362


V 12.0 03/03/2026

Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	H	-	-	-86.40	22.05	0.00	42.65	68.23	-25.58
13990.00	Peak	H	-	-	-75.22	22.11	0.00	53.89	88.23	-34.34
* 20985.00	Average	H	-	-	-61.72	-6.41	-9.54	29.33	53.98	-24.65
* 20985.00	Peak	H	-	-	-50.34	-6.41	-9.54	40.70	73.98	-33.28
27980.00	Average	H	-	-	-63.10	-3.91	-9.54	30.45	68.23	-37.78
27980.00	Peak	H	-	-	-51.59	-3.91	-9.54	41.96	88.23	-46.27
34975.00	Average	H	-	-	-61.76	-4.84	-9.54	30.86	68.23	-37.37
34975.00	Peak	H	-	-	-50.60	-4.84	-9.54	42.01	88.23	-46.22

Table 7-97. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 266 of 362



Plot 7-613. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 229 – RU26)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 7095MHz

Channel: 229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14190.00	Average	V	-	-	-86.48	22.72	43.24	68.23	-24.99
14190.00	Peak	V	-	-	-75.46	22.72	54.26	88.23	-33.97

Table 7-98. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 267 of 362

V 12.0 03/03/2026

RU242




Plot 7-614. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU242)

Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11910.00	Average	V	-	-	-84.75	20.43	42.68	53.98	-11.30
*	11910.00	Peak	V	-	-	-72.55	20.43	54.89	73.98	-19.09
*	17865.00	Average	V	-	-	-85.43	25.25	46.82	53.98	-7.16
*	17865.00	Peak	V	-	-	-73.59	25.25	58.66	73.98	-15.32

Table 7-99. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 268 of 362



Plot 7-615. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 45 – RU242)



Plot 7-616. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 45 – RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 269 of 362


V 12.0 03/03/2026

Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6175MHz
Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Average	V	-	-	-84.86	20.97	0.00	43.11	53.98	-10.87
* 12350.00	Peak	V	-	-	-73.67	20.97	0.00	54.29	73.98	-19.69
* 18525.00	Average	V	-	-	-62.97	-5.96	-9.54	28.53	73.98	-45.45
* 18525.00	Peak	V	-	-	-51.49	-5.96	-9.54	40.01	53.98	-13.97
24700.00	Average	V	-	-	-61.43	-5.66	-9.54	30.37	68.23	-37.86
24700.00	Peak	V	-	-	-50.26	-5.66	-9.54	41.54	88.23	-46.69
30875.00	Average	V	-	-	-64.86	-3.44	-9.54	29.17	68.23	-39.06
30875.00	Peak	V	-	-	-52.70	-3.44	-9.54	41.33	88.23	-46.90

Table 7-100. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 270 of 362



Plot 7-617. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 93 – RU242)


Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12830.00	Average	V	-	-	-84.20	21.79	44.59	68.23	-23.64
12830.00	Peak	V	-	-	-73.21	22.00	55.79	88.23	-32.44

Table 7-101. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 271 of 362

V 12.0 03/03/2026




Plot 7-618. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 97 – RU242)

Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	V	-	-	-84.18	21.65	44.47	68.23	-23.76
12870.00	Peak	V	-	-	-72.89	21.65	55.76	88.23	-32.47

Table 7-102. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 272 of 362



Plot 7-619. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 105 – RU242)



Plot 7-620. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 105 – RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 273 of 362

V 12.0 03/03/2026


Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6475MHz
 Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	V	-	-	-84.47	21.66	0.00	44.19	68.23	-24.04
12950.00	Peak	V	-	-	-73.59	21.66	0.00	55.07	88.23	-33.16
* 19425.00	Average	V	-	-	-61.57	-5.92	-9.54	29.97	53.98	-24.01
* 19425.00	Peak	V	-	-	-50.31	-5.92	-9.54	41.23	73.98	-32.75
25900.00	Average	V	-	-	-62.32	-5.33	-9.54	29.81	68.23	-38.42
25900.00	Peak	V	-	-	-50.91	-5.33	-9.54	41.23	88.23	-47.00
32375.00	Average	V	-	-	-62.70	-3.79	-9.54	30.97	68.23	-37.26
32375.00	Peak	V	-	-	-50.94	-3.79	-9.54	42.73	88.23	-45.50

Table 7-103. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 274 of 362

V 12.0 03/03/2026




Plot 7-621. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113 – RU242)

Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13030.00	Average	V	-	-	-85.15	22.34	44.19	68.23	-24.04
13030.00	Peak	V	-	-	-74.11	22.36	55.24	88.23	-32.99

Table 7-104. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 275 of 362



Plot 7-622. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 117 – RU242)


Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	V	-	-	-85.41	22.36	43.95	68.23	-24.28
13070.00	Peak	V	-	-	-72.75	21.84	56.09	88.23	-32.14


Table 7-105. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 276 of 362

V 12.0 03/03/2026



Plot 7-623. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 149 – RU242)



Plot 7-624. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 149 – RU242)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 277 of 362

V 12.0 03/03/2026


Mode: 802.11ax
 Data Rate: MCS0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6695MHz
 Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.66	22.21	0.00	43.55	53.98	-10.43
* 13390.00	Peak	H	-	-	-73.87	22.21	0.00	55.33	73.98	-18.65
* 20085.00	Average	H	-	-	-61.68	-6.30	-9.54	29.47	53.98	-24.51
* 20085.00	Peak	H	-	-	-50.25	-6.36	-9.54	40.84	73.98	-33.14
26780.00	Average	H	-	-	-62.39	-4.65	-9.54	30.42	68.23	-37.81
26780.00	Peak	H	-	-	-50.56	-4.68	-9.54	42.22	88.23	-46.01
33475.00	Average	H	-	-	-61.82	-4.32	-9.54	31.32	68.23	-36.91
33475.00	Peak	H	-	-	-50.58	-4.29	-9.54	42.60	88.23	-45.63

Table 7-106. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 278 of 362

V 12.0 03/03/2026



Plot 7-625. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 6875MHz

Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-85.70	21.79	43.09	68.23	-25.14
13750.00	Peak	V	-	-	-73.84	21.72	54.88	88.23	-33.35

Table 7-107. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 279 of 362




Plot 7-626. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 189 – RU242)

Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	V	-	-	-85.83	22.20	43.36	68.23	-24.87
13790.00	Peak	V	-	-	-74.56	21.83	54.27	88.23	-33.96

Table 7-108. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 280 of 362



Plot 7-627. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 209 – RU242)




Plot 7-628. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 209 – RU242)

Mode: 802.11ax
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	H	-	-	-86.45	22.11	0.00	42.67	68.23	-25.56
13990.00	Peak	H	-	-	-74.95	22.11	0.00	54.17	88.23	-34.06
* 20985.00	Average	H	-	-	-61.63	-6.40	-9.54	29.43	53.98	-24.55
* 20985.00	Peak	H	-	-	-49.88	-6.40	-9.54	41.18	73.98	-32.80
27980.00	Average	H	-	-	-63.07	-3.90	-9.54	30.49	68.23	-37.74
27980.00	Peak	H	-	-	-51.86	-3.90	-9.54	41.70	88.23	-46.53
34975.00	Average	H	-	-	-61.71	-4.82	-9.54	30.93	68.23	-37.30
34975.00	Peak	H	-	-	-50.53	-4.82	-9.54	42.11	88.23	-46.12

Table 7-109. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 281 of 362



Plot 7-629. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 229 – RU242)

Mode: 802.11ax

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 7095MHz

Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14190.00	Average	H	-	-	-86.65	22.89	43.25	68.23	-24.98
14190.00	Peak	H	-	-	-75.03	22.89	54.86	88.23	-33.37

Table 7-110. Radiated Spurious Emission Measurements SDM – RU242


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 282 of 362

V 12.0 03/03/2026

7.7.2 Antenna 0 Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-630 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1




Plot 7-631 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 283 of 362


V 12.0 03/03/2026

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5975MHz
 Channel: 5



Plot 7-632 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-633 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 284 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-634 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 285 of 362

V 12.0 03/03/2026


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-635 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5975MHz
 Channel: 5



Plot 7-636 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 286 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-637 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 287 of 362

V 12.0 03/03/2026

7.7.3 Antenna 0 Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3



Plot 7-638 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3



Plot 7-639 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 288 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6005MHz
 Channel: 11



Plot 7-640 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 6005MHz
 Channel: 11



Plot 7-641 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 289 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227



Plot 7-642 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227




Plot 7-643 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 290 of 362


RU484

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-644 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 6005MHz
 Channel: 11



Plot 7-645 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 291 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 7045MHz
 Channel: 219



Plot 7-646 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227




Plot 7-647 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 292 of 362

7.7.4 Antenna 0 Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-648 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-649 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 293 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6065MHz
 Channel: 23



Plot 7-650 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6065MHz
 Channel: 23



Plot 7-651 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 294 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6945MHz
 Channel: 199



Plot 7-652 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6945MHz
 Channel: 199




Plot 7-653 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 295 of 362


V 12.0 03/03/2026

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215



Plot 7-654 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215




Plot 7-655 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 296 of 362


RU996

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-656 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 6065MHz
 Channel: 23




Plot 7-657 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 297 of 362


V 12.0 03/03/2026

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 6145MHz
 Channel: 39



Plot 7-658 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215




Plot 7-659 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 298 of 362

7.7.5 Antenna 0 Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-660 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-661 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 299 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6825MHz
 Channel: 175



Plot 7-662 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 7)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207



Plot 7-663 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 300 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207




Plot 7-664 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

V 12.0 03/03/2026


RU996x2

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 68
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025MHz
 Channel: 15



Plot 7-665 Antenna 0 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 68
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207



Plot 7-666 Antenna 0 Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 302 of 362

V 12.0 03/03/2026

7.7.6 Antenna 1 Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-667 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-668 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 303 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5975MHz
 Channel: 5



Plot 7-669 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 7075MHz
 Channel: 225



Plot 7-670 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 304 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-671 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-672 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 305 of 362


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-673 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5975MHz
 Channel: 5



Plot 7-674 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 306 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-675 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 307 of 362

V 12.0 03/03/2026

7.7.7 Antenna 1 Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-676 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-677 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 308 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6005MHz
 Channel: 11



Plot 7-678 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 6005MHz
 Channel: 11



Plot 7-679 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 309 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227



Plot 7-680 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227




Plot 7-681 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 310 of 362


RU484

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-682 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 6005MHz
 Channel: 11




Plot 7-683 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 311 of 362


V 12.0 03/03/2026

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 6045MHz
 Channel: 19



Plot 7-684 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 7045MHz
 Channel: 219



Plot 7-685 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 312 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227



Plot 7-686 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 313 of 362

V 12.0 03/03/2026

7.7.8 Antenna 1 Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-687 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-688 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 314 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6065MHz
 Channel: 23



Plot 7-689 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6065MHz
 Channel: 23



Plot 7-690 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 315 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6945MHz
 Channel: 199



Plot 7-691 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215



Plot 7-692 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 316 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215




Plot 7-693 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

V 12.0 03/03/2026


RU996

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-694 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 6065MHz
 Channel: 23



Plot 7-695 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 318 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 6145MHz
 Channel: 39



Plot 7-696 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 67
 Distance of Measurements: 3 Meters
 Operating Frequency: 7025MHz
 Channel: 215




Plot 7-697 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 319 of 362

7.7.9 Antenna 1 Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-698 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-699 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 320 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6185MHz
 Channel: 47



Plot 7-700 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6825MHz
 Channel: 175



Plot 7-701 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 7)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 321 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207



Plot 7-702 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207




Plot 7-703 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 322 of 362


RU996x2

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 68
 Distance of Measurements: 3 Meters
 Operating Frequency: 6025MHz
 Channel: 15



Plot 7-704 Antenna 1 Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 68
 Distance of Measurements: 3 Meters
 Operating Frequency: 6985MHz
 Channel: 207




Plot 7-705 Antenna 1 Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 323 of 362

7.7.10 CDD Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-706 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-707 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 324 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5975MHz
 Channel: 5



Plot 7-708 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5975MHz
 Channel: 5




Plot 7-709 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 325 of 362


V 12.0 03/03/2026

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 7075MHz
 Channel: 225



Plot 7-710 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229



Plot 7-711 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 326 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-712 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

V 12.0 03/03/2026


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-713 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 5975MHz
 Channel: 5



Plot 7-714 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 328 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 7075MHz
 Channel: 225



Plot 7-715 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 7095MHz
 Channel: 229




Plot 7-716 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 329 of 362

7.7.11 CDD Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-717 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-718 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 330 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6005MHz
 Channel: 11



Plot 7-719 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 6005MHz
 Channel: 11



Plot 7-720 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 331 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227



Plot 7-721 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227




Plot 7-722 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 332 of 362


RU484

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3



Plot 7-723 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 6005MHz
Channel: 11



Plot 7-724 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 333 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 7045MHz
 Channel: 219



Plot 7-725 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 65
 Distance of Measurements: 3 Meters
 Operating Frequency: 7085MHz
 Channel: 227




Plot 7-726 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 334 of 362

7.7.12 CDD Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-727 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-728 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 335 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6065MHz
 Channel: 23



Plot 7-729 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6065MHz
 Channel: 23



Plot 7-730 CDD Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 336 of 362

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6945MHz
 Channel: 199



Plot 7-731 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6945MHz
 Channel: 199




Plot 7-732 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 337 of 362


V 12.0 03/03/2026

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-733 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

Mode: 802.11ax OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-734 CDD Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3218 IC: 579C-A3218	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 10/14/2024 - 12/12/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2410280081-10-R2.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 338 of 362