TUV SUD Limited
Digitally signed by TUV SUD Limited
Date: 2024.12.20 16:23:37 Z

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A\|B (Core 0 \| Core 1) | Active Chain(s): | 0\|1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5720 | 3.820 | - | - | - | ≥500.0 |
| 5745 | - | 17.640 | - | - | ≥500.0 |
| 5785 | - | 17.580 | - | - | ≥500.0 |
| 5825 | - | 17.640 | - | - | ≥500.0 |

**Table 88 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5720 | 4.180 | - | - | - | - |
| 5745 | - | 17.820 | - | - | - |
| 5785 | - | 17.760 | - | - | - |
| 5825 | - | 17.760 | - | - | - |

**Table 89 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A\|B (Core 0 \| Core 1) | Active Chain(s): | 0\|1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5710 | 3.000 | - | - | - | ≥500.0 |
| 5755 | - | 36.240 | - | - | ≥500.0 |
| 5795 | - | 35.880 | - | - | ≥500.0 |

**Table 90 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5710 | 5.880 | - | - | - | - |
| 5755 | - | 36.480 | - | - | - |
| 5795 | - | 36.480 | - | - | - |

**Table 91 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A\|B (Core 0 \| Core 1) | Active Chain(s): | 0\|1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5690 | 3.280 | - | - | - | ≥500.0 |
| 5775 | - | 75.680 | - | - | ≥500.0 |

**Table 92 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5690 | 31.660 | - | - | - | - |
| 5775 | - | 75.680 | - | - | - |

**Table 93 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE20 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A\|B (Core 0 \| Core 1) | Active Chain(s): | 0\|1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5720 | 4.540 | - | - | - | ≥500.0 |
| 5745 | - | 18.960 | - | - | ≥500.0 |
| 5785 | - | 19.080 | - | - | ≥500.0 |
| 5825 | - | 18.960 | - | - | ≥500.0 |

**Table 94 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5720 | 4.600 | - | - | - | - |
| 5745 | - | 18.960 | - | - | - |
| 5785 | - | 18.960 | - | - | - |
| 5825 | - | 18.960 | - | - | - |

**Table 95 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE40 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A\|B (Core 0 \| Core 1) | Active Chain(s): | 0\|1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5710 | 4.080 | - | - | - | ≥500.0 |
| 5755 | - | 38.160 | - | - | ≥500.0 |
| 5795 | - | 37.920 | - | - | ≥500.0 |

**Table 96 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5710 | 5.760 | - | - | - | - |
| 5755 | - | 37.920 | - | - | - |
| 5795 | - | 37.920 | - | - | - |

**Table 97 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE80 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | SISO | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A\|B (Core 0 \| Core 1) | Active Chain(s): | 0\|1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5690 | 3.940 | - | - | - | ≥500.0 |
| 5775 | - | 76.780 | - | - | ≥500.0 |

**Table 98 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5690 | 14.720 | - | - | - | - |
| 5775 | - | 77.000 | - | - | - |

**Table 99 - 99% Bandwidth Results**

MIMO CDD

| Protocol | 26 dB Bandwidth (MHz) | |
|---|---|---|
| | Minimum | Maximum |
| 802.11n HT20 | 20.820 | 22.860 |
| 802.11n HT40 | 41.280 | 45.840 |
| 802.11ac VHT80 | 84.260 | 87.560 |
| 802.11ac VHT160 | 165.480 | 166.320 |
| 802.11ax HE20 SU | 20.880 | 24.780 |
| 802.11ax HE40 SU | 41.280 | 45.720 |
| 802.11ax HE80 SU | 83.380 | 85.140 |
| 802.11ax HE160 SU | 165.060 | 165.900 |

**Table 100 - 26 dB Bandwidth Summary Results - MIMO CDD**

**Figure 267 - 802.11n HT20 Minimum 26 dB EBW**




**Figure 268 - 802.11n HT20 Maximum 26 dB EBW**

**Figure 269 - 802.11n HT40 Minimum 26 dB EBW**

**Figure 270 - 802.11n HT40 Maximum 26 dB EBW**

Figure 271 - 802.11ac VHT80 Minimum 26 dB EBW

Figure 272 - 802.11ac VHT80 Maximum 26 dB EBW




Figure 273 - 802.11ac VHT160 Minimum 26 dB EBW

Figure 274 - 802.11ac VHT160 Maximum 26 dB EBW




Figure 275 - 802.11ax HE20 SU Minimum 26 dB EBW

Figure 276 - 802.11ax HE20 SU Maximum 26 dB EBW




Figure 277 - 802.11ax HE40 SU Minimum 26 dB EBW

Figure 278 - 802.11ax HE40 SU Maximum 26 dB EBW

Figure 279 - 802.11ax HE80 SU Minimum 26 dB EBW

Figure 280 - 802.11ax HE80 SU Maximum 26 dB EBW

Figure 281 - 802.11ax HE160 SU Minimum 26 dB EBW

Figure 282 - 802.11ax HE160 SU Maximum 26 dB EBW

| Protocol | 6 dB Bandwidth (MHz) | |
|---|---|---|
| | Minimum | Maximum |
| 802.11n HT20 | 16.740 | 17.580 |
| 802.11n HT40 | 35.400 | 35.640 |
| 802.11ac VHT80 | 75.680 | 75.680 |
| 802.11ax HE20 SU | 18.840 | 19.020 |
| 802.11ax HE40 SU | 37.560 | 38.040 |
| 802.11ax HE80 SU | 76.780 | 77.220 |

**Table 101 - 6 dB Bandwidth Summary Results - MIMO CDD**




**Figure 283 - 802.11n HT20 Minimum 6 dB EBW**




**Figure 284 - 802.11n HT20 Maximum 6 dB EBW**




**Figure 285 - 802.11n HT40 Minimum 6 dB EBW**




**Figure 286 - 802.11n HT40 Maximum 6 dB EBW**




**Figure 287 - 802.11ac VHT80 Minimum 6 dB EBW**




**Figure 288 - 802.11ac VHT80 Maximum 6 dB EBW**




**Figure 289 - 802.11ax HE20 SU Minimum 6 dB EBW**




**Figure 290 - 802.11ax HE20 SU Maximum 6 dB EBW**




**Figure 291 - 802.11ax HE40 SU Minimum 6 dB EBW**




**Figure 292 - 802.11ax HE40 SU Maximum 6 dB EBW**




**Figure 293 - 802.11ax HE80 SU Minimum 6 dB EBW**




**Figure 294 - 802.11ax HE80 SU Maximum 6 dB EBW**

| Protocol | 99% Bandwidth (MHz) | |
|---|---|---|
| | Minimum | Maximum |
| 802.11n HT20 | 17.700 | 17.880 |
| 802.11n HT40 | 36.240 | 36.720 |
| 802.11ac VHT80 | 75.460 | 75.900 |
| 802.11ac VHT160 | 154.140 | 154.140 |
| 802.11ax HE20 SU | 18.900 | 19.020 |
| 802.11ax HE40 SU | 37.680 | 37.920 |
| 802.11ax HE80 SU | 76.780 | 77.000 |
| 802.11ax HE160 SU | 155.400 | 155.820 |

**Table 102 - 99% Bandwidth Summary Results - MIMO CDD**

**Figure 295 - 802.11n HT20 Minimum 99% OBW**




**Figure 296 - 802.11n HT20 Maximum 99% OBW**

**Figure 297 - 802.11n HT40 Minimum 99% OBW**




**Figure 298 - 802.11n HT40 Maximum 99% OBW**




**Figure 299 - 802.11ac VHT80 Minimum 99% OBW**

**Figure 300 - 802.11ac VHT80 Maximum 99% OBW**

**Figure 301 - 802.11ac VHT160 Minimum 99% OBW**

**Figure 302 - 802.11ac VHT160 Maximum 99% OBW**

**Figure 303 - 802.11ax HE20 SU Minimum 99% OBW**

**Figure 304 - 802.11ax HE20 SU Maximum 99% OBW**




**Figure 305 - 802.11ax HE40 SU Minimum 99% OBW**

**Figure 306 - 802.11ax HE40 SU Maximum 99% OBW**

**Figure 307 - 802.11ax HE80 SU Minimum 99% OBW**

**Figure 308 - 802.11ax HE80 SU Maximum 99% OBW**

**Figure 309 - 802.11ax HE160 SU Minimum 99% OBW**

**Figure 310 - 802.11ax HE160 SU Maximum 99% OBW**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5180 | 21.900 | 21.780 | - | - | - |
| 5220 | 21.120 | 21.060 | - | - | - |
| 5240 | 20.940 | 20.940 | - | - | - |

**Table 103 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5190 | 42.600 | 44.160 | - | - | - |
| 5230 | 41.640 | 41.400 | - | - | - |

**Table 104 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5210 | 84.260 | 84.260 | - | - | - |

**Table 105 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT160 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5250 | 82.740 | 82.740 | - | - | - |

**Table 106 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE20 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5180 | 21.360 | 21.960 | - | - | - |
| 5220 | 21.000 | 21.120 | - | - | - |
| 5240 | 21.000 | 21.180 | - | - | - |

**Table 107 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE40 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5190 | 43.800 | 42.720 | - | - | - |
| 5230 | 41.520 | 41.520 | - | - | - |

**Table 108 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE80 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5210 | 83.380 | 84.260 | - | - | - |

**Table 109 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE160 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5250 | 82.740 | 82.740 | - | - | - |

**Table 110 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5180 | 17.820 | 17.820 | - | - | - |
| 5220 | 17.700 | 17.700 | - | - | - |
| 5240 | 17.700 | 17.760 | - | - | - |

**Table 111 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5190 | 36.480 | 36.480 | - | - | - |
| 5230 | 36.360 | 36.360 | - | - | - |

**Table 112 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5210 | 75.900 | 75.680 | - | - | - |

**Table 113 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT160 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5250 | 76.860 | 76.860 | - | - | - |

**Table 114 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE20 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5180 | 18.960 | 18.960 | - | - | - |
| 5220 | 18.960 | 18.900 | - | - | - |
| 5240 | 18.960 | 18.900 | - | - | - |

**Table 115 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE40 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5190 | 37.920 | 37.920 | - | - | - |
| 5230 | 37.800 | 37.800 | - | - | - |

**Table 116 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE80 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5210 | 77.000 | 77.000 | - | - | - |

**Table 117 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE160 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5250 | 77.700 | 77.700 | - | - | - |

**Table 118 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5260 | 21.000 | 21.060 | - | - | - |
| 5300 | 21.060 | 21.060 | - | - | - |
| 5320 | 22.860 | 21.780 | - | - | - |

**Table 119 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5260 | 17.700 | 17.700 | - | - | - |
| 5300 | 17.700 | 17.700 | - | - | - |
| 5320 | 17.820 | 17.880 | - | - | - |

**Table 120 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5270 | 41.280 | 41.400 | - | - | - |
| 5310 | 42.840 | 42.960 | - | - | - |

**Table 121 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5270 | 36.240 | 36.400 | - | - | - |
| 5310 | 36.480 | 36.480 | - | - | - |

**Table 122 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5290 | 84.480 | 84.700 | - | - | - |

**Table 123 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5290 | 75.680 | 75.680 | - | - | - |

**Table 124 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT160 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5250 | 83.160 | 82.740 | - | - | - |

**Table 125 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT160 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5250 | 77.280 | 77.280 | - | - | - |

**Table 126 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE20 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5260 | 21.000 | 21.180 | - | - | - |
| 5300 | 20.940 | 21.120 | - | - | - |
| 5320 | 21.840 | 22.260 | - | - | - |

**Table 127 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5260 | 18.900 | 18.900 | - | - | - |
| 5300 | 18.900 | 18.960 | - | - | - |
| 5320 | 19.020 | 19.020 | - | - | - |

**Table 128 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE40 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5270 | 41.520 | 41.520 | - | - | - |
| 5310 | 44.040 | 43.440 | - | - | - |

**Table 129 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5270 | 37.800 | 37.800 | - | - | - |
| 5310 | 37.920 | 37.920 | - | - | - |

**Table 130 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE80 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5290 | 83.380 | 83.600 | - | - | - |

**Table 131 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5290 | 77.000 | 77.000 | - | - | - |

**Table 132 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE160 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5250 | 82.740 | 82.740 | - | - | - |

**Table 133 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.250-5.350 GHz | Band: | U-NII-2A |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE160 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5250 | 78.120 | 77.700 | - | - | - |

**Table 134 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5500 | 22.320 | 21.840 | - | - | - |
| 5580 | 21.000 | 21.000 | - | - | - |
| 5700 | 21.660 | 22.140 | - | - | - |
| 5720 | 15.500 | 15.440 | - | - | - |

**Table 135 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5500 | 17.820 | 17.820 | - | - | - |
| 5580 | 17.700 | 17.700 | - | - | - |
| 5700 | 17.820 | 17.820 | - | - | - |
| 5720 | 13.760 | 13.760 | - | - | - |

**Table 136 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5510 | 42.840 | 43.440 | - | - | - |
| 5550 | 41.280 | 41.500 | - | - | - |
| 5670 | 43.080 | 45.840 | - | - | - |
| 5710 | 35.760 | 35.640 | - | - | - |

**Table 137 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5510 | 36.480 | 36.600 | - | - | - |
| 5550 | 36.360 | 36.400 | - | - | - |
| 5670 | 36.600 | 36.720 | - | - | - |
| 5710 | 32.880 | 32.880 | - | - | - |

**Table 138 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5530 | 85.140 | 84.480 | - | - | - |
| 5610 | 87.560 | 84.700 | - | - | - |
| 5690 | 75.920 | 75.920 | - | - | - |

**Table 139 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5530 | 75.680 | 75.680 | - | - | - |
| 5610 | 75.900 | 75.680 | - | - | - |
| 5690 | 72.180 | 72.180 | - | - | - |

**Table 140 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT160 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5570 | 166.320 | 165.480 | - | - | - |

**Table 141 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5570 | 154.140 | 154.140 | - | - | - |

**Table 142 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE20 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5500 | 21.540 | 23.400 | - | - | - |
| 5580 | 21.000 | 20.880 | - | - | - |
| 5700 | 24.780 | 24.360 | - | - | - |
| 5720 | 15.500 | 15.620 | - | - | - |

**Table 143 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5500 | 19.020 | 19.020 | - | - | - |
| 5580 | 18.900 | 18.900 | - | - | - |
| 5700 | 18.960 | 18.960 | - | - | - |
| 5720 | 14.360 | 14.360 | - | - | - |

**Table 144 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE40 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5510 | 45.720 | 43.200 | - | - | - |
| 5550 | 41.280 | 41.520 | - | - | - |
| 5670 | 44.040 | 43.560 | - | - | - |
| 5710 | 35.760 | 35.760 | - | - | - |

**Table 145 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5510 | 37.920 | 37.920 | - | - | - |
| 5550 | 37.680 | 37.800 | - | - | - |
| 5670 | 37.920 | 37.920 | - | - | - |
| 5710 | 33.600 | 33.600 | - | - | - |

**Table 146 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE80 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5530 | 84.040 | 83.600 | - | - | - |
| 5610 | 85.140 | 83.380 | - | - | - |
| 5690 | 75.920 | 75.920 | - | - | - |

**Table 147 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5530 | 77.000 | 77.000 | - | - | - |
| 5610 | 76.780 | 77.000 | - | - | - |
| 5690 | 72.840 | 72.840 | - | - | - |

**Table 148 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.470-5.725 GHz | Band: | U-NII-2C |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE160 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5570 | 165.900 | 165.060 | - | - | - |

**Table 149 - 26 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5570 | 155.820 | 155.400 | - | - | - |

**Table 150 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5720 | 3.820 | 3.820 | - | - | ≥500.0 |
| 5745 | 17.280 | 17.580 | - | - | ≥500.0 |
| 5785 | 16.980 | 17.340 | - | - | ≥500.0 |
| 5825 | 16.740 | 17.040 | - | - | ≥500.0 |

**Table 151 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5720 | 4.180 | 4.180 | - | - | - |
| 5745 | 17.700 | 17.760 | - | - | - |
| 5785 | 17.700 | 17.760 | - | - | - |
| 5825 | 17.700 | 17.700 | - | - | - |

**Table 152 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5710 | 3.240 | 3.000 | - | - | ≥500.0 |
| 5755 | 35.640 | 35.400 | - | - | ≥500.0 |
| 5795 | 35.400 | 35.400 | - | - | ≥500.0 |

**Table 153 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5710 | 4.440 | 4.320 | - | - | - |
| 5755 | 36.480 | 36.480 | - | - | - |
| 5795 | 36.480 | 36.480 | - | - | - |

**Table 154 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5690 | 3.060 | 3.280 | - | - | ≥500.0 |
| 5775 | 75.680 | 75.680 | - | - | ≥500.0 |

**Table 155 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5690 | 5.260 | 5.040 | - | - | - |
| 5775 | 75.460 | 75.680 | - | - | - |

**Table 156 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE20 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5720 | 4.540 | 4.480 | - | - | ≥500.0 |
| 5745 | 19.020 | 18.840 | - | - | ≥500.0 |
| 5785 | 19.020 | 18.900 | - | - | ≥500.0 |
| 5825 | 18.960 | 19.020 | - | - | ≥500.0 |

**Table 157 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5720 | 4.600 | 4.600 | - | - | - |
| 5745 | 18.960 | 18.960 | - | - | - |
| 5785 | 18.900 | 18.960 | - | - | - |
| 5825 | 18.960 | 18.960 | - | - | - |

**Table 158 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE40 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5710 | 4.080 | 4.080 | - | - | ≥500.0 |
| 5755 | 38.040 | 37.560 | - | - | ≥500.0 |
| 5795 | 38.040 | 37.560 | - | - | ≥500.0 |

**Table 159 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5710 | 4.560 | 4.560 | - | - | - |
| 5755 | 37.920 | 37.920 | - | - | - |
| 5795 | 37.800 | 37.920 | - | - | - |

**Table 160 - 99% Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.725-5.850 GHz | Band: | U-NII-3 |
| Limit Clause(s): | 15.407(e)<br>RSS-247 6.2.4.1 | Test Method(s): | C63.10 6.9.3<br>789033 D02 v02r01 II.C.2. |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE80 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x1 | DCCF (dB): | - |
| Antenna Configuration: | MIMO CDD | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 6 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5690 | 3.940 | 3.940 | - | - | ≥500.0 |
| 5775 | 77.220 | 76.780 | - | - | ≥500.0 |

**Table 161 - 6 dB Bandwidth Results**

| Test Frequency (MHz) | 99% Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5690 | 5.040 | 4.820 | - | - | - |
| 5775 | 76.780 | 77.000 | - | - | - |

**Table 162 - 99% Bandwidth Results**

MIMO SDM

| Protocol | 26 dB Bandwidth (MHz) | |
|---|---|---|
| | Minimum | Maximum |
| 802.11n HT20 | 20.880 | 22.500 |
| 802.11n HT40 | 41.200 | 44.520 |
| 802.11ac VHT80 | 84.040 | 87.120 |
| 802.11ac VHT160 | 165.480 | 166.320 |
| 802.11ax HE20 SU | 20.880 | 23.820 |
| 802.11ax HE40 SU | 41.520 | 43.800 |
| 802.11ax HE80 SU | 82.940 | 84.700 |
| 802.11ax HE160 SU | 165.480 | 165.900 |

**Table 163 - 26 dB Bandwidth Summary Results - MIMO SDM**

**Figure 311 - 802.11n HT20 Minimum 26 dB EBW**




**Figure 312 - 802.11n HT20 Maximum 26 dB EBW**

**Figure 313 - 802.11n HT40 Minimum 26 dB EBW**

**Figure 314 - 802.11n HT40 Maximum 26 dB EBW**

**Figure 315 - 802.11ac VHT80 Minimum 26 dB EBW**

**Figure 316 - 802.11ac VHT80 Maximum 26 dB EBW**




**Figure 317 - 802.11ac VHT160 Minimum 26 dB EBW**

**Figure 318 - 802.11ac VHT160 Maximum 26 dB EBW**

**Figure 319 - 802.11ax HE20 SU Minimum 26 dB EBW**




**Figure 320 - 802.11ax HE20 SU Maximum 26 dB EBW**




**Figure 321 - 802.11ax HE40 SU Minimum 26 dB EBW**

**Figure 322 - 802.11ax HE40 SU Maximum 26 dB EBW**

**Figure 323 - 802.11ax HE80 SU Minimum 26 dB EBW**

**Figure 324 - 802.11ax HE80 SU Maximum 26 dB EBW**

**Figure 325 - 802.11ax HE160 SU Minimum 26 dB EBW**

**Figure 326 - 802.11ax HE160 SU Maximum 26 dB EBW**

| Protocol | 6 dB Bandwidth (MHz) | |
|---|---|---|
| | Minimum | Maximum |
| 802.11n HT20 | 16.800 | 17.340 |
| 802.11n HT40 | 35.400 | 35.640 |
| 802.11ac VHT80 | 75.680 | 75.680 |
| 802.11ax HE20 SU | 18.900 | 19.140 |
| 802.11ax HE40 SU | 37.560 | 38.040 |
| 802.11ax HE80 SU | 77.000 | 77.440 |

**Table 164 - 6 dB Bandwidth Summary Results - MIMO SDM**




**Figure 327 - 802.11n HT20 Minimum 6 dB EBW**




**Figure 328 - 802.11n HT20 Maximum 6 dB EBW**




**Figure 329 - 802.11n HT40 Minimum 6 dB EBW**




**Figure 330 - 802.11n HT40 Maximum 6 dB EBW**




Figure 331 - 802.11ac VHT80 Minimum 6 dB EBW




Figure 332 - 802.11ac VHT80 Maximum 6 dB EBW




Figure 333 - 802.11ax HE20 SU Minimum 6 dB EBW




Figure 334 - 802.11ax HE20 SU Maximum 6 dB EBW




Figure 335 - 802.11ax HE40 SU Minimum 6 dB EBW




Figure 336 - 802.11ax HE40 SU Maximum 6 dB EBW




**Figure 337 - 802.11ax HE80 SU Minimum 6 dB EBW**




**Figure 338 - 802.11ax HE80 SU Maximum 6 dB EBW**

| Protocol | 99% Bandwidth (MHz) | |
|---|---|---|
| | Minimum | Maximum |
| 802.11n HT20 | 17.640 | 17.820 |
| 802.11n HT40 | 36.240 | 36.600 |
| 802.11ac VHT80 | 75.460 | 75.900 |
| 802.11ac VHT160 | 154.140 | 154.560 |
| 802.11ax HE20 SU | 18.900 | 19.020 |
| 802.11ax HE40 SU | 37.800 | 37.920 |
| 802.11ax HE80 SU | 76.780 | 77.000 |
| 802.11ax HE160 SU | 155.400 | 155.400 |

**Table 165 - 99% Bandwidth Summary Results - MIMO SDM**




**Figure 339 - 802.11n HT20 Minimum 99% OBW**

**Figure 340 - 802.11n HT20 Maximum 99% OBW**




**Figure 341 - 802.11n HT40 Minimum 99% OBW**

**Figure 342 - 802.11n HT40 Maximum 99% OBW**

Figure 343 - 802.11ac VHT80 Minimum 99% OBW

Figure 344 - 802.11ac VHT80 Maximum 99% OBW

Figure 345 - 802.11ac VHT160 Minimum 99% OBW




Figure 346 - 802.11ac VHT160 Maximum 99% OBW

Figure 347 - 802.11ax HE20 SU Minimum 99% OBW

Figure 348 - 802.11ax HE20 SU Maximum 99% OBW

**Figure 349 - 802.11ax HE40 SU Minimum 99% OBW**

**Figure 350 - 802.11ax HE40 SU Maximum 99% OBW**

**Figure 351 - 802.11ax HE80 SU Minimum 99% OBW**

**Figure 352 - 802.11ax HE80 SU Maximum 99% OBW**

**Figure 353 - 802.11ax HE160 SU Minimum 99% OBW**

**Figure 354 - 802.11ax HE160 SU Maximum 99% OBW**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT20 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS10 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5180 | 21.720 | 21.780 | - | - | - |
| 5220 | 21.000 | 20.940 | - | - | - |
| 5240 | 20.940 | 21.060 | - | - | - |

**Table 166 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11n HT40 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS10 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5190 | 42.480 | 44.280 | - | - | - |
| 5230 | 41.200 | 41.400 | - | - | - |

**Table 167 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT80 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5210 | 84.260 | 84.480 | - | - | - |

**Table 168 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ac VHT160 | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5250 | 82.740 | 82.320 | - | - | - |

**Table 169 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE20 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5180 | 22.020 | 21.900 | - | - | - |
| 5220 | 20.940 | 21.120 | - | - | - |
| 5240 | 20.880 | 21.060 | - | - | - |

**Table 170 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE40 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5190 | 42.480 | 42.720 | - | - | - |
| 5230 | 41.760 | 41.520 | - | - | - |

**Table 171 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE80 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5210 | 82.940 | 83.160 | - | - | - |

**Table 172 - 26 dB Bandwidth Results**

| Test Configuration | | | |
|---|---|---|---|
| Frequency Range: | 5.150-5.250 GHz | Band: | U-NII-1 |
| Limit Clause(s): | | Test Method(s): | C63.10 6.9.3<br>C63.10 12.5.2 |
| Additional Reference(s): | - | | |

| DUT Configuration | | | |
|---|---|---|---|
| Mode: | 802.11ax HE160 SU | Duty Cycle (%): | - |
| Modulation Coding Scheme: | MCS2x2 | DCCF (dB): | - |
| Antenna Configuration: | MIMO SDM | Peak Antenna Gain (dBi): | - |
| Active Port(s): | A+B (Core 0 + Core 1) | Active Chain(s): | 0+1 |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | | | | Limit (kHz) |
|---|---|---|---|---|---|
| | A | B | C | D | |
| 5250 | 82.740 | 82.740 | - | - | - |

**Table 173 - 26 dB Bandwidth Results**