






Plot 7-53. Power Spectral Density Plot Antenna 0 (40MHz 802.11ax (UNII Band 7) – Ch. 123, MCS4)




Plot 7-56. Power Spectral Density Plot Antenna 0 (20MHz 802.11ax (UNII Band 8) – Ch. 233, 54Mbps)




Plot 7-54. Power Spectral Density Plot Antenna 0 (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)



Plot 7-57. Power Spectral Density Plot Antenna 0 (20MHz 802.11ax (UNII Band 8) – Ch. 233, MCS4)





Plot 7-55. Power Spectral Density Plot Antenna 0 (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)



Plot 7-58. Power Spectral Density Plot Antenna 0 (40MHz 802.11ax (UNII Band 8) – Ch. 187, MCS2)

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 41 of 134




FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 42 of 134

7.4.2 Antenna 1 Power Spectral Density Measurements


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	a	54Mbps	-9.43	2.14	-7.29	-5	-2.29
	6255	61	a	54Mbps	-8.32	2.14	-6.18	-5	-1.18
	6415	93	a	54Mbps	-9.06	2.14	-6.92	-5	-1.92
	6115	33	ax (20MHz)	MCS2	-9.97	2.14	-7.83	-5	-2.83
	6255	61	ax (20MHz)	MCS4	-8.85	2.14	-6.71	-5	-1.71
	6415	93	ax (20MHz)	MCS2	-9.30	2.14	-7.16	-5	-2.16
	6125	35	ax (40MHz)	MCS4	-9.42	2.14	-7.28	-5	-2.28
	6245	59	ax (40MHz)	MCS4	-8.39	2.14	-6.25	-5	-1.25
	6405	91	ax (40MHz)	MCS2	-8.90	2.14	-6.76	-5	-1.76
	6145	39	ax (80MHz)	MCS2	-9.34	2.14	-7.20	-5	-2.20
Band 6	6225	55	ax (80MHz)	MCS4	-8.08	2.14	-5.94	-5	-0.94
	6435	97	a	12Mbps	-9.83	0.74	-9.09	-5	-4.09
	6475	105	a	12Mbps	-10.13	0.74	-9.39	-5	-4.39
	6515	113	a	54Mbps	-9.99	0.74	-9.25	-5	-4.25
	6435	97	ax (20MHz)	MCS4	-9.88	0.74	-9.14	-5	-4.14
	6475	105	ax (20MHz)	MCS4	-10.24	0.74	-9.50	-5	-4.50
	6515	113	ax (20MHz)	MCS4	-10.10	0.74	-9.36	-5	-4.36
	6445	99	ax (40MHz)	MCS2	-9.77	0.74	-9.03	-5	-4.03
	6485	107	ax (40MHz)	MCS2	-10.07	0.74	-9.33	-5	-4.33
	6465	103	ax (80MHz)	MCS2	-8.89	0.74	-8.15	-5	-3.15
Band 7	6505	111	ax (160MHz)	MCS2	-10.16	0.74	-9.42	-5	-4.42
	6535	117	a	54Mbps	-6.95	-0.88	-7.83	-5	-2.83
	6695	149	a	24Mbps	-6.62	-0.88	-7.50	-5	-2.50
	6875	185	a	54Mbps	-7.63	-0.88	-8.51	-5	-3.51
	6535	117	ax (20MHz)	MCS11	-7.49	-0.88	-8.37	-5	-3.37
	6695	149	ax (20MHz)	MCS4	-6.63	-0.88	-7.51	-5	-2.51
	6875	185	ax (20MHz)	MCS4	-8.21	-0.88	-9.09	-5	-4.09
	6565	123	ax (40MHz)	MCS4	-6.54	-0.88	-7.42	-5	-2.42
	6725	155	ax (40MHz)	MCS4	-6.30	-0.88	-7.18	-5	-2.18
	6845	179	ax (40MHz)	MCS2	-6.29	-0.88	-7.17	-5	-2.17
Band 8	6545	119	ax (80MHz)	MCS4	-9.37	-0.88	-10.25	-5	-5.25
	6705	151	ax (80MHz)	MCS4	-6.07	-0.88	-6.95	-5	-1.95
	6865	183	ax (80MHz)	MCS2	-6.90	-0.88	-7.78	-5	-2.78
	6665	143	ax (160MHz)	MCS4	-6.45	-0.88	-7.33	-5	-2.33
	6825	175	ax (160MHz)	MCS4	-7.25	-0.88	-8.13	-5	-3.13
	6895	189	a	12Mbps	-7.79	0.18	-7.61	-5	-2.61
	6995	209	a	12Mbps	-7.48	0.18	-7.30	-5	-2.30
	7115	233	a	12Mbps	-7.39	0.18	-7.21	-5	-2.21
	6895	189	ax (20MHz)	MCS4	-8.54	0.18	-8.36	-5	-3.36
	6995	209	ax (20MHz)	MCS4	-8.61	0.18	-8.43	-5	-3.43
	7115	233	ax (20MHz)	MCS4	-7.96	0.18	-7.78	-5	-2.78
	6885	187	ax (40MHz)	MCS2	-7.73	0.18	-7.55	-5	-2.55
	7005	211	ax (40MHz)	MCS4	-7.42	0.18	-7.24	-5	-2.24
	7085	227	ax (40MHz)	MCS2	-7.36	0.18	-7.18	-5	-2.18
	6945	199	ax (80MHz)	MCS2	-7.53	0.18	-7.35	-5	-2.35
	7025	215	ax (80MHz)	MCS4	-7.48	0.18	-7.30	-5	-2.30
	6985	207	ax (160MHz)	MCS4	-7.38	0.18	-7.20	-5	-2.20

Table 7-19. Power Spectral Density Measurements Antenna 1


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 43 of 134




Plot 7-61. Power Spectral Density Plot Antenna 1 (20MHz 802.11a (UNII Band 5) – Ch. 61, 54Mbps)




Plot 7-64. Power Spectral Density Plot Antenna 1 (80MHz 802.11ax (UNII Band 5) – Ch. 55, MCS4)




Plot 7-62. Power Spectral Density Plot Antenna 1 (20MHz 802.11ax (UNII Band 5) – Ch. 61, MCS4)



Plot 7-65. Power Spectral Density Plot Antenna 1 (160MHz 802.11ax (UNII Band 5) – Ch. 79, MCS4)




Plot 7-63. Power Spectral Density Plot Antenna 1 (40MHz 802.11ax (UNII Band 5) – Ch. 59, MCS4)




Plot 7-66. Power Spectral Density Plot Antenna 1 (20MHz 802.11a (UNII Band 6) – Ch. 97, 12Mbps)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 44 of 134




Plot 7-67. Power Spectral Density Plot Antenna 1 (20MHz 802.11ax (UNII Band 6) – Ch. 97, MCS4)




Plot 7-70. Power Spectral Density Plot Antenna 1 (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS2)




Plot 7-68. Power Spectral Density Plot Antenna 1 (40MHz 802.11ax (UNII Band 6) – Ch. 99, MCS2)



Plot 7-71. Power Spectral Density Plot Antenna 1 (20MHz 802.11ax (UNII Band 7) – Ch. 149, 24Mbps)




Plot 7-69. Power Spectral Density Plot Antenna 1 (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS2)




Plot 7-72. Power Spectral Density Plot Antenna 1 (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 45 of 134




Plot 7-73. Power Spectral Density Plot Antenna 1 (40MHz 802.11ax (UNII Band 7) – Ch. 179, MCS2)




Plot 7-76. Power Spectral Density Plot Antenna 1 (20MHz 802.11ax (UNII Band 8) – Ch. 233, 12Mbps)




Plot 7-74. Power Spectral Density Plot Antenna 1 (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)



Plot 7-77. Power Spectral Density Plot Antenna 1 (20MHz 802.11ax (UNII Band 8) – Ch. 233, MCS4)




Plot 7-75. Power Spectral Density Plot Antenna 1 (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)




Plot 7-78. Power Spectral Density Plot Antenna 1 (40MHz 802.11ax (UNII Band 8) – Ch. 227, MCS2)

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 46 of 134



**Plot 7-79. Power Spectral Density Plot Antenna 1 (80MHz
802.11ax (UNII Band 8) – Ch. 215, MCS4)**



**Plot 7-80. Power Spectral Density Plot Antenna 1 (160MHz
802.11ax (UNII Band 8) – Ch. 207, MCS4)**

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 47 of 134


V 12.0 03/03/2026

7.4.3 SDM Power Spectral Density Measurements


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [MHz]	Mode	Antenna 0 Measured Power Density [dBm/MHz]	Antenna 1 Measured Power Density [dBm/MHz]	Summed MIMO Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	ax (20MHz)	MCS2	SDM	-12.69	-12.88	-9.77	2.01	-7.77	-5	-2.77
	6275	65	ax (20MHz)	MCS4	SDM	-11.76	-11.36	-8.55	2.01	-6.54	-5	-1.54
	6415	93	ax (20MHz)	MCS2	SDM	-11.72	-13.21	-9.39	2.01	-7.38	-5	-2.38
	6125	35	ax (40MHz)	MCS4	SDM	-12.45	-12.65	-9.54	2.01	-7.53	-5	-2.53
	6285	67	ax (40MHz)	MCS4	SDM	-11.69	-11.34	-8.50	2.01	-6.49	-5	-1.49
	6405	91	ax (40MHz)	MCS2	SDM	-11.48	-12.99	-9.16	2.01	-7.15	-5	-2.15
	6145	39	ax (80MHz)	MCS4	SDM	-12.53	-12.70	-9.60	2.01	-7.60	-5	-2.60
	6305	71	ax (80MHz)	MCS4	SDM	-11.42	-11.29	-8.34	2.01	-6.34	-5	-1.34
	6385	87	ax (80MHz)	MCS2	SDM	-12.01	-12.56	-9.27	2.01	-7.26	-5	-2.26
	6185	47	ax (160MHz)	MCS2	SDM	-12.30	-15.10	-10.47	2.01	-8.46	-5	-3.46
Band 6	6345	79	ax (160MHz)	MCS4	SDM	-11.57	-12.96	-9.20	2.01	-7.19	-5	-2.19
	6435	97	ax (20MHz)	MCS2	SDM	-11.94	-13.80	-9.76	1.26	-8.50	-5	-3.50
	6475	105	ax (20MHz)	MCS2	SDM	-11.79	-14.00	-9.75	1.26	-8.48	-5	-3.48
	6515	113	ax (20MHz)	MCS2	SDM	-12.49	-14.35	-10.31	1.26	-9.05	-5	-4.05
	6445	99	ax (40MHz)	MCS2	SDM	-11.48	-13.09	-9.20	1.26	-7.94	-5	-2.94
	6485	107	ax (40MHz)	MCS2	SDM	-11.33	-13.49	-9.27	1.26	-8.00	-5	-3.00
	6465	103	ax (80MHz)	MCS2	SDM	-11.12	-13.04	-8.96	1.26	-7.70	-5	-2.70
	6505	111	ax (160MHz)	MCS2	SDM	-11.86	-13.18	-9.46	1.26	-8.20	-5	-3.20
	6535	117	ax (20MHz)	MCS2	SDM	-9.59	-11.97	-7.61	-0.95	-8.56	-5	-3.56
	6695	149	ax (20MHz)	MCS2	SDM	-10.00	-10.76	-7.35	-0.95	-8.30	-5	-3.30
Band 7	6875	185	ax (20MHz)	MCS2	SDM	-10.16	-12.54	-8.18	-0.95	-9.13	-5	-4.13
	6565	123	ax (40MHz)	MCS2	SDM	-9.46	-11.72	-7.43	-0.95	-8.38	-5	-3.38
	6725	155	ax (40MHz)	MCS2	SDM	-10.06	-11.36	-7.65	-0.95	-8.60	-5	-3.60
	6845	179	ax (40MHz)	MCS2	SDM	-9.86	-10.57	-7.19	-0.95	-8.14	-5	-3.14
	6545	119	ax (80MHz)	MCS2	SDM	-11.74	-13.55	-9.54	-0.95	-10.49	-5	-5.49
	6705	151	ax (80MHz)	MCS2	SDM	-9.41	-11.45	-7.30	-0.95	-8.25	-5	-3.25
	6865	183	ax (80MHz)	MCS2	SDM	-10.70	-11.96	-8.27	-0.95	-9.22	-5	-4.22
	6665	143	ax (160MHz)	MCS2	SDM	-9.63	-11.26	-7.36	-0.95	-8.31	-5	-3.31
	6825	175	ax (160MHz)	MCS2	SDM	-9.71	-11.77	-7.61	-0.95	-8.56	-5	-3.56
	6895	189	ax (20MHz)	MCS2	SDM	-10.18	-11.95	-7.97	-0.03	-8.00	-5	-3.00
Band 8	6995	209	ax (20MHz)	MCS2	SDM	-10.38	-11.91	-8.07	-0.03	-8.10	-5	-3.10
	7115	233	ax (20MHz)	MCS2	SDM	-10.31	-11.13	-7.69	-0.03	-7.72	-5	-2.72
	6885	187	ax (40MHz)	MCS2	SDM	-10.09	-11.85	-7.87	-0.03	-7.91	-5	-2.91
	7005	211	ax (40MHz)	MCS2	SDM	-10.15	-12.13	-8.02	-0.03	-8.05	-5	-3.05
	7085	227	ax (40MHz)	MCS2	SDM	-10.41	-12.05	-8.14	-0.03	-8.18	-5	-3.18
	6945	199	ax (80MHz)	MCS2	SDM	-10.60	-12.13	-8.29	-0.03	-8.32	-5	-3.32
	7025	215	ax (80MHz)	MCS2	SDM	-10.74	-11.84	-8.24	-0.03	-8.28	-5	-3.28
	6985	207	ax (160MHz)	MCS2	SDM	-10.34	-11.83	-8.01	-0.03	-8.04	-5	-3.04

Table 7-20. Power Spectral Density Measurements SDM


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 48 of 134




Plot 7-81. Power Spectral Density Plot SDM Antenna 0 (20MHz 802.11ax (UNII Band 5) – Ch. 65, MCS4)




Plot 7-84. Power Spectral Density Plot SDM Antenna 1 (40MHz 802.11ax (UNII Band 5) – Ch. 67, MCS4)




Plot 7-82. Power Spectral Density Plot SDM Antenna 1 (20MHz 802.11ax (UNII Band 5) – Ch. 65, MCS4)



Plot 7-85. Power Spectral Density Plot SDM Antenna 0 (80MHz 802.11ax (UNII Band 5) – Ch. 71, MCS4)




Plot 7-83. Power Spectral Density Plot SDM Antenna 0 (40MHz 802.11ax (UNII Band 5) – Ch. 67, MCS4)




Plot 7-86. Power Spectral Density Plot SDM Antenna 1 (80MHz 802.11ax (UNII Band 5) – Ch. 71, MCS4)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG	This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 49 of 134




Plot 7-87. Power Spectral Density Plot SDM Antenna 0 (160MHz 802.11ax (UNII Band 5) – Ch. 79, MCS4)




Plot 7-90. Power Spectral Density Plot SDM Antenna 1 (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS2)




Plot 7-88. Power Spectral Density Plot SDM Antenna 1 (160MHz 802.11ax (UNII Band 5) – Ch. 79, MCS4)



Plot 7-91. Power Spectral Density Plot SDM Antenna 0 (40MHz 802.11ax (UNII Band 6) – Ch. 99, MCS2)




Plot 7-89. Power Spectral Density Plot SDM Antenna 0 (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS2)




Plot 7-92. Power Spectral Density Plot SDM Antenna 1 (40MHz 802.11ax (UNII Band 6) – Ch. 99, MCS2)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 50 of 134




Plot 7-93. Power Spectral Density Plot SDM Antenna 0 (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS2)




Plot 7-96. Power Spectral Density Plot SDM Antenna 1 (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS2)




Plot 7-94. Power Spectral Density Plot SDM Antenna 1 (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS2)



Plot 7-97. Power Spectral Density Plot SDM Antenna 0 (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)




Plot 7-95. Power Spectral Density Plot SDM Antenna 0 (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS2)




Plot 7-98. Power Spectral Density Plot SDM Antenna 1 (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 51 of 134




Plot 7-99. Power Spectral Density Plot SDM Antenna 0 (40MHz 802.11ax (UNII Band 7) – Ch. 179, MCS2)




Plot 7-102. Power Spectral Density Plot SDM Antenna 1 (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)




Plot 7-100. Power Spectral Density Plot SDM Antenna 1 (40MHz 802.11ax (UNII Band 7) – Ch. 179, MCS2)



Plot 7-103. Power Spectral Density Plot SDM Antenna 0 (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)




Plot 7-101. Power Spectral Density Plot SDM Antenna 0 (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)




Plot 7-104. Power Spectral Density Plot SDM Antenna 1 (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG	This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 52 of 134




Plot 7-105. Power Spectral Density Plot SDM Antenna 0 (20MHz 802.11ax (UNII Band 8) – Ch. 233, MCS2)




Plot 7-108. Power Spectral Density Plot SDM Antenna 1 (40MHz 802.11ax (UNII Band 8) – Ch. 187, MCS2)




Plot 7-106. Power Spectral Density Plot SDM Antenna 1 (20MHz 802.11ax (UNII Band 8) – Ch. 233, MCS2)



Plot 7-109. Power Spectral Density Plot SDM Antenna 0 (80MHz 802.11ax (UNII Band 8) – Ch. 215, MCS2)




Plot 7-107. Power Spectral Density Plot SDM Antenna 0 (40MHz 802.11ax (UNII Band 8) – Ch. 187, MCS2)




Plot 7-110. Power Spectral Density Plot SDM Antenna 1 (80MHz 802.11ax (UNII Band 8) – Ch. 215, MCS2)

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 53 of 134



Plot 7-111. Power Spectral Density Plot SDM Antenna 0 (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS2)



Plot 7-112. Power Spectral Density Plot SDM Antenna 1 (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS2)

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 03/24/2025 - 06/14/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-11-R3.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 54 of 134