




7.5.4 Antenna 1 In-Band Emission Measurements – LPI




Plot 7-209. In-Band Emission Plot Antenna 1 (20MHz 802.11a (UNII Band 5) – Ch. 93)



Plot 7-211. In-Band Emission Plot Antenna 1 (80MHz 802.11ax (UNII Band 5) – Ch. 87)




Plot 7-210. In-Band Emission Plot Antenna 1 (40MHz 802.11ax (UNII Band 5) – Ch. 91)




Plot 7-212. In-Band Emission Plot Antenna 1 (160MHz 802.11ax (UNII Band 5) – Ch. 79)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 97 of 171




Plot 7-213. In-Band Emission Plot Antenna 1 (20MHz 802.11a (UNII Band 6) – Ch. 97)



Plot 7-215. In-Band Emission Plot Antenna 1 (80MHz 802.11ax (UNII Band 6) – Ch. 103)




Plot 7-214. In-Band Emission Plot Antenna 1 (40MHz 802.11ax (UNII Band 6) – Ch. 99)




Plot 7-216. In-Band Emission Plot Antenna 1 (160MHz 802.11ax (UNII Band 6) – Ch. 111)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 98 of 171




Plot 7-217. In-Band Emission Plot Antenna 1 (20MHz 802.11a (UNII Band 7) – Ch. 149)



Plot 7-219. In-Band Emission Plot Antenna 1 (80MHz 802.11ax (UNII Band 7) – Ch. 151)




Plot 7-218. In-Band Emission Plot Antenna 1 (40MHz 802.11ax (UNII Band 7) – Ch. 123)




Plot 7-220. In-Band Emission Plot Antenna 1 (160MHz 802.11ax (UNII Band 7) – Ch. 143)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 99 of 171




Plot 7-221. In-Band Emission Plot Antenna 1 (20MHz 802.11a (UNII Band 8) – Ch. 209)



Plot 7-223. In-Band Emission Plot Antenna 1 (80MHz 802.11ax (UNII Band 8) – Ch. 215)



Plot 7-222. In-Band Emission Plot Antenna 1 (40MHz 802.11ax (UNII Band 8) – Ch. 227)



Plot 7-224. In-Band Emission Plot Antenna 1 (160MHz 802.11ax (UNII Band 8) – Ch. 207)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 100 of 171

7.5.5 CDD In-Band Emission Measurements – SP


	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna 0 In-Band Emission	Antenna 1 In-Band Emission
Band 5	5955	1	ax (20MHz)	CDD	48/51.6 (MCS2)	Pass	Pass
	6175	45	ax (20MHz)	CDD	48/51.6 (MCS2)	Pass	Pass
	6415	93	ax (20MHz)	CDD	48/51.6 (MCS2)	Pass	Pass
	5965	3	ax (40MHz)	CDD	98/103.2 (MCS2)	Pass	Pass
	6165	43	ax (40MHz)	CDD	98/103.2 (MCS2)	Pass	Pass
	6405	91	ax (40MHz)	CDD	98/103.2 (MCS2)	Pass	Pass
	5985	7	ax (80MHz)	CDD	408/432.4 (MCS4)	Pass	Pass
	6145	39	ax (80MHz)	CDD	408/432.4 (MCS4)	Pass	Pass
	6385	87	ax (80MHz)	CDD	204/216.2 (MCS2)	Pass	Pass
	6025	15	ax (160MHz)	CDD	735/864.7 (MCS4)	Pass	Pass
	6185	47	ax (160MHz)	CDD	735/864.7 (MCS4)	Pass	Pass
	6345	79	ax (160MHz)	CDD	735/864.7 (MCS4)	Pass	Pass
Band 6	6435	97	ax (20MHz)	CDD	98/103.2 (MCS4)	Pass	Pass
	6475	105	ax (20MHz)	CDD	98/103.2 (MCS4)	Pass	Pass
	6515	113	ax (20MHz)	CDD	98/103.2 (MCS4)	Pass	Pass
	6445	99	ax (40MHz)	CDD	98/103.2 (MCS2)	Pass	Pass
	6485	107	ax (40MHz)	CDD	196/206.5 (MCS4)	Pass	Pass
	6465	103	ax (80MHz)	CDD	204/216.2 (MCS2)	Pass	Pass
	6505	111	ax (160MHz)	CDD	735/864.7 (MCS4)	Pass	Pass
Band 7	6535	117	ax (20MHz)	CDD	48/51.6 (MCS2)	Pass	Pass
	6695	149	ax (20MHz)	CDD	48/51.6 (MCS2)	Pass	Pass
	6855	181	ax (20MHz)	CDD	98/103.2 (MCS4)	Pass	Pass
	6565	123	ax (40MHz)	CDD	196/206.5 (MCS4)	Pass	Pass
	6725	155	ax (40MHz)	CDD	196/206.5 (MCS4)	Pass	Pass
	6845	179	ax (40MHz)	CDD	98/103.2 (MCS2)	Pass	Pass
	6625	135	ax (80MHz)	CDD	204/216.2 (MCS2)	Pass	Pass
	6705	151	ax (80MHz)	CDD	204/216.2 (MCS2)	Pass	Pass
	6785	167	ax (80MHz)	CDD	408/432.4 (MCS4)	Pass	Pass
	6665	143	ax (160MHz)	CDD	367.5/432.4 (MCS2)	Pass	Pass

Table 7-38. In-Band Emission Measurements CDD


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 101 of 171




Plot 7-225. In Band Emission Plot CDD Antenna 0 (20MHz 802.11ax (UNII Band 5) – Ch. 93)




Plot 7-228. In Band Emission Plot CDD Antenna 1 (40MHz 802.11ax (UNII Band 5) – Ch. 91)




Plot 7-226. In Band Emission Plot CDD Antenna 1 (20MHz 802.11ax (UNII Band 5) – Ch. 93)



Plot 7-229. In Band Emission Plot CDD Antenna 0 (80MHz 802.11ax (UNII Band 5) – Ch. 39)




Plot 7-227. In Band Emission Plot CDD Antenna 0 (40MHz 802.11ax (UNII Band 5) – Ch. 91)




Plot 7-230. In Band Emission Plot CDD Antenna 1 (80MHz 802.11ax (UNII Band 5) – Ch. 39)

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 102 of 171




Plot 7-231. In Band Emission Plot CDD Antenna 0 (160MHz
802.11ax (UNII Band 5) – Ch. 79)




Plot 7-232. In Band Emission Plot CDD Antenna 1 (160MHz
802.11ax (UNII Band 5) – Ch. 79)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 103 of 171




Plot 7-233. In Band Emission Plot CDD Antenna 0 (20MHz 802.11ax (UNII Band 6) – Ch. 97)




Plot 7-236. In Band Emission Plot CDD Antenna 1 (40MHz 802.11ax (UNII Band 6) – Ch. 99)




Plot 7-234. In Band Emission Plot CDD Antenna 1 (20MHz 802.11ax (UNII Band 6) – Ch. 97)



Plot 7-237. In Band Emission Plot CDD Antenna 0 (80MHz 802.11ax (UNII Band 6) – Ch. 103)




Plot 7-235. In Band Emission Plot CDD Antenna 0 (40MHz 802.11ax (UNII Band 6) – Ch. 99)




Plot 7-238. In Band Emission Plot CDD Antenna 1 (80MHz 802.11ax (UNII Band 6) – Ch. 103)

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 104 of 171




**Plot 7-239. In Band Emission Plot CDD Antenna 0 (160MHz
802.11ax (UNII Band 6) – Ch. 111)**




**Plot 7-240. In Band Emission Plot CDD Antenna 1 (160MHz
802.11ax (UNII Band 6) – Ch. 111)**


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 105 of 171




Plot 7-241. In Band Emission Plot CDD Antenna 0 (20MHz 802.11ax (UNII Band 7) – Ch. 149)




Plot 7-244. In Band Emission Plot CDD Antenna 1 (40MHz 802.11ax (UNII Band 7) – Ch. 179)




Plot 7-242. In Band Emission Plot CDD Antenna 1 (20MHz 802.11ax (UNII Band 7) – Ch. 149)



Plot 7-245. In Band Emission Plot CDD Antenna 0 (80MHz 802.11ax (UNII Band 7) – Ch. 167)




Plot 7-243. In Band Emission Plot CDD Antenna 0 (40MHz 802.11ax (UNII Band 7) – Ch. 179)




Plot 7-246. In Band Emission Plot CDD Antenna 1 (80MHz 802.11ax (UNII Band 7) – Ch. 167)

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 106 of 171




Plot 7-247. In Band Emission Plot CDD Antenna 0 (160MHz
802.11ax (UNII Band 7) – Ch. 143)




Plot 7-248. In Band Emission Plot CDD Antenna 1 (160MHz
802.11ax (UNII Band 7) – Ch. 143)

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 107 of 171


7.5.6 SDM In-Band Emission Measurements – LPI




**Plot 7-249. In-Band Emission Plot SDM Antenna 0 (20MHz
802.11ax (UNII Band 5) – Ch. 93)**




**Plot 7-252. In-Band Emission Plot SDM Antenna 1 (40MHz
802.11ax (UNII Band 5) – Ch. 91)**




**Plot 7-250. In-Band Emission Plot SDM Antenna 1 (20MHz
802.11ax (UNII Band 5) – Ch. 93)**



**Plot 7-253. In-Band Emission Plot SDM Antenna 0 (80MHz
802.11ax (UNII Band 5) – Ch. 87)**




**Plot 7-251. In-Band Emission Plot SDM Antenna 0 (40MHz
802.11ax (UNII Band 5) – Ch. 91)**




**Plot 7-254. In-Band Emission Plot SDM Antenna 1 (80MHz
802.11ax (UNII Band 5) – Ch. 87)**


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 108 of 171




**Plot 7-255. In-Band Emission Plot SDM Antenna 0 (160MHz
802.11ax (UNII Band 5) – Ch. 79)**




**Plot 7-258. In-Band Emission Plot SDM Antenna 1 (20MHz
802.11ax (UNII Band 6) – Ch. 113)**




**Plot 7-256. In-Band Emission Plot SDM Antenna 1 (160MHz
802.11ax (UNII Band 5) – Ch. 79)**



**Plot 7-259. In-Band Emission Plot SDM Antenna 0 (40MHz
802.11ax (UNII Band 6) – Ch. 99)**




**Plot 7-257. In-Band Emission Plot SDM Antenna 0 (20MHz
802.11ax (UNII Band 6) – Ch. 113)**




**Plot 7-260. In-Band Emission Plot SDM Antenna 1 (40MHz
802.11ax (UNII Band 6) – Ch. 99)**


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 109 of 171




Plot 7-261. In-Band Emission Plot SDM Antenna 0 (80MHz 802.11ax (UNII Band 6) – Ch. 103)




Plot 7-264. In-Band Emission Plot SDM Antenna 1 (160MHz 802.11ax (UNII Band 6) – Ch. 111)




Plot 7-262. In-Band Emission Plot SDM Antenna 1 (80MHz 802.11ax (UNII Band 6) – Ch. 103)



Plot 7-265. In-Band Emission Plot SDM Antenna 0 (20MHz 802.11ax (UNII Band 7) – Ch. 149)




Plot 7-263. In-Band Emission Plot SDM Antenna 0 (160MHz 802.11ax (UNII Band 6) – Ch. 111)




Plot 7-266. In-Band Emission Plot SDM Antenna 1 (20MHz 802.11ax (UNII Band 7) – Ch. 149)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 110 of 171




Plot 7-267. In-Band Emission Plot SDM Antenna 0 (40MHz 802.11ax (UNII Band 7) – Ch. 179)




Plot 7-270. In-Band Emission Plot SDM Antenna 1 (80MHz 802.11ax (UNII Band 7) – Ch. 151)




Plot 7-268. In-Band Emission Plot SDM Antenna 1 (40MHz 802.11ax (UNII Band 7) – Ch. 179)



Plot 7-271. In-Band Emission Plot SDM Antenna 0 (160MHz 802.11ax (UNII Band 7) – Ch. 143)




Plot 7-269. In-Band Emission Plot SDM Antenna 0 (80MHz 802.11ax (UNII Band 7) – Ch. 151)




Plot 7-272. In-Band Emission Plot SDM Antenna 1 (160MHz 802.11ax (UNII Band 7) – Ch. 143)


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 111 of 171




Plot 7-273. In-Band Emission Plot SDM Antenna 0 (20MHz 802.11ax (UNII Band 8) – Ch. 233)




Plot 7-276. In-Band Emission Plot SDM Antenna 1 (40MHz 802.11ax (UNII Band 8) – Ch. 211)




Plot 7-274. In-Band Emission Plot SDM Antenna 1 (20MHz 802.11ax (UNII Band 8) – Ch. 233)



Plot 7-277. In-Band Emission Plot SDM Antenna 0 (80MHz 802.11ax (UNII Band 8) – Ch. 199)




Plot 7-275. In-Band Emission Plot SDM Antenna 0 (40MHz 802.11ax (UNII Band 8) – Ch. 211)




Plot 7-278. In-Band Emission Plot SDM Antenna 1 (80MHz 802.11ax (UNII Band 8) – Ch. 199)

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 112 of 171



**Plot 7-279. In-Band Emission Plot SDM Antenna 0 (160MHz
802.11ax (UNII Band 8) – Ch. 207)**



**Plot 7-280. In-Band Emission Plot SDM Antenna 1 (160MHz
802.11ax (UNII Band 8) – Ch. 207)**

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 113 of 171

7.6 Contention Based Protocol

Test Overview and Limit

Indoor access points, subordinate devices and all client devices (except for Fixed clients), and VLP devices operating in the 5.925-7.125 GHz band (herein referred to as unlicensed devices) must use a contention-based protocol to avoid co-channel interference with incumbent devices sharing the band. To ensure incumbent co-channel operations are detected in a technology-agnostic manner, unlicensed devices are required to detect co-channel radio frequency energy (energy detect) and avoid simultaneous transmission.

Unlicensed indoor low-power devices must detect co-channel radio frequency power that is at least -62 dBm or lower. Upon detection of energy in the band, unlicensed low power indoor devices must vacate the channel and stay off the channel as long as detected radio frequency power is equal to or greater than the threshold (-62 dBm). The -62 dBm (or lower) threshold is referenced to a 0 dBi antenna gain.

To ensure incumbent operations are reliably detected in the band, unlicensed devices must detect RF energy throughout their intended operating channel.

Test Procedure Used

KDB 987594 D02 v03 – Section I

Test Settings

1. Configure the EUT to transmit with a constant duty cycle.
2. Set the operating parameters of the EUT including power level, operating frequency, modulation and bandwidth
3. Set the signal analyzer center frequency to the nominal EUT channel center frequency. The span range of the signal analyzer shall be between two times and five times the OBW of the EUT.
4. Connect the output port of the EUT to the signal analyzer 2, as shown in Figure 2. Ensure that the attenuator 2 provides enough attenuation to not overload the signal analyzer 2 receiver.
5. Monitoring the signal analyzer 2, verify the EUT is operating and transmitting with the parameters set at step two.
6. Using an AWGN signal source, generate (but do not transmit, i.e., RF OFF) a 10 MHz-wide AWGN signal. Use Table 1 to determine the center frequency of the 10 MHz AWGN signal relative to the EUT's channel bandwidth and center frequency.
7. Set the AWGN signal power to an extremely low level (more than 20 dB below the -62 dBm threshold). Connect the AWGN signal source, via a 3-dB splitter, to the signal analyzer 1 and the EUT as shown in Figure 2.
8. Transmit the AWGN signal (RF ON) and verify its characteristics on the signal analyzer 1.
9. Monitor the signal analyzer 2 to verify if the AWGN signal has been detected and the EUT has ceased transmission. If the EUT continues to transmit, then incrementally increase the AWGN signal power level until the EUT stops transmitting.
10. Including all losses in the RF paths) Determine and record the AWGN signal power level (at the EUT's antenna port) at which the EUT ceased transmission. Repeat the procedure at least 10 times to verify the EUT can detect an AWGN signal with 90% (or better) level of certainty.
11. Refer to Table 1 to determine number of times the detection threshold testing needs to be repeated. If testing is required more than once, then go back to step 5, choose a different center frequency for the AWGN signal and repeat the process.

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 114 of 171

Test Setup




Figure 7-5. Contention-based protocol test setup, conducted method

Test Notes

1. The EUT does not supports channel puncturing.
2. Per guidance from KDB 987594 D02 v03, contention-based protocol was tested using an AWGN signal with a bandwidth of 10MHz. The amplitude of the signal was increased until detected by the EUT, signaled by the ceasing of transmission, marker indicates the point at which the AWGN signal is introduced.
3. Per KDB 987594 D04 v03, contention-based protocol was tested with receiver with the lowest antenna gain.
4. 15 trials were ran in order to assure that at least 90% of certainty was met.

$$\text{Detection Level} = \text{Injected AWGN Power (dBm)} - \text{Antenna Gain (dBi)} + \text{Path Loss (dB)}$$

Equation 7-1. Incumbent Detection Level Calculation

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 115 of 171

V 12.0 03/03/2026

Band	Channel	Channel Frequency [MHz]	Channel BW [MHz]	Incumbent Frequency [MHz]	Injected (AWGN) [dBm]	Antenna Gain [dBi]	Adjusted Power Level [dBm]	Detection Limit [dBm]	Margin [dB]
UNII Band 5	53	6215	20	6215	-66.46	-2.77	-63.69	-62.0	-1.69
	47	6185	160	6112	-66.39	-2.77	-63.62	-62.0	-1.62
				6185	-66.24	-2.77	-63.47	-62.0	-1.47
				6258	-66.22	-2.77	-63.45	-62.0	-1.45
UNII Band 6	101	6455	20	6455	-66.23	-2.77	-63.46	-62.0	-1.46
	111	6505	160	6432	-66.20	-2.77	-63.43	-62.0	-1.43
				6505	-66.26	-2.77	-63.49	-62.0	-1.49
				6578	-66.36	-2.77	-63.59	-62.0	-1.59
UNII Band 7	149	6695	20	6695	-66.55	-2.77	-63.78	-62.0	-1.78
	143	6665	160	6592	-66.37	-2.77	-63.60	-62.0	-1.60
				6665	-66.34	-2.77	-63.57	-62.0	-1.57
				6738	-66.49	-2.77	-63.72	-62.0	-1.72
UNII Band 8	197	6935	20	6935	-66.55	-2.77	-63.78	-62.0	-1.78
	207	6985	160	6912	-66.38	-2.77	-63.61	-62.0	-1.61
				6985	-66.66	-2.77	-63.89	-62.0	-1.89
				7058	-66.28	-2.77	-63.51	-62.0	-1.51

Table 7-39. Contention Based Protocol – Incumbent Detection Results

Band	Channel	Channel Frequency [MHz]	Channel BW [MHz]	Incumbent Frequency [MHz]	EUT Transmission Status		
					Adjusted AWGN Power (dBm)		
					Normal	Minimal	Ceased
UNII Band 5	53	6215	20	6215	-74.87	-64.94	-63.69
	47	6185	160	6112	-74.80	-64.87	-63.62
				6185	-74.65	-64.72	-63.47
				6258	-74.63	-64.70	-63.45
UNII Band 6	101	6455	20	6455	-74.64	-64.71	-63.46
	111	6505	160	6432	-74.61	-64.68	-63.43
				6505	-74.67	-64.74	-63.49
				6578	-74.77	-64.84	-63.59
UNII Band 7	149	6695	20	6695	-74.76	-65.00	-63.78
	143	6665	160	6592	-74.58	-64.82	-63.60
				6665	-74.55	-64.79	-63.57
				6738	-74.70	-64.94	-63.72
UNII Band 8	197	6935	20	6935	-74.76	-65.00	-63.78
	207	6985	160	6912	-74.59	-64.83	-63.61
				6985	-74.87	-65.11	-63.89
				7058	-74.49	-64.73	-63.51

Table 7-40. Contention Based Protocol – Detection Results – All Tx Cases

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 116 of 171

CBP Detection (1 = Detection, Blank = No Detection)																					
	Channel	Channel	Channel	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Detection	Limit	Pass/Fail
UNII Band 5	53	6215	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
	47	6185	160	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass	
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass	
UNII Band 6	101	6455	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
	111	6505	160	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass	
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass	
UNII Band 7	149	6695	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
	143	6665	160	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass	
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass	
UNII Band 8	197	6935	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
	207	6985	160	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass	
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass	

Table 7-41. Contention Based Protocol – Incumbent Detection Trial Results

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 117 of 171

AWGN Plots




Plot 7-281. AWGN Signal – UNII 5 – 20MHz


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 118 of 171

V 12.0 03/03/2026


Contention-Based Protocol Timing Plots



Plot 7-282. Contention Based Protocol Timing Plot – UNII 5 – 20MHz Channel 53




Plot 7-283. Contention Based Protocol Timing Plot – UNII 5 – 160MHz Channel 47 – Low




Plot 7-284. Contention Based Protocol Timing Plot –UNII 5 – 160MHz Channel 47 – Mid


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 119 of 171



Plot 7-285. Contention Based Protocol Timing Plot – UNII 5 – 160MHz Channel 47 – High




Plot 7-286. Contention Based Protocol Timing Plot – UNII 6 – 20MHz Channel 101




Plot 7-287. Contention Based Protocol Timing Plot – UNII 6 – 160MHz Channel 111 – Low


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 120 of 171



Plot 7-288. Contention Based Protocol Timing Plot – UNII 6 – 160MHz Channel 111 – Mid




Plot 7-289. Contention Based Protocol Timing Plot – UNII 6 – 160MHz Channel 111 – High




Plot 7-290. Contention Based Protocol Timing Plot – UNII 7 – 20MHz Channel 149


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 121 of 171



Plot 7-291. Contention Based Protocol Timing Plot – UNII 7 – 160MHz Channel 143 – Low




Plot 7-292. Contention Based Protocol Timing Plot – UNII 7 – 160MHz Channel 143 – Mid




Plot 7-293. Contention Based Protocol Timing Plot – UNII 7 – 160MHz Channel 143 – High


FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 122 of 171



Plot 7-294. Contention Based Protocol Timing Plot – UNII 8 – 20MHz Channel 197



Plot 7-295. Contention Based Protocol Timing Plot – UNII 8 – 160MHz Channel 207 – Low



Plot 7-296. Contention Based Protocol Timing Plot – UNII 8 – 160MHz Channel 207 – Mid

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 123 of 171




Plot 7-297. Contention Based Protocol Timing Plot – UNII 8 – 160MHz Channel 207 – High

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 124 of 171

Bandwidth Reduction Plots




Plot 7-298. 160MHz Bandwidth, AWGN Signal Injected – 6110Mhz



Plot 7-299. 160MHz Bandwidth, AWGN Signal Injected – 6185Mhz

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 125 of 171



Plot 7-300. 160MHz Bandwidth, AWGN Signal Injected – 6260Mhz

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 126 of 171

7.7 Radiated Spurious Emissions – Above 1GHz

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to and KDB 789033 D02 v02r01, and at the appropriate frequencies. All channels, modes (e.g. 802.11a, 802.11ax(SU) (20MHz BW), 802.11ax(SU) (40MHz BW), 802.11ax(SU) (80MHz), 802.11ax(SU) (160MHz) and modulations/data rates were investigated among all UNII bands. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

For transmitters operating in the 5.925-7.125 GHz band: All emissions outside of the 5.925-7.125 GHz band shall not exceed an EIRP of -27 dBm/MHz. Emissions found in a restricted band are subject to the limits of 15.209 and RSS-Gen (7.4.3) as shown in the table below.

Frequency	Field Strength [μ V/m]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-42. Radiated Limits

Test Procedures Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to – Sections 12.7.7, 12.7.6
KDB 789033 D02 v02r01 – Section G

Test Settings

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times \text{span/RBW}$)
6. Averaging type = power (RMS)
7. Sweep time = auto couple
8. Trace was averaged over 100 sweeps

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 127 of 171

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-6. Test Instrument & Measurement Setup

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 128 of 171

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com

Test Notes

1. All emissions that lie in the restricted bands (denoted by a * next to the frequency) specified in §15.205 and Section 7.5 of RSS-Gen are below the limit shown in Table 7-42.
2. All spurious emissions lying in restricted bands specified in §15.205 and Section 7.5 of RSS-Gen are below the limit shown in Table 7-42. All spurious emissions that do not lie in a restricted band are subject to a limit of -27dBm/MHz. At a distance of 3 meters, the field strength limit in dB μ V/m can be determined by adding a “conversion” factor of 95.2dB to the EIRP limit of -27dBm/MHz to obtain the limit for out of band spurious emissions of 68.2dB μ V/m.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through one orthogonal plane.
4. This unit was tested while powered by an AC/DC Adapter via USB-C Cable.
5. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas.
6. D is the measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
7. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section.
8. All data rates were investigated and only the worse case is reported
9. The unit was tested with all possible modes and only the highest emission is reported.
10. The “-” shown in the following RSE tables are used to denote a noise floor measurement.
11. All radiated measurements were tested at the highest supported power setting per band.

Sample Calculations

Determining Spurious Emissions Levels


- Field Strength Level [dB μ V/m] = Analyzer Level [dBm] + 107 + AFCL [dB/m]
- AFCL [dB/m] = Antenna Factor [dB/m] + Cable Loss [dB] – Preamplifier Gain [dB]
- Margin [dB] = Field Strength Level [dB μ V/m] – Limit [dB μ V/m]

Radiated Band Edge Measurement Offset

- The amplitude offset shown in the radiated restricted band edge plots in Section 7.7.2 to Section 7.7.13 was calculated using the formula:
Offset (dB) = (Antenna Factor + Cable Loss + Attenuator) – Preamplifier Gain

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 129 of 171

7.7.1 SDM Radiated Spurious Emission




Plot 7-301. Radiated Spurious Emissions 1-18GHz SDM (802.11ax – Ch. 1)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11910.00	Average	V	191	36	-75.09	10.77	42.68	53.98	-11.30
* 11910.00	Peak	V	191	36	-64.63	10.77	53.14	73.98	-20.84
* 17865.00	Average	V	276	20	-81.68	19.57	44.89	53.98	-9.09
* 17865.00	Peak	V	276	20	-71.02	19.56	55.54	73.98	-18.44

Table 7-43. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 130 of 171



Plot 7-302. Radiated Spurious Emissions 1-18GHz SDM (802.11ax – Ch. 45)




Plot 7-303. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 45)

Mode: 802.11ax
 Data Rate: MCS2
 Distance of Measurements: 3 Meters
 Operating Frequency: 6175MHz
 Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Average	V	-	-	-84.88	20.85	42.97	53.98	-11.01
* 12350.00	Peak	V	-	-	-74.09	20.85	53.76	73.98	-20.22
* 18525.00	Average	V	18	184	-51.61	-9.54	45.85	53.98	-8.13
* 18525.00	Peak	H	18	184	-39.25	-9.54	58.21	73.98	-15.77

Table 7-44. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 131 of 171




Plot 7-304. Radiated Spurious Emissions 1-18GHz SDM (802.11ax – Ch. 93)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	V	-	-	-83.35	22.11	45.76	68.23	-22.47
12830.00	Peak	V	-	-	-72.90	22.11	56.21	88.23	-32.02

Table 7-45. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 132 of 171




Plot 7-305. Radiated Spurious Emissions 1-18GHz SDM (802.11ax – Ch. 97)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	V	-	-	-83.95	21.68	44.73	68.23	-23.50
12870.00	Peak	V	-	-	-73.52	21.68	55.16	88.23	-33.07

Table 7-46. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 133 of 171



Plot 7-306. Radiated Spurious Emissions 1-18GHz SDM (802.11ax – Ch. 105)



Plot 7-307. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 105)

Mode:	802.11ax
Data Rate:	MCS2
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	-	-	-85.19	21.75	43.56	68.23	-24.67
12950.00	Peak	V	-	-	-73.37	21.75	55.38	88.23	-32.85

Table 7-47. Radiated Spurious Emission Measurements SDM

FCC ID: BCGA3300 IC: 579C-A3300	MEASUREMENT REPORT (CERTIFICATION)	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-09-R1.BCG	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 134 of 171