







Plot 7-537. In Band Emission Plot SDM Antenna 0 (20MHz 802.11ax RU242 (UNII Band 7) – Ch. 149)




Plot 7-540. In Band Emission Plot SDM Antenna 0 (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 179)




Plot 7-538. In Band Emission Plot SDM Antenna 0 (20MHz 802.11ax RU242 (UNII Band 7) – Ch. 149)



Plot 7-541. In Band Emission Plot SDM Antenna 0 (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)




Plot 7-539. In Band Emission Plot SDM Antenna 0 (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 179)




Plot 7-542. In Band Emission Plot SDM Antenna 0 (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 213 of 325




Plot 7-543. In Band Emission Plot SDM Antenna 0 (160MHz 802.11ax
RU996x2 (UNII Band 7) – Ch. 143)




Plot 7-544. In Band Emission Plot SDM Antenna 0 (160MHz 802.11ax
RU996x2 (UNII Band 7) – Ch. 143)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 214 of 325


V 12.0 03/03/2026




Plot 7-545. In Band Emission Plot SDM Antenna 0 (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 189)




Plot 7-548. In Band Emission Plot SDM Antenna 0 (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 227)




Plot 7-546. In Band Emission Plot SDM Antenna 0 (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 189)



Plot 7-549. In Band Emission Plot SDM Antenna 0 (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)




Plot 7-547. In Band Emission Plot SDM Antenna 0 (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 227)




Plot 7-550. In Band Emission Plot SDM Antenna 0 (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 199)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 215 of 325




Plot 7-551. In Band Emission Plot SDM Antenna 0 (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)




Plot 7-552. In Band Emission Plot SDM Antenna 0 (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 216 of 325




Plot 7-553. In Band Emission Plot SDM Antenna 0 (20MHz 802.11ax RU242 (UNII Band 8) – Ch. 229)




Plot 7-556. In Band Emission Plot SDM Antenna 0 (40MHz 802.11ax RU484 (UNII Band 8) – Ch. 227)




Plot 7-554. In Band Emission Plot SDM Antenna 0 (20MHz 802.11ax RU242 (UNII Band 8) – Ch. 229)



Plot 7-557. In Band Emission Plot SDM Antenna 0 (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 215)




Plot 7-555. In Band Emission Plot SDM Antenna 0 (40MHz 802.11ax RU484 (UNII Band 8) – Ch. 227)




Plot 7-558. In Band Emission Plot SDM Antenna 0 (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 215)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 217 of 325



Plot 7-559. In Band Emission Plot SDM Antenna 0 (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)



Plot 7-560. In Band Emission Plot SDM Antenna 0 (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 218 of 325

7.6 Contention Based Protocol

Test Overview and Limit

Indoor access points, subordinate devices and all client devices (except for Fixed clients), and VLP devices operating in the 5.925-7.125 GHz band (herein referred to as unlicensed devices) must use a contention-based protocol to avoid co-channel interference with incumbent devices sharing the band. To ensure incumbent co-channel operations are detected in a technology-agnostic manner, unlicensed devices are required to detect co-channel radio frequency energy (energy detect) and avoid simultaneous transmission.

Unlicensed devices must detect co-channel radio frequency power that is at least -62 dBm or lower. Upon detection of energy in the band, unlicensed low power indoor devices must vacate the channel and stay off the channel as long as detected radio frequency power is equal to or greater than the threshold (-62 dBm). The -62 dBm (or lower) threshold is referenced to a 0 dBi antenna gain.

To ensure incumbent operations are reliably detected in the band, unlicensed devices must detect RF energy throughout their intended operating channel.

Test Procedure Used

KDB 987594 D02 v03 – Section I

Test Settings

1. Configure the EUT to transmit with a constant duty cycle.
2. Set the operating parameters of the EUT including power level, operating frequency, modulation and bandwidth
3. Set the signal analyzer center frequency to the nominal EUT channel center frequency. The span range of the signal analyzer shall be between two times and five times the OBW of the EUT.
4. Connect the output port of the EUT to the signal analyzer 2, as shown in Figure 2. Ensure that the attenuator 2 provides enough attenuation to not overload the signal analyzer 2 receiver.
5. Monitoring the signal analyzer 2, verify the EUT is operating and transmitting with the parameters set at step two.
6. Using an AWGN signal source, generate (but do not transmit, i.e., RF OFF) a 10 MHz-wide AWGN signal. Use Table 1 to determine the center frequency of the 10 MHz AWGN signal relative to the EUT's channel bandwidth and center frequency.
7. Set the AWGN signal power to an extremely low level (more than 20 dB below the -62 dBm threshold). Connect the AWGN signal source, via a 3-dB splitter, to the signal analyzer 1 and the EUT as shown in Figure 2.
8. Transmit the AWGN signal (RF ON) and verify its characteristics on the signal analyzer 1.
9. Monitor the signal analyzer 2 to verify if the AWGN signal has been detected and the EUT has ceased transmission. If the EUT continues to transmit, then incrementally increase the AWGN signal power level until the EUT stops transmitting.
10. Including all losses in the RF paths) Determine and record the AWGN signal power level (at the EUT's antenna port) at which the EUT ceased transmission. Repeat the procedure at least 10 times to verify the EUT can detect an AWGN signal with 90% (or better) level of certainty.
11. Refer to Table 1 to determine number of times the detection threshold testing needs to be repeated. If testing is required more than once, then go back to step 5, choose a different center frequency for the AWGN signal and repeat the process.

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 219 of 325

Test Setup




Figure 2. Contention-based protocol test setup, conducted method

Test Notes

1. The EUT does not supports channel puncturing.
2. Per guidance from KDB 987594 D02 v03, contention-based protocol was tested using an AWGN signal with a bandwidth of 10MHz. The amplitude of the signal was increased until detected by the EUT, signaled by the ceasing of transmission, marker indicates the point at which the AWGN signal is introduced.
3. Per Guidance from KDB 987594 D04 v03, contention-based protocol was tested with receiver with the lowest antenna gain.
4. 15 trials were ran in order to assure that at least 90% of certainty was met.
5. The Channel Power (AWGN) plots do not account for the cable loss at the antenna connector. This loss is added separately in the Incumbent Detection Results table. Across UNII-5 to UNII-8, the antenna connectors loss ranges from 1.1 dB to 1.3 dB.

$$\text{Detection Level} = \text{Injected AWGN Power (dBm)} - \text{Antenna Gain (dBi)} + \text{Path Loss (dB)}$$

Equation 7-1. Incumbent Detection Level Calculation

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 220 of 325

V 12.0 03/03/2026

Band	Channel	Channel Frequency [MHz]	Channel BW [MHz]	Incumbent Frequency [MHz]	Injected (AWGN) [dBm]	Antenna Gain [dBi]	Adjusted Power Level [dBm]	Detection Limit [dBm]	Margin [dB]
UNII Band 5	53	6215	20	6215	-66.46	-2.77	-63.69	-62.0	-1.69
				6112	-66.39	-2.77	-63.62	-62.0	-1.62
	47	6185	160	6185	-66.24	-2.77	-63.47	-62.0	-1.47
				6258	-66.22	-2.77	-63.45	-62.0	-1.45
UNII Band 6	101	6455	20	6455	-66.23	-2.77	-63.46	-62.0	-1.46
				6432	-66.20	-2.77	-63.43	-62.0	-1.43
	111	6505	160	6505	-66.26	-2.77	-63.49	-62.0	-1.49
				6578	-66.36	-2.77	-63.59	-62.0	-1.59
UNII Band 7	149	6695	20	6695	-66.55	-2.77	-63.78	-62.0	-1.78
				6592	-66.37	-2.77	-63.60	-62.0	-1.60
	143	6665	160	6665	-66.34	-2.77	-63.57	-62.0	-1.57
				6738	-66.49	-2.77	-63.72	-62.0	-1.72
UNII Band 8	197	6935	20	6935	-66.55	-2.77	-63.78	-62.0	-1.78
				6912	-66.38	-2.77	-63.61	-62.0	-1.61
	207	6985	160	6985	-66.66	-2.77	-63.89	-62.0	-1.89
				7058	-66.28	-2.77	-63.51	-62.0	-1.51

Table 7-82. Contention Based Protocol – Incumbent Detection Results

Band	Channel	Channel Frequency [MHz]	Channel BW [MHz]	Incumbent Frequency [MHz]	EUT Transmission Status		
					Adjusted AWGN Power (dBm)		
					Normal	Minimal	Ceased
UNII Band 5	53	6215	20	6215	-74.87	-64.94	-63.69
				6112	-74.80	-64.87	-63.62
	47	6185	160	6185	-74.65	-64.72	-63.47
				6258	-74.63	-64.70	-63.45
UNII Band 6	101	6455	20	6455	-74.64	-64.71	-63.46
				6432	-74.61	-64.68	-63.43
	111	6505	160	6505	-74.67	-64.74	-63.49
				6578	-74.77	-64.84	-63.59
UNII Band 7	149	6695	20	6695	-74.76	-65.00	-63.78
				6592	-74.58	-64.82	-63.60
	143	6665	160	6665	-74.55	-64.79	-63.57
				6738	-74.70	-64.94	-63.72
UNII Band 8	197	6935	20	6935	-74.76	-65.00	-63.78
				6912	-74.59	-64.83	-63.61
	207	6985	160	6985	-74.87	-65.11	-63.89
				7058	-74.49	-64.73	-63.51

Table 7-83. Contention Based Protocol – Detection Results – All Tx Cases


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 221 of 325

CBP Detection (1 = Detection, Blank = No Detection)																					
	Channel	Channel	Channel	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Detection	Limit	Pass/Fail
UNII Band 5	53	6215	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
	47	6185	160	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
UNII Band 6	101	6455	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
	111	6505	160	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
UNII Band 7	149	6695	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
	143	6665	160	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
UNII Band 8	197	6935	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
	207	6985	160	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass
				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	100.0	90	Pass

Table 7-84. Contention Based Protocol – Incumbent Detection Trial Results

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 222 of 325

AWGN Plots



17:39:58 05.06.2025


Plot 7-561. AWGN Signal – UNII 5 – 20MHz

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 223 of 325

V 12.0 03/03/2026


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com

Contention-Based Protocol Timing Plots



19:19:31 22.05.2025

Plot 7-562. Contention Based Protocol Timing Plot – UNII 5 – 20MHz Channel 53




21:36:02 22.05.2025

Plot 7-563. Contention Based Protocol Timing Plot – UNII 5 – 160MHz Channel 47 – Low

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 224 of 325


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com



21:34:15 22.05.2025

Plot 7-564. Contention Based Protocol Timing Plot –UNII 5 – 160MHz Channel 47 – Mid




21:46:11 22.05.2025

Plot 7-565. Contention Based Protocol Timing Plot – UNII 5 – 160MHz Channel 47 – High


FCC ID: BCGA3300 IC: 579C-A3300	element	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 225 of 325

V 12.0 03/03/2026



19:22:59 22.05.2025

Plot 7-566. Contention Based Protocol Timing Plot – UNII 6 – 20MHz Channel 101




21:58:48 22.05.2025

Plot 7-567. Contention Based Protocol Timing Plot – UNII 6 – 160MHz Channel 111 – Low

FCC ID: BCGA3300 IC: 579C-A3300	element	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 226 of 325


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com



21:51:38 22.05.2025

Plot 7-568. Contention Based Protocol Timing Plot – UNII 6 – 160MHz Channel 111 – Mid




22:00:14 22.05.2025

Plot 7-569. Contention Based Protocol Timing Plot – UNII 6 – 160MHz Channel 111 – High


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 227 of 325

V 12.0 03/03/2026



19:35:51 22.05.2025

Plot 7-570. Contention Based Protocol Timing Plot – UNII 7 – 2.0MHz Channel 149




22:19:01 22.05.2025

Plot 7-571. Contention Based Protocol Timing Plot – UNII 7 – 160MHz Channel 143 – Low

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 228 of 325


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com



22:07:28 22.05.2025

Plot 7-572. Contention Based Protocol Timing Plot – UNII 7 – 160MHz Channel 143 – Mid




22:14:18 22.05.2025

Plot 7-573. Contention Based Protocol Timing Plot – UNII 7 – 160MHz Channel 143 – High


FCC ID: BCGA3300 IC: 579C-A3300	element	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 229 of 325

V 12.0 03/03/2026



19:09:33 22.05.2025

Plot 7-574. Contention Based Protocol Timing Plot – UNII 8 – 20MHz Channel 197




22:27:35 22.05.2025

Plot 7-575. Contention Based Protocol Timing Plot – UNII 8 – 160MHz Channel 207 – Low


FCC ID: BCGA3300 IC: 579C-A3300	element	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 230 of 325

V 12.0 03/03/2026



22:25:41 22.05.2025

Plot 7-576. Contention Based Protocol Timing Plot – UNII 8 – 160MHz Channel 207 – Mid




22:28:29 22.05.2025

Plot 7-577. Contention Based Protocol Timing Plot – UNII 8 – 160MHz Channel 207 – High

FCC ID: BCGA3300 IC: 579C-A3300	element	Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 231 of 325

V 12.0 03/03/2026


Peak



19:10:11 21.10.2025

Plot 7-578. Channel Power – UNII 5 – 20MHz

Peak



19:25:14 21.10.2025


Plot 7-579. Channel Power – UNII 5 – 160MHz - Low

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 232 of 325

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com


Peak



19:28:17 21.10.2025

Plot 7-580. Channel Power – UNII 5 – 160MHz - Mid

Peak



19:29:25 21.10.2025


Plot 7-581. Channel Power – UNII 5 – 160MHz – High

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 233 of 325

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com


Peak



19:33:28 21.10.2025

Plot 7-582. Channel Power – UNII 6 – 20MHz

Peak



19:34:29 21.10.2025


Plot 7-583. Channel Power – UNII 6 – 160MHz - Low

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 234 of 325

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com


Peak



19:37:41 21.10.2025

Plot 7-584. Channel Power – UNII 6 – 160MHz - Mid

Peak




19:40:14 21.10.2025

Plot 7-585. Channel Power – UNII 6 – 160MHz - High


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 235 of 325

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com




Plot 7-586. Channel Power – UNII 7 – 20MHz



Plot 7-587. Channel Power – UNII 7 – 160MHz - Low

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 236 of 325


Peak



19:46:34 21.10.2025

Plot 7-588. Channel Power – UNII 7 – 160MHz - Mid

Peak



19:49:10 21.10.2025


Plot 7-589. Channel Power – UNII 7 – 160MHz – High

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 237 of 325

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com


Peak



19:51:21 21.10.2025

Plot 7-590. Channel Power – UNII 8 – 20MHz

Peak




19:51:50 21.10.2025

Plot 7-591. Channel Power – UNII 8 – 160MHz - Low

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 238 of 325


V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com



19:54:28 21.10.2025

Plot 7-592. Channel Power – UNII 8 – 160MHz - Mid




19:56:10 21.10.2025

Plot 7-593. Channel Power – UNII 8 – 160MHz - High


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 239 of 325

Bandwidth Reduction Plots



19:14:11 29.01.2026

Plot 7-594. 160MHz Bandwidth, AWGN Signal Injected – 6110Mhz



19:13:22 29.01.2026


Plot 7-595. 160MHz Bandwidth, AWGN Signal Injected – 6185Mhz

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 240 of 325

V 12.0 03/03/2026

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com

Peak



19:14:37 29.01.2026

Plot 7-596. 160MHz Bandwidth, AWGN Signal Injected – 6260Mhz

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 241 of 325

7.7 Radiated Spurious Emissions – Above 1GHz

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024 and KDB 789033 D02 v02r01, and at the appropriate frequencies. All channels, modes (e.g. RU26, RU52, RU106, RU242, RU484, RU996 and RU996x2) and modulations/data rates were investigated among all UNII bands. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

For transmitters operating in the 5.925-7.125 GHz band: All emissions outside of the 5.925-7.125 GHz band shall not exceed an EIRP of -27 dBm/MHz. Emissions found in a restricted band are subject to the limits of 15.209 and RSS-Gen (7.4.3) as shown in the table below.

Frequency	Field Strength [$\mu\text{V/m}$]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-85. Radiated Limits

Test Procedures Used

ANSI C63.10:2020 + COR. 1:2023 + C63.10A:2024 + ERRATA TO C63.10A:2024 – Sections 12.7.7, 12.7.6
KDB 789033 D02 v02r01 – Section G

Test Settings

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times \text{span/RBW}$)
6. Averaging type = power (RMS)
7. Sweep time = auto couple
8. Trace was averaged over 100 sweeps

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 242 of 325

V 12.0 03/03/2026

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. Test Instrument & Measurement Setup

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 243 of 325

Test Notes

1. All emissions that lie in the restricted bands (denoted by a * next to the frequency) specified in §15.205 and section 7.5 of RSS-Gen are below the limit shown in Table 7-85.
2. All spurious emissions lying in restricted bands specified in §15.205 and Section 7.5 of RSS-Gen are below the limit shown in Table 7-85. All spurious emissions that do not lie in a restricted band are subject to a limit of -27dBm/MHz. At a distance of 3 meters, the field strength limit in dB μ V/m can be determined by adding a “conversion” factor of 95.2dB to the EIRP limit of -27dBm/MHz to obtain the limit for out of band spurious emissions of 68.2dB μ V/m.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
4. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas.
5. D is the measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
6. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section.
7. All data rates were investigated and only the worse case is reported
8. The unit was tested with all possible modes and only the highest emission is reported.
9. The “-” shown in the following RSE tables are used to denote a noise floor measurement.
10. All radiated measurements were tested at the highest supported power setting per band.

Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level [dB μ V/m] = Analyzer Level [dBm] + 107 + AFCL [dB/m]
- AFCL [dB/m] = Antenna Factor [dB/m] + Cable Loss [dB] – Preamplifier Gain [dB]
- Margin [dB] = Field Strength Level [dB μ V/m] – Limit [dB μ V/m]


Radiated Band Edge Measurement Offset

- The amplitude offset shown in the radiated restricted band edge plots in Section 7.7.2 to 7.7.13 was calculated using the formula:
Offset (dB) = (Antenna Factor + Cable Loss + Attenuator) – Preamplifier Gain

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 244 of 325

7.7.1 SDM Radiated Spurious Emission

RU26




Plot 7-597. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU26)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11910.00	Average	V	261	34	-81.88	20.11	0.06	45.29	53.98	-8.69
* 11910.00	Peak	V	261	34	-68.71	20.11	0.00	58.40	73.98	-15.58
* 17865.00	Average	V	-	-	-85.90	28.82	0.00	49.92	53.98	-4.06
* 17865.00	Peak	V	-	-	-74.50	28.50	0.00	60.99	73.98	-12.99

Table 7-86. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 245 of 325



Plot 7-598. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 45 – RU26)




Plot 7-599. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch.45 – RU26)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6175MHz
Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Average	V	111	-10	-82.05	20.85	0.06	45.87	53.98	-8.11
* 12350.00	Peak	V	101	9	-79.02	20.88	0.00	48.87	73.98	-25.11

Table 7-87. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 246 of 325




Plot 7-600. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 93 – RU26)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12790.00	Average	V	241	355	-79.43	21.92	0.06	49.55	68.23	-18.68
12790.00	Peak	V	241	355	-67.94	21.92	0.00	60.98	88.23	-27.25

Table 7-88. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 247 of 325



Plot 7-601. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 97 – RU26)


Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	V	317	366	-82.14	21.68	0.06	46.61	68.23	-21.62
12870.00	Peak	V	317	366	-72.57	21.68	0.00	56.11	88.23	-32.12


Table 7-89. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 248 of 325

V 12.0 03/03/2026



Plot 7-602. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 105 – RU26)




Plot 7-603. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch.105 – RU26)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Duty Cycle Correction [dB]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	V	238	343	-82.65	21.78	0.06	46.19	68.23	-22.04
12950.00	Peak	V	238	343	-71.58	21.72	0.00	57.15	88.23	-31.08

Table 7-90. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 249 of 325



Plot 7-604. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113 – RU26)


Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.43	22.09	43.66	68.23	-24.57
13030.00	Peak	H	-	-	-73.89	22.02	55.13	88.23	-33.10

Table 7-91. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 250 of 325

V 12.0 03/03/2026




Plot 7-605. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 117 – RU26)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	H	-	-	-85.59	22.11	43.52	68.23	-24.71
13070.00	Peak	H	-	-	-73.83	21.87	55.04	88.23	-33.19

Table 7-92. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 251 of 325



Plot 7-606. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 149 – RU26)



Plot 7-607. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch.149 – RU26)

Mode: 802.11ax

Data Rate: MCS2

Distance of Measurements: 3 Meters


Operating Frequency: 6695MHz

Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.63	21.80	43.17	53.98	-10.81
* 13390.00	Peak	H	-	-	-74.63	22.01	54.38	73.98	-19.60

Table 7-93. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 252 of 325




Plot 7-608. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU26)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-85.79	21.72	42.94	68.23	-25.29
13750.00	Peak	V	-	-	-74.64	21.78	54.14	88.23	-34.09

Table 7-94. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 253 of 325



Plot 7-609. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 189 – RU26)


Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13790.00	Average	H	-	-	-85.92	21.94	43.01	68.23	-25.22
13790.00	Peak	H	-	-	-74.60	21.88	54.28	88.23	-33.95


Table 7-95. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 254 of 325

V 12.0 03/03/2026



Plot 7-610. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 209 – RU26)



Plot 7-611. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 209 – RU26)

Mode: 802.11ax

Data Rate: MCS2

Distance of Measurements: 3 Meters


Operating Frequency: 6995MHz

Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	V	-	-	-86.38	22.05	42.67	68.23	-25.56
13990.00	Peak	V	-	-	-74.35	22.05	54.70	88.23	-33.53

Table 7-96. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 255 of 325



Plot 7-612. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 229 – RU26)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14190.00	Average	H	-	-	-86.39	22.86	43.48	68.23	-24.75
14190.00	Peak	H	-	-	-74.95	22.48	54.53	88.23	-33.70

Table 7-97. Radiated Spurious Emission Measurements SDM – RU26

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 256 of 325

V 12.0 03/03/2026

RU242



Plot 7-613. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 1 – RU242)


Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11910.00	Average	V	-	-	-84.53	20.11	42.58	53.98	-11.40
* 11910.00	Peak	V	-	-	-73.62	20.11	53.49	73.98	-20.49
* 17865.00	Average	H	-	-	-88.05	28.50	47.45	53.98	-6.53
* 17865.00	Peak	H	-	-	-74.22	28.50	61.28	73.98	-12.70


Table 7-98. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 257 of 325

V 12.0 03/03/2026



Plot 7-614. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 45 – RU242)




Plot 7-615. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 45 – RU242)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6175MHz
Channel: 45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Average	V	-	-	-84.95	20.85	42.91	53.98	-11.07
* 12350.00	Peak	V	-	-	-73.94	20.69	53.75	73.98	-20.23

Table 7-99. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 258 of 325



Plot 7-616. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 93 – RU242)


Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12510.00	Average	V	-	-	-83.79	21.22	44.44	53.98	-9.54
* 12510.00	Peak	V	-	-	-72.82	21.29	55.47	73.98	-18.51

Table 7-100. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 259 of 325

V 12.0 03/03/2026



Plot 7-617. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 97 – RU242)


Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	V	-	-	-84.34	21.69	44.35	68.23	-23.88
12870.00	Peak	V	-	-	-73.30	21.68	55.38	88.23	-32.85


Table 7-101. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 260 of 325

V 12.0 03/03/2026



Plot 7-618. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 105 – RU242)



Plot 7-619. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 105 – RU242)

Mode: 802.11ax

Data Rate: MCS2

Distance of Measurements: 3 Meters


Operating Frequency: 6475MHz

Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.32	21.88	43.56	68.23	-24.67
12950.00	Peak	H	-	-	-73.55	21.75	55.20	88.23	-33.03

Table 7-102. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 261 of 325



Plot 7-620. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 113 – RU242)


Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.37	22.02	43.65	68.23	-24.58
13030.00	Peak	H	-	-	-73.20	21.88	55.68	88.23	-32.55

Table 7-103. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 262 of 325

V 12.0 03/03/2026




Plot 7-621. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 117 – RU242)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	H	-	-	-85.37	21.73	43.36	68.23	-24.87
13070.00	Peak	H	-	-	-74.35	22.11	54.76	88.23	-33.47

Table 7-104. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 263 of 325



Plot 7-622. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 149 – RU242)




Plot 7-623. Radiated Spurious Emissions 18-40GHz SDM (802.11ax – Ch. 149 – RU242)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-86.03	22.01	42.98	53.98	-11.00
* 13390.00	Peak	H	-	-	-73.88	21.89	55.01	73.98	-18.97

Table 7-105. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 264 of 325



Plot 7-624. Radiated Spurious Emissions above 1GHz SDM (802.11ax – Ch. 185 – RU242)

Mode: 802.11ax
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-85.61	21.78	43.17	68.23	-25.06
13750.00	Peak	V	-	-	-74.15	21.88	54.74	88.23	-33.49

Table 7-106. Radiated Spurious Emission Measurements SDM – RU242

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 6/20/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-10-R2.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 265 of 325