



7.8.2 Antenna 0 (Common) Radiated Restricted Band Edge Measurements RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-111 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU26)


Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-112 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU26)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 111 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-113 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU26)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-114 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU26)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 112 of 175


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-115 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-116 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 113 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-117 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-118 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-119 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-120 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 115 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-121 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-122 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 116 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-123 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-124 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 117 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-125 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-126 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 118 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-127 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Common) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 119 of 175


7.8.3 Antenna 1 (Common) Radiated Restricted Band Edge Measurements RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-128 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU26)


Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-129 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU26)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 120 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-130 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU26)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-131 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU26)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 121 of 175


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-132 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-133 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-134 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-135 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 123 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-136 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-137 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 124 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-138 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-139 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 125 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-140 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-141 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 126 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-142 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-143 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 127 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-144 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Common) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 128 of 175

7.8.4 CDD (Common) Radiated Restricted Band Edge Measurements


RU26

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-145 Radiated Restricted Lower Band Edge Measurement CDD (Common) (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-146 Radiated Restricted Lower Band Edge Measurement CDD (Common) (Peak & Average – RU26)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 129 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-147 Radiated Restricted Upper Band Edge Measurement CDD (Common) (Peak & Average – RU26)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-148 Radiated Restricted Upper Band Edge Measurement CDD (Common) (Peak & Average – RU26)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 130 of 175


RU242

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-149 Radiated Restricted Lower Band Edge Measurement CDD (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-150 Radiated Restricted Lower Band Edge Measurement CDD (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 131 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-151 Radiated Restricted Lower Band Edge Measurement CDD (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-152 Radiated Restricted Lower Band Edge Measurement CDD (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 132 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-153 Radiated Restricted Lower Band Edge Measurement CDD (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-154 Radiated Restricted Lower Band Edge Measurement CDD (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-155 Radiated Restricted Upper Band Edge Measurement CDD (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-156 Radiated Restricted Upper Band Edge Measurement CDD (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 134 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-157 Radiated Restricted Upper Band Edge Measurement CDD (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-158 Radiated Restricted Upper Band Edge Measurement CDD (Common) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 135 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-159 Radiated Restricted Upper Band Edge Measurement CDD (Common) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-160 Radiated Restricted Upper Band Edge Measurement CDD (Common) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 136 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-161 Radiated Restricted Upper Band Edge Measurement CDD (Common) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 137 of 175


7.8.5 Antenna 0 (Dedicated) Radiated Restricted Band Edge Measurements RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-162 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU26)


Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-163 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU26)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 138 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-164 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-165 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU26)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 139 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-166 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU26)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-167 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU26)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 140 of 175


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-168 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-169 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 141 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-170 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-171 Radiated Restricted Lower Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 142 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-172 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-173 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 143 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-174 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-175 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 144 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-176 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-177 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 145 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-178 Radiated Restricted Upper Band Edge Measurement Antenna 0 (Dedicated) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 146 of 175

7.8.6 Antenna 1 (Dedicated) Radiated Restricted Band Edge Measurements


RU26

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-179 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-180 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU26)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 147 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-181 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU26)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-182 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU26)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 148 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-183 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU26)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-184 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU26)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 149 of 175


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-185 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-186 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 150 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-187 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-188 Radiated Restricted Lower Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 151 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-189 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-190 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-191 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-192 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 153 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-193 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-194 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 154 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-195 Radiated Restricted Upper Band Edge Measurement Antenna 1 (Dedicated) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		


7.8.7 CDD (Dedicated) Radiated Restricted Band Edge Measurements RU26

Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-196 Radiated Restricted Lower Band Edge Measurement CDD (Dedicated) (Peak & Average – RU26)


Mode: 802.11ax OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-197 Radiated Restricted Lower Band Edge Measurement CDD (Dedicated) (Peak & Average – RU26)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 156 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-198 Radiated Restricted Upper Band Edge Measurement CDD (Dedicated) (Peak & Average – RU26)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12




Plot 7-199 Radiated Restricted Upper Band Edge Measurement CDD (Dedicated) (Peak & Average – RU26)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 157 of 175


RU242

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-200 Radiated Restricted Lower Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-201 Radiated Restricted Lower Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2422MHz
 Channel: 3



Plot 7-202 Radiated Restricted Lower Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2427MHz
 Channel: 4



Plot 7-203 Radiated Restricted Lower Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 159 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2432MHz
 Channel: 5



Plot 7-204 Radiated Restricted Lower Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2437MHz
 Channel: 6



Plot 7-205 Radiated Restricted Upper Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2442MHz
 Channel: 7



Plot 7-206 Radiated Restricted Upper Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2447MHz
 Channel: 8



Plot 7-207 Radiated Restricted Upper Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2452MHz
 Channel: 9



Plot 7-208 Radiated Restricted Upper Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)


Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2457MHz
 Channel: 10



Plot 7-209 Radiated Restricted Upper Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)


FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 162 of 175

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-210 Radiated Restricted Upper Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)

Mode: 802.11ax OFDMA
 Transfer Rate: MCS9
 RU Index: 61
 Distance of Measurements: 3 Meters
 Operating Frequency: 2467MHz
 Channel: 12



Plot 7-211 Radiated Restricted Upper Band Edge Measurement CDD (Dedicated) (Peak & Average – RU242)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 163 of 175

7.9 Radiated Spurious Emissions – Below 1GHz

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (7.5) must not exceed the limits shown in Table 7-61 per Section 15.209 and RSS-Gen (7.4.3).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-61. Radiated Limits

Test Procedures Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 164 of 175

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-8. Radiated Test Setup < 30MHz




Figure 7-9. Radiated Test Setup < 1GHz

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 165 of 175

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (7.5) are below the limit shown in Table 7-61.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through one orthogonal plane. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested while powered by an AC power source.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector for emissions within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. There were no emissions detected in the 30MHz – 1GHz frequency range, as shown in the subsequent plots.
10. All antenna configurations and data rates were investigated and only the worst case are reported.
11. For radiated measurements, emissions were investigated for the fully-loaded RU configuration and for all the partially-loaded RU configurations. Among all of the available partially-loaded RU configurations, only the configuration with the worst case emissions is reported.
12. The below configuration was investigated, and the worst case has been reported.
 - a. EUT powered by an AC/DC Adapter via USB-C cable

Sample Calculations


Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level }_{[dBm]} + 107 + \text{AFCL }_{[dB/m]}$
- $\text{AFCL }_{[dB/m]} = \text{Antenna Factor }_{[dB/m]} + \text{Cable Loss }_{[dB]} - \text{Preamplifier Gain }_{[dB]}$
- $\text{Margin }_{[dB]} = \text{Field Strength Level }_{[dB\mu V/m]} - \text{Limit }_{[dB\mu V/m]}$

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 166 of 175

CDD (Dedicated) Radiated Spurious Emissions Measurements (Below 1GHz)

§15.209; RSS-Gen [7.4.3]




Plot 7-212. Radiated Spurious Emissions below 1GHz CDD (Dedicated) Ch.1 (RU26), with AC/DC Adapter via USB-C cable

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
30.53	Max-Peak	V	100	191	-62.85	-18.46	25.69	40.00	-14.31
41.79	Max-Peak	V	100	325	-61.43	-15.20	30.37	40.00	-9.63
101.15	Max-Peak	V	300	47	-69.17	-16.47	21.36	43.52	-22.16
194.22	Max-Peak	H	100	220	-64.11	-16.01	26.88	43.52	-16.64
339.87	Max-Peak	H	100	308	-71.01	-11.94	24.05	46.02	-21.97
828.36	Max-Peak	H	100	249	-75.82	-2.61	28.57	46.02	-17.45

Table 7-62. Radiated Spurious Emissions below 1GHz CDD (Dedicated) Ch.1 (RU26), with AC/DC Adapter via USB-C cable

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 167 of 175



Plot 7-213. Radiated Spurious Emissions below 1GHz CDD (Dedicated) Ch.6 (RU242), with AC/DC Adapter via USB-C cable

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
33.69	Max-Peak	V	100	338	-61.33	-18.17	27.50	40.00	-12.50
48.53	Max-Peak	V	100	116	-64.80	-14.35	27.85	40.00	-12.15
99.99	Max-Peak	H	100	174	-69.35	-16.59	21.06	43.52	-22.46
178.99	Max-Peak	H	300	98	-67.60	-17.88	21.52	43.52	-22.00
278.81	Max-Peak	H	100	162	-66.74	-13.89	26.37	46.02	-19.65
500.16	Max-Peak	H	300	44	-73.75	-8.68	24.57	46.02	-21.45

Table 7-63. Radiated Spurious Emissions below 1GHz CDD (Dedicated) Ch.6 (RU242), with AC/DC Adapter via USB-C cable

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 168 of 175

7.10 AC Line-Conducted Emissions Measurement

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (7.4.2).

Frequency of emission (MHz)	Conducted Limit (dBμV)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-64. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10:2020 + Cor. 1:2023 + C63.10a:2024 + Errata to C63.10a:2024, Subclause 6.2

Test Settings

Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 169 of 175

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-10. Test Instrument & Measurement Setup

Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
2. The below configuration was investigated, and the worst case has been reported.
 - a. EUT powered by an AC/DC Adapter via USB-C cable
3. The limit for an intentional radiator from 150kHz to 30MHz are specified in Part 15.207 and RSS-Gen(7.4.2).
4. $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
5. $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
6. $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
7. Traces shown in plot are made using quasi peak and average detectors.
8. Deviations to the Specifications: None.
9. All RU's were investigated and only worst case partially-loaded and fully-loaded RU's are reported.

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 170 of 175




Plot 7-214. AC Line Conducted Emissions with 802.11ax (RU26) Ch.1 (L1, with AC/DC Adapter via USB-C cable)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.159	FINAL	—	20.20	55.52	-35.31	L1	GND
0.161	FINAL	39.9	—	65.40	-25.48	L1	GND
0.344	FINAL	—	4.93	49.12	-44.19	L1	GND
0.344	FINAL	21.9	—	59.12	-37.19	L1	GND
0.704	FINAL	—	18.03	46.00	-27.97	L1	GND
0.704	FINAL	30.7	—	56.00	-25.30	L1	GND
1.968	FINAL	—	5.24	46.00	-40.76	L1	GND
1.993	FINAL	13.5	—	56.00	-42.49	L1	GND
16.235	FINAL	15.6	—	60.00	-44.41	L1	GND
16.238	FINAL	—	10.62	50.00	-39.38	L1	GND
24.351	FINAL	—	2.05	50.00	-47.95	L1	GND
24.351	FINAL	7.9	—	60.00	-52.07	L1	GND

Table 7-65. AC Line Conducted Data with 802.11ax (RU26) Ch.1 (L1, with AC/DC Adapter via USB-C cable)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 171 of 175




Plot 7-215. AC Line Conducted Emissions with 802.11ax (RU26) Ch.1 (N, with AC/DC Adapter via USB-C cable)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.159	FINAL	—	19.47	55.52	-36.05	N	GND
0.161	FINAL	39.9	—	65.40	-25.54	N	GND
0.384	FINAL	21.5	—	58.19	-36.73	N	GND
0.386	FINAL	—	4.92	48.14	-43.22	N	GND
0.710	FINAL	31.8	—	56.00	-24.25	N	GND
0.710	FINAL	—	16.04	46.00	-29.96	N	GND
3.599	FINAL	—	6.83	46.00	-39.17	N	GND
3.604	FINAL	12.5	—	56.00	-43.52	N	GND
16.233	FINAL	11.9	—	60.00	-48.07	N	GND
16.233	FINAL	—	6.81	50.00	-43.19	N	GND
19.280	FINAL	14.0	—	60.00	-45.97	N	GND
19.385	FINAL	—	9.13	50.00	-40.87	N	GND

Table 7-66. AC Line Conducted Data with 802.11ax (RU26) Ch.1 (N, with AC/DC Adapter via USB-C cable)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 172 of 175




Plot 7-216. AC Line Conducted Emissions with 802.11ax (RU242) Ch.6 (L1, with AC/DC Adapter via USB-C cable)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.164	FINAL	—	14.48	55.28	-40.80	L1	GND
0.164	FINAL	34.3	—	65.28	-31.03	L1	GND
0.713	FINAL	—	17.27	46.00	-28.73	L1	GND
0.713	FINAL	30.1	—	56.00	-25.95	L1	GND
2.497	FINAL	10.7	—	56.00	-45.33	L1	GND
2.526	FINAL	—	3.75	46.00	-42.25	L1	GND
9.465	FINAL	7.1	—	60.00	-52.87	L1	GND
9.465	FINAL	—	2.22	50.00	-47.78	L1	GND
16.249	FINAL	14.7	—	60.00	-45.28	L1	GND
16.249	FINAL	—	10.71	50.00	-39.29	L1	GND
24.371	FINAL	—	1.99	50.00	-48.01	L1	GND
24.371	FINAL	7.5	—	60.00	-52.54	L1	GND

Table 7-67. AC Line Conducted Data with 802.11ax (RU242) Ch.6 (L1, with AC/DC Adapter via USB-C cable)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 173 of 175



Plot 7-217. AC Line Conducted Emissions with 802.11ax (RU242) Ch.6 (N, with AC/DC Adapter via USB-C cable)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.161	FINAL	—	13.66	55.40	-41.74	N	GND
0.161	FINAL	34.5	—	65.40	-30.94	N	GND
0.710	FINAL	—	14.38	46.00	-31.62	N	GND
0.710	FINAL	30.5	—	56.00	-25.47	N	GND
2.060	FINAL	—	2.92	46.00	-43.08	N	GND
2.060	FINAL	10.5	—	56.00	-45.46	N	GND
9.461	FINAL	5.3	—	60.00	-54.66	N	GND
9.461	FINAL	—	-0.52	50.00	-50.52	N	GND
16.256	FINAL	11.8	—	60.00	-48.21	N	GND
16.256	FINAL	—	6.75	50.00	-43.25	N	GND
19.529	FINAL	12.6	—	60.00	-47.37	N	GND
19.730	FINAL	—	8.01	50.00	-41.99	N	GND

Table 7-68. AC Line Conducted Data with 802.11ax (RU242) Ch.6 (N, with AC/DC Adapter via USB-C cable)

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 174 of 175

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Smart Speaker with Display FCC ID: BCGA3300, IC: 579C-A3300** is in compliance with Part 15 Subpart C (15.247) of the FCC Rules and RSS-247 of the Innovation, Science and Economic Development Canada Rules.

FCC ID: BCGA3300 IC: 579C-A3300		Test Dates: 3/24/2025 - 11/26/2025	EUT Type: Smart Speaker with Display	Approved by: Technical Manager
Test Report S/N: 1C2503170028-05-R4.BCG		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 175 of 175