

APPENDIX G: RU SAR EXCLUSION

G.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 484T+242T, 996T+484T, 996T+484T+242T.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

G.2 IEEE 802.11ax RU Target Powers

G.2.1 Maximum 802.11ax RU WLAN Output Power

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WiFi 20 MHz Bandwidth	1	13.00	12.00	13.00	12.00	13.00	12.00
	2	13.50	12.50	15.70	14.70	15.70	14.70
	3	13.50	12.50	16.50	15.50	17.20	16.20
	4	13.50	12.50	16.50	15.50	19.00	18.00
	5	13.50	12.50	16.50	15.50	19.25	18.25
	6	13.50	12.50	16.50	15.50	19.25	18.25
	7	13.50	12.50	16.50	15.50	19.25	18.25
	8	13.50	12.50	16.50	15.50	18.00	17.00
	9	13.50	12.50	16.00	15.00	16.00	15.00
	10	13.50	12.50	14.50	13.50	14.50	13.50
	11	13.50	12.50	13.50	12.50	13.50	12.50
	12	11.50	10.50	11.50	10.50	11.50	10.50
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8											
		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD
		Tones											
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WiFi 20 MHz Bandwidth	1	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00
	2	13.00	12.00	14.70	13.70	14.70	13.70	13.00	12.00	14.70	13.70	14.70	13.70
	3	13.00	12.00	16.00	15.00	16.20	15.20	13.00	12.00	16.00	15.00	16.20	15.20
	4	13.00	12.00	16.00	15.00	17.00	16.00	13.00	12.00	16.00	15.00	17.00	16.00
	5	13.00	12.00	16.00	15.00	18.00	17.00	13.00	12.00	16.00	15.00	18.00	17.00
	6	13.00	12.00	16.00	15.00	18.00	17.00	13.00	12.00	16.00	15.00	18.00	17.00
	7	13.00	12.00	16.00	15.00	18.00	17.00	13.00	12.00	16.00	15.00	18.00	17.00
	8	13.00	12.00	16.00	15.00	17.00	16.00	13.00	12.00	16.00	15.00	17.00	16.00
	9	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	10	13.00	12.00	13.70	12.70	13.70	12.70	13.00	12.00	13.70	12.70	13.70	12.70
	11	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00
	12	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WiFi 20 MHz Bandwidth	1	13.00	12.00	13.20	12.20	13.20	12.20
	2	13.00	12.00	16.00	15.00	16.50	15.50
	3	13.00	12.00	16.00	15.00	18.20	17.20
	4	13.00	12.00	16.00	15.00	19.00	18.00
	5	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	19.00	18.00
	9	13.00	12.00	16.00	15.00	18.00	17.00
	10	13.00	12.00	16.00	15.00	16.50	15.50
	11	13.00	12.00	13.50	12.50	13.50	12.50
	12	12.00	11.00	12.00	11.00	12.00	11.00
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 1 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF9											
		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	Tones	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.70	13.70	12.70	13.70	12.70	13.70	12.70	13.70	12.70	13.70	12.70	13.70
	2	13.00	12.00	14.70	13.70	14.70	13.70	13.00	12.00	14.70	13.70	14.70	13.70
	3	13.00	12.00	16.00	15.00	14.20	15.30	13.00	12.00	16.00	15.00	16.20	15.20
	4	13.00	12.00	16.00	15.00	18.00	17.00	13.00	12.00	16.00	15.00	18.00	17.00
	5	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	17.70	16.70	13.00	12.00	16.00	15.00	17.70	16.70
	9	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	10	13.00	12.00	13.70	12.70	12.70	13.70	13.00	12.00	13.70	12.70	13.70	12.70
	11	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00
	12	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF9					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.00	12.00	13.20	12.20	13.20	12.20
	2	13.00	12.00	16.00	15.00	16.50	15.50
	3	13.00	12.00	16.00	15.00	18.20	17.20
	4	13.00	12.00	16.00	15.00	19.00	18.00
	5	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	19.00	18.00
	9	13.00	12.00	16.00	15.00	18.00	17.00
	10	13.00	12.00	16.00	15.00	16.50	15.50
	11	13.00	12.00	13.50	12.50	13.50	12.50
	12	12.00	11.00	12.00	11.00	12.00	11.00
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF9											
		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70	12.70
	2	13.00	12.00	14.70	13.70	14.70	13.70	13.00	12.00	14.70	13.70	14.70	13.70
	3	13.00	12.00	16.00	15.00	16.20	15.20	13.00	12.00	16.00	15.00	16.20	15.20
	4	13.00	12.00	16.00	15.00	18.00	17.00	13.00	12.00	16.00	15.00	18.00	17.00
	5	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	17.70	16.70	13.00	12.00	16.00	15.00	17.70	16.70
	9	13.00	12.00	16.00	15.00	16.00	15.00	13.00	12.00	16.00	15.00	16.00	15.00
	10	13.00	12.00	13.70	12.70	12.70	13.70	13.00	12.00	13.70	12.70	13.70	12.70
	11	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00	13.00	12.00
	12	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 2 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	11.00	10.00	14.00	13.00	16.60	15.60
	40	11.00	10.00	14.00	13.00	17.00	16.00
	44	11.00	10.00	14.00	13.00	17.00	16.00
	48	11.00	10.00	14.00	13.00	17.00	16.00
	52	NS	NS	14.00	13.00	17.00	16.00
	56	NS	NS	14.00	13.00	17.00	16.00
	60	NS	NS	14.00	13.00	17.00	16.00
	64	NS	NS	14.00	13.00	16.50	15.50
	100	NS	NS	14.00	13.00	14.20	13.20
	104	NS	NS	14.00	13.00	17.00	16.00
	108	NS	NS	14.00	13.00	17.00	16.00
	112	NS	NS	14.00	13.00	17.00	16.00
	116	NS	NS	14.00	13.00	17.00	16.00
	120	NS	NS	14.00	13.00	17.00	16.00
	124	NS	NS	14.00	13.00	17.00	16.00
	128	NS	NS	14.00	13.00	17.00	16.00
	132	NS	NS	14.00	13.00	17.00	16.00
	136	NS	NS	14.00	13.00	17.00	16.00
	140	NS	NS	14.00	13.00	14.00	13.00
	144	NS	NS	14.00	13.00	17.00	16.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	11.00	10.00	14.00	13.00	14.70	13.70
	46	11.00	10.00	14.00	13.00	17.00	16.00
	54	NS	NS	14.00	13.00	17.00	16.00
	62	NS	NS	14.00	13.00	15.00	14.00
	102	NS	NS	13.00	12.00	13.00	12.00
	110	NS	NS	14.00	13.00	17.00	16.00
	118	NS	NS	14.00	13.00	17.00	16.00
	126	NS	NS	14.00	13.00	17.00	16.00
	134	NS	NS	14.00	13.00	16.20	15.20
	142	NS	NS	14.00	13.00	17.00	16.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	11.00	10.00	13.50	12.50	13.50	12.50
	58	NS	NS	14.00	13.00	14.50	13.50
	106	NS	NS	12.50	11.50	12.50	11.50
	122	NS	NS	14.00	13.00	17.00	16.00
	138	NS	NS	14.00	13.00	17.00	16.00
5GHz WIFI 160 Mhz Bandwidth	155	11.00	10.00	14.00	13.00	17.00	16.00
	50	NS	NS	13.00	12.00	13.00	12.00
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 3 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.00	12.00
	144	NS	NS	11.80	10.80	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.60	12.60
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	12.50	11.50
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.70	10.70	13.00	12.00
	58	NS	NS	11.70	10.70	13.30	12.30
	106	NS	NS	11.70	10.70	12.50	11.50
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
5GHz WIFI 160 Mhz Bandwidth	155	11.00	10.00	14.00	13.00	17.00	16.00
	50	NS	NS	11.50	10.50	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 4 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.00	12.00
	144	NS	NS	11.80	10.80	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.60	12.60
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	12.50	11.50
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.70	10.70	13.00	12.00
	58	NS	NS	11.70	10.70	13.30	12.30
	106	NS	NS	11.70	10.70	12.50	11.50
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
5GHz WIFI 160 Mhz Bandwidth	155	11.00	10.00	14.00	13.00	17.00	16.00
	50	NS	NS	11.50	10.50	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 5 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	11.50	10.50	14.50	13.50	16.50	15.50
	40	11.50	10.50	14.50	13.50	16.50	15.50
	44	11.50	10.50	14.50	13.50	16.50	15.50
	48	11.50	10.50	14.50	13.50	16.50	15.50
	52	NS	NS	14.50	13.50	17.00	16.00
	56	NS	NS	14.50	13.50	17.00	16.00
	60	NS	NS	14.50	13.50	17.00	16.00
	64	NS	NS	14.50	13.50	16.30	15.30
	100	NS	NS	14.20	13.20	14.20	13.20
	104	NS	NS	14.50	13.50	16.00	15.00
	108	NS	NS	14.50	13.50	16.00	15.00
	112	NS	NS	14.50	13.50	16.00	15.00
	116	NS	NS	14.50	13.50	16.00	15.00
	120	NS	NS	14.50	13.50	16.00	15.00
	124	NS	NS	14.50	13.50	16.00	15.00
	128	NS	NS	14.50	13.50	16.00	15.00
	132	NS	NS	14.50	13.50	16.00	15.00
	136	NS	NS	14.50	13.50	16.00	15.00
	140	NS	NS	14.50	13.50	14.50	13.50
	144	NS	NS	14.50	13.50	16.00	15.00
	149	11.50	10.50	14.50	13.50	17.50	16.50
	153	11.50	10.50	14.50	13.50	17.50	16.50
	157	11.50	10.50	14.50	13.50	17.50	16.50
	161	11.50	10.50	14.50	13.50	17.50	16.50
	165	11.50	10.50	14.50	13.50	17.50	16.50
5 GHz WIFI 40 MHz Bandwidth	38	11.50	10.50	14.50	13.50	15.00	14.00
	46	11.50	10.50	14.50	13.50	16.50	15.50
	54	NS	NS	14.50	13.50	17.00	16.00
	62	NS	NS	14.50	13.50	15.50	14.50
	102	NS	NS	12.50	11.50	12.50	11.50
	110	NS	NS	14.50	13.50	16.00	15.00
	118	NS	NS	14.50	13.50	16.00	15.00
	126	NS	NS	14.50	13.50	16.00	15.00
	134	NS	NS	14.50	13.50	16.00	15.00
	142	NS	NS	14.50	13.50	16.00	15.00
	151	11.50	10.50	14.50	13.50	17.50	16.50
	159	11.50	10.50	14.50	13.50	17.50	16.50
5 GHz WIFI 80 MHz Bandwidth	42	11.50	10.50	13.50	12.50	13.50	12.50
	58	NS	NS	14.50	13.50	15.00	14.00
	106	NS	NS	12.50	11.50	12.50	11.50
	122	NS	NS	14.50	13.50	16.00	15.00
	138	NS	NS	14.50	13.50	16.00	15.00
5GHz WIFI 160 Mhz Bandwidth	155	11.50	10.50	14.50	13.50	17.50	16.50
	50	NS	NS	12.00	11.00	12.00	11.00
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 6 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.00	12.00
	144	NS	NS	11.80	10.80	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.60	12.60
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	12.50	11.50
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.70	10.70	13.00	12.00
	58	NS	NS	11.70	10.70	13.30	12.30
	106	NS	NS	11.70	10.70	12.50	11.50
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
5GHz WIFI 160 Mhz Bandwidth	155	11.00	10.00	14.00	13.00	17.00	16.00
	50	NS	NS	11.50	10.50	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 7 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W/F8					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.00	12.00
	144	NS	NS	11.80	10.80	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.60	12.60
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	12.50	11.50
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.70	10.70	13.00	12.00
	58	NS	NS	11.70	10.70	13.30	12.30
	106	NS	NS	11.70	10.70	12.50	11.50
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
5GHz WIFI 160 Mhz Bandwidth	155	11.00	10.00	14.00	13.00	17.00	16.00
	50	NS	NS	11.50	10.50	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 8 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	11.00	10.00	14.00	13.00	16.60	15.60
	40	11.00	10.00	14.00	13.00	17.00	16.00
	44	11.00	10.00	14.00	13.00	17.00	16.00
	48	11.00	10.00	14.00	13.00	17.00	16.00
	52	NS	NS	14.00	13.00	17.00	16.00
	56	NS	NS	14.00	13.00	17.00	16.00
	60	NS	NS	14.00	13.00	17.00	16.00
	64	NS	NS	14.00	13.00	16.50	15.50
	100	NS	NS	14.00	13.00	14.20	13.20
	104	NS	NS	14.00	13.00	16.75	15.75
	108	NS	NS	14.00	13.00	16.75	15.75
	112	NS	NS	14.00	13.00	16.75	15.75
	116	NS	NS	14.00	13.00	16.75	15.75
	120	NS	NS	14.00	13.00	16.75	15.75
	124	NS	NS	14.00	13.00	16.75	15.75
	128	NS	NS	14.00	13.00	16.75	15.75
	132	NS	NS	14.00	13.00	16.75	15.75
	136	NS	NS	14.00	13.00	16.75	15.75
	140	NS	NS	14.00	13.00	14.00	13.00
	144	NS	NS	14.00	13.00	16.75	15.75
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	11.00	10.00	14.00	13.00	14.70	13.70
	46	11.00	10.00	14.00	13.00	17.00	16.00
	54	NS	NS	14.00	13.00	17.00	16.00
	62	NS	NS	14.00	13.00	15.00	14.00
	102	NS	NS	13.00	12.00	13.00	12.00
	110	NS	NS	14.00	13.00	16.75	15.75
	118	NS	NS	14.00	13.00	16.75	15.75
	126	NS	NS	14.00	13.00	16.75	15.75
	134	NS	NS	14.00	13.00	16.20	15.20
	142	NS	NS	14.00	13.00	16.75	15.75
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	11.00	10.00	13.50	12.50	13.50	12.50
	58	NS	NS	14.00	13.00	14.50	13.50
	106	NS	NS	12.50	11.50	12.50	11.50
	122	NS	NS	14.00	13.00	16.75	15.75
	138	NS	NS	14.00	13.00	16.75	15.75
5GHz WIFI 160 MHz Bandwidth	155	11.00	10.00	14.00	13.00	17.00	16.00
	50	NS	NS	13.00	12.00	13.00	12.00
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 9 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.00	12.00
	144	NS	NS	11.80	10.80	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.60	12.60
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	12.50	11.50
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.70	10.70	13.00	12.00
	58	NS	NS	11.70	10.70	13.30	12.30
	106	NS	NS	11.70	10.70	12.50	11.50
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
5GHz WIFI 160 Mhz Bandwidth	155	11.00	10.00	14.00	13.00	17.00	16.00
	50	NS	NS	11.50	10.50	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 10 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.00	12.00
	144	NS	NS	11.80	10.80	15.00	14.00
	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.60	12.60
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	12.50	11.50
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.70	10.70	13.00	12.00
	58	NS	NS	11.70	10.70	13.30	12.30
	106	NS	NS	11.70	10.70	12.50	11.50
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
5GHz WIFI 160 Mhz Bandwidth	155	11.00	10.00	14.00	13.00	17.00	16.00
	50	NS	NS	11.50	10.50	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 11 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	15.75	14.75
	5	10.00	9.00	13.00	12.00	15.75	14.75
	9-29	10.00	9.00	13.00	12.00	15.75	14.75
	33-61	10.00	9.00	13.00	12.00	15.75	14.75
	65-85	10.00	9.00	13.00	12.00	15.00	14.00
	89	10.00	9.00	13.00	12.00	15.00	14.00
	93	10.00	9.00	13.00	12.00	15.00	14.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.50	12.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	15.75	14.75
	11	10.00	9.00	13.00	12.00	15.75	14.75
6 GHz WIFI (40MHz BW) SP	19-27	10.00	9.00	13.00	12.00	15.75	14.75
	35-59	10.00	9.00	13.00	12.00	15.75	14.75
	67-75	10.00	9.00	13.00	12.00	15.00	14.00
	83	10.00	9.00	13.00	12.00	15.00	14.00
	91	10.00	9.00	13.00	12.00	15.00	14.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.50	12.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	15.75	14.75
	23	10.00	9.00	13.00	12.00	15.75	14.75
	39-55	10.00	9.00	13.00	12.00	15.75	14.75
	71	10.00	9.00	13.00	12.00	15.00	14.00
	87	10.00	9.00	13.00	12.00	15.00	14.00
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.50	12.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	15.75	14.75
	47	10.00	9.00	13.00	12.00	15.75	14.75
	79	10.00	9.00	13.00	12.00	15.00	14.00
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	8.50	7.50	11.50	10.50	13.50	12.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	15.20	14.20
	5	10.00	9.00	13.00	12.00	15.75	14.75
	9-29	10.00	9.00	13.00	12.00	15.75	14.75
	33-61	10.00	9.00	13.00	12.00	15.75	14.75
	65-85	10.00	9.00	13.00	12.00	15.00	14.00
	89	10.00	9.00	13.00	12.00	15.00	14.00
	93	10.00	9.00	13.00	12.00	15.00	14.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.50	12.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	15.20	14.20
	11	10.00	9.00	13.00	12.00	15.75	14.75
6 GHz WIFI (40MHz BW) SP	19-27	10.00	9.00	13.00	12.00	15.75	14.75
	35-59	10.00	9.00	13.00	12.00	15.75	14.75
	67-75	10.00	9.00	13.00	12.00	15.00	14.00
	83	10.00	9.00	13.00	12.00	15.00	14.00
	91	10.00	9.00	13.00	12.00	15.00	14.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.50	12.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	15.20	14.20
	23	10.00	9.00	13.00	12.00	15.75	14.75
	39-55	10.00	9.00	13.00	12.00	15.75	14.75
	71	10.00	9.00	13.00	12.00	15.00	14.00
	87	10.00	9.00	13.00	12.00	15.00	14.00
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.50	12.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	15.50	14.50
	47	10.00	9.00	13.00	12.00	15.75	14.75
	79	10.00	9.00	13.00	12.00	15.00	14.00
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	8.50	7.50	11.50	10.50	13.50	12.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 12 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF5B						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	15.75	14.75
	5	10.00	9.00	13.00	12.00	15.75	14.75
	9-29	10.00	9.00	13.00	12.00	15.75	14.75
	33-61	10.00	9.00	13.00	12.00	15.75	14.75
	65-85	10.00	9.00	13.00	12.00	15.00	14.00
	89	10.00	9.00	13.00	12.00	15.00	14.00
	93	10.00	9.00	13.00	12.00	15.00	14.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.50	12.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	15.75	14.75
	11	10.00	9.00	13.00	12.00	15.75	14.75
	19-27	10.00	9.00	13.00	12.00	15.75	14.75
	35-59	10.00	9.00	13.00	12.00	15.75	14.75
6 GHz WIFI (40MHz BW) SP	67-75	10.00	9.00	13.00	12.00	15.00	14.00
	83	10.00	9.00	13.00	12.00	15.00	14.00
	91	10.00	9.00	13.00	12.00	15.00	14.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.50	12.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	15.75	14.75
	23	10.00	9.00	13.00	12.00	15.75	14.75
	39-55	10.00	9.00	13.00	12.00	15.75	14.75
	71	10.00	9.00	13.00	12.00	15.00	14.00
	87	10.00	9.00	13.00	12.00	15.00	14.00
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.50	12.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	15.75	14.75
	47	10.00	9.00	13.00	12.00	15.75	14.75
6 GHz WIFI (160MHz BW) SP	79	10.00	9.00	13.00	12.00	15.00	14.00
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	13.50	12.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 13 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-1.80	-2.80	0.80	-0.20	2.50	1.50
	5	-1.80	-2.80	0.90	-0.10	4.10	3.10
	9-29	-2.00	-3.00	0.80	-0.20	3.90	2.90
	33-61	-0.70	-1.70	2.30	1.30	5.30	4.30
	65-85	-1.70	-2.70	1.20	0.20	4.60	3.60
	89	-1.60	-2.60	1.50	0.50	4.60	3.60
	93	-1.20	-2.20	1.40	0.40	4.60	3.60
	97-113	-1.30	-2.30	1.40	0.40	4.60	3.60
	117-181	-1.60	-2.60	1.00	0.00	4.30	3.30
	185	-1.90	-2.90	1.00	0.00	4.10	3.10
	189-225	-1.90	-2.90	0.80	-0.20	3.80	2.80
	229	-1.70	-2.70	1.00	0.00	3.80	2.80
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-1.90	-2.90	0.80	-0.20	2.50	1.50
	11	-1.90	-2.90	0.80	-0.20	4.00	3.00
	19-27	-2.00	-3.00	0.80	-0.20	3.90	2.90
	35-59	-0.70	-1.70	2.30	1.30	5.30	4.30
	67-75	-1.40	-2.40	1.20	0.20	4.60	3.60
	83	-1.70	-2.70	1.20	0.20	4.60	3.60
	91	-1.60	-2.60	1.40	0.40	4.60	3.60
	99-107	-1.30	-2.30	1.40	0.40	4.70	3.70
	115	-1.40	-2.40	1.30	0.30	4.30	3.30
	123-179	-1.60	-2.60	1.00	0.00	4.30	3.30
	187	-1.90	-2.90	0.90	-0.10	4.00	3.00
	195-219	-2.00	-3.00	0.80	-0.20	3.80	2.80
	227	-2.10	-3.10	0.80	-0.20	3.80	2.80
	7	-2.00	-3.00	0.80	-0.20	2.40	1.40
6 GHz WIFI (80MHz BW) LP	23	-2.00	-3.00	0.80	-0.20	3.90	2.90
	39-55	-0.70	-1.70	2.20	1.20	5.30	4.30
	71	-1.50	-2.50	1.20	0.20	4.60	3.60
	87	-1.70	-2.70	1.20	0.20	4.60	3.60
	103	-1.30	-2.30	1.40	0.40	4.70	3.70
	119	-1.40	-2.40	1.30	0.30	4.30	3.30
	135-167	-1.70	-2.70	1.00	0.00	4.30	3.30
	183	-1.90	-2.90	1.00	0.00	4.10	3.10
	199	-1.80	-2.80	0.70	-0.30	4.00	3.00
	215	-2.00	-3.00	0.50	-0.50	3.80	2.80
6 GHz WIFI (160MHz BW) LP	15	-2.30	-3.30	0.20	-0.80	2.20	1.20
	47	-0.70	-1.70	2.20	1.20	5.30	4.30
	79	-1.70	-2.70	1.20	0.20	4.20	3.20
	111	-1.60	-2.60	1.10	0.10	4.30	3.30
	143	-1.60	-2.60	1.10	0.10	4.30	3.30
	175	-2.20	-3.20	0.60	-0.40	4.00	3.00
	207	-2.00	-3.00	0.80	-0.20	3.80	2.80

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 14 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.80	-7.80	-4.10	-5.10	-2.80	-3.80
	5	-6.70	-7.70	-4.10	-5.10	-1.00	-2.00
	9-29	-6.90	-7.90	-4.20	-5.20	-1.00	-2.00
	33-61	-6.70	-7.70	-3.80	-4.80	-0.70	-1.70
	65-85	-6.80	-7.80	-3.90	-4.90	-0.70	-1.70
	89	-6.70	-7.70	-3.60	-4.60	-0.50	-1.50
	93	-6.30	-7.30	-3.70	-4.70	-0.50	-1.50
	97-113	-6.70	-7.70	-4.00	-5.00	-0.80	-1.80
	117-181	-7.20	-8.20	-4.60	-5.60	-1.30	-2.30
	185	-7.30	-8.30	-4.40	-5.40	-1.30	-2.30
	189-225	-7.10	-8.10	-4.40	-5.40	-1.40	-2.40
	229	-7.00	-8.00	-4.20	-5.20	-1.40	-2.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-6.80	-7.80	-4.10	-5.10	-2.80	-3.80
	11	-6.80	-7.80	-4.10	-5.10	-1.00	-2.00
	19-27	-7.00	-8.00	-4.20	-5.20	-1.00	-2.00
	35-59	-6.70	-7.70	-3.80	-4.80	-0.70	-1.70
	67-75	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	83	-6.80	-7.80	-3.90	-4.90	-0.70	-1.70
	91	-6.70	-7.70	-3.70	-4.70	-0.50	-1.50
	99-107	-6.70	-7.70	-4.00	-5.00	-0.70	-1.70
	115	-7.10	-8.10	-4.30	-5.30	-1.30	-2.30
	123-179	-7.20	-8.20	-4.60	-5.60	-1.30	-2.30
	187	-7.30	-8.30	-4.50	-5.50	-1.40	-2.40
	195-219	-7.20	-8.20	-4.40	-5.40	-1.40	-2.40
	227	-7.30	-8.30	-4.40	-5.40	-1.40	-2.40
	231	-6.90	-7.90	-4.10	-5.10	-2.80	-3.80
6 GHz WIFI (80MHz BW) LP	23	-7.10	-8.10	-4.40	-5.40	-1.00	-2.00
	39-55	-6.70	-7.70	-4.20	-5.20	-0.70	-1.70
	71	-6.60	-7.60	-3.90	-4.90	-0.70	-1.70
	87	-6.80	-7.80	-3.90	-4.90	-0.70	-1.70
	103	-6.70	-7.70	-4.00	-5.00	-0.70	-1.70
	119	-7.40	-8.40	-4.40	-5.40	-1.30	-2.30
	135-167	-7.30	-8.30	-4.60	-5.60	-1.30	-2.30
	183	-7.40	-8.40	-4.70	-5.70	-1.40	-2.40
	199	-7.10	-8.10	-4.50	-5.50	-1.20	-2.20
	215	-7.40	-8.40	-4.70	-5.70	-1.40	-2.40
6 GHz WIFI (160MHz BW) LP	15	-7.20	-8.20	-4.70	-5.70	-2.80	-3.80
	47	-6.70	-7.70	-3.80	-4.80	-0.90	-1.90
	79	-6.80	-7.80	-4.10	-5.10	-0.90	-1.90
	111	-7.20	-8.20	-4.80	-5.80	-1.30	-2.30
	143	-7.40	-8.40	-4.50	-5.50	-1.30	-2.30
	175	-7.60	-8.60	-4.80	-5.80	-1.40	-2.40
	207	-7.20	-8.20	-4.50	-5.50	-1.40	-2.40

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 15 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.90	-4.90	-1.20	-2.20	0.10	-0.90
	5	-3.80	-4.80	-1.20	-2.20	1.90	0.90
	9-29	-4.00	-5.00	-1.30	-2.30	1.90	0.90
	33-61	-3.70	-4.70	-0.80	-1.80	2.30	1.30
	65-85	-3.80	-4.80	-0.90	-1.90	2.30	1.30
	89	-3.70	-4.70	-0.60	-1.60	2.50	1.50
	93	-3.30	-4.30	-0.70	-1.70	2.50	1.50
	97-113	-3.70	-4.70	-1.00	-2.00	2.20	1.20
	117-181	-4.20	-5.20	-1.60	-2.60	1.70	0.70
	185	-4.30	-5.30	-1.40	-2.40	1.70	0.70
	189-225	-4.10	-5.10	-1.40	-2.40	1.60	0.60
	229	-4.00	-5.00	-1.20	-2.20	1.60	0.60
	233	NS	NS	NS	NS	NS	NS
	3	-3.90	-4.90	-1.20	-2.20	0.10	-0.90
	11	-3.90	-4.90	-1.20	-2.20	1.90	0.90
	19-27	-4.10	-5.10	-1.30	-2.30	1.90	0.90
6 GHz WIFI (40MHz BW) LP	35-59	-3.70	-4.70	-0.80	-1.80	2.30	1.30
	67-75	-3.50	-4.50	-0.90	-1.90	2.30	1.30
	83	-3.80	-4.80	-0.90	-1.90	2.30	1.30
	91	-3.70	-4.70	-0.70	-1.70	2.50	1.50
	99-107	-3.70	-4.70	-1.00	-2.00	2.30	1.30
	115	-4.10	-5.10	-1.30	-2.30	1.70	0.70
	123-179	-4.20	-5.20	-1.60	-2.60	1.70	0.70
	187	-4.30	-5.30	-1.50	-2.50	1.60	0.60
	195-219	-4.20	-5.20	-1.40	-2.40	1.60	0.60
	227	-4.30	-5.30	-1.40	-2.40	1.60	0.60
	7	-4.00	-5.00	-1.20	-2.20	0.10	-0.90
	23	-4.20	-5.20	-1.50	-2.50	1.90	0.90
	39-55	-3.70	-4.70	-1.20	-2.20	2.30	1.30
6 GHz WIFI (80MHz BW) LP	71	-3.60	-4.60	-0.90	-1.90	2.30	1.30
	87	-3.80	-4.80	-0.90	-1.90	2.30	1.30
	103	-3.70	-4.70	-1.00	-2.00	2.30	1.30
	119	-4.40	-5.40	-1.40	-2.40	1.70	0.70
	135-167	-4.30	-5.30	-1.60	-2.60	1.70	0.70
	183	-4.40	-5.40	-1.70	-2.70	1.60	0.60
	199	-4.10	-5.10	-1.50	-2.50	1.80	0.80
	215	-4.40	-5.40	-1.70	-2.70	1.60	0.60
	15	-4.30	-5.30	-1.80	-2.80	0.10	-0.90
	47	-3.70	-4.70	-0.80	-1.80	2.10	1.10
6 GHz WIFI (160MHz BW) LP	79	-3.80	-4.80	-1.10	-2.10	2.10	1.10
	111	-4.20	-5.20	-1.80	-2.80	1.70	0.70
	143	-4.40	-5.40	-1.50	-2.50	1.70	0.70
	175	-4.60	-5.60	-1.80	-2.80	1.60	0.60
	207	-4.20	-5.20	-1.50	-2.50	1.60	0.60

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 16 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-4.70	-5.70	-1.70	-2.70	1.30	0.30
	65-85	-5.70	-6.70	-2.80	-3.80	0.60	-0.40
	89	-5.60	-6.60	-2.50	-3.50	0.60	-0.40
	93	-5.20	-6.20	-2.60	-3.60	0.60	-0.40
	97-113	-5.30	-6.30	-2.60	-3.60	0.60	-0.40
	117-181	-5.60	-6.60	-3.00	-4.00	0.30	-0.70
	185	-5.90	-6.90	-3.00	-4.00	0.10	-0.90
	189-225	-5.90	-6.90	-3.20	-4.20	-0.20	-1.20
	229	-5.70	-6.70	-3.00	-4.00	-0.20	-1.20
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-4.70	-5.70	-1.70	-2.70	1.30	0.30
	67-75	-5.40	-6.40	-2.80	-3.80	0.60	-0.40
	83	-5.70	-6.70	-2.80	-3.80	0.60	-0.40
	91	-5.60	-6.60	-2.60	-3.60	0.60	-0.40
	99-107	-5.30	-6.30	-2.60	-3.60	0.70	-0.30
	115	-5.40	-6.40	-2.70	-3.70	0.30	-0.70
	123-179	-5.60	-6.60	-3.00	-4.00	0.30	-0.70
	187	-5.90	-6.90	-3.10	-4.10	0.00	-1.00
	195-219	-6.00	-7.00	-3.20	-4.20	-0.20	-1.20
	227	-6.10	-7.10	-3.20	-4.20	-0.20	-1.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-4.70	-5.70	-1.80	-2.80	1.30	0.30
6 GHz WiFi (80MHz BW) VLP	71	-5.50	-6.50	-2.80	-3.80	0.60	-0.40
	87	-5.70	-6.70	-2.80	-3.80	0.60	-0.40
	103	-5.30	-6.30	-2.60	-3.60	0.70	-0.30
	119	-5.40	-6.40	-2.70	-3.70	0.30	-0.70
	135-167	-5.70	-6.70	-3.00	-4.00	0.30	-0.70
	183	-5.90	-6.90	-3.00	-4.00	0.10	-0.90
	199	-5.80	-6.80	-3.30	-4.30	0.00	-1.00
	215	-6.00	-7.00	-3.50	-4.50	-0.20	-1.20
	15	NS	NS	NS	NS	NS	NS
	47	-4.70	-5.70	-1.80	-2.80	1.30	0.30
6 GHz WiFi (160MHz BW) VLP	79	-5.70	-6.70	-2.80	-3.80	0.20	-0.80
	111	-5.60	-6.60	-2.90	-3.90	0.30	-0.70
	143	-5.60	-6.60	-2.90	-3.90	0.30	-0.70
	175	-6.20	-7.20	-3.40	-4.40	0.00	-1.00
	207	-6.00	-7.00	-3.20	-4.20	-0.20	-1.20

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.80	-8.80	-4.70	-5.70
	65-85	NS	NS	-7.90	-8.90	-4.70	-5.70
	89	NS	NS	-7.60	-8.60	-4.50	-5.50
	93	NS	NS	-7.70	-8.70	-4.50	-5.50
	97-113	NS	NS	-8.00	-9.00	-4.80	-5.80
	117-181	NS	NS	-8.60	-9.60	-5.30	-6.30
	185	NS	NS	-8.40	-9.40	-5.30	-6.30
	189-225	NS	NS	-8.40	-9.40	-5.40	-6.40
	229	NS	NS	-8.20	-9.20	-5.40	-6.40
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.80	-8.80	-4.70	-5.70
	67-75	NS	NS	-7.90	-8.90	-4.70	-5.70
	83	NS	NS	-7.90	-8.90	-4.70	-5.70
	91	NS	NS	-7.70	-8.70	-4.50	-5.50
	99-107	NS	NS	-8.00	-9.00	-4.70	-5.70
	115	NS	NS	-8.30	-9.30	-5.30	-6.30
	123-179	NS	NS	-8.60	-9.60	-5.30	-6.30
	187	NS	NS	-8.50	-9.50	-5.40	-6.40
	195-219	NS	NS	-8.40	-9.40	-5.40	-6.40
	227	NS	NS	-8.40	-9.40	-5.40	-6.40
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-8.20	-9.20	-4.70	-5.70
6 GHz WiFi (80MHz BW) VLP	71	NS	NS	-7.90	-8.90	-4.70	-5.70
	87	NS	NS	-7.90	-8.90	-4.70	-5.70
	103	NS	NS	-8.00	-9.00	-4.70	-5.70
	119	NS	NS	-8.40	-9.40	-5.30	-6.30
	135-167	NS	NS	-8.60	-9.60	-5.30	-6.30
	183	NS	NS	-8.70	-9.70	-5.40	-6.40
	199	NS	NS	-8.50	-9.50	-5.20	-6.20
	215	NS	NS	-8.70	-9.70	-5.40	-6.40
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.80	-8.80	-4.90	-5.90
6 GHz WiFi (160MHz BW) VLP	79	NS	NS	-8.10	-9.10	-4.90	-5.90
	111	NS	NS	-8.80	-9.80	-5.30	-6.30
	143	NS	NS	-8.50	-9.50	-5.30	-6.30
	175	NS	NS	-8.80	-9.80	-5.40	-6.40
	207	NS	NS	-8.50	-9.50	-5.40	-6.40

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 17 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	65-85	-7.80	-8.80	-4.90	-5.90	-1.70	-2.70
	89	-7.70	-8.70	-4.60	-5.60	-1.50	-2.50
	93	-7.30	-8.30	-4.70	-5.70	-1.50	-2.50
	97-113	-7.70	-8.70	-5.00	-6.00	-1.80	-2.80
	117-181	-8.20	-9.20	-5.60	-6.60	-2.30	-3.30
	185	-8.30	-9.30	-5.40	-6.40	-2.30	-3.30
	189-225	-8.10	-9.10	-5.40	-6.40	-2.40	-3.40
	229	-8.00	-9.00	-5.20	-6.20	-2.40	-3.40
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	67-75	-7.50	-8.50	-4.90	-5.90	-1.70	-2.70
	83	-7.80	-8.80	-4.90	-5.90	-1.70	-2.70
	91	-7.70	-8.70	-4.70	-5.70	-1.50	-2.50
	99-107	-7.70	-8.70	-5.00	-6.00	-1.70	-2.70
	115	-8.10	-9.10	-5.30	-6.30	-2.30	-3.30
	123-179	-8.20	-9.20	-5.60	-6.60	-2.30	-3.30
	187	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	195-219	-8.20	-9.20	-5.40	-6.40	-2.40	-3.40
	227	-8.30	-9.30	-5.40	-6.40	-2.40	-3.40
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.70	-8.70	-5.20	-6.20	-1.70	-2.70
6 GHz WIFI (80MHz BW) VLP	71	-7.60	-8.60	-4.90	-5.90	-1.70	-2.70
	87	-7.80	-8.80	-4.90	-5.90	-1.70	-2.70
	103	-7.70	-8.70	-5.00	-6.00	-1.70	-2.70
	119	-8.40	-9.40	-5.40	-6.40	-2.30	-3.30
	135-167	-8.30	-9.30	-5.60	-6.60	-2.30	-3.30
	183	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	199	-8.10	-9.10	-5.50	-6.50	-2.20	-3.20
	215	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	15	NS	NS	NS	NS	NS	NS
	47	-7.70	-8.70	-4.80	-5.80	-1.90	-2.90
6 GHz WIFI (160MHz BW) VLP	79	-7.80	-8.80	-5.10	-6.10	-1.90	-2.90
	111	-8.20	-9.20	-5.80	-6.80	-2.30	-3.30
	143	-8.40	-9.40	-5.50	-6.50	-2.30	-3.30
	175	-8.60	-9.60	-5.80	-6.80	-2.40	-3.40
	207	-8.20	-9.20	-5.50	-6.50	-2.40	-3.40

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 18 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W/F8					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	11.00	10.00	12.00	11.00	12.00	11.00
	5	11.00	10.00	12.00	11.00	12.00	11.00
	9-29	11.00	10.00	12.00	11.00	12.00	11.00
	33-61	11.00	10.00	12.00	11.00	12.00	11.00
	65-85	11.00	10.00	11.75	10.75	11.75	10.75
	89	11.00	10.00	11.75	10.75	11.75	10.75
	93	11.00	10.00	11.75	10.75	11.75	10.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.50	8.50	11.00	10.00	11.00	10.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	11.00	10.00	12.00	11.00	12.00	11.00
6 GHz WiFi (40MHz BW) SP	11	11.00	10.00	12.00	11.00	12.00	11.00
	19-27	11.00	10.00	12.00	11.00	12.00	11.00
	35-59	11.00	10.00	12.00	11.00	12.00	11.00
	67-75	11.00	10.00	11.75	10.75	11.75	10.75
	83	11.00	10.00	11.75	10.75	11.75	10.75
	91	11.00	10.00	11.75	10.75	11.75	10.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.50	8.50	11.00	10.00	11.00	10.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	11.00	10.00	12.00	11.00	12.00	11.00
	23	11.00	10.00	12.00	11.00	12.00	11.00
	39-55	11.00	10.00	12.00	11.00	12.00	11.00
6 GHz WiFi (80MHz BW) SP	71	11.00	10.00	11.75	10.75	11.75	10.75
	87	11.00	10.00	11.75	10.75	11.75	10.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.50	8.50	11.00	10.00	11.00	10.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	11.00	10.00	12.00	11.00	12.00	11.00
	47	11.00	10.00	12.00	11.00	12.00	11.00
	79	11.00	10.00	11.75	10.75	11.75	10.75
	111	NS	NS	NS	NS	NS	NS
	143	9.50	8.50	11.00	10.00	11.00	10.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W/F8					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	12.00	11.00	12.00	11.00
	5	10.00	9.00	12.00	11.00	12.00	11.00
	9-29	10.00	9.00	12.00	11.00	12.00	11.00
	33-61	10.00	9.00	12.00	11.00	12.00	11.00
	65-85	10.00	9.00	11.75	10.75	11.75	10.75
	89	10.00	9.00	11.75	10.75	11.75	10.75
	93	10.00	9.00	11.75	10.75	11.75	10.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.00	10.00	11.00	10.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	12.00	11.00	12.00	11.00
6 GHz WiFi (40MHz BW) SP	11	10.00	9.00	12.00	11.00	12.00	11.00
	19-27	10.00	9.00	12.00	11.00	12.00	11.00
	35-59	10.00	9.00	12.00	11.00	12.00	11.00
	67-75	10.00	9.00	11.75	10.75	11.75	10.75
	83	10.00	9.00	11.75	10.75	11.75	10.75
	91	10.00	9.00	11.75	10.75	11.75	10.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.00	10.00	11.00	10.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	12.00	11.00	12.00	11.00
	23	10.00	9.00	12.00	11.00	12.00	11.00
	39-55	10.00	9.00	12.00	11.00	12.00	11.00
6 GHz WiFi (80MHz BW) SP	71	10.00	9.00	11.75	10.75	11.75	10.75
	87	10.00	9.00	11.75	10.75	11.75	10.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.00	10.00	11.00	10.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	12.00	11.00	12.00	11.00
	47	10.00	9.00	12.00	11.00	12.00	11.00
	79	10.00	9.00	11.75	10.75	11.75	10.75
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.00	10.00	11.00	10.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 19 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	12.00	11.00	12.00	11.00
	5	10.00	9.00	12.00	11.00	12.00	11.00
	9-29	10.00	9.00	12.00	11.00	12.00	11.00
	33-61	10.00	9.00	12.00	11.00	12.00	11.00
	65-85	10.00	9.00	11.75	10.75	11.75	10.75
	89	10.00	9.00	11.75	10.75	11.75	10.75
	93	10.00	9.00	11.75	10.75	11.75	10.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.00	10.00	11.00	10.00
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	12.00	11.00	12.00	11.00
	11	10.00	9.00	12.00	11.00	12.00	11.00
	19-27	10.00	9.00	12.00	11.00	12.00	11.00
6 GHz WIFI (40MHz BW) SP	35-59	10.00	9.00	12.00	11.00	12.00	11.00
	67-75	10.00	9.00	11.75	10.75	11.75	10.75
	83	10.00	9.00	11.75	10.75	11.75	10.75
	91	10.00	9.00	11.75	10.75	11.75	10.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.00	10.00	11.00	10.00
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	12.00	11.00	12.00	11.00
	23	10.00	9.00	12.00	11.00	12.00	11.00
6 GHz WIFI (80MHz BW) SP	39-55	10.00	9.00	12.00	11.00	12.00	11.00
	71	10.00	9.00	11.75	10.75	11.75	10.75
	87	10.00	9.00	11.75	10.75	11.75	10.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.00	10.00	11.00	10.00
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	12.00	11.00	12.00	11.00
6 GHz WIFI (160MHz BW) SP	47	10.00	9.00	12.00	11.00	12.00	11.00
	79	10.00	9.00	11.75	10.75	11.75	10.75
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.00	10.00	11.00	10.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 20 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna W/F8						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	0.50	-0.50	3.40	2.40	4.50	3.50
	5	0.60	-0.40	3.20	2.20	6.30	5.30
	9-29	0.50	-0.50	3.10	2.10	6.30	5.30
	33-61	-0.40	-1.40	2.30	1.30	5.40	4.40
	65-85	0.50	-0.50	3.20	2.20	6.30	5.30
	89	0.70	-0.30	3.40	2.40	6.60	5.60
	93	0.70	-0.30	3.40	2.40	6.50	5.50
	97-113	0.20	-0.80	3.00	2.00	6.10	5.10
	117-181	-0.80	-1.80	1.90	0.90	5.10	4.10
	185	-0.50	-1.50	2.30	1.30	5.30	4.30
	189-225	-0.10	-1.10	2.60	1.60	5.70	4.70
	229	0.00	-1.00	2.80	1.80	5.90	4.90
	233	NS	NS	NS	NS	NS	NS
	3	0.50	-0.50	3.20	2.20	4.50	3.50
6 GHz WIFI (40MHz BW) LP	11	0.50	-0.50	3.20	2.20	6.30	5.30
	19-27	0.30	-0.70	3.10	2.10	6.30	5.30
	35-59	-0.50	-1.50	2.30	1.30	5.40	4.40
	67-75	0.50	-0.50	3.20	2.20	6.30	5.30
	83	0.50	-0.50	3.30	2.30	6.30	5.30
	91	0.70	-0.30	3.40	2.40	6.50	5.50
	99-107	0.20	-0.80	3.00	2.00	6.10	5.10
	115	-0.70	-1.70	2.10	1.10	5.20	4.20
	123-179	-0.80	-1.80	1.90	0.90	5.10	4.10
	187	-0.70	-1.70	2.20	1.20	5.30	4.30
	195-219	-0.10	-1.10	2.60	1.60	5.70	4.70
	227	-0.10	-1.10	2.60	1.60	5.90	4.90
	7	0.40	-0.60	3.20	2.20	4.50	3.50
	23	0.20	-0.80	2.90	1.90	6.40	5.40
	39-55	-0.50	-1.50	1.90	0.90	5.40	4.40
6 GHz WIFI (80MHz BW) LP	71	0.50	-0.50	3.20	2.20	6.30	5.30
	87	0.50	-0.50	3.20	2.20	6.30	5.30
	103	0.20	-0.80	3.00	2.00	6.10	5.10
	119	-1.00	-2.00	2.00	1.00	5.10	4.10
	135-167	-0.90	-1.90	1.90	0.90	5.10	4.10
	183	-0.80	-1.80	1.90	0.90	5.20	4.20
	199	-0.10	-1.10	2.60	1.60	5.80	4.80
	215	-0.40	-1.40	2.60	1.60	5.70	4.70
	15	0.10	-0.90	3.10	2.10	4.50	3.50
	47	-0.60	-1.60	2.30	1.30	5.20	4.20
6 GHz WIFI (160MHz BW) LP	79	0.50	-0.50	2.90	1.90	6.30	5.30
	111	-0.80	-1.80	1.60	0.60	5.10	4.10
	143	-1.00	-2.00	1.90	0.90	5.10	4.10
	175	-0.90	-1.90	1.90	0.90	5.20	4.20
	207	-0.10	-1.10	2.50	1.50	5.60	4.60

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 21 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.80	-7.80	-4.10	-5.10	-2.80	-3.80
	5	-6.70	-7.70	-4.10	-5.10	-1.00	-2.00
	9-29	-6.90	-7.90	-4.20	-5.20	-1.00	-2.00
	33-61	-6.70	-7.70	-3.80	-4.80	-0.70	-1.70
	65-85	-6.80	-7.80	-3.90	-4.90	-0.70	-1.70
	89	-6.70	-7.70	-3.60	-4.60	-0.50	-1.50
	93	-6.30	-7.30	-3.70	-4.70	-0.50	-1.50
	97-113	-6.70	-7.70	-4.00	-5.00	-0.80	-1.80
	117-181	-7.20	-8.20	-4.60	-5.60	-1.30	-2.30
	185	-7.30	-8.30	-4.40	-5.40	-1.30	-2.30
	189-225	-7.10	-8.10	-4.40	-5.40	-1.40	-2.40
	229	-7.00	-8.00	-4.20	-5.20	-1.40	-2.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-6.80	-7.80	-4.10	-5.10	-2.80	-3.80
	11	-6.80	-7.80	-4.10	-5.10	-1.00	-2.00
	19-27	-7.00	-8.00	-4.20	-5.20	-1.00	-2.00
	35-59	-6.70	-7.70	-3.80	-4.80	-0.70	-1.70
	67-75	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	83	-6.80	-7.80	-3.90	-4.90	-0.70	-1.70
	91	-6.70	-7.70	-3.70	-4.70	-0.50	-1.50
	99-107	-6.70	-7.70	-4.00	-5.00	-0.70	-1.70
	115	-7.10	-8.10	-4.30	-5.30	-1.30	-2.30
	123-179	-7.20	-8.20	-4.60	-5.60	-1.30	-2.30
	187	-7.30	-8.30	-4.50	-5.50	-1.40	-2.40
	195-219	-7.20	-8.20	-4.40	-5.40	-1.40	-2.40
	227	-7.30	-8.30	-4.40	-5.40	-1.40	-2.40
	7	-6.90	-7.90	-4.10	-5.10	-2.80	-3.80
	23	-7.10	-8.10	-4.40	-5.40	-1.00	-2.00
6 GHz WIFI (80MHz BW) LP	39-55	-6.70	-7.70	-4.20	-5.20	-0.70	-1.70
	71	-6.60	-7.60	-3.90	-4.90	-0.70	-1.70
	87	-6.80	-7.80	-3.90	-4.90	-0.70	-1.70
	103	-6.70	-7.70	-4.00	-5.00	-0.70	-1.70
	119	-7.40	-8.40	-4.40	-5.40	-1.30	-2.30
	135-167	-7.30	-8.30	-4.60	-5.60	-1.30	-2.30
	183	-7.40	-8.40	-4.70	-5.70	-1.40	-2.40
	199	-7.10	-8.10	-4.50	-5.50	-1.20	-2.20
	215	-7.40	-8.40	-4.70	-5.70	-1.40	-2.40
	15	-7.20	-8.20	-4.70	-5.70	-2.80	-3.80
	47	-6.70	-7.70	-3.80	-4.80	-0.90	-1.90
6 GHz WIFI (160MHz BW) LP	79	-6.80	-7.80	-4.10	-5.10	-0.90	-1.90
	111	-7.20	-8.20	-4.80	-5.80	-1.30	-2.30
	143	-7.40	-8.40	-4.50	-5.50	-1.30	-2.30
	175	-7.60	-8.60	-4.80	-5.80	-1.40	-2.40
	207	-7.20	-8.20	-4.50	-5.50	-1.40	-2.40

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 22 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.90	-4.90	-1.20	-2.20	0.10	-0.90
	5	-3.80	-4.80	-1.20	-2.20	1.90	0.90
	9-29	-4.00	-5.00	-1.30	-2.30	1.90	0.90
	33-61	-3.70	-4.70	-0.80	-1.80	2.30	1.30
	65-85	-3.80	-4.80	-0.90	-1.90	2.30	1.30
	89	-3.70	-4.70	-0.60	-1.60	2.50	1.50
	93	-3.30	-4.30	-0.70	-1.70	2.50	1.50
	97-113	-3.70	-4.70	-1.00	-2.00	2.20	1.20
	117-181	-4.20	-5.20	-1.60	-2.60	1.70	0.70
	185	-4.30	-5.30	-1.40	-2.40	1.70	0.70
	189-225	-4.10	-5.10	-1.40	-2.40	1.60	0.60
	229	-4.00	-5.00	-1.20	-2.20	1.60	0.60
	233	NS	NS	NS	NS	NS	NS
	3	-3.90	-4.90	-1.20	-2.20	0.10	-0.90
	11	-3.90	-4.90	-1.20	-2.20	1.90	0.90
	19-27	-4.10	-5.10	-1.30	-2.30	1.90	0.90
6 GHz WIFI (40MHz BW) LP	35-59	-3.70	-4.70	-0.80	-1.80	2.30	1.30
	67-75	-3.50	-4.50	-0.90	-1.90	2.30	1.30
	83	-3.80	-4.80	-0.90	-1.90	2.30	1.30
	91	-3.70	-4.70	-0.70	-1.70	2.50	1.50
	99-107	-3.70	-4.70	-1.00	-2.00	2.30	1.30
	115	-4.10	-5.10	-1.30	-2.30	1.70	0.70
	123-179	-4.20	-5.20	-1.60	-2.60	1.70	0.70
	187	-4.30	-5.30	-1.50	-2.50	1.60	0.60
	195-219	-4.20	-5.20	-1.40	-2.40	1.60	0.60
	227	-4.30	-5.30	-1.40	-2.40	1.60	0.60
	7	-4.00	-5.00	-1.20	-2.20	0.10	-0.90
	23	-4.20	-5.20	-1.50	-2.50	1.90	0.90
6 GHz WIFI (80MHz BW) LP	39-55	-3.70	-4.70	-1.20	-2.20	2.30	1.30
	71	-3.60	-4.60	-0.90	-1.90	2.30	1.30
	87	-3.80	-4.80	-0.90	-1.90	2.30	1.30
	103	-3.70	-4.70	-1.00	-2.00	2.30	1.30
	119	-4.40	-5.40	-1.40	-2.40	1.70	0.70
	135-167	-4.30	-5.30	-1.60	-2.60	1.70	0.70
	183	-4.40	-5.40	-1.70	-2.70	1.60	0.60
	199	-4.10	-5.10	-1.50	-2.50	1.80	0.80
	215	-4.40	-5.40	-1.70	-2.70	1.60	0.60
	15	-4.30	-5.30	-1.80	-2.80	0.10	-0.90
6 GHz WIFI (160MHz BW) LP	47	-3.70	-4.70	-0.80	-1.80	2.10	1.10
	79	-3.80	-4.80	-1.10	-2.10	2.10	1.10
	111	-4.20	-5.20	-1.80	-2.80	1.70	0.70
	143	-4.40	-5.40	-1.50	-2.50	1.70	0.70
	175	-4.60	-5.60	-1.80	-2.80	1.60	0.60
	207	-4.20	-5.20	-1.50	-2.50	1.60	0.60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-4.40	-5.40	-1.70	-2.70	1.40	0.40
	65-85	-3.50	-4.50	-0.80	-1.80	2.30	1.30
	89	-3.30	-4.30	-0.60	-1.60	2.60	1.60
	93	-3.30	-4.30	-0.60	-1.60	2.50	1.50
	97-113	-3.80	-4.80	-1.00	-2.00	2.10	1.10
	117-181	-4.80	-5.80	-2.10	-3.10	1.10	0.10
	185	-4.50	-5.50	-1.70	-2.70	1.30	0.30
	189-225	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	229	-4.00	-5.00	-1.20	-2.20	1.90	0.90
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	35-59	-4.50	-5.50	-1.70	-2.70	1.40	0.40
	67-75	-3.50	-4.50	-0.80	-1.80	2.30	1.30
	83	-3.50	-4.50	-0.70	-1.70	2.30	1.30
	91	-3.30	-4.30	-0.60	-1.60	2.50	1.50
	99-107	-3.80	-4.80	-1.00	-2.00	2.10	1.10
	115	-4.70	-5.70	-1.90	-2.90	1.20	0.20
	123-179	-4.80	-5.80	-2.10	-3.10	1.10	0.10
	187	-4.70	-5.70	-1.80	-2.80	1.30	0.30
	195-219	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	227	-4.10	-5.10	-1.40	-2.40	1.90	0.90
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) VLP	39-55	-4.50	-5.50	-2.10	-3.10	1.40	0.40
	71	-3.50	-4.50	-0.80	-1.80	2.30	1.30
	87	-3.50	-4.50	-0.80	-1.80	2.30	1.30
	103	-3.80	-4.80	-1.00	-2.00	2.10	1.10
	119	-5.00	-6.00	-2.00	-3.00	1.10	0.10
	135-167	-4.90	-5.90	-2.10	-3.10	1.10	0.10
	183	-4.80	-5.80	-2.10	-3.10	1.20	0.20
	199	-4.10	-5.10	-1.40	-2.40	1.80	0.80
	215	-4.40	-5.40	-1.40	-2.40	1.70	0.70
	15	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) VLP	47	-4.60	-5.60	-1.70	-2.70	1.20	0.20
	79	-3.50	-4.50	-1.10	-2.10	2.30	1.30
	111	-4.80	-5.80	-2.40	-3.40	1.10	0.10
	143	-5.00	-6.00	-2.10	-3.10	1.10	0.10
	175	-4.90	-5.90	-2.10	-3.10	1.20	0.20
	207	-4.10	-5.10	-1.50	-2.50	1.60	0.60

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 23 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W/F8					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.80	-8.80	-4.70	-5.70
	65-85	NS	NS	-7.90	-8.90	-4.70	-5.70
	89	NS	NS	-7.60	-8.60	-4.50	-5.50
	93	NS	NS	-7.70	-8.70	-4.50	-5.50
	97-113	NS	NS	-8.00	-9.00	-4.80	-5.80
	117-181	NS	NS	-8.60	-9.60	-5.30	-6.30
	185	NS	NS	-8.40	-9.40	-5.30	-6.30
	189-225	NS	NS	-8.40	-9.40	-5.40	-6.40
	229	NS	NS	-8.20	-9.20	-5.40	-6.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.80	-8.80	-4.70	-5.70
	67-75	NS	NS	-7.90	-8.90	-4.70	-5.70
	83	NS	NS	-7.90	-8.90	-4.70	-5.70
	91	NS	NS	-7.70	-8.70	-4.50	-5.50
	99-107	NS	NS	-8.00	-9.00	-4.70	-5.70
	115	NS	NS	-8.30	-9.30	-5.30	-6.30
	123-179	NS	NS	-8.60	-9.60	-5.30	-6.30
	187	NS	NS	-8.50	-9.50	-5.40	-6.40
	195-219	NS	NS	-8.40	-9.40	-5.40	-6.40
	227	NS	NS	-8.40	-9.40	-5.40	-6.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WiFi (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-8.20	-9.20	-4.70	-5.70
	71	NS	NS	-7.90	-8.90	-4.70	-5.70
	87	NS	NS	-7.90	-8.90	-4.70	-5.70
	103	NS	NS	-8.00	-9.00	-4.70	-5.70
	119	NS	NS	-8.40	-9.40	-5.30	-6.30
	135-167	NS	NS	-8.60	-9.60	-5.30	-6.30
	183	NS	NS	-8.70	-9.70	-5.40	-6.40
	199	NS	NS	-8.50	-9.50	-5.20	-6.20
	215	NS	NS	-8.70	-9.70	-5.40	-6.40
	233	NS	NS	NS	NS	NS	NS
	239	NS	NS	NS	NS	NS	NS
	245	NS	NS	NS	NS	NS	NS
6 GHz WiFi (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.80	-8.80	-4.90	-5.90
	79	NS	NS	-8.10	-9.10	-4.90	-5.90
	111	NS	NS	-8.80	-9.80	-5.30	-6.30
	143	NS	NS	-8.50	-9.50	-5.30	-6.30
	175	NS	NS	-8.80	-9.80	-5.40	-6.40
	207	NS	NS	-8.50	-9.50	-5.40	-6.40

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W/F8					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	65-85	-7.80	-8.80	-4.90	-5.90	-1.70	-2.70
	89	-7.70	-8.70	-4.60	-5.60	-1.50	-2.50
	93	-7.30	-8.30	-4.70	-5.70	-1.50	-2.50
	97-113	-7.70	-8.70	-5.00	-6.00	-1.80	-2.80
	117-181	-8.20	-9.20	-5.60	-6.60	-2.30	-3.30
	185	-8.30	-9.30	-5.40	-6.40	-2.30	-3.30
	189-225	-8.10	-9.10	-5.40	-6.40	-2.40	-3.40
	229	-8.00	-9.00	-5.20	-6.20	-2.40	-3.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	67-75	-7.50	-8.50	-4.90	-5.90	-1.70	-2.70
	83	-7.80	-8.80	-4.90	-5.90	-1.70	-2.70
	91	-7.70	-8.70	-4.70	-5.70	-1.50	-2.50
	99-107	-7.70	-8.70	-5.00	-6.00	-1.70	-2.70
	115	-8.10	-9.10	-5.30	-6.30	-2.30	-3.30
	123-179	-8.20	-9.20	-5.60	-6.60	-2.30	-3.30
	187	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	195-219	-8.20	-9.20	-5.40	-6.40	-2.40	-3.40
	227	-8.30	-9.30	-5.40	-6.40	-2.40	-3.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WiFi (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.70	-8.70	-5.20	-6.20	-1.70	-2.70
	71	-7.60	-8.60	-4.90	-5.90	-1.70	-2.70
	87	-7.80	-8.80	-4.90	-5.90	-1.70	-2.70
	103	-7.70	-8.70	-5.00	-6.00	-1.70	-2.70
	119	-8.40	-9.40	-5.40	-6.40	-2.30	-3.30
	135-167	-8.30	-9.30	-5.60	-6.60	-2.30	-3.30
	183	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	199	-8.10	-9.10	-5.50	-6.50	-2.20	-3.20
	215	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	233	NS	NS	NS	NS	NS	NS
	239	NS	NS	NS	NS	NS	NS
	245	NS	NS	NS	NS	NS	NS
6 GHz WiFi (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS
	47	-7.70	-8.70	-4.80	-5.80	-1.90	-2.90
	79	-7.80	-8.80	-5.10	-6.10	-1.90	-2.90
	111	-8.20	-9.20	-5.80	-6.80	-2.30	-3.30
	143	-8.40	-9.40	-5.50	-6.50	-2.30	-3.30
	175	-8.60	-9.60	-5.80	-6.80	-2.40	-3.40
	207	-8.20	-9.20	-5.50	-6.50	-2.40	-3.40

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 24 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna W7						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	14.50	13.50
	5	10.00	9.00	13.00	12.00	14.50	13.50
	9-29	10.00	9.00	13.00	12.00	14.50	13.50
	33-61	10.00	9.00	13.00	12.00	14.50	13.50
	65-85	10.00	9.00	13.00	12.00	14.75	13.75
	89	10.00	9.00	13.00	12.00	14.75	13.75
	93	10.00	9.00	13.00	12.00	14.75	13.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.75	12.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	14.50	13.50
	11	10.00	9.00	13.00	12.00	14.50	13.50
	19-27	10.00	9.00	13.00	12.00	14.50	13.50
	35-59	10.00	9.00	13.00	12.00	14.50	13.50
6 GHz WIFI (40MHz BW) SP	67-75	10.00	9.00	13.00	12.00	14.75	13.75
	83	10.00	9.00	13.00	12.00	14.75	13.75
	91	10.00	9.00	13.00	12.00	14.75	13.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.75	12.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	14.50	13.50
	23	10.00	9.00	13.00	12.00	14.50	13.50
	39-55	10.00	9.00	13.00	12.00	14.50	13.50
6 GHz WIFI (80MHz BW) SP	71	10.00	9.00	13.00	12.00	14.75	13.75
	87	10.00	9.00	13.00	12.00	14.75	13.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.75	12.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	14.50	13.50
	47	10.00	9.00	13.00	12.00	14.50	13.50
6 GHz WIFI (160MHz BW) SP	79	10.00	9.00	13.00	12.00	14.75	13.75
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	13.75	12.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 25 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	14.50	13.50
	5	10.00	9.00	13.00	12.00	14.50	13.50
	9-29	10.00	9.00	13.00	12.00	14.50	13.50
	33-61	10.00	9.00	13.00	12.00	14.50	13.50
	65-85	10.00	9.00	13.00	12.00	14.75	13.75
	89	10.00	9.00	13.00	12.00	14.75	13.75
	93	10.00	9.00	13.00	12.00	14.75	13.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.75	12.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	14.50	13.50
	11	10.00	9.00	13.00	12.00	14.50	13.50
6 GHz WIFI (40MHz BW) SP	19-27	10.00	9.00	13.00	12.00	14.50	13.50
	35-59	10.00	9.00	13.00	12.00	14.50	13.50
	67-75	10.00	9.00	13.00	12.00	14.75	13.75
	83	10.00	9.00	13.00	12.00	14.75	13.75
	91	10.00	9.00	13.00	12.00	14.75	13.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.75	12.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	14.50	13.50
	23	10.00	9.00	13.00	12.00	14.50	13.50
	39-55	10.00	9.00	13.00	12.00	14.50	13.50
	71	10.00	9.00	13.00	12.00	14.75	13.75
	87	10.00	9.00	13.00	12.00	14.75	13.75
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.75	12.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	14.50	13.50
	47	10.00	9.00	13.00	12.00	14.50	13.50
	79	10.00	9.00	13.00	12.00	14.75	13.75
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	8.50	7.50	11.50	10.50	13.75	12.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	14.50	13.50
	5	10.00	9.00	13.00	12.00	14.50	13.50
	9-29	10.00	9.00	13.00	12.00	14.50	13.50
	33-61	10.00	9.00	13.00	12.00	14.50	13.50
	65-85	10.00	9.00	13.00	12.00	14.75	13.75
	89	10.00	9.00	13.00	12.00	14.75	13.75
	93	10.00	9.00	13.00	12.00	14.75	13.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.75	12.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	14.50	13.50
	11	10.00	9.00	13.00	12.00	14.50	13.50
6 GHz WIFI (40MHz BW) SP	19-27	10.00	9.00	13.00	12.00	14.50	13.50
	35-59	10.00	9.00	13.00	12.00	14.50	13.50
	67-75	10.00	9.00	13.00	12.00	14.75	13.75
	83	10.00	9.00	13.00	12.00	14.75	13.75
	91	10.00	9.00	13.00	12.00	14.75	13.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.75	12.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	14.50	13.50
	23	10.00	9.00	13.00	12.00	14.50	13.50
	39-55	10.00	9.00	13.00	12.00	14.50	13.50
	71	10.00	9.00	13.00	12.00	14.75	13.75
	87	10.00	9.00	13.00	12.00	14.75	13.75
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.75	12.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	14.50	13.50
	47	10.00	9.00	13.00	12.00	14.50	13.50
	79	10.00	9.00	13.00	12.00	14.75	13.75
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	8.50	7.50	11.50	10.50	13.75	12.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 26 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-1.80	-2.80	0.80	-0.20	2.50	1.50
	5	-1.80	-2.80	0.90	-0.10	4.10	3.10
	9-29	-2.00	-3.00	0.80	-0.20	3.90	2.90
	33-61	-0.70	-1.70	2.30	1.30	5.30	4.30
	65-85	-1.70	-2.70	1.20	0.20	4.60	3.60
	89	-1.60	-2.60	1.50	0.50	4.60	3.60
	93	-1.20	-2.20	1.40	0.40	4.60	3.60
	97-113	-1.30	-2.30	1.40	0.40	4.60	3.60
	117-181	-1.60	-2.60	1.00	0.00	4.30	3.30
	185	-1.90	-2.90	1.00	0.00	4.10	3.10
	189-225	-1.90	-2.90	0.80	-0.20	3.80	2.80
	229	-1.70	-2.70	1.00	0.00	3.80	2.80
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-1.90	-2.90	0.80	-0.20	2.50	1.50
	11	-1.90	-2.90	0.80	-0.20	4.00	3.00
	19-27	-2.00	-3.00	0.80	-0.20	3.90	2.90
	35-59	-0.70	-1.70	2.30	1.30	5.30	4.30
	67-75	-1.40	-2.40	1.20	0.20	4.60	3.60
	83	-1.70	-2.70	1.20	0.20	4.60	3.60
	91	-1.60	-2.60	1.40	0.40	4.60	3.60
	99-107	-1.30	-2.30	1.40	0.40	4.70	3.70
	115	-1.40	-2.40	1.30	0.30	4.30	3.30
	123-179	-1.60	-2.60	1.00	0.00	4.30	3.30
	187	-1.90	-2.90	0.90	-0.10	4.00	3.00
	195-219	-2.00	-3.00	0.80	-0.20	3.80	2.80
	227	-2.10	-3.10	0.80	-0.20	3.80	2.80
	7	-2.00	-3.00	0.80	-0.20	2.40	1.40
6 GHz WIFI (80MHz BW) LP	23	-2.00	-3.00	0.80	-0.20	3.90	2.90
	39-55	-0.70	-1.70	2.20	1.20	5.30	4.30
	71	-1.50	-2.50	1.20	0.20	4.60	3.60
	87	-1.70	-2.70	1.20	0.20	4.60	3.60
	103	-1.30	-2.30	1.40	0.40	4.70	3.70
	119	-1.40	-2.40	1.30	0.30	4.30	3.30
	135-167	-1.70	-2.70	1.00	0.00	4.30	3.30
	183	-1.90	-2.90	1.00	0.00	4.10	3.10
	199	-1.80	-2.80	0.70	-0.30	4.00	3.00
	215	-2.00	-3.00	0.50	-0.50	3.80	2.80
6 GHz WIFI (160MHz BW) LP	15	-2.30	-3.30	0.20	-0.80	2.20	1.20
	47	-0.70	-1.70	2.20	1.20	5.30	4.30
	79	-1.70	-2.70	1.20	0.20	4.20	3.20
	111	-1.60	-2.60	1.10	0.10	4.30	3.30
	143	-1.60	-2.60	1.10	0.10	4.30	3.30
	175	-2.20	-3.20	0.60	-0.40	4.00	3.00
	207	-2.00	-3.00	0.80	-0.20	3.80	2.80

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 27 of 60

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.80	-7.80	-4.10	-5.10	-2.80	-3.80
	5	-6.70	-7.70	-4.10	-5.10	-1.00	-2.00
	9-29	-6.90	-7.90	-4.20	-5.20	-1.00	-2.00
	33-61	-6.70	-7.70	-3.80	-4.80	-0.70	-1.70
	65-85	-6.80	-7.80	-3.90	-4.90	-0.70	-1.70
	89	-6.70	-7.70	-3.60	-4.60	-0.50	-1.50
	93	-6.30	-7.30	-3.70	-4.70	-0.50	-1.50
	97-113	-6.70	-7.70	-4.00	-5.00	-0.80	-1.80
	117-181	-7.20	-8.20	-4.60	-5.60	-1.30	-2.30
	185	-7.30	-8.30	-4.40	-5.40	-1.30	-2.30
	189-225	-7.10	-8.10	-4.40	-5.40	-1.40	-2.40
	229	-7.00	-8.00	-4.20	-5.20	-1.40	-2.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-6.80	-7.80	-4.10	-5.10	-2.80	-3.80
	11	-6.80	-7.80	-4.10	-5.10	-1.00	-2.00
	19-27	-7.00	-8.00	-4.20	-5.20	-1.00	-2.00
	35-59	-6.70	-7.70	-3.80	-4.80	-0.70	-1.70
	67-75	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	83	-6.80	-7.80	-3.90	-4.90	-0.70	-1.70
	91	-6.70	-7.70	-3.70	-4.70	-0.50	-1.50
	99-107	-6.70	-7.70	-4.00	-5.00	-0.70	-1.70
	115	-7.10	-8.10	-4.30	-5.30	-1.30	-2.30
	123-179	-7.20	-8.20	-4.60	-5.60	-1.30	-2.30
	187	-7.30	-8.30	-4.50	-5.50	-1.40	-2.40
	195-219	-7.20	-8.20	-4.40	-5.40	-1.40	-2.40
	227	-7.30	-8.30	-4.40	-5.40	-1.40	-2.40
	7	-6.90	-7.90	-4.10	-5.10	-2.80	-3.80
6 GHz WIFI (80MHz BW) LP	23	-7.10	-8.10	-4.40	-5.40	-1.00	-2.00
	39-55	-6.70	-7.70	-4.20	-5.20	-0.70	-1.70
	71	-6.60	-7.60	-3.90	-4.90	-0.70	-1.70
	87	-6.80	-7.80	-3.90	-4.90	-0.70	-1.70
	103	-6.70	-7.70	-4.00	-5.00	-0.70	-1.70
	119	-7.40	-8.40	-4.40	-5.40	-1.30	-2.30
	135-167	-7.30	-8.30	-4.60	-5.60	-1.30	-2.30
	183	-7.40	-8.40	-4.70	-5.70	-1.40	-2.40
	199	-7.10	-8.10	-4.50	-5.50	-1.20	-2.20
	215	-7.40	-8.40	-4.70	-5.70	-1.40	-2.40
6 GHz WIFI (160MHz BW) LP	15	-7.20	-8.20	-4.70	-5.70	-2.80	-3.80
	47	-6.70	-7.70	-3.80	-4.80	-0.90	-1.90
	79	-6.80	-7.80	-4.10	-5.10	-0.90	-1.90
	111	-7.20	-8.20	-4.80	-5.80	-1.30	-2.30
	143	-7.40	-8.40	-4.50	-5.50	-1.30	-2.30
	175	-7.60	-8.60	-4.80	-5.80	-1.40	-2.40
	207	-7.20	-8.20	-4.50	-5.50	-1.40	-2.40

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 28 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W7					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.90	-4.90	-1.20	-2.20	0.10	-0.90
	5	-3.80	-4.80	-1.20	-2.20	1.90	0.90
	9-29	-4.00	-5.00	-1.30	-2.30	1.90	0.90
	33-61	-3.70	-4.70	-0.80	-1.80	2.30	1.30
	65-85	-3.80	-4.80	-0.90	-1.90	2.30	1.30
	89	-3.70	-4.70	-0.60	-1.60	2.50	1.50
	93	-3.30	-4.30	-0.70	-1.70	2.50	1.50
	97-113	-3.70	-4.70	-1.00	-2.00	2.20	1.20
	117-181	-4.20	-5.20	-1.60	-2.60	1.70	0.70
	185	-4.30	-5.30	-1.40	-2.40	1.70	0.70
	189-225	-4.10	-5.10	-1.40	-2.40	1.60	0.60
	229	-4.00	-5.00	-1.20	-2.20	1.60	0.60
	233	NS	NS	NS	NS	NS	NS
	3	-3.90	-4.90	-1.20	-2.20	0.10	-0.90
	11	-3.90	-4.90	-1.20	-2.20	1.90	0.90
	19-27	-4.10	-5.10	-1.30	-2.30	1.90	0.90
6 GHz WiFi (40MHz BW) LP	35-59	-3.70	-4.70	-0.80	-1.80	2.30	1.30
	67-75	-3.50	-4.50	-0.90	-1.90	2.30	1.30
	83	-3.80	-4.80	-0.90	-1.90	2.30	1.30
	91	-3.70	-4.70	-0.70	-1.70	2.50	1.50
	99-107	-3.70	-4.70	-1.00	-2.00	2.30	1.30
	115	-4.10	-5.10	-1.30	-2.30	1.70	0.70
	123-179	-4.20	-5.20	-1.60	-2.60	1.70	0.70
	187	-4.30	-5.30	-1.50	-2.50	1.60	0.60
	195-219	-4.20	-5.20	-1.40	-2.40	1.60	0.60
	227	-4.30	-5.30	-1.40	-2.40	1.60	0.60
	7	-4.00	-5.00	-1.20	-2.20	0.10	-0.90
	23	-4.20	-5.20	-1.50	-2.50	1.90	0.90
6 GHz WiFi (80MHz BW) LP	39-55	-3.70	-4.70	-1.20	-2.20	2.30	1.30
	71	-3.60	-4.60	-0.90	-1.90	2.30	1.30
	87	-3.80	-4.80	-0.90	-1.90	2.30	1.30
	103	-3.70	-4.70	-1.00	-2.00	2.30	1.30
	119	-4.40	-5.40	-1.40	-2.40	1.70	0.70
	135-167	-4.30	-5.30	-1.60	-2.60	1.70	0.70
	183	-4.40	-5.40	-1.70	-2.70	1.60	0.60
	199	-4.10	-5.10	-1.50	-2.50	1.80	0.80
	215	-4.40	-5.40	-1.70	-2.70	1.60	0.60
	15	-4.30	-5.30	-1.80	-2.80	0.10	-0.90
6 GHz WiFi (160MHz BW) LP	47	-3.70	-4.70	-0.80	-1.80	2.10	1.10
	79	-3.80	-4.80	-1.10	-2.10	2.10	1.10
	111	-4.20	-5.20	-1.80	-2.80	1.70	0.70
	143	-4.40	-5.40	-1.50	-2.50	1.70	0.70
	175	-4.60	-5.60	-1.80	-2.80	1.60	0.60
	207	-4.20	-5.20	-1.50	-2.50	1.60	0.60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W7					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-4.70	-5.70	-1.70	-2.70	1.30	0.30
	65-85	-5.70	-6.70	-2.80	-3.80	0.60	-0.40
	89	-5.60	-6.60	-2.50	-3.50	0.60	-0.40
	93	-5.20	-6.20	-2.60	-3.60	0.60	-0.40
	97-113	-5.30	-6.30	-2.60	-3.60	0.60	-0.40
	117-181	-5.60	-6.60	-3.00	-4.00	0.30	-0.70
	185	-5.90	-6.90	-3.00	-4.00	0.10	-0.90
	189-225	-5.90	-6.90	-3.20	-4.20	0.20	-1.20
	229	-5.70	-6.70	-3.00	-4.00	-0.20	-1.20
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	35-59	-4.70	-5.70	-1.70	-2.70	1.30	0.30
	67-75	-5.40	-6.40	-2.80	-3.80	0.60	-0.40
	83	-5.70	-6.70	-2.80	-3.80	0.60	-0.40
	91	-5.60	-6.60	-2.60	-3.60	0.60	-0.40
	99-107	-5.30	-6.30	-2.60	-3.60	0.70	-0.30
	115	-5.40	-6.40	-2.70	-3.70	0.30	-0.70
	123-179	-5.60	-6.60	-3.00	-4.00	0.30	-0.70
	187	-5.90	-6.90	-3.10	-4.10	0.00	-1.00
	195-219	-6.00	-7.00	-3.20	-4.20	-0.20	-1.20
	227	-6.10	-7.10	-3.20	-4.20	-0.20	-1.20
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
6 GHz WiFi (80MHz BW) VLP	39-55	-4.70	-5.70	-1.80	-2.80	1.30	0.30
	71	-5.50	-6.50	-2.80	-3.80	0.60	-0.40
	87	-5.70	-6.70	-2.80	-3.80	0.60	-0.40
	103	-5.30	-6.30	-2.60	-3.60	0.70	-0.30
	119	-5.40	-6.40	-2.70	-3.70	0.30	-0.70
	135-167	-5.70	-6.70	-3.00	-4.00	0.30	-0.70
	183	-5.90	-6.90	-3.00	-4.00	0.10	-0.90
	199	-5.80	-6.80	-3.30	-4.30	0.00	-1.00
	215	-6.00	-7.00	-3.50	-4.50	-0.20	-1.20
	15	NS	NS	NS	NS	NS	NS
6 GHz WiFi (160MHz BW) VLP	47	-4.70	-5.70	-1.80	-2.80	1.30	0.30
	79	-5.70	-6.70	-2.80	-3.80	0.20	-0.80
	111	-5.60	-6.60	-2.90	-3.90	0.30	-0.70
	143	-5.60	-6.60	-2.90	-3.90	0.30	-0.70
	175	-6.20	-7.20	-3.40	-4.40	0.00	-1.00
	207	-6.00	-7.00	-3.20	-4.20	-0.20	-1.20

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 29 of 60

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W7					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.80	-8.80	-4.70	-5.70
	65-85	NS	NS	-7.90	-8.90	-4.70	-5.70
	89	NS	NS	-7.60	-8.60	-4.50	-5.50
	93	NS	NS	-7.70	-8.70	-4.50	-5.50
	97-113	NS	NS	-8.00	-9.00	-4.80	-5.80
	117-181	NS	NS	-8.60	-9.60	-5.30	-6.30
	185	NS	NS	-8.40	-9.40	-5.30	-6.30
	189-225	NS	NS	-8.40	-9.40	-5.40	-6.40
	229	NS	NS	-8.20	-9.20	-5.40	-6.40
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.80	-8.80	-4.70	-5.70
	67-75	NS	NS	-7.90	-8.90	-4.70	-5.70
	83	NS	NS	-7.90	-8.90	-4.70	-5.70
	91	NS	NS	-7.70	-8.70	-4.50	-5.50
	99-107	NS	NS	-8.00	-9.00	-4.70	-5.70
	115	NS	NS	-8.30	-9.30	-5.30	-6.30
	123-179	NS	NS	-8.60	-9.60	-5.30	-6.30
	187	NS	NS	-8.50	-9.50	-5.40	-6.40
	195-219	NS	NS	-8.40	-9.40	-5.40	-6.40
	227	NS	NS	-8.40	-9.40	-5.40	-6.40
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-8.20	-9.20	-4.70	-5.70
6 GHz WiFi (80MHz BW) VLP	71	NS	NS	-7.90	-8.90	-4.70	-5.70
	87	NS	NS	-7.90	-8.90	-4.70	-5.70
	103	NS	NS	-8.00	-9.00	-4.70	-5.70
	119	NS	NS	-8.40	-9.40	-5.30	-6.30
	135-167	NS	NS	-8.60	-9.60	-5.30	-6.30
	183	NS	NS	-8.70	-9.70	-5.40	-6.40
	199	NS	NS	-8.50	-9.50	-5.20	-6.20
	215	NS	NS	-8.70	-9.70	-5.40	-6.40
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.80	-8.80	-4.90	-5.90
6 GHz WiFi (160MHz BW) VLP	79	NS	NS	-8.10	-9.10	-4.90	-5.90
	111	NS	NS	-8.80	-9.80	-5.30	-6.30
	143	NS	NS	-8.50	-9.50	-5.30	-6.30
	175	NS	NS	-8.80	-9.80	-5.40	-6.40
	207	NS	NS	-8.50	-9.50	-5.40	-6.40

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W7					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WiFi (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	65-85	-7.80	-8.80	-4.90	-5.90	-1.70	-2.70
	89	-7.70	-8.70	-4.60	-5.60	-1.50	-2.50
	93	-7.30	-8.30	-4.70	-5.70	-1.50	-2.50
	97-113	-7.70	-8.70	-5.00	-6.00	-1.80	-2.80
	117-181	-8.20	-9.20	-5.60	-6.60	-2.30	-3.30
	185	-8.30	-9.30	-5.40	-6.40	-2.30	-3.30
	189-225	-8.10	-9.10	-5.40	-6.40	-2.40	-3.40
	229	-8.00	-9.00	-5.20	-6.20	-2.40	-3.40
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WiFi (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	67-75	-7.50	-8.50	-4.90	-5.90	-1.70	-2.70
	83	-7.80	-8.80	-4.90	-5.90	-1.70	-2.70
	91	-7.70	-8.70	-4.70	-5.70	-1.50	-2.50
	99-107	-7.70	-8.70	-5.00	-6.00	-1.70	-2.70
	115	-8.10	-9.10	-5.30	-6.30	-2.30	-3.30
	123-179	-8.20	-9.20	-5.60	-6.60	-2.30	-3.30
	187	-8.30	-9.30	-5.50	-6.50	-2.40	-3.40
	195-219	-8.20	-9.20	-5.40	-6.40	-2.40	-3.40
	227	-8.30	-9.30	-5.40	-6.40	-2.40	-3.40
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.70	-8.70	-5.20	-6.20	-1.70	-2.70
6 GHz WiFi (80MHz BW) VLP	71	-7.60	-8.60	-4.90	-5.90	-1.70	-2.70
	87	-7.80	-8.80	-4.90	-5.90	-1.70	-2.70
	103	-7.70	-8.70	-5.00	-6.00	-1.70	-2.70
	119	-8.40	-9.40	-5.40	-6.40	-2.30	-3.30
	135-167	-8.30	-9.30	-5.60	-6.60	-2.30	-3.30
	183	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	199	-8.10	-9.10	-5.50	-6.50	-2.20	-3.20
	215	-8.40	-9.40	-5.70	-6.70	-2.40	-3.40
	15	NS	NS	NS	NS	NS	NS
	47	-7.70	-8.70	-4.80	-5.80	-1.90	-2.90
6 GHz WiFi (160MHz BW) VLP	79	-7.80	-8.80	-5.10	-6.10	-1.90	-2.90
	111	-8.20	-9.20	-5.80	-6.80	-2.30	-3.30
	143	-8.40	-9.40	-5.50	-6.50	-2.30	-3.30
	175	-8.60	-9.60	-5.80	-6.80	-2.40	-3.40
	207	-8.20	-9.20	-5.50	-6.50	-2.40	-3.40

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 30 of 60

G.2.2 Maximum 802.11be MRU WLAN Output Power

[illegible][illegible][illegible]

Mode	Channel	IEEE 802.11 (Maximum) in (dBm) - Antenna NFdB									
		SISO		MISO		MISO		MISO		MISO	
		15.1 (Maximum)	15.2 (Maximum)	15.3 (Maximum)	15.4 (Maximum)	15.5 (Maximum)	15.6 (Maximum)	15.7 (Maximum)	15.8 (Maximum)	15.9 (Maximum)	16.0 (Maximum)
5 GHz (MIMO) 20 MHz Bandwidth	35	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	40	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	45	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	50	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	55	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	60	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	65	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	70	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	75	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	80	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	85	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	90	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	95	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	100	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	105	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	110	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	115	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	120	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	125	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	130	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
5 GHz (MIMO) 40 MHz Bandwidth	135	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	140	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	145	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	150	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	155	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	160	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	165	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	170	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	175	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	180	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	185	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	190	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	195	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	200	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	205	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	210	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	215	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	220	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	225	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
	5 GHz (MIMO) 80 MHz Bandwidth	230	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9
235		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
240		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
245		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
250		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
255		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
260		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
265		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
270		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
275		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
280		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
285		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
290		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
295		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
300		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
305		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
310		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
315		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
320		15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0
5 GHz (MIMO) 160 MHz Bandwidth		325	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9
	330	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0

Mode	Channel	IEEE 802.11 (Implementation in 802.11n: Antenna WP8)															
		MIMO C50		MIMO C55		MIMO C60		MIMO C65		MIMO C70		MIMO C75		MIMO C80			
		Tx		Rx		Tx		Rx		Tx		Rx		Tx		Rx	
		6E_247 (Maximum)	6E_247 (Minimum)	6E_247 (Maximum)	6E_247 (Minimum)	6E_247 (Maximum)	6E_247 (Minimum)	6E_247 (Maximum)	6E_247 (Minimum)	6E_247 (Maximum)	6E_247 (Minimum)	6E_247 (Maximum)	6E_247 (Minimum)	6E_247 (Maximum)	6E_247 (Minimum)		
5 GHz WP8 20 MHz Bandwidth	20	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	40	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	60	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	80	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	100	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	120	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	140	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	160	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	180	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	200	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	220	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	240	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	260	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	280	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	300	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	5 GHz WP8 40 MHz Bandwidth	35	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75		
55		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
75		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
95		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
115		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
135		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
155		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
175		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
195		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
215		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
235		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
255		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
275		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
295		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
315		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
335		15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
5 GHz WP8 80 MHz Bandwidth	35	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	55	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	95	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	115	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	135	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	155	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	175	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	195	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	215	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	235	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	255	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	275	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	295	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	315	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	335	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
Wave WP8 160 MHz Bandwidth	35	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			
	115	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75	15.75			

Mode	Channel	IEEE 802.11 (Maximum 4 dBm) Antenna WPA													
		MINO 12M		MINO 12M		MINO 12M		MINO 12M		MINO 12M		MINO 12M		MINO 12M	
		IS_24T (Maximum)	IS_24T (Nominal)	IS_24T (Maximum)	IS_24T (Nominal)	IS_24T (Maximum)	IS_24T (Nominal)	IS_24T (Maximum)	IS_24T (Nominal)	IS_24T (Maximum)	IS_24T (Nominal)	IS_24T (Maximum)	IS_24T (Nominal)	IS_24T (Maximum)	IS_24T (Nominal)
5 GHz WPA 20 MHz Bandwidth	36	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	40	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	44	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	48	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	52	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	56	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	60	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	64	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	100	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	104	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	108	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	112	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	116	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	120	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	124	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	128	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
5 GHz WPA 40 MHz Bandwidth	36	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	40	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	44	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	48	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	52	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	56	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	60	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	64	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	100	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	104	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	108	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	112	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	116	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	120	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	124	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	128	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
5 GHz WPA 80 MHz Bandwidth	36	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	40	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	44	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	48	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	52	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	56	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	60	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	64	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	100	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	104	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	108	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	112	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	116	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	120	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	124	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00
	128	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00	13.00

Size	Channel	G11 802.11 (Maximum) (n dBm) - Antenna 902											
		SSO		SSD		SSO		SSD		SSO		SSD	
		SSO	SSD	SSO	SSD	SSO	SSD	SSO	SSD	SSO	SSD		
1 Gbit WDR 20 MHz Bandwidth	13_247 (Maximum)	52_267 (Maximum)	95_247 (Maximum)	146_247 (Maximum)	464_247 (Maximum)	464_247 (Maximum)	594_247 (Maximum)	694_247 (Maximum)	844_247 (Maximum)	844_247 (Maximum)	844_247 (Maximum)	844_247 (Maximum)	
	30	15.00	15.00	15.00	15.00								
	40	15.00	15.00	15.00	15.00	15.00							
	48	15.00	15.00	15.00	15.00	15.00							
	48	15.00	15.00	15.00	15.00	15.00							
	52	15.00	15.00	17.00	16.00								
	52	15.00	15.00	17.00	16.00								
	60	15.00	15.00	17.00	16.00								
	60	15.00	15.00	17.00	16.00								
	100	15.00	15.00	17.00	15.00								
	108	15.00	15.00	16.00	15.00								
	108	15.00	15.00	16.00	15.00								
	112	15.00	15.00	16.00	15.00								
	112	15.00	15.00	16.00	15.00								
	120	15.00	15.00	16.00	15.00								
	120	15.00	15.00	16.00	15.00								
	128	15.00	15.00	16.00	15.00								
	128	15.00	15.00	16.00	15.00								
	1 Gbit WDR 40 MHz Bandwidth	136	15.00	15.00	16.00	15.00							
		140	15.00	15.00	16.00	15.00							
140		15.00	15.00	16.00	15.00								
144		15.00	15.00	16.00	15.00								
144		15.00	15.00	16.00	15.00								
148		15.00	15.00	16.00	15.00								
148		15.00	15.00	16.00	15.00								
152		15.00	15.00	16.00	15.00								
152		15.00	15.00	16.00	15.00								
156		15.00	15.00	16.00	15.00								
156		15.00	15.00	16.00	15.00								
160		15.00	15.00	16.00	15.00								
160		15.00	15.00	16.00	15.00								
164		15.00	15.00	16.00	15.00								
164		15.00	15.00	16.00	15.00								
168		15.00	15.00	16.00	15.00								
168		15.00	15.00	16.00	15.00								
1 Gbit WDR 80 MHz Bandwidth		172	15.00	15.00	16.00	15.00							
		172	15.00	15.00	16.00	15.00							
		176	15.00	15.00	16.00	15.00							
	176	15.00	15.00	16.00	15.00								
	180	15.00	15.00	16.00	15.00								
	180	15.00	15.00	16.00	15.00								
	184	15.00	15.00	16.00	15.00								
	184	15.00	15.00	16.00	15.00								
	188	15.00	15.00	16.00	15.00								
	188	15.00	15.00	16.00	15.00								
5 Gbit WDR 160 MHz Bandwidth	192	15.00	15.00	16.00	15.00								
	192	15.00	15.00	16.00	15.00								
	196	15.00	15.00	16.00	15.00								
	196	15.00	15.00	16.00	15.00								

[illegible]

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 32 of 60

[illegible]

Size	Channel	S11 S12.1 (Maximum) (a diff.) (approx 302)													
		S50		S50		S50		S50		S50		S50		S50	
		S1_247 (Maximum)	S2_267 (Maximum)	S3_247 (Maximum)	S4_247 (Maximum)	S50_247 (Maximum)	S60_247 (Maximum)	S60_487 (Maximum)	S60_487 (Maximum)	S60_487 (Maximum)	S60_487_247 (Maximum)	S60_487_247 (Maximum)			
1 Giga W91 20 W91 Bandwidth	36	15.50		17.50		18.50									
	40	15.50		17.50		18.50									
	44	15.50	18.50	17.50		18.50									
	48	15.50	18.50	17.50		18.50									
	52	15.50	18.50	17.50		18.50									
	56	15.50	18.50	17.50		18.50									
	60	15.50	18.50	17.50		18.50									
	64	15.50	18.50	17.50		18.50									
	68	15.50	18.50	17.50		18.50									
	72	15.50	18.50	17.50		18.50									
	76	15.50	18.50	17.50		18.50									
	80	15.50	18.50	17.50		18.50									
	84	15.50	18.50	17.50		18.50									
	88	15.50	18.50	17.50		18.50									
	92	15.50	18.50	17.50		18.50									
	96	15.50	18.50	17.50		18.50									
1 Giga W91 40 W91 Bandwidth	100	15.50	18.50	17.50		18.50									
	104	15.50	18.50	17.50		18.50									
	108	15.50	18.50	17.50		18.50									
	112	15.50	18.50	17.50		18.50									
	116	15.50	18.50	17.50		18.50									
	120	15.50	18.50	17.50		18.50									
	124	15.50	18.50	17.50		18.50									
	128	15.50	18.50	17.50		18.50									
	132	15.50	18.50	17.50		18.50									
	136	15.50	18.50	17.50		18.50									
	140	15.50	18.50	17.50		18.50									
	144	15.50	18.50	17.50		18.50									
	148	15.50	18.50	17.50		18.50									
	152	15.50	18.50	17.50		18.50									
	156	15.50	18.50	17.50		18.50									
	160	15.50	18.50	17.50		18.50									
1 Giga W91 80 W91 Bandwidth	164	15.50	18.50	17.50		18.50									
	168	15.50	18.50	17.50		18.50									
	172	15.50	18.50	17.50		18.50									
	176	15.50	18.50	17.50		18.50									
	180	15.50	18.50	17.50		18.50									
	184	15.50	18.50	17.50		18.50									
5 Giga W91 160 W91 Bandwidth	188	15.50	18.50	17.50		18.50									
	192	15.50	18.50	17.50		18.50									
	196	15.50	18.50	17.50		18.50									
	200	15.50	18.50	17.50		18.50									
	204	15.50	18.50	17.50		18.50									
	208	15.50	18.50	17.50		18.50									

Model	ECE R62 R11 (Minimum) to R62 - Antenna W67														
	Channel	MMMO CSD		MMMO CSD		MMMO CSD		MMMO CSD		MMMO CSD		MMMO CSD		MMMO CSD	
		15_247 (Maximum)	15_247 (Nominal)	15_247 (Maximum)	15_247 (Nominal)	15_247 (Maximum)	15_247 (Nominal)	15_247 (Maximum)	15_247 (Nominal)	15_247 (Maximum)	15_247 (Nominal)	15_247 (Maximum)	15_247 (Nominal)	15_247 (Maximum)	15_247 (Nominal)
5 GHz W67 20 MHz Bandwidth	36	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	40	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	44	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	48	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	52	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	56	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	60	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	64	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	68	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	72	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	76	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	80	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	84	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	88	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	92	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	96	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
5 GHz W67 40 MHz Bandwidth	100	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	104	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	108	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	112	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	116	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	120	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	124	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	128	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	132	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	136	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	140	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	144	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	148	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	152	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	156	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	160	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
5 GHz W67 80 MHz Bandwidth	164	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	168	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	172	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	176	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
5 GHz W67 160 MHz Bandwidth	180	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	184	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	188	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	
	192	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	15.25	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 33 of 60



Mode	Channel	E12 802.11 (Measurement in dBm) - Antenna WP7									
		MIMO 2x4	MIMO 2x4	MIMO 2x4	MIMO 2x4	MIMO 2x4		MIMO 2x4	MIMO 2x4	MIMO 2x4	MIMO 2x4
		S2_247 (Measurement)	S2_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)		S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)
5 GHz WP7 20 MHz Bandwidth	36	13.00	13.00	13.00	13.00						
	40	13.70	13.70	13.70	13.70						
	44	13.70	13.70	13.70	13.70						
	48	13.00	13.00	13.70	13.70						
	52	13.00	13.00	13.70	13.70						
	56	13.00	13.00	13.70	13.70						
	60	13.00	13.00	13.00	13.00						
	64	13.70	13.70	13.70	13.70						
	100	13.00	13.00	13.00	13.00						
	104	13.00	13.00	13.70	13.70						
	108	13.00	13.00	13.00	13.00						
	112	13.00	13.00	13.00	13.00						
	116	13.00	13.00	13.00	13.00						
	120	13.70	13.70	13.00	13.00						
	124	13.00	13.00	13.00	13.00						
	128	13.00	13.00	13.70	13.70						
	132	13.00	13.00	13.70	13.70						
	136	13.00	13.00	13.00	13.00						
	140	13.00	13.00	13.00	13.00						
	144	13.00	13.00	13.00	13.00						
5 GHz WP7 40 MHz Bandwidth	36	13.00	13.00	13.00	13.00						
	40	13.00	13.00	13.00	13.00						
	54	13.00	13.00	13.70	13.70						
	102	13.00	13.00	13.00	13.00						
	106	13.00	13.00	13.00	13.00						
	110	13.00	13.00	13.00	13.00						
	114	13.00	13.00	13.00	13.00						
	118	13.00	13.00	13.00	13.00						
	122	13.00	13.00	13.00	13.00						
	126	13.00	13.00	13.00	13.00						
5 GHz WP7 80 MHz Bandwidth	102	13.00	13.00	13.00	13.00						
	106	13.00	13.00	13.00	13.00						
	110	13.00	13.00	13.00	13.00						
	114	13.00	13.00	13.00	13.00						
5 GHz WP7 160 MHz Bandwidth	102	13.00	13.00	13.00	13.00						
	114	13.00	13.00	13.00	13.00						

Mode	Channel	E12 802.11 (Measurement in dBm) - Antenna WP7B									
		S50	S50	S50	S50	S50		S50	S50	S50	S50
		S2_247 (Measurement)	S2_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)		S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)
5 GHz WP7B (30MHz EIRP) 5P	2	13.00	13.00	13.70	13.70						
	3	13.00	13.00	13.70	13.70						
	3.25	13.00	13.00	13.70	13.70						
	3.5	13.00	13.00	13.70	13.70						
	3.75	13.00	13.00	13.70	13.70						
	4	13.00	13.00	13.70	13.70						
	4.25	13.00	13.00	13.70	13.70						
	4.5	13.00	13.00	13.70	13.70						
	4.75	13.00	13.00	13.70	13.70						
	5	13.00	13.00	13.70	13.70						
5 GHz WP7B (30MHz EIRP) 5P	10	13.00	13.00	13.70	13.70						
	11	13.00	13.00	13.70	13.70						
	11.25	13.00	13.00	13.70	13.70						
	11.5	13.00	13.00	13.70	13.70						
	11.75	13.00	13.00	13.70	13.70						
	12	13.00	13.00	13.70	13.70						
	12.25	13.00	13.00	13.70	13.70						
	12.5	13.00	13.00	13.70	13.70						
	12.75	13.00	13.00	13.70	13.70						
	13	13.00	13.00	13.70	13.70						
5 GHz WP7B (30MHz EIRP) 5P	18	13.00	13.00	13.70	13.70						
	19	13.00	13.00	13.70	13.70						
	19.25	13.00	13.00	13.70	13.70						
	19.5	13.00	13.00	13.70	13.70						
	19.75	13.00	13.00	13.70	13.70						
	20	13.00	13.00	13.70	13.70						
	20.25	13.00	13.00	13.70	13.70						
	20.5	13.00	13.00	13.70	13.70						
	20.75	13.00	13.00	13.70	13.70						
	21	13.00	13.00	13.70	13.70						
5 GHz WP7B (30MHz EIRP) 5P	26	13.00	13.00	13.70	13.70						
	27	13.00	13.00	13.70	13.70						
	27.25	13.00	13.00	13.70	13.70						
	27.5	13.00	13.00	13.70	13.70						
	27.75	13.00	13.00	13.70	13.70						
	28	13.00	13.00	13.70	13.70						
	28.25	13.00	13.00	13.70	13.70						
	28.5	13.00	13.00	13.70	13.70						
	28.75	13.00	13.00	13.70	13.70						
	29	13.00	13.00	13.70	13.70						
5 GHz WP7B (30MHz EIRP) 5P	34	13.00	13.00	13.70	13.70						
	35	13.00	13.00	13.70	13.70						
	35.25	13.00	13.00	13.70	13.70						
	35.5	13.00	13.00	13.70	13.70						
	35.75	13.00	13.00	13.70	13.70						
	36	13.00	13.00	13.70	13.70						
	36.25	13.00	13.00	13.70	13.70						
	36.5	13.00	13.00	13.70	13.70						
	36.75	13.00	13.00	13.70	13.70						
	37	13.00	13.00	13.70	13.70						

Mode	Channel	E12 802.11 (Measurement) in dBm - Antenna WP7B															
		MIMO 2x2		MIMO 2x2		MIMO 2x2		MIMO 2x2		MIMO 2x2		MIMO 2x2		MIMO 2x2		MIMO 2x2	
		S2_247 (Measurement)	S2_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	S26_247 (Measurement)	
5 GHz WP7B (30MHz EIRP) 5P	2	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	3	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	3.25	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	3.5	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	3.75	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	4	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	4.25	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	4.5	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	4.75	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	5	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
5 GHz WP7B (30MHz EIRP) 5P	10	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	11	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	11.25	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	11.5	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	11.75	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	12	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	12.25	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	12.5	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	12.75	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	13	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
5 GHz WP7B (30MHz EIRP) 5P	18	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	19	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	19.25	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	19.5	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	19.75	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	20	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	20.25	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	20.5	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	20.75	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	21	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
5 GHz WP7B (30MHz EIRP) 5P	26	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	27	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	27.25	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	27.5	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	27.75	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	28	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	28.25	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	28.5	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	28.75	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	
	29	13.00	13.00	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	13.70	

Model	Channel	IEEE 802.11 (Measurement) in dBm - Antenna WP1A									
		MIMO 10M	MIMO 10M	MIMO 10M	MIMO 10M	MIMO 10M		MIMO 10M	MIMO 10M	MIMO 10M	MIMO 10M
		S2_247 (Measurement)	S2_247 (Measurement)	S2_247 (Measurement)	S2_247 (Measurement)	S2_247 (Measurement)		S2_247 (Measurement)	S2_247 (Measurement)	S2_247 (Measurement)	S2_247 (Measurement)
6 GHz Wi-Fi (60GHz ENE) LP	2	60	60	60	60						
	3	12.50	12.50	12.50	12.50						
	5	15.00	15.00	15.00	15.00						
	7	17.50	17.50	17.50	17.50						
	10.10	15.00	15.00	15.00	15.00						
	10.20	15.00	15.00	15.00	15.00						
	80	15.00	15.00	15.00	15.00						
	101.00	15.00	15.00	15.00	15.00						
	101.10	15.00	15.00	15.00	15.00						
	101.20	15.00	15.00	15.00	15.00						
6 GHz Wi-Fi (60GHz ENE) LP	81	15.00	15.00	15.00	15.00						
	82	15.00	15.00	15.00	15.00						
	83	15.00	15.00	15.00	15.00						
	84	15.00	15.00	15.00	15.00						
	85	15.00	15.00	15.00	15.00						
	86	15.00	15.00	15.00	15.00						
	87	15.00	15.00	15.00	15.00						
	88	15.00	15.00	15.00	15.00						
	89	15.00	15.00	15.00	15.00						
	90	15.00	15.00	15.00	15.00						
6 GHz Wi-Fi (60GHz ENE) LP	91	15.00	15.00	15.00	15.00						
	92	15.00	15.00	15.00	15.00						
	93	15.00	15.00	15.00	15.00						
	94	15.00	15.00	15.00	15.00						
	95	15.00	15.00	15.00	15.00						
	96	15.00	15.00	15.00	15.00						
	97	15.00	15.00	15.00	15.00						
	98	15.00	15.00	15.00	15.00						
	99	15.00	15.00	15.00	15.00						
	100	15.00	15.00	15.00	15.00						
6 GHz Wi-Fi (60GHz ENE) LP	101	15.00	15.00	15.00	15.00						
	102	15.00	15.00	15.00	15.00						
	103	15.00	15.00	15.00	15.00						
	104	15.00	15.00	15.00	15.00						
	105	15.00	15.00	15.00	15.00						
	106	15.00	15.00	15.00	15.00						
	107	15.00	15.00	15.00	15.00						
	108	15.00	15.00	15.00	15.00						
	109	15.00	15.00	15.00	15.00						
	110	15.00	15.00	15.00	15.00						

Model	Channel	IEEE 802.11 (Measurement) in dBm - Antenna WP1A									
		S10	S10	S10	S10	S10		S10	S10	S10	S10
		S2_247 (Measurement)	S2_247 (Measurement)	S2_247 (Measurement)	S2_247 (Measurement)	S2_247 (Measurement)		S2_247 (Measurement)	S2_247 (Measurement)	S2_247 (Measurement)	S2_247 (Measurement)
6 GHz Wi-Fi (60GHz ENE) LP	2	60	60	60	60						
	3	2.00	2.00	2.00	2.00						
	5	2.00	2.00	2.00	2.00						
	7	2.00	2.00	2.00	2.00						
	10.10	2.00	2.00	2.00	2.00						
	10.20	2.00	2.00	2.00	2.00						
	80	2.00	2.00	2.00	2.00						
	101.00	2.00	2.00	2.00	2.00						
	101.10	2.00	2.00	2.00	2.00						
	101.20	2.00	2.00	2.00	2.00						
6 GHz Wi-Fi (60GHz ENE) LP	81	2.00	2.00	2.00	2.00						
	82	2.00	2.00	2.00	2.00						
	83	2.00	2.00	2.00	2.00						
	84	2.00	2.00	2.00	2.00						
	85	2.00	2.00	2.00	2.00						
	86	2.00	2.00	2.00	2.00						
	87	2.00	2.00	2.00	2.00						
	88	2.00	2.00	2.00	2.00						
	89	2.00	2.00	2.00	2.00						
	90	2.00	2.00	2.00	2.00						
6 GHz Wi-Fi (60GHz ENE) LP	91	2.00	2.00	2.00	2.00						
	92	2.00	2.00	2.00	2.00						
	93	2.00	2.00	2.00	2.00						
	94	2.00	2.00	2.00	2.00						
	95	2.00	2.00	2.00	2.00						
	96	2.00	2.00	2.00	2.00						
	97	2.00	2.00	2.00	2.00						
	98	2.00	2.00	2.00	2.00						
	99	2.00	2.00	2.00	2.00						
	100	2.00	2.00	2.00	2.00						
6 GHz Wi-Fi (60GHz ENE) LP	101	2.00	2.00	2.00	2.00						
	102	2.00	2.00	2.00	2.00						
	103	2.00	2.00	2.00	2.00						
	104	2.00	2.00	2.00	2.00						
	105	2.00	2.00	2.00	2.00						
	106	2.00	2.00	2.00	2.00						
	107	2.00	2.00	2.00	2.00						
	108	2.00	2.00	2.00	2.00						
	109	2.00	2.00	2.00	2.00						
	110	2.00	2.00	2.00	2.00						

Site ID	Channel	IEEE 802.11 (Measurements) in dBm - Antenna WP1B									
		MIMO C50	MIMO C50	MIMO C50	MIMO C50	MIMO C50		MIMO C50	MIMO C50	MIMO C50	MIMO C50
		S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)
6 GHz Wi-Fi (Channel 50) LP	2	60	60	60	60						
	3	-0.50	-0.50	-0.50	-0.50						
	5	-0.50	-0.50	-0.50	-0.50						
	7	-0.50	-0.50	-0.50	-0.50						
	10.10	-1.00	-1.00	-1.00	-1.00						
	10.20	-1.00	-1.00	-1.00	-1.00						
	80	-1.00	-1.00	-1.00	-1.00						
	101.00	-1.00	-1.00	-1.00	-1.00						
	101.10	-1.00	-1.00	-1.00	-1.00						
	101.20	-1.00	-1.00	-1.00	-1.00						
6 GHz Wi-Fi (Channel 50) LP	81	-1.00	-1.00	-1.00	-1.00						
	82	-1.00	-1.00	-1.00	-1.00						
	83	-1.00	-1.00	-1.00	-1.00						
	84	-1.00	-1.00	-1.00	-1.00						
	85	-1.00	-1.00	-1.00	-1.00						
	86	-1.00	-1.00	-1.00	-1.00						
	87	-1.00	-1.00	-1.00	-1.00						
	88	-1.00	-1.00	-1.00	-1.00						
	89	-1.00	-1.00	-1.00	-1.00						
	90	-1.00	-1.00	-1.00	-1.00						
6 GHz Wi-Fi (Channel 50) LP	91	-1.00	-1.00	-1.00	-1.00						
	92	-1.00	-1.00	-1.00	-1.00						
	93	-1.00	-1.00	-1.00	-1.00						
	94	-1.00	-1.00	-1.00	-1.00						
	95	-1.00	-1.00	-1.00	-1.00						
	96	-1.00	-1.00	-1.00	-1.00						
	97	-1.00	-1.00	-1.00	-1.00						
	98	-1.00	-1.00	-1.00	-1.00						
	99	-1.00	-1.00	-1.00	-1.00						
	100	-1.00	-1.00	-1.00	-1.00						
6 GHz Wi-Fi (Channel 50) LP	101	-1.00	-1.00	-1.00	-1.00						
	102	-1.00	-1.00	-1.00	-1.00						
	103	-1.00	-1.00	-1.00	-1.00						
	104	-1.00	-1.00	-1.00	-1.00						
	105	-1.00	-1.00	-1.00	-1.00						
	106	-1.00	-1.00	-1.00	-1.00						
	107	-1.00	-1.00	-1.00	-1.00						
	108	-1.00	-1.00	-1.00	-1.00						
	109	-1.00	-1.00	-1.00	-1.00						
	110	-1.00	-1.00	-1.00	-1.00						
6 GHz Wi-Fi (Channel 50) LP	111	-1.00	-1.00	-1.00	-1.00						
	112	-1.00	-1.00	-1.00	-1.00						
	113	-1.00	-1.00	-1.00	-1.00						
	114	-1.00	-1.00	-1.00	-1.00						
	115	-1.00	-1.00	-1.00	-1.00						
	116	-1.00	-1.00	-1.00	-1.00						
	117	-1.00	-1.00	-1.00	-1.00						
	118	-1.00	-1.00	-1.00	-1.00						
	119	-1.00	-1.00	-1.00	-1.00						
	120	-1.00	-1.00	-1.00	-1.00						

[illegible]

Klasa	Channel	101.800.11 (MHz) - 11.01 - Antena M8K									
		Frequencies									
		550	550	550	550	550	550	550	550	550	550
C klas W55 (satellite W55) VLF	2	12,341 (Monitors)	52,341 (Monitors)	125,341 (Monitors)	155,341 (Monitors)	484,341 (Monitors)	484,341 (Monitors)	194,341 (Monitors)	550,484 (Monitors)	194,484,341 (Monitors)	550,484,341 (Monitors)
	3	55	55	55	55						
	4	55	55	55	55						
	5	55	55	55	55						
	6	55	55	55	55						
	7	55	55	55	55						
	8	55	55	55	55						
	9	55	55	55	55						
	10	55	55	55	55						
	11	55	55	55	55						
C klas W55 (satellite W55) VLF	12	55	55	55	55						
	13	55	55	55	55						
	14	55	55	55	55						
	15	55	55	55	55						
	16	55	55	55	55						
	17	55	55	55	55						
	18	55	55	55	55						
	19	55	55	55	55						
	20	55	55	55	55						
	21	55	55	55	55						
C klas W55 (satellite W55) VLF	22	55	55	55	55						
	23	55	55	55	55						
	24	55	55	55	55						
	25	55	55	55	55						
	26	55	55	55	55						
	27	55	55	55	55						
	28	55	55	55	55						
	29	55	55	55	55						
	30	55	55	55	55						
	31	55	55	55	55						
C klas W55 (satellite W55) VLF	32	55	55	55	55						
	33	55	55	55	55						
	34	55	55	55	55						
	35	55	55	55	55						
	36	55	55	55	55						
	37	55	55	55	55						
	38	55	55	55	55						
	39	55	55	55	55						
	40	55	55	55	55						
	41	55	55	55	55						
C klas W55 (satellite W55) VLF	42	55	55	55	55						
	43	55	55	55	55						
	44	55	55	55	55						
	45	55	55	55	55						
	46	55	55	55	55						
	47	55	55	55	55						
	48	55	55	55	55						
	49	55	55	55	55						
	50	55	55	55	55						
	51	55	55	55	55						

[illegible][illegible]

Mode	Channel	E11 E12.11 (Measure) in dBm - Average WTR									
		S50	S50	S50	S50	Totals		S50	S50	S50	S50
		S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)
6 GHz WTR (Spectrum WTR) LP	2	90	90	90	90						
	3	3.10	3.10	3.10	3.10						
	5	3.10	3.10	3.10	3.10						
	9.00	3.10	3.10	3.10	3.10						
	13.00	3.10	3.10	3.10	3.10						
	17.00	3.10	3.10	3.10	3.10						
	21.00	3.10	3.10	3.10	3.10						
	25.00	3.10	3.10	3.10	3.10						
	29.00	3.10	3.10	3.10	3.10						
	33.00	3.10	3.10	3.10	3.10						
	37.00	3.10	3.10	3.10	3.10						
	41.00	3.10	3.10	3.10	3.10						
	45.00	3.10	3.10	3.10	3.10						
	49.00	3.10	3.10	3.10	3.10						
	53.00	3.10	3.10	3.10	3.10						
6 GHz WTR (Spectrum WTR) LP	57.00	3.10	3.10	3.10	3.10						
	61.00	3.10	3.10	3.10	3.10						
	65.00	3.10	3.10	3.10	3.10						
	69.00	3.10	3.10	3.10	3.10						
	73.00	3.10	3.10	3.10	3.10						
	77.00	3.10	3.10	3.10	3.10						
	81.00	3.10	3.10	3.10	3.10						
	85.00	3.10	3.10	3.10	3.10						
	89.00	3.10	3.10	3.10	3.10						
	93.00	3.10	3.10	3.10	3.10						
	97.00	3.10	3.10	3.10	3.10						
	101.00	3.10	3.10	3.10	3.10						
	105.00	3.10	3.10	3.10	3.10						
	109.00	3.10	3.10	3.10	3.10						
	113.00	3.10	3.10	3.10	3.10						
6 GHz WTR (Spectrum WTR) LP	117.00	3.10	3.10	3.10	3.10						
	121.00	3.10	3.10	3.10	3.10						
	125.00	3.10	3.10	3.10	3.10						
	129.00	3.10	3.10	3.10	3.10						
	133.00	3.10	3.10	3.10	3.10						
	137.00	3.10	3.10	3.10	3.10						
	141.00	3.10	3.10	3.10	3.10						
	145.00	3.10	3.10	3.10	3.10						
	149.00	3.10	3.10	3.10	3.10						
	153.00	3.10	3.10	3.10	3.10						
	157.00	3.10	3.10	3.10	3.10						
	161.00	3.10	3.10	3.10	3.10						
	165.00	3.10	3.10	3.10	3.10						
	169.00	3.10	3.10	3.10	3.10						
	173.00	3.10	3.10	3.10	3.10						
6 GHz WTR (Spectrum WTR) LP	177.00	3.10	3.10	3.10	3.10						
	181.00	3.10	3.10	3.10	3.10						
	185.00	3.10	3.10	3.10	3.10						
	189.00	3.10	3.10	3.10	3.10						
	193.00	3.10	3.10	3.10	3.10						
	197.00	3.10	3.10	3.10	3.10						
	201.00	3.10	3.10	3.10	3.10						
	205.00	3.10	3.10	3.10	3.10						
	209.00	3.10	3.10	3.10	3.10						
	213.00	3.10	3.10	3.10	3.10						
	217.00	3.10	3.10	3.10	3.10						
	221.00	3.10	3.10	3.10	3.10						
	225.00	3.10	3.10	3.10	3.10						
	229.00	3.10	3.10	3.10	3.10						
	233.00	3.10	3.10	3.10	3.10						

Mode	Channel	E11 E12.11 (Measure) in dBm - Average WTR									
		MWMD CSD	MWMD CSD	MWMD CSD	MWMD CSD	Totals		MWMD CSD	MWMD CSD	MWMD CSD	MWMD CSD
		S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)
6 GHz WTR (Spectrum WTR) LP	2	0.00	0.00	0.00	0.00						
	3	-2.10	-2.10	-2.10	-2.10						
	5	-2.10	-2.10	-2.10	-2.10						
	9.00	-2.10	-2.10	-2.10	-2.10						
	13.00	-2.10	-2.10	-2.10	-2.10						
	17.00	-2.10	-2.10	-2.10	-2.10						
	21.00	-2.10	-2.10	-2.10	-2.10						
	25.00	-2.10	-2.10	-2.10	-2.10						
	29.00	-2.10	-2.10	-2.10	-2.10						
	33.00	-2.10	-2.10	-2.10	-2.10						
	37.00	-2.10	-2.10	-2.10	-2.10						
	41.00	-2.10	-2.10	-2.10	-2.10						
	45.00	-2.10	-2.10	-2.10	-2.10						
	49.00	-2.10	-2.10	-2.10	-2.10						
	53.00	-2.10	-2.10	-2.10	-2.10						
6 GHz WTR (Spectrum WTR) LP	57.00	-2.10	-2.10	-2.10	-2.10						
	61.00	-2.10	-2.10	-2.10	-2.10						
	65.00	-2.10	-2.10	-2.10	-2.10						
	69.00	-2.10	-2.10	-2.10	-2.10						
	73.00	-2.10	-2.10	-2.10	-2.10						
	77.00	-2.10	-2.10	-2.10	-2.10						
	81.00	-2.10	-2.10	-2.10	-2.10						
	85.00	-2.10	-2.10	-2.10	-2.10						
	89.00	-2.10	-2.10	-2.10	-2.10						
	93.00	-2.10	-2.10	-2.10	-2.10						
	97.00	-2.10	-2.10	-2.10	-2.10						
	101.00	-2.10	-2.10	-2.10	-2.10						
	105.00	-2.10	-2.10	-2.10	-2.10						
	109.00	-2.10	-2.10	-2.10	-2.10						
	113.00	-2.10	-2.10	-2.10	-2.10						
6 GHz WTR (Spectrum WTR) LP	117.00	-2.10	-2.10	-2.10	-2.10						
	121.00	-2.10	-2.10	-2.10	-2.10						
	125.00	-2.10	-2.10	-2.10	-2.10						
	129.00	-2.10	-2.10	-2.10	-2.10						
	133.00	-2.10	-2.10	-2.10	-2.10						
	137.00	-2.10	-2.10	-2.10	-2.10						
	141.00	-2.10	-2.10	-2.10	-2.10						
	145.00	-2.10	-2.10	-2.10	-2.10						
	149.00	-2.10	-2.10	-2.10	-2.10						
	153.00	-2.10	-2.10	-2.10	-2.10						
	157.00	-2.10	-2.10	-2.10	-2.10						
	161.00	-2.10	-2.10	-2.10	-2.10						
	165.00	-2.10	-2.10	-2.10	-2.10						
	169.00	-2.10	-2.10	-2.10	-2.10						
	173.00	-2.10	-2.10	-2.10	-2.10						
6 GHz WTR (Spectrum WTR) LP	177.00	-2.10	-2.10	-2.10	-2.10						
	181.00	-2.10	-2.10	-2.10	-2.10						
	185.00	-2.10	-2.10	-2.10	-2.10						
	189.00	-2.10	-2.10	-2.10	-2.10						
	193.00	-2.10	-2.10	-2.10	-2.10						
	197.00	-2.10	-2.10	-2.10	-2.10						
	201.00	-2.10	-2.10	-2.10	-2.10						
	205.00	-2.10	-2.10	-2.10	-2.10						
	209.00	-2.10	-2.10	-2.10	-2.10						
	213.00	-2.10	-2.10	-2.10	-2.10						
	217.00	-2.10	-2.10	-2.10	-2.10						
	221.00	-2.10	-2.10	-2.10	-2.10						
	225.00	-2.10	-2.10	-2.10	-2.10						
	229.00	-2.10	-2.10	-2.10	-2.10						
	233.00	-2.10	-2.10	-2.10	-2.10						
	237.00	-2.10	-2.10	-2.10	-2.10						

Mode	Channel	E11 E12.11 (Measure) in dBm - Average WTR									
		MWMD CSD	MWMD CSD	MWMD CSD	MWMD CSD	Totals		MWMD CSD	MWMD CSD	MWMD CSD	MWMD CSD
		S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S2_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)	S447_247 (Measure)
6 GHz WTR (Spectrum WTR) LP	2	0.00	0.00	0.00	0.00						
	3	0.00	0.00	0.00	0.00						
	5	0.00	0.00	0.00	0.00						
	9.00	0.00	0.00	0.00	0.00						
	13.00	0.00	0.00	0.00	0.00						
	17.00	0.00	0.00	0.00	0.00						
	21.00	0.00	0.00	0.00	0.00						
	25.00	0.00	0.00	0.00	0.00						
	29.00	0.00	0.00	0.00	0.00						
	33.00	0.00	0.00	0.00	0.00						
6 GHz WTR (Spectrum WTR) LP	37	0.00	0.00	0.00	0.00						
	41	0.00	0.00	0.00	0.00						
	45	0.00	0.00	0.00	0.00						
	49	0.00	0.00	0.00	0.00						
	53	0.00	0.00	0.00	0.00						
	57	0.00	0.00	0.00	0.00						
	61	0.00	0.00	0.00	0.00						
	65	0.00	0.00	0.00	0.00						
	69	0.00	0.00	0.00	0.00						
	73	0.00	0.00	0.00	0.00						
6 GHz WTR (Spectrum WTR) LP	77	0.00	0.00	0.00	0.00						
	81	0.00	0.00	0.00	0.00						
	85	0.00	0.00	0.00	0.00						
	89	0.00	0.00	0.00	0.00						
	93	0.00	0.00	0.00	0.00						
	97	0.00	0.00	0.00	0.00						
	101	0.00	0.00	0.00	0.00						
	105	0.00	0.00	0.00	0.00						
	109	0.00	0.00	0.00	0.00						
	113	0.00	0.00	0.00	0.00						
6 GHz WTR (Spectrum WTR) LP	117	0.00	0.00	0.00	0.00						
	121	0.00	0.00	0.00	0.00						
	125	0.00	0.00	0.00	0.00						
	129	0.00	0.00	0.00	0.00						
	133	0.00	0.00	0.00	0.00						
	137	0.00	0.00	0.00	0.00						
	141	0.00	0.00	0.00	0.00						
	145	0.00	0.00	0.00	0.00						
	149	0.00	0.00	0.00	0.00						
	153	0.00	0.00	0.00	0.00						

[illegible][illegible]

Size	Channel	S11 88.1 (30MHz) (x diff) Antenna 902									
		S50	S50	S50	S50	S50	S50	S50	S50	S50	S50
4 Gbit/sec (Channel 902) VLP	1	S1_247 (Measured)	S1_247 (Measured)	S1_247 (Measured)	S1_247 (Measured)	4847_247 (Measured)	4847_247 (Measured)	4947_247 (Measured)	5047_247 (Measured)	5147_247 (Measured)	5247_247 (Measured)
	2	80	80	80	80						
	3	80	80	80	80						
	4	80	80	80	80						
	5	80	80	80	80						
	6	80	80	80	80						
	7	80	80	80	80						
	8	80	80	80	80						
	9	80	80	80	80						
	10	80	80	80	80						
	11	80	80	80	80						
	12	80	80	80	80						
	13	80	80	80	80						
	14	80	80	80	80						
	15	80	80	80	80						
4 Gbit/sec (Channel 902) VLP	16	80	80	80	80						
	17	80	80	80	80						
	18	80	80	80	80						
	19	80	80	80	80						
	20	80	80	80	80						
	21	80	80	80	80						
	22	80	80	80	80						
	23	80	80	80	80						
	24	80	80	80	80						
	25	80	80	80	80						
	26	80	80	80	80						
	27	80	80	80	80						
	28	80	80	80	80						
	29	80	80	80	80						
	30	80	80	80	80						
4 Gbit/sec (Channel 902) VLP	31	80	80	80	80						
	32	80	80	80	80						
	33	80	80	80	80						
	34	80	80	80	80						
	35	80	80	80	80						
	36	80	80	80	80						
	37	80	80	80	80						
	38	80	80	80	80						
	39	80	80	80	80						
	40	80	80	80	80						
	41	80	80	80	80						
	42	80	80	80	80						
	43	80	80	80	80						
	44	80	80	80	80						
	45	80	80	80	80						
4 Gbit/sec (Channel 902) VLP	46	80	80	80	80						
	47	80	80	80	80						
	48	80	80	80	80						
	49	80	80	80	80						
	50	80	80	80	80						
	51	80	80	80	80						
	52	80	80	80	80						
	53	80	80	80	80						
	54	80	80	80	80						
	55	80	80	80	80						
	56	80	80	80	80						
	57	80	80	80	80						
	58	80	80	80	80						
	59	80	80	80	80						
	60	80	80	80	80						

Mode	Channel	EIRP 802.11 (Measurement) in dBm - Reference 80T									
		MINIMO CSD		MINIMO CSD		MINIMO CSD		MINIMO CSD		MINIMO CSD	
		52_247 (Measurement)	52_247 (Reference)	52_247 (Measurement)	52_247 (Reference)	52_247 (Measurement)	52_247 (Reference)	52_247 (Measurement)	52_247 (Reference)	52_247 (Measurement)	52_247 (Reference)
E-GSM-RS (800MHz 80T) VLP	2	60	60	60	60	60	60	60	60	60	60
	3	60	60	60	60	60	60	60	60	60	60
	4	60	60	60	60	60	60	60	60	60	60
	5	60	60	60	60	60	60	60	60	60	60
	6	60	60	60	60	60	60	60	60	60	60
	7	60	60	60	60	60	60	60	60	60	60
	8	60	60	60	60	60	60	60	60	60	60
	9	60	60	60	60	60	60	60	60	60	60
	10	60	60	60	60	60	60	60	60	60	60
	11	60	60	60	60	60	60	60	60	60	60
E-GSM-RS (800MHz 80T) VLP	12	60	60	60	60	60	60	60	60	60	60
	13	60	60	60	60	60	60	60	60	60	60
	14	60	60	60	60	60	60	60	60	60	60
	15	60	60	60	60	60	60	60	60	60	60
	16	60	60	60	60	60	60	60	60	60	60
	17	60	60	60	60	60	60	60	60	60	60
	18	60	60	60	60	60	60	60	60	60	60
	19	60	60	60	60	60	60	60	60	60	60
	20	60	60	60	60	60	60	60	60	60	60
	21	60	60	60	60	60	60	60	60	60	60
E-GSM-RS (800MHz 80T) VLP	22	60	60	60	60	60	60	60	60	60	60
	23	60	60	60	60	60	60	60	60	60	60
	24	60	60	60	60	60	60	60	60	60	60
	25	60	60	60	60	60	60	60	60	60	60
	26	60	60	60	60	60	60	60	60	60	60
	27	60	60	60	60	60	60	60	60	60	60
	28	60	60	60	60	60	60	60	60	60	60
	29	60	60	60	60	60	60	60	60	60	60
	30	60	60	60	60	60	60	60	60	60	60
	31	60	60	60	60	60	60	60	60	60	60
E-GSM-RS (800MHz 80T) VLP	32	60	60	60	60	60	60	60	60	60	60
	33	60	60	60	60	60	60	60	60	60	60
	34	60	60	60	60	60	60	60	60	60	60
	35	60	60	60	60	60	60	60	60	60	60
	36	60	60	60	60	60	60	60	60	60	60
	37	60	60	60	60	60	60	60	60	60	60
	38	60	60	60	60	60	60	60	60	60	60
	39	60	60	60	60	60	60	60	60	60	60
	40	60	60	60	60	60	60	60	60	60	60
	41	60	60	60	60	60	60	60	60	60	60

Mode	Channel	EIRP 802.11 (Measurement) in dBm - Reference 80T									
		MINIMO GSM		MINIMO GSM		MINIMO GSM		MINIMO GSM		MINIMO GSM	
		52_247 (Measurement)	52_247 (Reference)	52_247 (Measurement)	52_247 (Reference)	52_247 (Measurement)	52_247 (Reference)	52_247 (Measurement)	52_247 (Reference)	52_247 (Measurement)	52_247 (Reference)
E-GSM-RS (800MHz 80T) VLP	2	60	60	60	60	60	60	60	60	60	60
	3	60	60	60	60	60	60	60	60	60	60
	4	60	60	60	60	60	60	60	60	60	60
	5	60	60	60	60	60	60	60	60	60	60
	6	60	60	60	60	60	60	60	60	60	60
	7	60	60	60	60	60	60	60	60	60	60
	8	60	60	60	60	60	60	60	60	60	60
	9	60	60	60	60	60	60	60	60	60	60
	10	60	60	60	60	60	60	60	60	60	60
	11	60	60	60	60	60	60	60	60	60	60
E-GSM-RS (800MHz 80T) VLP	12	60	60	60	60	60	60	60	60	60	60
	13	60	60	60	60	60	60	60	60	60	60
	14	60	60	60	60	60	60	60	60	60	60
	15	60	60	60	60	60	60	60	60	60	60
	16	60	60	60	60	60	60	60	60	60	60
	17	60	60	60	60	60	60	60	60	60	60
	18	60	60	60	60	60	60	60	60	60	60
	19	60	60	60	60	60	60	60	60	60	60
	20	60	60	60	60	60	60	60	60	60	60
	21	60	60	60	60	60	60	60	60	60	60
E-GSM-RS (800MHz 80T) VLP	22	60	60	60	60	60	60	60	60	60	60
	23	60	60	60	60	60	60	60	60	60	60
	24	60	60	60	60	60	60	60	60	60	60
	25	60	60	60	60	60	60	60	60	60	60
	26	60	60	60	60	60	60	60	60	60	60
	27	60	60	60	60	60	60	60	60	60	60
	28	60	60	60	60	60	60	60	60	60	60
	29	60	60	60	60	60	60	60	60	60	60
	30	60	60	60	60	60	60	60	60	60	60
	31	60	60	60	60	60	60	60	60	60	60
E-GSM-RS (800MHz 80T) VLP	32	60	60	60	60	60	60	60	60	60	60
	33	60	60	60	60	60	60	60	60	60	60
	34	60	60	60	60	60	60	60	60	60	60
	35	60	60	60	60	60	60	60	60	60	60
	36	60	60	60	60	60	60	60	60	60	60
	37	60	60	60	60	60	60	60	60	60	60
	38	60	60	60	60	60	60	60	60	60	60
	39	60	60	60	60	60	60	60	60	60	60
	40	60	60	60	60	60	60	60	60	60	60
	41	60	60	60	60	60	60	60	60	60	60

G.3 IEEE 802.11ax RU Target Powers

Table G-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF8

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.63	11.72	11.80
2437	6	26T	12.43	12.29	12.33
2462	11	26T	12.29	12.40	11.51
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	11.68	11.96	11.63
2437	6	52T	15.12	15.15	15.45
2462	11	52T	12.26	12.45	11.86

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 42 of 60

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	11.84	11.87	
2437	6	106T	18.18	17.97	
2462	11	106T	12.32	12.32	

Table G-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF7

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.95	11.81	11.78
2437	6	26T	11.55	11.82	11.96
2462	11	26T	11.94	11.99	11.97
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	12.09	12.02	11.89
2437	6	52T	14.77	14.90	14.80
2462	11	52T	12.44	12.33	12.24
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	12.03	11.90	
2437	6	106T	17.74	17.92	
2462	11	106T	12.34	12.13	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 43 of 60

Table G-3
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF9

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.90	11.74	11.69
2437	6	26T	11.92	11.81	11.90
2462	11	26T	11.89	11.76	11.96
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	11.96	11.94	11.84
2437	6	52T	14.96	14.77	14.93
2462	11	52T	12.38	12.35	12.27
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	11.92	11.81	
2437	6	106T	17.67	17.60	
2462	11	106T	12.15	12.43	

Table G-4
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	9.55	10.63	9.77
		5200	40	26T	9.61	10.56	9.70
		5220	44	26T	9.53	10.48	9.67
		5240	48	26T	9.57	10.59	9.65
	3	5745	149	26T	9.68	10.62	9.60
		5785	157	26T	9.60	10.54	9.58
		5825	165	26T	9.68	10.56	9.61

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 44 of 60

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	1	5180	36	52T	12.89	13.34	13.01
		5200	40	52T	12.92	13.31	12.98
		5220	44	52T	12.77	13.25	12.97
		5240	48	52T	12.88	13.28	13.00
	2A	5260	52	52T	12.80	13.31	12.88
		5280	56	52T	12.85	13.25	12.92
		5300	60	52T	12.77	13.17	12.90
		5320	64	52T	12.89	13.35	12.99
	2C	5500	100	52T	12.74	13.11	12.78
		5600	120	52T	12.90	13.19	12.85
		5580	124	52T	12.61	12.97	12.58
		5720	144	52T	12.76	13.10	12.70
	3	5745	149	52T	12.85	13.20	12.84
		5785	157	52T	12.81	13.17	12.82
		5825	165	52T	12.82	13.18	12.78
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	1	5180	36	106T	15.63	15.80	
		5200	40	106T	16.11	16.18	
		5220	44	106T	16.01	16.14	
		5240	48	106T	16.00	16.15	
	2A	5260	52	106T	16.01	16.09	
		5280	56	106T	15.95	16.11	
		5300	60	106T	15.94	16.00	
		5320	64	106T	15.57	15.60	
	2C	5500	100	106T	13.24	13.29	
		5600	120	106T	15.79	15.81	
		5620	124	106T	15.60	15.67	
		5720	144	106T	15.77	15.73	
	3	5745	149	106T	15.81	15.85	
		5785	157	106T	15.84	15.82	
		5825	165	106T	15.78	15.81	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 45 of 60

Table G-5
Maximum 5 GHz 802.11ax RU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	9.92	10.75	10.06
		5200	40	26T	9.93	10.84	9.92
		5220	44	26T	9.92	10.89	10.07
		5240	48	26T	9.98	10.83	10.09
	3	5745	149	26T	9.57	10.30	9.58
		5785	157	26T	9.59	10.34	9.51
		5825	165	26T	9.56	10.33	9.59
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	13.02	13.41	13.01
		5200	40	52T	12.96	13.36	13.05
		5220	44	52T	12.99	13.37	13.05
		5240	48	52T	13.09	13.47	13.28
	2A	5260	52	52T	13.06	13.46	13.12
		5280	56	52T	13.01	13.49	13.19
		5300	60	52T	13.08	13.44	13.13
		5320	64	52T	12.99	13.47	13.13
	2C	5500	100	52T	12.60	12.99	12.63
		5600	120	52T	12.73	13.12	12.70
		5580	124	52T	12.66	12.90	12.59
		5720	144	52T	12.65	12.98	12.61
	3	5745	149	52T	12.61	12.94	12.55
		5785	157	52T	12.75	13.01	12.62
		5825	165	52T	12.70	13.02	12.60
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	15.08	15.14	
		5200	40	106T	15.17	15.16	
		5220	44	106T	15.09	15.23	
		5240	48	106T	15.05	15.17	
	2A	5260	52	106T	15.67	15.79	
		5280	56	106T	15.69	15.75	
		5300	60	106T	15.67	15.77	
		5320	64	106T	14.91	15.02	
	2C	5500	100	106T	12.83	12.79	
		5600	120	106T	14.12	14.08	
		5620	124	106T	14.10	14.07	
		5720	144	106T	14.14	14.15	
	3	5745	149	106T	15.67	15.66	
		5785	157	106T	15.70	15.69	
		5825	165	106T	15.72	15.68	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 46 of 60

Table G-6
Maximum 5 GHz 802.11ax RU Output Power – Ant WF7

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	9.14	9.98	9.13
		5200	40	26T	9.15	9.05	9.21
		5220	44	26T	9.02	9.89	9.14
		5240	48	26T	9.19	9.92	9.34
	3	5745	149	26T	9.01	9.80	9.02
		5785	157	26T	9.07	9.86	9.04
		5825	165	26T	9.01	9.84	9.09
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	12.33	12.70	12.18
		5200	40	52T	12.51	12.82	12.39
		5220	44	52T	12.10	12.54	12.35
		5240	48	52T	12.21	12.81	12.50
	2A	5260	52	52T	12.38	12.74	12.48
		5280	56	52T	12.37	12.84	12.44
		5300	60	52T	12.34	12.71	12.48
		5320	64	52T	12.33	12.66	12.26
	2C	5500	100	52T	12.45	12.87	12.50
		5600	120	52T	12.40	12.70	12.33
		5580	124	52T	12.37	12.64	12.26
		5720	144	52T	12.27	12.55	12.21
	3	5745	149	52T	12.08	12.45	12.06
		5785	157	52T	12.11	12.53	12.10
		5825	165	52T	12.22	12.46	12.12
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	14.89	14.94	
		5200	40	106T	15.51	15.53	
		5220	44	106T	15.31	15.50	
		5240	48	106T	15.41	15.73	
	2A	5260	52	106T	15.60	15.66	
		5280	56	106T	15.60	15.67	
		5300	60	106T	15.66	15.64	
		5320	64	106T	14.98	15.04	
	2C	5500	100	106T	12.86	12.85	
		5600	120	106T	15.23	15.12	
		5620	124	106T	15.18	15.12	
		5720	144	106T	15.01	15.05	
	3	5745	149	106T	15.01	15.13	
		5785	157	106T	15.17	15.13	
		5825	165	106T	15.24	15.08	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 47 of 60

Table G-7
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	9.18	9.18	9.17
		6175	45	26T	9.28	9.28	9.27
		6195	49	26T	9.13	8.92	9.02
		6415	93	26T	8.85	8.96	9.08
	6	6435	97	26T	-2.04	-1.44	-2.08
		6475	105	26T	-1.81	-1.37	-1.82
		6515	113	26T	-2.09	-1.32	-2.14
	7	6535	117	26T	6.69	7.48	6.55
		6695	149	26T	6.95	7.76	6.86
		6875	185	26T	-2.05	-2.07	-2.07
	8	6895	189	26T	-2.03	-1.99	-2.08
		6995	209	26T	-2.08	-2.35	-2.24
		7015	213	26T	-2.88	-2.15	-2.73
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	11.70	11.91	11.56
		6195	49	52T	11.66	12.03	11.65
		6415	93	52T	11.48	11.90	11.44
	6	6435	97	52T	0.85	1.20	0.81
		6475	105	52T	1.05	1.39	1.07
		6515	113	52T	0.82	1.14	0.81
	7	6535	117	52T	9.81	10.15	9.68
		6695	149	52T	10.15	10.49	10.05
		6875	185	52T	0.79	0.90	0.73
	8	6895	189	52T	0.41	0.38	0.35
		6995	209	52T	0.74	0.79	0.64
		7015	213	52T	0.54	0.78	0.76
		7115	233	52T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	5	5955	1	106T	14.68	14.65	
		6175	45	106T	14.65	14.60	
		6195	49	106T	14.55	14.47	
		6415	93	106T	13.61	13.64	
	6	6435	97	106T	3.26	3.19	
		6475	105	106T	3.29	3.25	
		6515	113	106T	3.18	3.11	
	7	6535	117	106T	11.99	11.87	
		6695	149	106T	12.26	12.23	
		6875	185	106T	3.33	3.27	
	8	6895	189	106T	3.10	3.15	
		6995	209	106T	2.83	2.73	
		7015	213	106T	2.67	2.83	
		7115	233	106T	NS	NS	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 48 of 60

Table G-8
Maximum 6 GHz 802.11ax RU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	5	5955	1	26T	9.01	9.83	9.00
		6175	45	26T	9.05	9.94	9.07
		6195	49	26T	9.09	9.88	9.01
		6415	93	26T	9.06	9.82	9.06
	6	6435	97	26T	-0.96	-0.05	-0.92
		6475	105	26T	-0.69	0.20	-0.60
		6515	113	26T	-0.37	0.15	-0.27
7	6535	117	26T	7.55	8.31	7.50	
	6695	149	26T	7.62	8.41	7.60	
	6875	185	26T	-1.62	-0.82	-1.73	
8	6895	189	26T	-1.04	-0.21	-1.22	
	6995	209	26T	-1.76	-0.97	-1.95	
	7015	213	26T	-2.00	-1.22	-2.00	
	7115	233	26T	NS	NS	NS	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	10.24	10.64	10.23
		6195	49	52T	10.24	10.57	10.27
		6415	93	52T	9.91	10.22	9.90
	6	6435	97	52T	2.04	2.41	2.08
		6475	105	52T	1.91	2.36	1.99
		6515	113	52T	1.96	2.38	2.04
	7	6535	117	52T	9.23	9.53	9.16
6695		149	52T	9.36	9.63	9.27	
6875		185	52T	0.95	1.24	0.87	
8	6895	189	52T	1.34	1.57	1.24	
	6995	209	52T	1.09	1.27	0.87	
	7015	213	52T	1.01	1.29	0.87	
	7115	233	52T	NS	NS	NS	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	10.36	10.41	
		6175	45	106T	10.48	10.47	
		6195	49	106T	10.38	10.44	
		6415	93	106T	10.14	10.08	
	6	6435	97	106T	4.62	4.49	
		6475	105	106T	4.49	4.44	
		6515	113	106T	4.51	4.43	
7	6535	117	106T	9.39	9.32		
	6695	149	106T	9.48	9.47		
	6875	185	106T	3.49	3.43		
8	6895	189	106T	4.17	4.06		
	6995	209	106T	3.84	3.76		
	7015	213	106T	3.74	3.70		
	7115	233	106T	NS	NS		

Table G-9
Maximum 6 GHz 802.11ax RU Output Power – Ant WF7

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	8.10	8.95	8.05
		6175	45	26T	8.19	9.06	8.19
		6195	49	26T	8.03	8.82	8.02
		6415	93	26T	8.04	9.03	8.11
	6	6435	97	26T	-2.23	-1.36	-2.23
		6475	105	26T	-2.19	-1.31	-2.17
		6515	113	26T	-2.04	-1.36	-2.03
	7	6535	117	26T	6.56	7.25	6.58
		6695	149	26T	6.55	7.37	6.50
		6875	185	26T	-2.21	-1.90	-2.22
	8	6895	189	26T	-2.09	-1.90	-2.13
		6995	209	26T	-3.26	-2.91	-3.08
20MHz BW	5	5955	1	52T	11.42	11.67	11.27
		6195	49	52T	11.01	11.24	11.00
		6415	93	52T	11.26	11.65	11.25
		6435	97	52T	0.66	1.02	0.64
	6	6475	105	52T	0.68	1.09	0.72
		6515	113	52T	0.80	1.19	0.82
		6535	117	52T	9.64	9.88	9.50
	7	6695	149	52T	9.69	9.94	9.56
		6875	185	52T	0.99	0.99	0.94
		6895	189	52T	0.75	0.76	0.80
	8	6995	209	52T	-0.53	-0.79	-0.81
		7015	213	52T	-0.85	-0.90	-0.94
20MHz BW	5	5955	1	106T	12.86	12.88	
		6175	45	106T	12.86	12.87	
		6195	49	106T	12.56	12.55	
		6415	93	106T	13.13	13.11	
	6	6435	97	106T	2.89	2.90	
		6475	105	106T	2.86	2.90	
		6515	113	106T	2.88	2.89	
	7	6535	117	106T	12.06	12.01	
		6695	149	106T	12.02	11.96	
		6875	185	106T	2.27	2.21	
	8	6895	189	106T	2.06	1.99	
		6995	209	106T	3.28	3.30	
		7015	213	106T	3.27	3.28	
		7115	233	106T	NS	NS	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 50 of 60

G.4 IEEE 802.11be MRU Target Powers

Table G-10
Maximum 2.4 GHz 802.11be MRU Output Power – Ant WF8

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	12.91	12.79	
2437	6	52T + 26T	17.72	17.79	
2462	11	52T + 26T	13.46	12.63	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	12.54		
2437	6	106T + 26T	18.75		
2462	11	106T + 26T	13.46		

Table G-11
Maximum 2.4 GHz 802.11be MRU Output Power – Ant WF7

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	11.80	12.16	
2437	6	52T + 26T	16.26	16.44	
2462	11	52T + 26T	12.48	12.31	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	12.01		
2437	6	106T + 26T	18.26		
2462	11	106T + 26T	12.49		

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 51 of 60

Table G-12
Maximum 2.4 GHz 802.11be MRU Output Power – Ant WF9

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	12.91	12.92	
2437	6	52T + 26T	17.31	16.86	
2462	11	52T + 26T	13.37	13.49	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	12.91		
2437	6	106T + 26T	19.14		
2462	11	106T + 26T	13.16		

Table G-13
Maximum 5 GHz 802.11be MRU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	1	5180	36	52T + 26T	15.00	14.96	
		5200	40	52T + 26T	14.83	14.71	
		5220	44	52T + 26T	14.85	14.65	
		5240	48	52T + 26T	14.87	14.68	
	2A	5260	52	52T + 26T	14.81	14.71	
		5280	56	52T + 26T	14.81	14.73	
		5300	60	52T + 26T	14.75	14.63	
		5320	64	52T + 26T	14.81	14.71	
	2C	5500	100	52T + 26T	13.43	13.43	
		5600	120	52T + 26T	14.62	14.51	
		5620	124	52T + 26T	14.47	14.42	
		5720	144	52T + 26T	14.65	14.47	
	3	5745	149	52T + 26T	14.54	14.45	
		5785	157	52T + 26T	14.82	14.58	
		5825	165	52T + 26T	14.62	14.39	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 52 of 60

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	16.73		
		5200	40	106T + 26T	16.54		
		5220	44	106T + 26T	16.67		
		5240	48	106T + 26T	16.64		
	2A	5260	52	106T + 26T	16.54		
		5280	56	106T + 26T	16.52		
		5300	60	106T + 26T	16.51		
		5320	64	106T + 26T	15.62		
	2C	5500	100	106T + 26T	13.27		
		5600	120	106T + 26T	16.37		
		5620	124	106T + 26T	16.21		
		5720	144	106T + 26T	16.38		
	3	5745	149	106T + 26T	16.30		
		5785	157	106T + 26T	16.34		
		5825	165	106T + 26T	16.37		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	11.98	11.99	12.11	12.61
	2A	5290	58	484T + 242T	12.69	12.81	12.88	13.50
	2C	5530	106	484T + 242T	10.83	10.79	10.87	11.34
		5610	122	484T + 242T	16.08	16.06	16.00	16.73
		5690	138	484T + 242T	18.32	18.10	18.03	18.64
	3	5775	155	484T + 242T	15.56	15.50	15.51	16.24

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	11.71	11.68	11.99	11.50
	2C	5570	114	996T + 484T + 242T	10.29	10.08	10.37	10.55

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 53 of 60

Table G-14
Maximum 5 GHz 802.11be MRU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	14.98	14.78	
		5200	40	52T + 26T	14.87	14.84	
		5220	44	52T + 26T	14.85	14.86	
		5240	48	52T + 26T	14.95	14.82	
	2A	5260	52	52T + 26T	14.99	14.87	
		5280	56	52T + 26T	14.96	14.94	
		5300	60	52T + 26T	15.03	14.96	
5320		64	52T + 26T	14.97	14.86		
2C	5500	100	52T + 26T	13.07	12.91		
	5600	120	52T + 26T	14.40	14.22		
	5620	124	52T + 26T	14.27	14.09		
	5720	144	52T + 26T	14.40	14.33		
3	5745	149	52T + 26T	14.40	14.34		
	5785	157	52T + 26T	14.49	14.36		
	5825	165	52T + 26T	14.51	14.33		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.05		
		5200	40	106T + 26T	15.24		
		5220	44	106T + 26T	15.15		
		5240	48	106T + 26T	15.20		
	2A	5260	52	106T + 26T	15.86		
		5280	56	106T + 26T	15.75		
		5300	60	106T + 26T	15.75		
5320		64	106T + 26T	15.75			
2C	5500	100	106T + 26T	12.86			
	5600	120	106T + 26T	14.25			
	5620	124	106T + 26T	14.23			
	5720	144	106T + 26T	14.27			
3	5745	149	106T + 26T	16.22			
	5785	157	106T + 26T	16.32			
	5825	165	106T + 26T	16.29			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	11.92	11.78	11.92	12.24
	2A	5290	58	484T + 242T	13.22	13.17	13.18	13.81
	2C	5530	106	484T + 242T	10.89	10.56	10.71	10.96
		5610	122	484T + 242T	14.02	14.00	14.06	14.18
5690		138	484T + 242T	14.01	14.02	14.07	14.27	
3	5775	155	484T + 242T	15.56	15.50	15.50	15.54	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 54 of 60

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	10.78	10.48	10.76	10.9
	2C	5570	114	996T + 484T + 242T	9.97	9.71	10.03	10.1

Table G-15
Maximum 5 GHz 802.11be MRU Output Power – Ant WF7

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	1	5180	36	52T + 26T	14.39	14.10	
		5200	40	52T + 26T	14.38	14.28	
		5220	44	52T + 26T	14.04	13.97	
		5240	48	52T + 26T	14.23	14.10	
	2A	5260	52	52T + 26T	14.38	14.18	
		5280	56	52T + 26T	14.31	14.22	
		5300	60	52T + 26T	14.32	14.27	
		5320	64	52T + 26T	14.36	14.29	
	2C	5500	100	52T + 26T	13.15	13.06	
		5600	120	52T + 26T	14.21	14.07	
		5620	124	52T + 26T	14.25	14.08	
		5720	144	52T + 26T	14.13	13.89	
	3	5745	149	52T + 26T	14.03	13.94	
		5785	157	52T + 26T	14.04	13.84	
		5825	165	52T + 26T	14.11	13.89	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
20MHz BW	1	5180	36	106T + 26T	15.95		
		5200	40	106T + 26T	16.13		
		5220	44	106T + 26T	16.21		
		5240	48	106T + 26T	16.25		
	2A	5260	52	106T + 26T	16.32		
		5280	56	106T + 26T	16.53		
		5300	60	106T + 26T	16.48		
		5320	64	106T + 26T	15.12		
	2C	5500	100	106T + 26T	13.02		
		5600	120	106T + 26T	15.34		
		5620	124	106T + 26T	15.26		
		5720	144	106T + 26T	15.20		
	3	5745	149	106T + 26T	15.70		
		5785	157	106T + 26T	15.75		
		5825	165	106T + 26T	15.70		

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 55 of 60

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
80MHz BW	1	5210	42	484T + 242T	13.14	13.14	13.13	13.14
	2A	5290	58	484T + 242T	12.59	12.53	12.52	13.09
	2C	5530	106	484T + 242T	10.77	10.58	10.72	11.13
		5610	122	484T + 242T	14.78	14.75	14.76	15.14
		5690	138	484T + 242T	14.75	14.76	14.84	14.93
	3	5775	155	484T + 242T	15.53	15.50	15.60	15.69
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
160MHz BW	1	5250	50	996T + 484T + 242T	12.20	12.31	12.32	12.3
	2C	5570	114	996T + 484T + 242T	10.90	10.86	10.90	10.9

Table G-16
Maximum 6 GHz 802.11be MRU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	5	5955	1	52T + 26T	13.62	13.43	
		6175	45	52T + 26T	13.53	13.40	
		6195	49	52T + 26T	13.49	13.36	
		6415	93	52T + 26T	13.07	12.95	
	6	6435	97	52T + 26T	2.68	2.49	
		6475	105	52T + 26T	2.53	2.38	
		6515	113	52T + 26T	2.61	2.39	
	7	6535	117	52T + 26T	11.43	11.25	
		6695	149	52T + 26T	11.86	11.48	
		6875	185	52T + 26T	2.42	2.34	
	8	6895	189	52T + 26T	2.39	2.27	
		6995	209	52T + 26T	2.00	1.90	
		7015	213	52T + 26T	1.99	1.76	
		7115	233	52T + 26T	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	14.66		
		6175	45	106T + 26T	14.59		
		6195	49	106T + 26T	14.52		
		6415	93	106T + 26T	13.41		
	6	6435	97	106T + 26T	4.02		
		6475	105	106T + 26T	3.96		
		6515	113	106T + 26T	3.86		
	7	6535	117	106T + 26T	11.81		
		6695	149	106T + 26T	12.00		
		6875	185	106T + 26T	4.11		
	8	6895	189	106T + 26T	3.84		
		6995	209	106T + 26T	3.59		
		7015	213	106T + 26T	3.53		
		7115	233	106T + 26T	NS		

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 56 of 60

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	13.81	13.81	13.83	14.50
		6145	39	484T + 242T	13.82	13.83	13.83	14.43
		6225	55	484T + 242T	13.77	13.77	13.82	14.32
		6385	87	484T + 242T	13.00	13.01	13.05	13.00
	6	6465	103	484T + 242T	10.64	10.61	10.62	10.89
		6545	119	484T + 242T	10.36	10.30	10.34	10.49
	7	6705	151	484T + 242T	11.53	11.56	11.56	11.66
		6865	183	484T + 242T	10.08	9.94	10.12	10.61
	8	6945	199	484T + 242T	10.22	10.34	10.48	11.03
		7025	215	484T + 242T	10.06	10.09	11.00	10.00
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	14.28	13.97	14.48	14.92
		6185	47	996T + 484T + 242T	14.21	13.84	14.37	14.73
		6345	79	996T + 484T + 242T	13.18	13.08	13.45	13.86
	6	6505	111	996T + 484T + 242T	12.28	12.28	12.54	12.92
	7	6665	143	996T + 484T + 242T	11.91	11.66	12.07	12.42
		6825	175	996T + 484T + 242T	12.10	11.84	12.28	12.63
	8	6985	207	996T + 484T + 242T	12.94	12.57	13.04	13.45

Table G-17
Maximum 6 GHz 802.11be MRU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	10.71	10.56	
		6175	45	52T + 26T	10.80	10.67	
		6195	49	52T + 26T	10.75	10.68	
		6415	93	52T + 26T	10.35	10.21	
	6	6435	97	52T + 26T	3.69	3.51	
		6475	105	52T + 26T	3.56	3.40	
		6515	113	52T + 26T	3.59	3.40	
	7	6535	117	52T + 26T	9.67	9.48	
		6695	149	52T + 26T	9.83	9.65	
		6875	185	52T + 26T	2.55	2.32	
	8	6895	189	52T + 26T	3.17	2.84	
		6995	209	52T + 26T	2.84	3.94	
		7015	213	52T + 26T	3.75	3.97	
		7115	233	52T + 26T	NS	NS	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 57 of 60

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
5		5955	1	106T + 26T	10.67		
		6175	45	106T + 26T	10.77		
		6195	49	106T + 26T	10.76		
		6415	93	106T + 26T	10.32		
6		6435	97	106T + 26T	5.58		
		6475	105	106T + 26T	5.53		
		6515	113	106T + 26T	5.64		
7		6535	117	106T + 26T	9.61		
		6695	149	106T + 26T	9.57		
		6875	185	106T + 26T	4.33		
8		6895	189	106T + 26T	4.74		
		6995	209	106T + 26T	4.36		
		7015	213	106T + 26T	4.45		
		7115	233	106T + 26T	NS		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
5		5985	7	484T + 242T	10.21	10.09	10.20	10.59
		6145	39	484T + 242T	10.17	10.07	10.13	10.48
		6225	55	484T + 242T	10.11	10.03	10.08	10.47
		6385	87	484T + 242T	9.90	9.72	9.91	10.34
6		6465	103	484T + 242T	9.09	9.01	9.24	9.48
7		6545	119	484T + 242T	9.15	8.99	9.18	9.37
		6705	151	484T + 242T	9.00	8.87	9.07	9.31
		6865	183	484T + 242T	8.64	8.45	8.68	8.99
8		6945	199	484T + 242T	8.20	8.04	8.15	8.51
		7025	215	484T + 242T	7.94	7.86	7.90	8.26

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
5		6025	15	996T + 484T + 242T	10.68	10.39	10.72	11.02
		6185	47	996T + 484T + 242T	10.55	10.33	10.65	10.88
		6345	79	996T + 484T + 242T	10.14	9.94	10.30	10.55
6		6505	111	996T + 484T + 242T	9.58	9.36	9.64	9.81
7		6665	143	996T + 484T + 242T	9.32	9.08	9.46	9.58
		6825	175	996T + 484T + 242T	9.08	8.83	9.17	9.32
8		6985	207	996T + 484T + 242T	8.53	8.35	8.69	8.93

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 58 of 60

Table G-18
Maximum 6 GHz 802.11be MRU Output Power – Ant WF7

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	13.32	12.97	
		6175	45	52T + 26T	13.11	12.91	
		6195	49	52T + 26T	12.83	12.61	
		6415	93	52T + 26T	13.12	13.00	
	6	6435	97	52T + 26T	1.84	1.75	
		6475	105	52T + 26T	1.88	1.67	
		6515	113	52T + 26T	1.98	1.69	
7	6535	117	52T + 26T	11.58	11.47		
	6695	149	52T + 26T	11.53	11.42		
	6875	185	52T + 26T	1.61	1.50		
8	6895	189	52T + 26T	1.66	1.58		
	6995	209	52T + 26T	1.22	1.04		
	7015	213	52T + 26T	1.36	1.12		
	7115	233	52T + 26T	NS	NS		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	13.01		
		6175	45	106T + 26T	12.91		
		6195	49	106T + 26T	12.69		
		6415	93	106T + 26T	13.18		
	6	6435	97	106T + 26T	3.98		
		6475	105	106T + 26T	3.95		
		6515	113	106T + 26T	4.04		
7	6535	117	106T + 26T	12.14			
	6695	149	106T + 26T	12.14			
	6875	185	106T + 26T	3.38			
8	6895	189	106T + 26T	3.11			
	6995	209	106T + 26T	2.80			
	7015	213	106T + 26T	2.88			
	7115	233	106T + 26T	NS			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	12.50	12.26	12.31	12.89
		6145	39	484T + 242T	11.97	11.96	12.06	12.57
		6225	55	484T + 242T	11.99	11.95	12.04	12.62
		6385	87	484T + 242T	12.21	12.24	12.40	12.99
	6	6465	103	484T + 242T	10.30	10.34	10.34	10.72
	7	6545	119	484T + 242T	10.09	9.90	10.07	10.38
		6705	151	484T + 242T	11.37	11.29	11.41	11.86
6865		183	484T + 242T	9.80	9.57	9.68	10.07	
8	6945	199	484T + 242T	9.38	9.30	9.45	9.93	
	7025	215	484T + 242T	9.06	9.05	9.22	9.66	

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 59 of 60

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
5		6025	15	996T + 484T + 242T	12.80	12.60	13.02	13.38
		6185	47	996T + 484T + 242T	12.47	12.32	12.72	13.11
		6345	79	996T + 484T + 242T	12.69	12.53	12.91	13.32
6		6505	111	996T + 484T + 242T	12.11	11.97	12.42	12.64
7		6665	143	996T + 484T + 242T	12.00	11.69	12.17	12.10
		6825	175	996T + 484T + 242T	11.53	11.33	11.79	12.06
8		6985	207	996T + 484T + 242T	11.42	11.15	11.57	11.96

FCC ID: BCGA3357	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 60 of 60