







|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 60 of 330                    |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-58. PSD Antenna WF5B (NB UNII HDRPL32, ePA – 6263MHz)





Plot 7-59. PSD Antenna WF5B (NB UNII HDRPL32, iPA – 6263MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 61 of 330                    |

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 62 of 330                    |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



Plot 7-62. PSD Antenna WF5B (NB UNII HDT4, ePA – 6263MHz)





Plot 7-63. PSD Antenna WF5B (NB UNII HDT4, iPA – 6263MHz)

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 63 of 330                    |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                        |                                       |                                   |
|--------------------------------------------|----------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         | element                                | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025 | EUT Type:<br>Tablet Device            | Page 64 of 330                    |

## 7.4.2 Antenna WF8 Power Spectral Density Measurements (U-NII-5)



| Frequency [MHz] | Data Rate [Mbps] | Mode            | Power Scheme | Measured Power Density [dBm/MHz] | Antenna Gain [dBi] | e.i.r.p. Density [dBm/MHz] | Max Permissible Power Density [dBm/MHz] | Margin [dB] |
|-----------------|------------------|-----------------|--------------|----------------------------------|--------------------|----------------------------|-----------------------------------------|-------------|
| 6106            | 1.0              | NB UNII BDR     | ePA          | -8.98                            | 0.3                | -8.68                      | -5.00                                   | -3.68       |
| 6263            | 1.0              | NB UNII BDR     | ePA          | -8.65                            | 0.4                | -8.25                      | -5.00                                   | -3.25       |
| 6420            | 1.0              | NB UNII BDR     | ePA          | -8.82                            | -0.5               | -9.32                      | -5.00                                   | -4.32       |
| 6106            | 1.0              | NB UNII BDR     | iPA          | -8.78                            | 0.3                | -8.48                      | -5.00                                   | -3.48       |
| 6263            | 1.0              | NB UNII BDR     | iPA          | -8.63                            | 0.4                | -8.23                      | -5.00                                   | -3.23       |
| 6420            | 1.0              | NB UNII BDR     | iPA          | -8.41                            | -0.5               | -8.91                      | -5.00                                   | -3.91       |
| 6106            | 1.0              | NB UNII LE1M    | ePA          | -8.74                            | 0.3                | -8.44                      | -5.00                                   | -3.44       |
| 6263            | 1.0              | NB UNII LE1M    | ePA          | -8.65                            | 0.4                | -8.25                      | -5.00                                   | -3.25       |
| 6420            | 1.0              | NB UNII LE1M    | ePA          | -8.80                            | -0.5               | -9.30                      | -5.00                                   | -4.30       |
| 6106            | 1.0              | NB UNII LE1M    | iPA          | -8.51                            | 0.3                | -8.21                      | -5.00                                   | -3.21       |
| 6263            | 1.0              | NB UNII LE1M    | iPA          | -8.21                            | 0.4                | -7.81                      | -5.00                                   | -2.81       |
| 6420            | 1.0              | NB UNII LE1M    | iPA          | -7.95                            | -0.5               | -8.45                      | -5.00                                   | -3.45       |
| 6106            | 2.0              | NB UNII LE2M    | ePA          | -9.22                            | 0.3                | -8.92                      | -5.00                                   | -3.92       |
| 6263            | 2.0              | NB UNII LE2M    | ePA          | -8.79                            | 0.4                | -8.39                      | -5.00                                   | -3.39       |
| 6420            | 2.0              | NB UNII LE2M    | ePA          | -8.80                            | -0.5               | -9.30                      | -5.00                                   | -4.30       |
| 6106            | 2.0              | NB UNII LE2M    | iPA          | -8.86                            | 0.3                | -8.56                      | -5.00                                   | -3.56       |
| 6263            | 2.0              | NB UNII LE2M    | iPA          | -8.70                            | 0.4                | -8.30                      | -5.00                                   | -3.30       |
| 6420            | 2.0              | NB UNII LE2M    | iPA          | -8.50                            | -0.5               | -9.00                      | -5.00                                   | -4.00       |
| 6106            | 4.0              | NB UNII HDR4    | ePA          | -8.96                            | 0.3                | -8.66                      | -5.00                                   | -3.66       |
| 6263            | 4.0              | NB UNII HDR4    | ePA          | -8.72                            | 0.4                | -8.32                      | -5.00                                   | -3.32       |
| 6420            | 4.0              | NB UNII HDR4    | ePA          | -8.71                            | -0.5               | -9.21                      | -5.00                                   | -4.21       |
| 6106            | 4.0              | NB UNII HDR4    | iPA          | -8.35                            | 0.3                | -8.05                      | -5.00                                   | -3.05       |
| 6263            | 4.0              | NB UNII HDR4    | iPA          | -8.47                            | 0.4                | -8.07                      | -5.00                                   | -3.07       |
| 6420            | 4.0              | NB UNII HDR4    | iPA          | -8.17                            | -0.5               | -8.67                      | -5.00                                   | -3.67       |
| 6107            | 8.0              | NB UNII HDR8    | ePA          | -9.35                            | 0.3                | -9.05                      | -5.00                                   | -4.05       |
| 6263            | 8.0              | NB UNII HDR8    | ePA          | -9.32                            | 0.4                | -8.92                      | -5.00                                   | -3.92       |
| 6420            | 8.0              | NB UNII HDR8    | ePA          | -9.50                            | -0.5               | -10.00                     | -5.00                                   | -5.00       |
| 6107            | 8.0              | NB UNII HDR8    | iPA          | -8.94                            | 0.3                | -8.64                      | -5.00                                   | -3.64       |
| 6263            | 8.0              | NB UNII HDR8    | iPA          | -8.92                            | 0.4                | -8.52                      | -5.00                                   | -3.52       |
| 6420            | 8.0              | NB UNII HDR8    | iPA          | -8.91                            | -0.5               | -9.41                      | -5.00                                   | -4.41       |
| 6106            | 2.0              | NB UNII HDRPS2  | ePA          | -8.76                            | 0.3                | -8.46                      | -5.00                                   | -3.46       |
| 6263            | 2.0              | NB UNII HDRPS2  | ePA          | -8.96                            | 0.4                | -8.56                      | -5.00                                   | -3.56       |
| 6420            | 2.0              | NB UNII HDRPS2  | ePA          | -8.98                            | -0.5               | -9.48                      | -5.00                                   | -4.48       |
| 6106            | 2.0              | NB UNII HDRPS2  | iPA          | -8.65                            | 0.3                | -8.35                      | -5.00                                   | -3.35       |
| 6263            | 2.0              | NB UNII HDRPS2  | iPA          | -8.66                            | 0.4                | -8.26                      | -5.00                                   | -3.26       |
| 6420            | 2.0              | NB UNII HDRPS2  | iPA          | -8.57                            | -0.5               | -9.07                      | -5.00                                   | -4.07       |
| 6107            | 6.0              | NB UNII XHDRPM6 | ePA          | -8.97                            | 0.3                | -8.67                      | -5.00                                   | -3.67       |
| 6263            | 6.0              | NB UNII XHDRPM6 | ePA          | -8.88                            | 0.4                | -8.48                      | -5.00                                   | -3.48       |
| 6420            | 6.0              | NB UNII XHDRPM6 | ePA          | -8.46                            | -0.5               | -8.96                      | -5.00                                   | -3.96       |
| 6107            | 6.0              | NB UNII XHDRPM6 | iPA          | -8.44                            | 0.3                | -8.14                      | -5.00                                   | -3.14       |
| 6263            | 6.0              | NB UNII XHDRPM6 | iPA          | -8.46                            | 0.4                | -8.06                      | -5.00                                   | -3.06       |
| 6420            | 6.0              | NB UNII XHDRPM6 | iPA          | -8.51                            | -0.5               | -9.01                      | -5.00                                   | -4.01       |
| 6107            | 16.0             | NB UNII HDRPM16 | ePA          | -8.92                            | 0.3                | -8.62                      | -5.00                                   | -3.62       |
| 6263            | 16.0             | NB UNII HDRPM16 | ePA          | -8.39                            | 0.4                | -7.99                      | -5.00                                   | -2.99       |
| 6420            | 16.0             | NB UNII HDRPM16 | ePA          | -8.49                            | -0.5               | -8.99                      | -5.00                                   | -3.99       |
| 6107            | 16.0             | NB UNII HDRPM16 | iPA          | -8.48                            | 0.3                | -8.18                      | -5.00                                   | -3.18       |
| 6263            | 16.0             | NB UNII HDRPM16 | iPA          | -8.54                            | 0.4                | -8.14                      | -5.00                                   | -3.14       |
| 6420            | 16.0             | NB UNII HDRPM16 | iPA          | -8.41                            | -0.5               | -8.91                      | -5.00                                   | -3.91       |
| 6109            | 12.0             | NB UNII HDRPL12 | ePA          | -8.32                            | 0.3                | -8.02                      | -5.00                                   | -3.02       |
| 6263            | 12.0             | NB UNII HDRPL12 | ePA          | -8.41                            | 0.4                | -8.01                      | -5.00                                   | -3.01       |
| 6420            | 12.0             | NB UNII HDRPL12 | ePA          | -8.46                            | -0.5               | -8.96                      | -5.00                                   | -3.96       |
| 6109            | 12.0             | NB UNII HDRPL12 | iPA          | -8.62                            | 0.3                | -8.32                      | -5.00                                   | -3.32       |
| 6263            | 12.0             | NB UNII HDRPL12 | iPA          | -8.16                            | 0.4                | -7.76                      | -5.00                                   | -2.76       |
| 6420            | 12.0             | NB UNII HDRPL12 | iPA          | -8.11                            | -0.5               | -8.61                      | -5.00                                   | -3.61       |
| 6109            | 32.0             | NB UNII HDRPL32 | ePA          | -8.74                            | 0.3                | -8.44                      | -5.00                                   | -3.44       |
| 6263            | 32.0             | NB UNII HDRPL32 | ePA          | -8.22                            | 0.4                | -7.82                      | -5.00                                   | -2.82       |
| 6420            | 32.0             | NB UNII HDRPL32 | ePA          | -8.27                            | -0.5               | -8.77                      | -5.00                                   | -3.77       |
| 6109            | 32.0             | NB UNII HDRPL32 | iPA          | -8.89                            | 0.3                | -8.59                      | -5.00                                   | -3.59       |
| 6263            | 32.0             | NB UNII HDRPL32 | iPA          | -8.45                            | 0.4                | -8.05                      | -5.00                                   | -3.05       |
| 6420            | 32.0             | NB UNII HDRPL32 | iPA          | -8.92                            | -0.5               | -9.42                      | -5.00                                   | -4.42       |
| 6106            | 2.0              | NB UNII HDT2    | ePA          | -8.91                            | 0.3                | -8.61                      | -5.00                                   | -3.61       |
| 6263            | 2.0              | NB UNII HDT2    | ePA          | -8.59                            | 0.4                | -8.19                      | -5.00                                   | -3.19       |
| 6420            | 2.0              | NB UNII HDT2    | ePA          | -8.20                            | -0.5               | -8.70                      | -5.00                                   | -3.70       |
| 6106            | 2.0              | NB UNII HDT2    | iPA          | -8.33                            | 0.3                | -8.03                      | -5.00                                   | -3.03       |
| 6263            | 2.0              | NB UNII HDT2    | iPA          | -8.26                            | 0.4                | -7.86                      | -5.00                                   | -2.86       |
| 6420            | 2.0              | NB UNII HDT2    | iPA          | -8.07                            | -0.5               | -8.57                      | -5.00                                   | -3.57       |
| 6106            | 4.0              | NB UNII HDT4    | ePA          | -8.29                            | 0.3                | -7.99                      | -5.00                                   | -2.99       |
| 6263            | 4.0              | NB UNII HDT4    | ePA          | -8.02                            | 0.4                | -7.62                      | -5.00                                   | -2.62       |
| 6420            | 4.0              | NB UNII HDT4    | ePA          | -8.21                            | -0.5               | -8.71                      | -5.00                                   | -3.71       |
| 6106            | 4.0              | NB UNII HDT4    | iPA          | -8.34                            | 0.3                | -8.04                      | -5.00                                   | -3.04       |
| 6263            | 4.0              | NB UNII HDT4    | iPA          | -8.28                            | 0.4                | -7.88                      | -5.00                                   | -2.88       |
| 6420            | 4.0              | NB UNII HDT4    | iPA          | -8.21                            | -0.5               | -8.71                      | -5.00                                   | -3.71       |
| 6106            | 6.0              | NB UNII HDT6    | ePA          | -8.89                            | 0.3                | -8.59                      | -5.00                                   | -3.59       |
| 6263            | 6.0              | NB UNII HDT6    | ePA          | -8.60                            | 0.4                | -8.20                      | -5.00                                   | -3.20       |
| 6420            | 6.0              | NB UNII HDT6    | ePA          | -8.69                            | -0.5               | -9.19                      | -5.00                                   | -4.19       |
| 6106            | 6.0              | NB UNII HDT6    | iPA          | -8.72                            | 0.3                | -8.42                      | -5.00                                   | -3.42       |
| 6263            | 6.0              | NB UNII HDT6    | iPA          | -8.74                            | 0.4                | -8.34                      | -5.00                                   | -3.34       |
| 6420            | 6.0              | NB UNII HDT6    | iPA          | -8.65                            | -0.5               | -9.15                      | -5.00                                   | -4.15       |

Table 7-11. Power Spectral Density Measurements Antenna WF8

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 65 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                                                                   |                            |                                          |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                            | <b>Approved by:</b><br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                                                                            | EUT Type:<br>Tablet Device | Page 66 of 330                           |

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 67 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 68 of 330                    |

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 69 of 330                    |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Plot 7-74. PSD Antenna WF8 (NB UNII HDR8, ePA – 6263MHz)



Plot 7-75. PSD Antenna WF8 (NB UNII HDR8, iPA – 6263MHz)



|                                            |                                        |                                       |                                   |
|--------------------------------------------|----------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         | element                                | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025 | EUT Type:<br>Tablet Device            | Page 70 of 330                    |



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 71 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                                   |                                                                                                                                   |                                   |                                          |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357                |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                   | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2504170038-11-R4.BCG | <b>Test Dates:</b><br>05/12/2025 - 08/13/2025                                                                                     | <b>EUT Type:</b><br>Tablet Device | Page 72 of 330                           |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 73 of 330                    |

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




|                                                   |                                                                                                                                   |                                   |                                          |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357                |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                   | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2504170038-11-R4.BCG | <b>Test Dates:</b><br>05/12/2025 - 08/13/2025                                                                                     | <b>EUT Type:</b><br>Tablet Device | Page 74 of 330                           |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).




Plot 7-84. PSD Antenna WF8 (NB UNII HDRPL32, ePA – 6263MHz)



Plot 7-85. PSD Antenna WF8 (NB UNII HDRPL32, iPA – 6263MHz)



|                                            |                                        |                                       |                                   |
|--------------------------------------------|----------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         | element                                | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025 | EUT Type:<br>Tablet Device            | Page 75 of 330                    |



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 76 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                                   |                                                                                                                                   |                                   |                                          |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357                |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                   | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2504170038-11-R4.BCG | <b>Test Dates:</b><br>05/12/2025 - 08/13/2025                                                                                     | <b>EUT Type:</b><br>Tablet Device | Page 77 of 330                           |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                                   |                                                                                                                                   |                                   |                                          |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357                |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                   | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2504170038-11-R4.BCG | <b>Test Dates:</b><br>05/12/2025 - 08/13/2025                                                                                     | <b>EUT Type:</b><br>Tablet Device | Page 78 of 330                           |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

## 7.4.3 Antenna WF7 Power Spectral Density Measurements (U-NII-5)


| Frequency [MHz] | Data Rate [Mbps] | Mode            | Power Scheme | Measured Power Density [dBm/MHz] | Antenna Gain [dBi] | e.i.r.p. Density [dBm/MHz] | Max Permissible Power Density [dBm/MHz] | Margin [dB] |
|-----------------|------------------|-----------------|--------------|----------------------------------|--------------------|----------------------------|-----------------------------------------|-------------|
| 6106            | 1.0              | NB UNII BDR     | ePA          | -8.52                            | -0.7               | -9.22                      | -5.00                                   | -4.22       |
| 6263            | 1.0              | NB UNII BDR     | ePA          | -8.27                            | -0.2               | -8.47                      | -5.00                                   | -3.47       |
| 6420            | 1.0              | NB UNII BDR     | ePA          | -8.33                            | 0.4                | -7.93                      | -5.00                                   | -2.93       |
| 6106            | 1.0              | NB UNII BDR     | iPA          | -7.06                            | -0.7               | -7.76                      | -5.00                                   | -2.76       |
| 6263            | 1.0              | NB UNII BDR     | iPA          | -6.76                            | -0.2               | -6.96                      | -5.00                                   | -1.96       |
| 6420            | 1.0              | NB UNII BDR     | iPA          | -6.80                            | 0.4                | -6.40                      | -5.00                                   | -1.40       |
| 6106            | 1.0              | NB UNII LE1M    | ePA          | -8.20                            | -0.7               | -8.90                      | -5.00                                   | -3.90       |
| 6263            | 1.0              | NB UNII LE1M    | ePA          | -8.59                            | -0.2               | -8.79                      | -5.00                                   | -3.79       |
| 6420            | 1.0              | NB UNII LE1M    | ePA          | -8.76                            | 0.4                | -8.36                      | -5.00                                   | -3.36       |
| 6106            | 1.0              | NB UNII LE1M    | iPA          | -7.41                            | -0.7               | -8.11                      | -5.00                                   | -3.11       |
| 6263            | 1.0              | NB UNII LE1M    | iPA          | -7.15                            | -0.2               | -7.35                      | -5.00                                   | -2.35       |
| 6420            | 1.0              | NB UNII LE1M    | iPA          | -6.79                            | 0.4                | -6.39                      | -5.00                                   | -1.39       |
| 6106            | 2.0              | NB UNII LE2M    | ePA          | -8.62                            | -0.7               | -9.32                      | -5.00                                   | -4.32       |
| 6263            | 2.0              | NB UNII LE2M    | ePA          | -8.04                            | -0.2               | -8.24                      | -5.00                                   | -3.24       |
| 6420            | 2.0              | NB UNII LE2M    | ePA          | -8.41                            | 0.4                | -8.01                      | -5.00                                   | -3.01       |
| 6106            | 2.0              | NB UNII LE2M    | iPA          | -6.88                            | -0.7               | -7.58                      | -5.00                                   | -2.58       |
| 6263            | 2.0              | NB UNII LE2M    | iPA          | -7.25                            | -0.2               | -7.45                      | -5.00                                   | -2.45       |
| 6420            | 2.0              | NB UNII LE2M    | iPA          | -7.14                            | 0.4                | -6.74                      | -5.00                                   | -1.74       |
| 6106            | 4.0              | NB UNII HDR4    | ePA          | -8.38                            | -0.7               | -9.08                      | -5.00                                   | -4.08       |
| 6263            | 4.0              | NB UNII HDR4    | ePA          | -8.75                            | -0.2               | -8.95                      | -5.00                                   | -3.95       |
| 6420            | 4.0              | NB UNII HDR4    | ePA          | -8.50                            | 0.4                | -8.10                      | -5.00                                   | -3.10       |
| 6106            | 4.0              | NB UNII HDR4    | iPA          | -6.89                            | -0.7               | -7.59                      | -5.00                                   | -2.59       |
| 6263            | 4.0              | NB UNII HDR4    | iPA          | -6.65                            | -0.2               | -6.85                      | -5.00                                   | -1.85       |
| 6420            | 4.0              | NB UNII HDR4    | iPA          | -6.97                            | 0.4                | -6.57                      | -5.00                                   | -1.57       |
| 6107            | 8.0              | NB UNII HDR8    | ePA          | -8.89                            | -0.7               | -9.59                      | -5.00                                   | -4.59       |
| 6263            | 8.0              | NB UNII HDR8    | ePA          | -9.03                            | -0.2               | -9.23                      | -5.00                                   | -4.23       |
| 6420            | 8.0              | NB UNII HDR8    | ePA          | -8.97                            | 0.4                | -8.57                      | -5.00                                   | -3.57       |
| 6107            | 8.0              | NB UNII HDR8    | iPA          | -8.17                            | -0.7               | -8.87                      | -5.00                                   | -3.87       |
| 6263            | 8.0              | NB UNII HDR8    | iPA          | -7.49                            | -0.2               | -7.69                      | -5.00                                   | -2.69       |
| 6420            | 8.0              | NB UNII HDR8    | iPA          | -7.61                            | 0.4                | -7.21                      | -5.00                                   | -2.21       |
| 6106            | 2.0              | NB UNII HDRPS2  | ePA          | -7.81                            | -0.7               | -8.51                      | -5.00                                   | -3.51       |
| 6263            | 2.0              | NB UNII HDRPS2  | ePA          | -7.80                            | -0.2               | -8.00                      | -5.00                                   | -3.00       |
| 6420            | 2.0              | NB UNII HDRPS2  | ePA          | -7.67                            | 0.4                | -7.27                      | -5.00                                   | -2.27       |
| 6106            | 2.0              | NB UNII HDRPS2  | iPA          | -7.78                            | -0.7               | -8.48                      | -5.00                                   | -3.48       |
| 6263            | 2.0              | NB UNII HDRPS2  | iPA          | -6.95                            | -0.2               | -7.15                      | -5.00                                   | -2.15       |
| 6420            | 2.0              | NB UNII HDRPS2  | iPA          | -7.21                            | 0.4                | -6.81                      | -5.00                                   | -1.81       |
| 6107            | 6.0              | NB UNII XHDRPM6 | ePA          | -8.09                            | -0.7               | -8.79                      | -5.00                                   | -3.79       |
| 6263            | 6.0              | NB UNII XHDRPM6 | ePA          | -7.78                            | -0.2               | -7.98                      | -5.00                                   | -2.98       |
| 6420            | 6.0              | NB UNII XHDRPM6 | ePA          | -8.01                            | 0.4                | -7.61                      | -5.00                                   | -2.61       |
| 6107            | 6.0              | NB UNII XHDRPM6 | iPA          | -7.76                            | -0.7               | -8.46                      | -5.00                                   | -3.46       |
| 6263            | 6.0              | NB UNII XHDRPM6 | iPA          | -7.12                            | -0.2               | -7.32                      | -5.00                                   | -2.32       |
| 6420            | 6.0              | NB UNII XHDRPM6 | iPA          | -7.27                            | 0.4                | -6.87                      | -5.00                                   | -1.87       |
| 6107            | 16.0             | NB UNII HDRPM16 | ePA          | -8.57                            | -0.7               | -9.27                      | -5.00                                   | -4.27       |
| 6263            | 16.0             | NB UNII HDRPM16 | ePA          | -8.28                            | -0.2               | -8.48                      | -5.00                                   | -3.48       |
| 6420            | 16.0             | NB UNII HDRPM16 | ePA          | -7.95                            | 0.4                | -7.55                      | -5.00                                   | -2.55       |
| 6107            | 16.0             | NB UNII HDRPM16 | iPA          | -7.14                            | -0.7               | -7.84                      | -5.00                                   | -2.84       |
| 6263            | 16.0             | NB UNII HDRPM16 | iPA          | -7.02                            | -0.2               | -7.22                      | -5.00                                   | -2.22       |
| 6420            | 16.0             | NB UNII HDRPM16 | iPA          | -7.06                            | 0.4                | -6.66                      | -5.00                                   | -1.66       |
| 6109            | 12.0             | NB UNII HDRPL12 | ePA          | -7.52                            | -0.7               | -8.22                      | -5.00                                   | -3.22       |
| 6263            | 12.0             | NB UNII HDRPL12 | ePA          | -7.32                            | -0.2               | -7.52                      | -5.00                                   | -2.52       |
| 6420            | 12.0             | NB UNII HDRPL12 | ePA          | -7.68                            | 0.4                | -7.28                      | -5.00                                   | -2.28       |
| 6109            | 12.0             | NB UNII HDRPL12 | iPA          | -7.37                            | -0.7               | -8.07                      | -5.00                                   | -3.07       |
| 6263            | 12.0             | NB UNII HDRPL12 | iPA          | -7.11                            | -0.2               | -7.31                      | -5.00                                   | -2.31       |
| 6420            | 12.0             | NB UNII HDRPL12 | iPA          | -7.22                            | 0.4                | -6.82                      | -5.00                                   | -1.82       |
| 6109            | 32.0             | NB UNII HDRPL32 | ePA          | -7.87                            | -0.7               | -8.57                      | -5.00                                   | -3.57       |
| 6263            | 32.0             | NB UNII HDRPL32 | ePA          | -7.66                            | -0.2               | -7.86                      | -5.00                                   | -2.86       |
| 6420            | 32.0             | NB UNII HDRPL32 | ePA          | -7.51                            | 0.4                | -7.11                      | -5.00                                   | -2.11       |
| 6109            | 32.0             | NB UNII HDRPL32 | iPA          | -9.65                            | -0.7               | -10.35                     | -5.00                                   | -5.35       |
| 6263            | 32.0             | NB UNII HDRPL32 | iPA          | -9.45                            | -0.2               | -9.65                      | -5.00                                   | -4.65       |
| 6420            | 32.0             | NB UNII HDRPL32 | iPA          | -9.64                            | 0.4                | -9.24                      | -5.00                                   | -4.24       |
| 6106            | 2.0              | NB UNII HDT2    | ePA          | -7.40                            | -0.7               | -8.10                      | -5.00                                   | -3.10       |
| 6263            | 2.0              | NB UNII HDT2    | ePA          | -7.46                            | -0.2               | -7.66                      | -5.00                                   | -2.66       |
| 6420            | 2.0              | NB UNII HDT2    | ePA          | -7.25                            | 0.4                | -6.85                      | -5.00                                   | -1.85       |
| 6106            | 2.0              | NB UNII HDT2    | iPA          | -7.38                            | -0.7               | -8.08                      | -5.00                                   | -3.08       |
| 6263            | 2.0              | NB UNII HDT2    | iPA          | -7.13                            | -0.2               | -7.33                      | -5.00                                   | -2.33       |
| 6420            | 2.0              | NB UNII HDT2    | iPA          | -7.33                            | 0.4                | -6.93                      | -5.00                                   | -1.93       |
| 6106            | 4.0              | NB UNII HDT4    | ePA          | -7.41                            | -0.7               | -8.11                      | -5.00                                   | -3.11       |
| 6263            | 4.0              | NB UNII HDT4    | ePA          | -7.47                            | -0.2               | -7.67                      | -5.00                                   | -2.67       |
| 6420            | 4.0              | NB UNII HDT4    | ePA          | -7.27                            | 0.4                | -6.87                      | -5.00                                   | -1.87       |
| 6106            | 4.0              | NB UNII HDT4    | iPA          | -7.44                            | -0.7               | -8.14                      | -5.00                                   | -3.14       |
| 6263            | 4.0              | NB UNII HDT4    | iPA          | -6.72                            | -0.2               | -6.92                      | -5.00                                   | -1.92       |
| 6420            | 4.0              | NB UNII HDT4    | iPA          | -6.82                            | 0.4                | -6.42                      | -5.00                                   | -1.42       |
| 6106            | 6.0              | NB UNII HDT6    | ePA          | -7.94                            | -0.7               | -8.64                      | -5.00                                   | -3.64       |
| 6263            | 6.0              | NB UNII HDT6    | ePA          | -7.95                            | -0.2               | -8.15                      | -5.00                                   | -3.15       |
| 6420            | 6.0              | NB UNII HDT6    | ePA          | -7.78                            | 0.4                | -7.38                      | -5.00                                   | -2.38       |
| 6106            | 6.0              | NB UNII HDT6    | iPA          | -7.44                            | -0.7               | -8.14                      | -5.00                                   | -3.14       |
| 6263            | 6.0              | NB UNII HDT6    | iPA          | -7.17                            | -0.2               | -7.37                      | -5.00                                   | -2.37       |
| 6420            | 6.0              | NB UNII HDT6    | iPA          | -7.36                            | 0.4                | -6.96                      | -5.00                                   | -1.96       |

Table 7-12. Power Spectral Density Measurements Antenna WF7

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 79 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                                   |                                                                                     |                                              |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357                |  | <b>MEASUREMENT REPORT</b><br>(CERTIFICATION) | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2504170038-11-R4.BCG | <b>Test Dates:</b><br>05/12/2025 - 08/13/2025                                       | <b>EUT Type:</b><br>Tablet Device            | Page 80 of 330                           |

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 81 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 82 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 83 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                                   |                                                                                                                                   |                                   |                                          |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357                |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                   | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2504170038-11-R4.BCG | <b>Test Dates:</b><br>05/12/2025 - 08/13/2025                                                                                     | <b>EUT Type:</b><br>Tablet Device | Page 84 of 330                           |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 85 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 86 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).





|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 87 of 330                    |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).





|                                                   |                                                                                                                                   |                                   |                                          |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357                |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                   | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2504170038-11-R4.BCG | <b>Test Dates:</b><br>05/12/2025 - 08/13/2025                                                                                     | <b>EUT Type:</b><br>Tablet Device | Page 88 of 330                           |



|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 89 of 330                    |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                                   |                                                                                                                                   |                                   |                                          |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357                |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                   | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2504170038-11-R4.BCG | <b>Test Dates:</b><br>05/12/2025 - 08/13/2025                                                                                     | <b>EUT Type:</b><br>Tablet Device | Page 90 of 330                           |

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                                   |                                                                                                                                   |                                   |                                          |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357                |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                   | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2504170038-11-R4.BCG | <b>Test Dates:</b><br>05/12/2025 - 08/13/2025                                                                                     | <b>EUT Type:</b><br>Tablet Device | Page 91 of 330                           |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).



|                                                   |                                                                                                                                   |                                   |                                          |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357                |  <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                   | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1C2504170038-11-R4.BCG | <b>Test Dates:</b><br>05/12/2025 - 08/13/2025                                                                                     | <b>EUT Type:</b><br>Tablet Device | Page 92 of 330                           |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

## 7.4.4 TxBF Primary Power Spectral Density Measurements (U-NII-5)

| Frequency [MHz] | Data Rate [Mbps] | Mode            | Power Scheme | Antenna WFSB Power Density [dBm/MHz] | Antenna WFB Power Density [dBm/MHz] | Summed Power Density [dBm/MHz] | Directional Antenna Gain [dBi] | e.i.r.p. Density [dBm/MHz] | Max Permissible Power Density [dBm/MHz] | Margin [dB] |
|-----------------|------------------|-----------------|--------------|--------------------------------------|-------------------------------------|--------------------------------|--------------------------------|----------------------------|-----------------------------------------|-------------|
| 6106            | 1.0              | NB UNII BDR     | ePA          | -17.66                               | -16.80                              | -14.20                         | 3.41                           | -10.79                     | -5.00                                   | -5.79       |
| 6263            | 1.0              | NB UNII BDR     | ePA          | -17.45                               | -17.01                              | -14.22                         | 3.26                           | -10.96                     | -5.00                                   | -5.96       |
| 6420            | 1.0              | NB UNII BDR     | ePA          | -17.21                               | -16.77                              | -13.98                         | 3.46                           | -10.52                     | -5.00                                   | -5.52       |
| 6106            | 1.0              | NB UNII BDR     | IPA          | -16.91                               | -16.47                              | -13.67                         | 3.41                           | -10.26                     | -5.00                                   | -5.26       |
| 6263            | 1.0              | NB UNII BDR     | IPA          | -16.76                               | -16.14                              | -13.43                         | 3.26                           | -10.17                     | -5.00                                   | -5.17       |
| 6420            | 1.0              | NB UNII BDR     | IPA          | -16.63                               | -16.87                              | -13.73                         | 3.46                           | -10.28                     | -5.00                                   | -5.28       |
| 6106            | 1.0              | NB UNII LE1M    | ePA          | -16.60                               | -16.54                              | -13.56                         | 3.41                           | -10.15                     | -5.00                                   | -5.15       |
| 6263            | 1.0              | NB UNII LE1M    | ePA          | -16.68                               | -16.06                              | -13.34                         | 3.26                           | -10.08                     | -5.00                                   | -5.08       |
| 6420            | 1.0              | NB UNII LE1M    | ePA          | -16.16                               | -16.21                              | -13.17                         | 3.46                           | -9.72                      | -5.00                                   | -4.72       |
| 6106            | 1.0              | NB UNII LE1M    | IPA          | -16.37                               | -15.74                              | -13.03                         | 3.41                           | -9.62                      | -5.00                                   | -4.62       |
| 6263            | 1.0              | NB UNII LE1M    | IPA          | -16.14                               | -15.60                              | -12.85                         | 3.26                           | -9.59                      | -5.00                                   | -4.59       |
| 6420            | 1.0              | NB UNII LE1M    | IPA          | -15.94                               | -16.09                              | -13.00                         | 3.46                           | -9.55                      | -5.00                                   | -4.55       |
| 6106            | 2.0              | NB UNII LE2M    | ePA          | -16.76                               | -17.02                              | -13.88                         | 3.41                           | -10.47                     | -5.00                                   | -5.47       |
| 6263            | 2.0              | NB UNII LE2M    | ePA          | -16.98                               | -16.52                              | -13.73                         | 3.26                           | -10.47                     | -5.00                                   | -5.47       |
| 6420            | 2.0              | NB UNII LE2M    | ePA          | -16.76                               | -16.86                              | -13.80                         | 3.46                           | -10.34                     | -5.00                                   | -5.34       |
| 6106            | 2.0              | NB UNII LE2M    | IPA          | -16.56                               | -16.54                              | -13.54                         | 3.41                           | -10.13                     | -5.00                                   | -5.13       |
| 6263            | 2.0              | NB UNII LE2M    | IPA          | -16.38                               | -16.46                              | -13.41                         | 3.26                           | -10.15                     | -5.00                                   | -5.15       |
| 6420            | 2.0              | NB UNII LE2M    | IPA          | -16.68                               | -17.13                              | -13.89                         | 3.46                           | -10.43                     | -5.00                                   | -5.43       |
| 6106            | 4.0              | NB UNII HDR4    | ePA          | -15.51                               | -15.72                              | -12.60                         | 3.41                           | -9.19                      | -5.00                                   | -4.19       |
| 6263            | 4.0              | NB UNII HDR4    | ePA          | -15.58                               | -15.49                              | -12.53                         | 3.26                           | -9.27                      | -5.00                                   | -4.27       |
| 6420            | 4.0              | NB UNII HDR4    | ePA          | -15.85                               | -15.57                              | -12.70                         | 3.46                           | -9.24                      | -5.00                                   | -4.24       |
| 6106            | 4.0              | NB UNII HDR4    | IPA          | -15.58                               | -15.37                              | -12.46                         | 3.41                           | -9.05                      | -5.00                                   | -4.05       |
| 6263            | 4.0              | NB UNII HDR4    | IPA          | -15.40                               | -15.19                              | -12.28                         | 3.26                           | -9.02                      | -5.00                                   | -4.02       |
| 6420            | 4.0              | NB UNII HDR4    | IPA          | -15.68                               | -15.16                              | -12.40                         | 3.46                           | -8.94                      | -5.00                                   | -3.94       |
| 6107            | 8.0              | NB UNII HDR8    | ePA          | -15.57                               | -16.21                              | -12.87                         | 3.41                           | -9.46                      | -5.00                                   | -4.46       |
| 6263            | 8.0              | NB UNII HDR8    | ePA          | -16.37                               | -16.05                              | -13.20                         | 3.26                           | -9.93                      | -5.00                                   | -4.93       |
| 6420            | 8.0              | NB UNII HDR8    | ePA          | -16.46                               | -16.27                              | -13.35                         | 3.46                           | -9.89                      | -5.00                                   | -4.89       |
| 6107            | 8.0              | NB UNII HDR8    | IPA          | -15.88                               | -15.89                              | -12.88                         | 3.41                           | -9.47                      | -5.00                                   | -4.47       |
| 6263            | 8.0              | NB UNII HDR8    | IPA          | -15.73                               | -15.19                              | -12.44                         | 3.26                           | -9.18                      | -5.00                                   | -4.18       |
| 6420            | 8.0              | NB UNII HDR8    | IPA          | -16.20                               | -15.15                              | -12.63                         | 3.46                           | -9.18                      | -5.00                                   | -4.18       |
| 6106            | 2.0              | NB UNII HDRP52  | ePA          | -18.55                               | -14.48                              | -13.04                         | 3.41                           | -9.63                      | -5.00                                   | -4.63       |
| 6263            | 2.0              | NB UNII HDRP52  | ePA          | -18.44                               | -14.71                              | -13.18                         | 3.26                           | -9.92                      | -5.00                                   | -4.92       |
| 6420            | 2.0              | NB UNII HDRP52  | ePA          | -18.44                               | -15.07                              | -13.42                         | 3.46                           | -9.97                      | -5.00                                   | -4.97       |
| 6106            | 2.0              | NB UNII HDRP52  | IPA          | -16.93                               | -15.10                              | -12.91                         | 3.41                           | -9.50                      | -5.00                                   | -4.50       |
| 6263            | 2.0              | NB UNII HDRP52  | IPA          | -16.67                               | -15.03                              | -12.77                         | 3.26                           | -9.50                      | -5.00                                   | -4.50       |
| 6420            | 2.0              | NB UNII HDRP52  | IPA          | -16.99                               | -15.19                              | -12.99                         | 3.46                           | -9.53                      | -5.00                                   | -4.53       |
| 6107            | 6.0              | NB UNII XHDRPM6 | ePA          | -18.05                               | -14.35                              | -12.81                         | 3.41                           | -9.40                      | -5.00                                   | -4.40       |
| 6263            | 6.0              | NB UNII XHDRPM6 | ePA          | -17.79                               | -14.65                              | -12.93                         | 3.26                           | -9.67                      | -5.00                                   | -4.67       |
| 6420            | 6.0              | NB UNII XHDRPM6 | ePA          | -17.54                               | -14.33                              | -12.64                         | 3.46                           | -9.18                      | -5.00                                   | -4.18       |
| 6107            | 6.0              | NB UNII XHDRPM6 | IPA          | -16.41                               | -15.32                              | -12.82                         | 3.41                           | -9.41                      | -5.00                                   | -4.41       |
| 6263            | 6.0              | NB UNII XHDRPM6 | IPA          | -16.42                               | -15.07                              | -12.68                         | 3.26                           | -9.42                      | -5.00                                   | -4.42       |
| 6420            | 6.0              | NB UNII XHDRPM6 | IPA          | -16.24                               | -14.95                              | -12.54                         | 3.46                           | -9.08                      | -5.00                                   | -4.08       |
| 6107            | 16.0             | NB UNII HDRPM16 | ePA          | -18.04                               | -14.28                              | -12.76                         | 3.41                           | -9.35                      | -5.00                                   | -4.35       |
| 6263            | 16.0             | NB UNII HDRPM16 | ePA          | -17.88                               | -14.37                              | -12.77                         | 3.26                           | -9.51                      | -5.00                                   | -4.51       |
| 6420            | 16.0             | NB UNII HDRPM16 | ePA          | -17.68                               | -14.33                              | -12.68                         | 3.46                           | -9.22                      | -5.00                                   | -4.22       |
| 6107            | 16.0             | NB UNII HDRPM16 | IPA          | -16.25                               | -14.84                              | -12.47                         | 3.41                           | -9.06                      | -5.00                                   | -4.06       |
| 6263            | 16.0             | NB UNII HDRPM16 | IPA          | -16.40                               | -14.86                              | -12.55                         | 3.26                           | -9.29                      | -5.00                                   | -4.29       |
| 6420            | 16.0             | NB UNII HDRPM16 | IPA          | -16.20                               | -14.69                              | -12.37                         | 3.46                           | -8.91                      | -5.00                                   | -3.91       |
| 6109            | 12.0             | NB UNII HDRPL12 | ePA          | -17.62                               | -13.79                              | -12.28                         | 3.41                           | -9.17                      | -5.00                                   | -4.17       |
| 6263            | 12.0             | NB UNII HDRPL12 | ePA          | -17.64                               | -14.14                              | -12.54                         | 3.26                           | -9.28                      | -5.00                                   | -4.28       |
| 6420            | 12.0             | NB UNII HDRPL12 | ePA          | -17.14                               | -14.30                              | -12.48                         | 3.46                           | -9.03                      | -5.00                                   | -4.03       |
| 6109            | 12.0             | NB UNII HDRPL12 | IPA          | -15.70                               | -14.75                              | -12.19                         | 3.41                           | -8.78                      | -5.00                                   | -3.78       |
| 6263            | 12.0             | NB UNII HDRPL12 | IPA          | -15.82                               | -14.45                              | -12.07                         | 3.26                           | -8.81                      | -5.00                                   | -3.81       |
| 6420            | 12.0             | NB UNII HDRPL12 | IPA          | -15.84                               | -14.21                              | -11.94                         | 3.46                           | -8.48                      | -5.00                                   | -3.48       |
| 6109            | 32.0             | NB UNII HDRPL32 | ePA          | -17.74                               | -14.23                              | -12.63                         | 3.41                           | -9.22                      | -5.00                                   | -4.22       |
| 6263            | 32.0             | NB UNII HDRPL32 | ePA          | -17.53                               | -13.98                              | -12.39                         | 3.26                           | -9.13                      | -5.00                                   | -4.13       |
| 6420            | 32.0             | NB UNII HDRPL32 | ePA          | -17.53                               | -14.14                              | -12.50                         | 3.46                           | -9.04                      | -5.00                                   | -4.04       |
| 6109            | 32.0             | NB UNII HDRPL32 | IPA          | -16.12                               | -15.14                              | -12.60                         | 3.41                           | -9.18                      | -5.00                                   | -4.18       |
| 6263            | 32.0             | NB UNII HDRPL32 | IPA          | -16.34                               | -14.82                              | -12.50                         | 3.26                           | -9.24                      | -5.00                                   | -4.24       |
| 6420            | 32.0             | NB UNII HDRPL32 | IPA          | -16.18                               | -14.58                              | -12.30                         | 3.46                           | -8.84                      | -5.00                                   | -3.84       |
| 6106            | 2.0              | NB UNII HDT2    | ePA          | -18.21                               | -14.23                              | -12.77                         | 3.41                           | -9.36                      | -5.00                                   | -4.36       |
| 6263            | 2.0              | NB UNII HDT2    | ePA          | -17.62                               | -14.55                              | -12.81                         | 3.26                           | -9.55                      | -5.00                                   | -4.55       |
| 6420            | 2.0              | NB UNII HDT2    | ePA          | -18.05                               | -14.23                              | -12.73                         | 3.46                           | -9.27                      | -5.00                                   | -4.27       |
| 6106            | 2.0              | NB UNII HDT2    | IPA          | -16.40                               | -15.26                              | -12.78                         | 3.41                           | -9.37                      | -5.00                                   | -4.37       |
| 6263            | 2.0              | NB UNII HDT2    | IPA          | -16.71                               | -14.60                              | -12.52                         | 3.26                           | -9.26                      | -5.00                                   | -4.26       |
| 6420            | 2.0              | NB UNII HDT2    | IPA          | -16.50                               | -15.21                              | -12.79                         | 3.46                           | -9.34                      | -5.00                                   | -4.34       |
| 6106            | 4.0              | NB UNII HDT4    | ePA          | -18.00                               | -14.20                              | -12.69                         | 3.41                           | -9.28                      | -5.00                                   | -4.28       |
| 6263            | 4.0              | NB UNII HDT4    | ePA          | -17.60                               | -14.49                              | -12.76                         | 3.26                           | -9.50                      | -5.00                                   | -4.50       |
| 6420            | 4.0              | NB UNII HDT4    | ePA          | -18.09                               | -14.24                              | -12.74                         | 3.46                           | -9.28                      | -5.00                                   | -4.28       |
| 6106            | 4.0              | NB UNII HDT4    | IPA          | -16.03                               | -15.27                              | -12.62                         | 3.41                           | -9.21                      | -5.00                                   | -4.21       |
| 6263            | 4.0              | NB UNII HDT4    | IPA          | -16.24                               | -14.65                              | -12.36                         | 3.26                           | -9.10                      | -5.00                                   | -4.10       |
| 6420            | 4.0              | NB UNII HDT4    | IPA          | -16.06                               | -14.70                              | -12.32                         | 3.46                           | -8.86                      | -5.00                                   | -3.86       |
| 6106            | 6.0              | NB UNII HDT6    | ePA          | -19.12                               | -14.55                              | -13.25                         | 3.41                           | -9.84                      | -5.00                                   | -4.84       |
| 6263            | 6.0              | NB UNII HDT6    | ePA          | -18.58                               | -14.50                              | -13.07                         | 3.26                           | -9.81                      | -5.00                                   | -4.81       |
| 6420            | 6.0              | NB UNII HDT6    | ePA          | -18.48                               | -14.49                              | -13.03                         | 3.46                           | -9.58                      | -5.00                                   | -4.58       |
| 6106            | 6.0              | NB UNII HDT6    | IPA          | -16.51                               | -15.21                              | -12.80                         | 3.41                           | -9.39                      | -5.00                                   | -4.39       |
| 6263            | 6.0              | NB UNII HDT6    | IPA          | -16.73                               | -15.15                              | -12.86                         | 3.26                           | -9.60                      | -5.00                                   | -4.60       |
| 6420            | 6.0              | NB UNII HDT6    | IPA          | -16.52                               | -15.18                              | -12.79                         | 3.46                           | -9.33                      | -5.00                                   | -4.33       |

Table 7-13. Power Spectral Density Measurements TxBF Primary

|                                            |                                                                                     |                                       |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------|
| FCC ID: BCGA3357<br>IC: 579C-A3357         |  | MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1C2504170038-11-R4.BCG | Test Dates:<br>05/12/2025 - 08/13/2025                                              | EUT Type:<br>Tablet Device            | Page 93 of 330                    |

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).