





Plot 7-1378. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 105 – RU26)



Plot 7-1379. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 105 – RU26)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	-	-	-85.11	21.80	43.70	68.23	-24.53
12950.00	Peak	V	-	-	-73.31	21.80	55.50	88.23	-32.73

Table 7-232. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 454 of 730

V 11.0 05/2025



Plot 7-1380. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 113 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.43	22.09	43.66	68.23	-24.57
13030.00	Peak	H	-	-	-74.19	22.09	54.90	88.23	-33.33

Table 7-233. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 455 of 730

V 11.0 05/2025



Plot 7-1381. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 117 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	V	-	-	-85.39	22.11	43.73	68.23	-24.50
13070.00	Peak	V	-	-	-74.12	22.11	54.99	88.23	-33.24


Table 7-234. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 456 of 730

V 11.0 05/2025



Plot 7-1382. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 149 – RU26)




Plot 7-1383. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 149 – RU26)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.30	22.01	43.71	53.98	-10.27
* 13390.00	Peak	H	-	-	-74.26	22.01	54.75	73.98	-19.23

Table 7-235. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 457 of 730



Plot 7-1384. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 185 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	V	-	-	-85.82	21.79	42.97	68.23	-25.26
13750.00	Peak	V	-	-	-74.28	21.79	54.51	88.23	-33.72

Table 7-236. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 458 of 730

V 11.0 05/2025



Plot 7-1385. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 189 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	V	-	-	-86.09	22.16	43.07	68.23	-25.16
13790.00	Peak	V	-	-	-74.23	22.16	54.93	88.23	-33.30


Table 7-237. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 459 of 730

V 11.0 05/2025



Plot 7-1386. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 209 – RU26)



Plot 7-1387. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 209 – RU26)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	H	-	-	-86.42	22.12	42.70	68.23	-25.53
13990.00	Peak	H	-	-	-75.01	22.12	54.11	88.23	-34.12

Table 7-238. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 460 of 730

V 11.0 05/2025



Mode: 802.11be

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 7095MHz

Channel: 229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14190.00	Average	H	-	-	-86.26	22.69	43.43	68.23	-24.80
14190.00	Peak	H	-	-	-74.95	22.69	54.73	88.23	-33.50

Table 7-239. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 461 of 730

V 11.0 05/2025

RU242



Plot 7-1388. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 1 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11910.00	Average	V	-	-	-85.32	20.15	41.83	53.98	-12.15
* 11910.00	Peak	V	-	-	-73.50	20.15	53.64	73.98	-20.34
* 17865.00	Average	V	-	-	-85.55	26.00	47.46	53.98	-6.52
* 17865.00	Peak	V	-	-	-74.37	26.00	58.63	73.98	-15.35


Table 7-240. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3-BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 462 of 730

V 11.0 05/2025



Plot 7-1389. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 45 – RU242)



Plot 7-1390. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 45 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6175MHz
Channel:	45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Average	V	-	-	-85.37	20.88	42.52	53.98	-11.46
* 12350.00	Peak	V	-	-	-73.81	20.85	54.05	73.98	-19.93

Table 7-241. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 463 of 730

V 11.0 05/2025



Plot 7-1391. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 93 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	V	-	-	-85.15	22.10	43.95	68.23	-24.28
12830.00	Peak	V	-	-	-73.65	22.10	55.44	88.23	-32.79

Table 7-242. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 464 of 730

V 11.0 05/2025



Plot 7-1392. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 97 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6435MHz
Channel:	97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	H	-	-	-84.95	21.69	43.75	68.23	-24.48
12870.00	Peak	H	-	-	-73.53	21.69	55.16	88.23	-33.07


Table 7-243. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 465 of 730

V 11.0 05/2025



Plot 7-1393. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 105 – RU242)



Plot 7-1394. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 105 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	-	-	-85.33	21.88	43.55	68.23	-24.68
12950.00	Peak	V	-	-	-73.76	21.86	55.10	88.23	-33.13

Table 7-244. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 466 of 730

V 11.0 05/2025



Plot 7-1395. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 113 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.12	22.09	43.97	68.23	-24.26
13030.00	Peak	H	-	-	-74.46	22.09	54.63	88.23	-33.60

Table 7-245. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 467 of 730

V 11.0 05/2025



Plot 7-1396. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 117 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6535MHz
Channel:	117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	V	-	-	-85.59	22.11	43.52	68.23	-24.71
13070.00	Peak	V	-	-	-73.94	22.02	55.08	88.23	-33.15


Table 7-246. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 468 of 730

V 11.0 05/2025



Plot 7-1397. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 149 – RU242)



Plot 7-1398. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 149 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	V	-	-	-85.30	21.80	43.50	53.98	-10.48
* 13390.00	Peak	V	-	-	-74.18	21.80	54.62	73.98	-19.36

Table 7-247. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 469 of 730

V 11.0 05/2025



Plot 7-1399. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 185 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6875MHz
Channel:	185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	H	-	-	-85.73	21.79	43.06	68.23	-25.17
13750.00	Peak	H	-	-	-74.74	21.78	54.04	88.23	-34.19

Table 7-248. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 470 of 730

V 11.0 05/2025



Plot 7-1400. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 189 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	H	-	-	-85.73	21.78	43.05	68.23	-25.18
13790.00	Peak	H	-	-	-74.23	21.78	54.55	88.23	-33.68


Table 7-249. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 471 of 730

V 11.0 05/2025



Plot 7-1401. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 209 – RU242)



Plot 7-1402. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 209 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	H	-	-	-85.95	22.07	43.12	68.23	-25.11
13990.00	Peak	H	-	-	-74.95	22.05	54.10	88.23	-34.13

Table 7-250. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 472 of 730

V 11.0 05/2025



Plot 7-1403. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 233 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7115MHz
Channel:	233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	V	-	-	-86.17	22.86	43.69	68.23	-24.54
14230.00	Peak	V	-	-	-75.33	22.86	54.53	88.23	-33.70

Table 7-251. Radiated Spurious Emission Measurements SDM Diversity – RU242


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 473 of 730

V 11.0 05/2025

7.7.3 Antenna WF5B Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-1404 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1




Plot 7-1405 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 474 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5975MHz
Channel: 5



Plot 7-1406 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 5975MHz
Channel: 5




Plot 7-1407 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 475 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-1408 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1409 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 476 of 730

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1410 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1




Plot 7-1411 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 477 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 5975MHz
Channel: 5



Plot 7-1412 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 5975MHz
Channel: 5




Plot 7-1413 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 478 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-1414 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1415 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 479 of 730

V 11.0 05/2025


RU242

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5955MHz
Channel:	1



Plot 7-1416 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5975MHz
Channel:	5




Plot 7-1417 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 480 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1418 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurement: 3 Meters
Operating Frequency: 7115MHz
Channel: 233



Plot 7-1419 Antenna WF5B Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-1420 Antenna WF5B Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 481 of 730

7.7.4 Antenna WF5B Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-1421 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3




Plot 7-1422 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 482 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6005MHz
Channel: 11



Plot 7-1423 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 6005MHz
Channel: 11




Plot 7-1424 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 483 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-1425 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-1426 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 484 of 730

V 11.0 05/2025


RU484

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	65
Distance of Measurements:	3 Meters
Operating Frequency:	5965MHz
Channel:	3



Plot 7-1427 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	65
Distance of Measurements:	3 Meters
Operating Frequency:	6005MHz
Channel:	11




Plot 7-1428 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 485 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7045MHz
Channel: 219



Plot 7-1429 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-1430 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 486 of 730

V 11.0 05/2025

7.7.5 Antenna WF5B Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-1431 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7




Plot 7-1432 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 487 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6065MHz
Channel: 23



Plot 7-1433 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6065MHz
Channel: 23



Plot 7-1434 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 488 of 730

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6945MHz
Channel: 199



Plot 7-1435 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-1436 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 489 of 730

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-1437 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 490 of 730


MRU

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	90
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7



Plot 7-1438 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	91
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7




Plot 7-1439 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 491 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1440 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7




Plot 7-1441 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 492 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 6065MHz
Channel: 23



Plot 7-1442 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 6065MHz
Channel: 23




Plot 7-1443 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 493 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 6065MHz
Channel: 23



Plot 7-1444 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 6065MHz
Channel: 23



Plot 7-1445 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 494 of 730

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1446 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-1447 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 495 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1448 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-1449 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 496 of 730

V 11.0 05/2025


RU996

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	67
Distance of Measurements:	3 Meters
Operating Frequency:	5985MHz
Channel:	7



Plot 7-1450 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	67
Distance of Measurements:	3 Meters
Operating Frequency:	6065MHz
Channel:	23




Plot 7-1451 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 497 of 730

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-1452 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996

FCC ID: BCGA3357 IC: 579C-A3357			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 498 of 730	

7.7.6 Antenna WF5B Radiated Band Edge Measurements (160MHz BW)


RU26

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15



Plot 7-1453 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode:	802.11be OFDMA
Transfer Rate:	MCS11
RU Index:	36
Distance of Measurements:	3 Meters
Operating Frequency:	6025MHz
Channel:	15




Plot 7-1454 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 499 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-1455 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-1456 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 500 of 730

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6825MHz
Channel: 175



Plot 7-1457 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 7) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6825MHz
Channel: 175




Plot 7-1458 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 7) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 501 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1459 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1460 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 502 of 730

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1461 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1462 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 503 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1463 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1464 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 504 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1465 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1466 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 505 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1467 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1468 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 506 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1469 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1470 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 507 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1471 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1472 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 508 of 730

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1473 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1474 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 509 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1475 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1476 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 510 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1477 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1478 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 511 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1479 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1480 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 512 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1481 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1482 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 513 of 730

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1483 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1484 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 514 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1485 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1486 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 515 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1487 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1488 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 516 of 730


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1489 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1490 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 517 of 730

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-16-R3.BCG	Test Dates: 5/12/2025 - 08/28/2025	EUT Type: Tablet Device	Page 518 of 730

V 11.0 05/2025