




Plot 7-823. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 113 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.43	22.09	43.66	68.23	-24.57
13030.00	Peak	H	-	-	-74.19	22.09	54.90	88.23	-33.33

Table 7-134. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 275 of 463

V 11.0 05/2025



Plot 7-824. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 117 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	V	-	-	-85.39	22.11	43.73	68.23	-24.50
13070.00	Peak	V	-	-	-74.12	22.11	54.99	88.23	-33.24


Table 7-135. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 276 of 463

V 11.0 05/2025



Plot 7-825. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 149 – RU26)



Plot 7-826. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 149 – RU26)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.30	22.01	43.71	53.98	-10.27
13390.00	Peak	H	-	-	-74.26	22.01	54.75	88.23	-33.48

Table 7-136. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 277 of 463

V 11.0 05/2025



Plot 7-827. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 185 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-85.82	21.79	42.97	68.23	-25.26
13750.00	Peak	V	-	-	-74.28	21.79	54.51	88.23	-33.72

Table 7-137. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 278 of 463

V 11.0 05/2025



Plot 7-828. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 189 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	V	-	-	-86.09	22.16	43.07	68.23	-25.16
13790.00	Peak	V	-	-	-74.23	22.16	54.93	88.23	-33.30


Table 7-138. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 279 of 463

V 11.0 05/2025



Plot 7-829. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 209 – RU26)



Plot 7-830. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 209 – RU26)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	H	-	-	-86.42	22.12	42.70	68.23	-25.53
13990.00	Peak	H	-	-	-75.01	22.12	54.11	88.23	-34.12

Table 7-139. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 280 of 463

V 11.0 05/2025



Plot 7-831. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 229 – RU26)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14190.00	Peak	V	-	-	-73.79	21.93	55.14	88.23	-33.09
14190.00	Average	V	-	-	-85.46	21.93	43.48	68.23	-24.75

Table 7-140. Radiated Spurious Emission Measurements SDM Diversity – RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 281 of 463

V 11.0 05/2025

RU242



Plot 7-832. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 33 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12230.00	Average	V	-	-	-85.20	20.79	42.59	53.98	-11.39
* 12230.00	Peak	V	-	-	-73.94	20.79	53.85	73.98	-20.13

Table 7-141. Radiated Spurious Emission Measurements SDM Diversity – RU242


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 282 of 463

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-833. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 45 – RU242)



Plot 7-834. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 61 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6255MHz
Channel:	61


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12510.00	Average	V	-	-	-85.37	20.88	42.52	53.98	-11.46
* 12510.00	Peak	V	-	-	-73.81	20.88	54.08	73.98	-19.90

Table 7-142. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 283 of 463

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-835. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 93 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	V	-	-	-85.15	22.10	43.95	68.23	-24.28
12830.00	Peak	V	-	-	-73.65	22.10	55.44	88.23	-32.79

Table 7-143. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 284 of 463

V 11.0 05/2025



Plot 7-836. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 97 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	H	-	-	-84.95	21.69	43.75	68.23	-24.48
12870.00	Peak	H	-	-	-73.53	21.69	55.16	88.23	-33.07


Table 7-144. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 285 of 463

V 11.0 05/2025



Plot 7-837. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 105 – RU242)



Plot 7-838. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 105 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	-	-	-85.33	21.88	43.55	68.23	-24.68
12950.00	Peak	V	-	-	-73.76	21.88	55.13	88.23	-33.10

Table 7-145. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 286 of 463

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-839. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 113 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.12	22.09	43.97	68.23	-24.26
13030.00	Peak	H	-	-	-74.46	22.09	54.63	88.23	-33.60

Table 7-146. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 287 of 463

V 11.0 05/2025



Plot 7-840. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 117 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	V	-	-	-85.59	22.11	43.52	68.23	-24.71
13070.00	Peak	V	-	-	-73.94	22.11	55.17	88.23	-33.06


Table 7-147. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 288 of 463

V 11.0 05/2025



Plot 7-841. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 149 – RU242)




Plot 7-842. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 149 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	V	-	-	-85.30	22.01	43.71	53.98	-10.27
13390.00	Peak	V	-	-	-74.18	22.01	54.83	88.23	-33.40

Table 7-148. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 289 of 463



Plot 7-843. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 185 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	H	-	-	-85.73	21.79	43.06	68.23	-25.17
13750.00	Peak	H	-	-	-74.74	21.79	54.05	88.23	-34.18

Table 7-149. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 290 of 463

V 11.0 05/2025



Plot 7-844. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 189 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	H	-	-	-85.73	21.78	43.05	68.23	-25.18
13790.00	Peak	H	-	-	-74.23	21.78	54.55	88.23	-33.68


Table 7-150. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 291 of 463

V 11.0 05/2025



Plot 7-845. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 209 – RU242)



Plot 7-846. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 209 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	H	-	-	-85.95	22.07	43.12	68.23	-25.11
13990.00	Peak	H	-	-	-74.95	22.07	54.12	88.23	-34.11

Table 7-151. Radiated Spurious Emission Measurements SDM Diversity – RU242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 292 of 463

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-847. Radiated Spurious Emissions above 1GHz SDM Diversity (802.11be – Ch. 229 – RU242)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14190.00	Peak	V	-	-	-73.53	21.93	55.40	88.23	-32.83
14190.00	Average	V	-	-	-85.38	21.93	43.55	68.23	-24.68

Table 7-152. Radiated Spurious Emission Measurements SDM Diversity – RU242


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 293 of 463

V 11.0 05/2025

7.7.3 Antenna WF5B Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6115MHz
 Channel: 33



Plot 7-848 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 6115MHz
 Channel: 33




Plot 7-849 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 294 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-850 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-851 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 295 of 463

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-852 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33




Plot 7-853 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 296 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-854 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-855 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 297 of 463

V 11.0 05/2025

7.7.4 Antenna WF5B Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6125MHz
 Channel: 35



Plot 7-858 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 6125MHz
 Channel: 35




Plot 7-859 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 299 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-860 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-861 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 300 of 463


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-862 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7045MHz
Channel: 219




Plot 7-863 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 301 of 463

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-864 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 302 of 463

V 11.0 05/2025

7.7.5 Antenna WF5B Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6145MHz
 Channel: 39



Plot 7-865 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6145MHz
 Channel: 39




Plot 7-866 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 303 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-867 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-868 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 304 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-871 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-872 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 306 of 463

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-873 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-874 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 307 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-875 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-876 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 308 of 463

V 11.0 05/2025


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-877 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-878 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 309 of 463

V 11.0 05/2025

7.7.6 Antenna WF5B Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6185MHz
 Channel: 47



Plot 7-879 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6185MHz
 Channel: 47




Plot 7-880 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 310 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6825MHz
Channel: 175



Plot 7-881 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 7) - RU26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6825MHz
Channel: 175



Plot 7-882 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 7) - RU26


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 311 of 463

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-883 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-884 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 312 of 463


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-885 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-886 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 313 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-887 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-888 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 314 of 463

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-889 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-890 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 315 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-891 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-892 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 316 of 463

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-893 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-894 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 317 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-895 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-896 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 318 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-897 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-898 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 319 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-899 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47




Plot 7-900 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 320 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-901 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-902 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 321 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-903 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-904 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 322 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-905 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-906 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 323 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-907 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-908 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 324 of 463

V 11.0 05/2025


RU996x2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6185MHz
Channel: 47



Plot 7-909 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996X2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-910 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996X2


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 325 of 463

V 11.0 05/2025

7.7.7 Antenna WF8 Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6115MHz
 Channel: 33



Plot 7-911 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 6115MHz
 Channel: 33




Plot 7-912 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 326 of 463

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 327 of 463

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-915 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33




Plot 7-916 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 328 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-917 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-918 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 329 of 463

V 11.0 05/2025


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 6115MHz
Channel: 33



Plot 7-919 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-920 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 330 of 463

V 11.0 05/2025

7.7.8 Antenna WF8 Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6125MHz
 Channel: 35



Plot 7-921 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 6125MHz
 Channel: 35




Plot 7-922 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 331 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-923 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-924 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 332 of 463


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 6125MHz
Channel: 35



Plot 7-925 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-926 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 333 of 463

V 11.0 05/2025

7.7.9 Antenna WF8 Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-927 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-928 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 334 of 463

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-929 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-930 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 335 of 463


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-931 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39




Plot 7-932 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 336 of 463	


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-933 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39




Plot 7-934 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 337 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-935 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-936 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 338 of 463


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-937 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-938 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 339 of 463

V 11.0 05/2025


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 6145MHz
Channel: 39



Plot 7-939 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-940 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 340 of 463

V 11.0 05/2025

7.7.10 Antenna WF8 Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 6185MHz
 Channel: 47



Plot 7-941 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 6185MHz
 Channel: 47



Plot 7-942 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 341 of 463

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-943 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-944 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-18-R2.BCG	Test Dates: 5/12/2025 - 8/13/2025	EUT Type: Tablet Device	Page 342 of 463

V 11.0 05/2025

