





Plot 7-293. RSE above 1GHz CDD Primary (11be – Ch.116 – RU242)




Plot 7-294. RSE 18GHz – 40 GHz CDD Primary (11be Ch.116 — RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11160.00	Average	H	-	-	-79.39	9.60	37.21	53.98	-16.77
*	11160.00	Peak	H	-	-	-68.97	9.60	47.63	73.98	-26.35
	16740.00	Peak	V	-	-	-68.13	15.74	54.62	68.23	-13.61

Table 7-205. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 165 of 375




Plot 7-295. RSE above 1GHz CDD Primary (11be – Ch.144 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	H	-	-	-79.51	10.20	37.69	53.98	-16.29
*	11440.00	Peak	H	-	-	-68.38	10.07	48.69	73.98	-25.29
	17160.00	Peak	H	-	-	-69.00	16.84	54.84	68.20	-13.36

Table 7-206. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 166 of 375




Plot 7-296. RSE above 1GHz CDD Primary (11be – Ch.149 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-79.41	10.10	37.69	53.98	-16.29
*	11490.00	Peak	V	-	-	-68.70	10.10	48.41	73.98	-25.57
	17235.00	Peak	H	-	-	-68.47	16.71	55.25	68.20	-12.95

Table 7-207. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 167 of 375



Plot 7-297. RSE above 1GHz CDD Primary (11be – Ch.157 – RU242)



Plot 7-298. RSE 18GHz – 40 GHz CDD Primary (11be Ch.157 — RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters


Operating Frequency: 5785MHz

Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-79.88	10.47	37.59	53.98	-16.39
* 11570.00	Peak	H	-	-	-69.24	10.61	48.37	73.98	-25.61
17355.00	Peak	V	-	-	-70.46	18.72	55.26	68.20	-12.94

Table 7-208. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 168 of 375



Plot 7-299. RSE above 1GHz CDD Primary (11be – Ch.165 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-79.44	10.25	37.81	53.98	-16.17
*	11650.00	Peak	H	-	-	-69.01	10.25	48.23	73.98	-25.75
	17475.00	Peak	H	-	-	-70.11	19.24	56.13	68.20	-12.07

Table 7-209. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 169 of 375

7.6.2 CDD Diversity Radiated Spurious Emissions

RU26



Plot 7-300. RSE above 1GHz CDD Diversity (11be – Ch.36 – RU26)


Mode:	802.11be (20MHz BW)
Data Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10360.00	Peak	V	-	-	-67.89	9.07	48.17	68.23	-20.06
*	15540.00	Average	H	-	-	-79.82	14.61	41.80	53.98	-12.18
*	15540.00	Peak	H	-	-	-69.58	14.61	52.04	73.98	-21.94


Table 7-210. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 170 of 375

V 10.6 10/27/2023



Plot 7-301. RSE above 1GHz CDD Diversity (11be – Ch.40 – RU26)




Plot 7-302. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.40 — RU26)

Mode:	802.11be (20MHz BW)
Data Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	5200MHz
Channel:	40

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10400.00	Peak	V	-	-	-68.29	8.99	47.70	68.23	-20.53
*	15600.00	Average	V	-	-	-79.76	14.69	41.92	53.98	-12.06
*	15600.00	Peak	V	-	-	-69.31	14.69	52.37	73.98	-21.61

Table 7-211. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 171 of 375




Plot 7-303. RSE above 1GHz CDD Diversity (11be – Ch.48 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
	10480.00	Peak	V	-	-	-67.34	9.22	48.88	68.23	-19.35
*	15720.00	Average	H	-	-	-79.54	14.05	41.51	53.98	-12.47
*	15720.00	Peak	H	-	-	-68.27	14.05	52.78	73.98	-21.20

Table 7-212. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 172 of 375




Plot 7-304. RSE above 1GHz CDD Diversity (11be – Ch.52 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10520.00	Peak	H	-	-	-68.53	9.11	47.58	68.23	-20.65
*	15780.00	Average	V	-	-	-79.42	13.98	41.57	53.98	-12.41
*	15780.00	Peak	V	-	-	-69.07	13.98	51.91	73.98	-22.07

Table 7-213. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 173 of 375



Plot 7-305. RSE above 1GHz CDD Diversity (11be – Ch.56 – RU26)




Plot 7-306. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.56 — RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10560.00	Peak	V	-	-	-67.98	9.21	48.23	68.23	-20.00
*	15840.00	Average	V	-	-	-79.73	14.33	41.60	53.98	-12.38
*	15840.00	Peak	V	-	-	-69.32	14.33	52.01	73.98	-21.97

Table 7-214. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 174 of 375




Plot 7-307. RSE above 1GHz CDD Diversity (11be – Ch.64 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	10640.00	Average	H	-	-	-79.31	9.41	37.10	53.98	-16.88
*	10640.00	Peak	H	-	-	-68.22	9.41	48.19	73.98	-25.79
*	15960.00	Average	H	-	-	-79.83	14.10	41.27	53.98	-12.71
*	15960.00	Peak	H	-	-	-69.37	14.10	51.73	73.98	-22.25

Table 7-215. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 175 of 375




Plot 7-308. RSE above 1GHz CDD Diversity (11be – Ch.100 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11000.00	Average	H	-	-	-79.60	9.74	37.14	53.98	-16.84
*	11000.00	Peak	H	-	-	-68.94	9.74	47.80	73.98	-26.18
	16500.00	Peak	H	-	-	-69.30	16.59	54.29	68.23	-13.94

Table 7-216. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 176 of 375



Plot 7-309. RSE above 1GHz CDD Diversity (11be – Ch.116 – RU26)



Plot 7-310. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.116 — RU26)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 4

Distance of Measurements: 3 Meters

Operating Frequency: 5580MHz

Channel: 116


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11160.00	Average	V	-	-	-79.44	9.60	37.16	53.98	-16.82
*	11160.00	Peak	V	-	-	-68.36	9.60	48.24	73.98	-25.74
	16740.00	Peak	V	-	-	-68.09	15.56	54.47	68.23	-13.76

Table 7-217. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 177 of 375

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-311. RSE above 1GHz CDD Diversity (11be – Ch.144 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	V	-	-	-79.26	10.26	38.00	53.98	-15.98
*	11440.00	Peak	V	-	-	-68.76	10.20	48.44	73.98	-25.54
	17160.00	Peak	V	-	-	-68.31	16.76	55.45	68.23	-12.78

Table 7-218. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 178 of 375




Plot 7-312. RSE above 1GHz CDD Diversity (11be – Ch.149 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-79.32	10.07	37.75	53.98	-16.23
*	11490.00	Peak	V	-	-	-68.00	10.07	49.08	73.98	-24.90
	17235.00	Peak	H	-	-	-69.92	16.71	53.80	68.23	-14.43

Table 7-219. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 179 of 375



Plot 7-313. RSE above 1GHz CDD Diversity (11be – Ch.157 – RU26)



Plot 7-314. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.157 — RU26)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 4

Distance of Measurements: 3 Meters


Operating Frequency: 5785MHz

Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11570.00	Average	H	-	-	-79.56	10.13	37.56	53.98	-16.42
*	11570.00	Peak	H	-	-	-68.58	10.13	48.55	73.98	-25.43
	17355.00	Peak	H	-	-	-69.11	17.86	55.75	68.23	-12.48

Table 7-220. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 180 of 375




Plot 7-315. RSE above 1GHz CDD Diversity (11be – Ch.165 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-79.78	10.44	37.66	53.98	-16.32
*	11650.00	Peak	H	-	-	-69.13	10.44	48.31	73.98	-25.67
	17475.00	Peak	H	-	-	-70.56	19.24	55.68	68.23	-12.55

Table 7-221. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 181 of 375


Plot 7-316. RSE above 1GHz CDD Diversity (11be – Ch.36 – RU242)

Mode: 11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters


Operating Frequency: 5180MHz

Channel: 36


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10360.00	Peak	V	-	-	-68.64	9.02	47.38	68.23	-20.85
*	15540.00	Average	V	-	-	-79.76	14.49	41.73	53.98	-12.25
*	15540.00	Peak	V	-	-	-69.03	14.66	52.63	73.98	-21.35

Table 7-222. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 182 of 375



Plot 7-317. RSE above 1GHz CDD Diversity (11be – Ch.40 – RU242)



Plot 7-318. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.40 — RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters

Operating Frequency: 5200MHz

Channel: 40


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10400.00	Peak	V	-	-	-67.88	8.99	48.11	68.23	-20.12
*	15600.00	Average	V	-	-	-79.88	14.51	41.63	53.98	-12.34
*	15600.00	Peak	V	-	-	-69.13	14.45	52.32	73.98	-21.66

Table 7-223. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 183 of 375

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-319. RSE above 1GHz CDD Diversity (11be – Ch.48 – RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters


Operating Frequency: 5240MHz

Channel: 48

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10480.00	Peak	H	-	-	-68.33	9.43	48.10	68.23	-20.13
*	15720.00	Average	V	-	-	-79.49	14.05	41.57	53.98	-12.41
*	15720.00	Peak	V	-	-	-68.80	13.97	52.16	73.98	-21.82

Table 7-224. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 184 of 375




Plot 7-320. RSE above 1GHz CDD Diversity (11be – Ch.52 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
	10520.00	Peak	H	-	-	-68.44	9.18	47.74	68.23	-20.49
*	15780.00	Average	H	-	-	-79.39	13.88	41.49	53.98	-12.49
*	15780.00	Peak	H	-	-	-68.74	13.88	52.15	73.98	-21.83

Table 7-225. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 185 of 375



Plot 7-321. RSE above 1GHz CDD Diversity (11be – Ch.56 – RU242)



Plot 7-322. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.56 — RU242)

Mode: 802.11be (20MHz BW)

Data Rate: MCS0

RU Index: 61

Distance of Measurements: 3 Meters


Operating Frequency: 5280MHz

Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	V	-	-	-68.18	9.21	48.03	68.23	-20.20
15840.00	Average	H	-	-	-79.64	14.33	41.69	53.98	-12.29
15840.00	Peak	H	-	-	-68.76	14.11	52.35	73.98	-21.63

Table 7-226. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 186 of 375




Plot 7-323. RSE above 1GHz CDD Diversity (11be – Ch.64 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	10640.00	Average	V	-	-	-79.51	9.42	36.91	53.98	-17.07
*	10640.00	Peak	V	-	-	-68.92	9.70	47.78	73.98	-26.20
*	15960.00	Average	H	-	-	-79.69	13.92	41.23	53.98	-12.75
*	15960.00	Peak	H	-	-	-69.08	13.92	51.84	73.98	-22.14

Table 7-227. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 187 of 375




Plot 7-324. RSE above 1GHz CDD Diversity (11be – Ch.100 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11000.00	Average	V	-	-	-79.69	9.83	37.14	53.98	-16.84
*	11000.00	Peak	V	-	-	-68.38	9.69	48.30	73.98	-25.68
	16500.00	Peak	V	-	-	-69.14	16.09	53.95	68.23	-14.28

Table 7-228. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 188 of 375



Plot 7-325. RSE above 1GHz CDD Diversity (11be – Ch.116 – RU242)




Plot 7-326. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.116 — RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11160.00	Average	H	-	-	-79.68	9.62	36.94	53.98	-17.04
*	11160.00	Peak	H	-	-	-69.20	9.53	47.34	73.98	-26.64
	16740.00	Peak	V	-	-	-68.04	15.71	54.68	68.23	-13.55

Table 7-229. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 189 of 375




Plot 7-327. RSE above 1GHz CDD Diversity (11be – Ch.144 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	V	-	-	-79.50	10.20	37.70	53.98	-16.28
*	11440.00	Peak	V	-	-	-68.72	10.20	48.47	73.98	-25.51
	17160.00	Peak	V	-	-	-68.55	16.76	55.21	68.20	-12.99

Table 7-230. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 190 of 375




Plot 7-328. RSE above 1GHz CDD Diversity (11be – Ch.149 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-79.39	10.10	37.71	53.98	-16.27
*	11490.00	Peak	V	-	-	-68.81	10.02	48.20	73.98	-25.78
	17235.00	Peak	H	-	-	-69.53	16.71	54.19	68.20	-14.01

Table 7-231. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 191 of 375



Plot 7-329. RSE above 1GHz CDD Diversity (11be – Ch.157 – RU242)




Plot 7-330. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.157 — RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11570.00	Average	V	-	-	-79.49	10.05	37.56	53.98	-16.41
*	11570.00	Peak	V	-	-	-68.34	10.13	48.78	73.98	-25.19
	17355.00	Peak	H	-	-	-69.09	17.41	55.32	68.20	-12.88

Table 7-232. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 192 of 375



Plot 7-331. RSE above 1GHz CDD Diversity (11be – Ch.165 – RU242)

Mode: 802.11be (20MHz BW)
Data Rate: MCS0
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-79.64	10.27	37.63	53.98	-16.35
*	11650.00	Peak	H	-	-	-69.13	10.25	48.12	73.98	-25.86
	17475.00	Peak	V	-	-	-69.92	19.24	56.32	68.20	-11.88

Table 7-233. Radiated Measurements CDD Diversity (RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 193 of 375

7.6.3 Antenna WF5B Radiated Band Edge Measurements (20MHz BW)


RU26




Plot 7-332. Antenna WF5B (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-335. Antenna WF5B (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-333. Antenna WF5B (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-336. Antenna WF5B (Peak, RU26, Index 0, Ch.165, MCS11)




Plot 7-334. Antenna WF5B (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-337. Antenna WF5B (Peak, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 194 of 375


RU52




Plot 7-338. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.64, MCS11)




Plot 7-341. Antenna WF5B (Peak & Average, RU52, Index 40, Ch.100, MCS11)




Plot 7-339. Antenna WF5B (Peak & Average, RU52, Index 40, Ch.64, MCS11)



Plot 7-342. Antenna WF5B (Peak, RU52, Index 37, Ch.140, MCS11)




Plot 7-340. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.100, MCS11)




Plot 7-343. Antenna WF5B (Peak, RU52, Index 40, Ch.140, MCS11)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 195 of 375


MRU




Plot 7-344. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.36, MCS11)




Plot 7-347. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.64, MCS11)




Plot 7-345. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.36, MCS11)



Plot 7-348. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.100, MCS11)




Plot 7-346. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.64, MCS11)




Plot 7-349. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.100, MCS11)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 196 of 375




Plot 7-350. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.104, MCS11)




Plot 7-353. Antenna WF5B (Peak, RU52+26, Index 72, Ch.136, MCS11)




Plot 7-351. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.104, MCS11)



Plot 7-354. Antenna WF5B (Peak, RU52+26, Index 70, Ch.140, MCS11)




Plot 7-352. Antenna WF5B (Peak, RU52+26, Index 70, Ch.136, MCS11)




Plot 7-355. Antenna WF5B (Peak, RU52+26, Index 72, Ch.140, MCS11)


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 197 of 375




Plot 7-356. Antenna WF5B (Peak, RU52+26, Index 70, Ch.149, MCS11)



Plot 7-359. Antenna WF5B (Peak, RU52+26, Index 72, Ch.165, MCS11)




Plot 7-357. Antenna WF5B (Peak, RU52+26, Index 72, Ch.149, MCS11)




Plot 7-358. Antenna WF5B (Peak, RU52+26, Index 70, Ch.165, MCS11)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 198 of 375


RU242




Plot 7-360. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-363. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.64, MCS11)




Plot 7-361. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-364. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.100, MCS11)



Plot 7-362. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.60, MCS11)



Plot 7-365. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.104, MCS11)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-14-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 199 of 375