



Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-180 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-181 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 139 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-182 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-183 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 140 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-184 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-185 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 141 of 209


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-186 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-187 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 142 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-188 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-189 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 143 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-190 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-191 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 144 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-192 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-193 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 145 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-194 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-195 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 146 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-196 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-197 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 147 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-198 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 148 of 209


V 11.0 5/2025

7.7.5 Antenna WF9 Radiated Restricted Band Edge Measurements

§15.205 §15.209; RSS-Gen [8.9]


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-199 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU26)


Mode: 802.11be OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-200 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 149 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-201 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-202 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 150 of 209


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-203 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-204 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 151 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-205 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-206 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 152 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-207 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11




Plot 7-208 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 153 of 209


V 11.0 5/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-209 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-210 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 154 of 209


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-211 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-212 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 155 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-213 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-214 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 156 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-215 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-216 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device		Page 157 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-217 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-218 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 158 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-219 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-220 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 159 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-221 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-222 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 160 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-223 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 161 of 209


V 11.0 5/2025

7.7.6 CDD Primary Radiated Restricted Band Edge Measurements

§15.205 §15.209; RSS-Gen [8.9]


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-224 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU26)


Mode: 802.11be OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-225 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 162 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-226 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-227 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 163 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-228 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU26)

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 164 of 209

V 11.0 5/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-229 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-230 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 165 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-231 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-232 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 166 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-233 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-234 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 167 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-235 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-236 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 168 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-237 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-238 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 169 of 209


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-239 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2




Plot 7-240 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 170 of 209

V 11.0 5/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-241 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-242 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 171 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-243 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-244 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 172 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-245 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-246 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 173 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-247 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-248 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 174 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-249 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-250 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 175 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-251 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-252 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 176 of 209

7.7.7 CDD Diversity Radiated Restricted Band Edge Measurements

§15.205 §15.209; RSS-Gen [8.9]


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-253 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU26)


Mode: 802.11be OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2417MHz
 Channel: 2



Plot 7-254 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 177 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-255 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-256 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 178 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-257 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU26)

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 179 of 209

V 11.0 5/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-258 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-259 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 180 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-260 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-261 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 181 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-262 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-263 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 182 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-264 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-265 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 183 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-266 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-267 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 184 of 209


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-268 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-269 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 185 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-270 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-271 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 186 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-272 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6




Plot 7-273 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 187 of 209


V 11.0 5/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-274 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-275 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 188 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-276 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-277 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 189 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-278 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-279 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 190 of 209

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-280 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-281 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 191 of 209

7.8 Radiated Spurious Emissions – Below 1GHz

§15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-67 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-67. Radiated Limits

Test Procedures Used

ANSI C63.10-2020

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 192 of 209

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-7. Radiated Test Setup < 30MHz




Figure 7-8. Radiated Test Setup < 1GHz

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 193 of 209

V 11.0 5/2025

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (8.10) are below the limit shown in Table 7-67.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector for emissions within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. All antenna configurations and data rates were investigated and only the worst case are reported.
10. For radiated measurements, emissions were investigated for the fully-loaded RU configuration and for all the partially-loaded RU configurations. Among all of the available partially-loaded RU configurations, only the configuration with the worst case emissions is reported.
11. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger

Sample Calculations


Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level }_{[dBm]} + 107 + \text{AFCL }_{[dB/m]}$
- $\text{AFCL }_{[dB/m]} = \text{Antenna Factor }_{[dB/m]} + \text{Cable Loss }_{[dB]} - \text{Preamplifier Gain }_{[dB]}$
- $\text{Margin }_{[dB]} = \text{Field Strength Level }_{[dB\mu V/m]} - \text{Limit }_{[dB\mu V/m]}$

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 194 of 209

CDD Radiated Spurious Emissions Measurements (Below 1GHz)

§15.209; RSS-Gen [8.9]




Plot 7-282. Radiated Spurious Emissions below 1GHz CDD Primary Ch.6 (RU26), with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
30.10	Max Peak	V	100	324	-65.10	-18.30	23.60	40.00	-16.40
45.33	Max Peak	V	100	309	-60.88	-14.50	31.62	40.00	-8.38
127.15	Max Peak	V	100	349	-64.70	-19.40	22.90	43.52	-20.62
188.55	Max Peak	H	200	350	-59.81	-16.90	30.29	43.52	-13.23
294.81	Max Peak	H	100	326	-67.98	-13.40	25.62	46.02	-20.40
928.37	Max Peak	V	300	308	-77.27	-1.50	28.23	46.02	-17.79

Table 7-68. Radiated Spurious Emissions below 1GHz CDD Primary Ch.6 (RU26), with AC/DC Adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 195 of 209




Plot 7-283. Radiated Spurious Emissions below 1GHz CDD Primary Ch.6 (RU242), with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
46.01	Max Peak	V	100	15	-61.45	-14.46	31.09	40.00	-8.91
96.64	Max Peak	V	100	118	-67.56	-17.00	22.44	43.52	-21.08
189.47	Max Peak	H	200	257	-60.30	-16.80	29.90	43.52	-13.62
236.80	Max Peak	H	100	192	-64.88	-14.87	27.25	46.02	-18.77
296.07	Max Peak	H	100	215	-67.98	-13.43	25.59	46.02	-20.43
952.71	Max Peak	H	100	188	-76.19	-1.61	29.20	46.02	-16.82

Table 7-69. Radiated Spurious Emissions below 1GHz CDD Primary Ch.6 (RU242), with AC/DC Adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 196 of 209




Plot 7-284. Radiated Spurious Emissions below 1GHz CDD Diversity Ch.6 (RU26), with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
44.84	Max Peak	V	100	34	-59.35	-14.58	33.07	40.00	-6.93
64.97	Max Peak	V	200	347	-66.89	-17.32	22.79	40.00	-17.21
129.72	Max Peak	H	300	170	-63.75	-19.55	23.70	43.52	-19.82
179.77	Max Peak	H	100	92	-62.26	-17.80	26.94	43.52	-16.58
221.09	Max Peak	H	100	69	-68.40	-15.64	22.96	46.02	-23.06
245.92	Max Peak	H	100	205	-69.50	-14.53	22.97	46.02	-23.05

Table 7-70. Radiated Spurious Emissions below 1GHz CDD Diversity Ch.6 (RU26), with AC/DC Adapter

FCC ID: BCGA3357 IC: 579C-A3357			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device		Page 197 of 209



Plot 7-285. Radiated Spurious Emissions below 1GHz CDD Diversity Ch.6 (RU242), with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
43.82	Max Peak	V	100	15	-59.02	-14.77	33.21	40.00	-6.79
61.23	Max Peak	V	100	319	-65.79	-16.15	25.06	40.00	-14.94
127.68	Max Peak	H	300	183	-65.32	-19.41	22.27	43.52	-21.25
190.49	Max Peak	H	100	233	-63.18	-16.60	27.22	43.52	-16.30
221.53	Max Peak	H	100	85	-67.13	-15.64	24.23	46.02	-21.79
282.20	Max Peak	H	100	288	-72.39	-13.84	20.77	46.02	-25.25

Table 7-71. Radiated Spurious Emissions below 1GHz CDD Diversity Ch.6 (RU242), with AC/DC Adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 198 of 209

7.9 AC Line-Conducted Emissions Measurement

§15.207; RSS-Gen [8.8]

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (8.8).

Frequency of emission (MHz)	Conducted Limit (dBμV)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-72. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10-2020, Subclause 6.2

Test Settings

Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 199 of 209

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-9. Test Instrument & Measurement Setup

Test Notes

- All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
- Both configurations below were investigated, and the worst case has been reported.
 - EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - EUT powered by host PC via USB-C cable with wire charger
- The limit for an intentional radiator from 150kHz to 30MHz are specified in Part 15.207 and RSS-Gen(8.8).
- $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
- $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
- $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
- Traces shown in plot are made using quasi peak and average detectors.
- Deviations to the Specifications: None.
- All RU's were investigated and only worst case partially-loaded and fully-loaded RU's are reported.

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 200 of 209

V 11.0 5/2025



Plot 7-286. AC Line Conducted Emissions with 802.11be CDD Primary (RU26) Ch.6 (L1, with AC/DC Adapter)


Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.197	FINAL	52.4	—	63.73	-11.38	L1	GND
0.200	FINAL	—	41.47	53.63	-12.16	L1	GND
0.292	FINAL	—	29.75	50.47	-20.73	L1	GND
0.292	FINAL	45.9	—	60.47	-14.57	L1	GND
0.713	FINAL	—	28.17	46.00	-17.83	L1	GND
0.713	FINAL	40.5	—	56.00	-15.47	L1	GND
1.457	FINAL	27.4	—	56.00	-28.62	L1	GND
1.457	FINAL	—	16.62	46.00	-29.38	L1	GND
8.642	FINAL	27.6	—	60.00	-32.36	L1	GND
8.642	FINAL	—	21.45	50.00	-28.55	L1	GND
16.496	FINAL	—	16.88	50.00	-33.12	L1	GND
16.496	FINAL	22.9	—	60.00	-37.13	L1	GND

Table 7-73. AC Line Conducted Data with 802.11be CDD Primary (RU26) Ch.6 (L1, with AC/DC Adapter)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 201 of 209

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-287. AC Line Conducted Emissions with 802.11be CDD Primary (RU26) Ch.6 (N, with AC/DC Adapter)


Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.191	FINAL	—	35.25	54.02	-18.76	N	GND
0.191	FINAL	53.4	—	64.02	-10.59	N	GND
0.254	FINAL	—	29.07	51.64	-22.57	N	GND
0.254	FINAL	44.7	—	61.64	-16.98	N	GND
0.582	FINAL	35.8	—	56.00	-20.25	N	GND
0.582	FINAL	—	24.46	46.00	-21.54	N	GND
1.955	FINAL	—	16.34	46.00	-29.66	N	GND
1.957	FINAL	26.1	—	56.00	-29.91	N	GND
8.378	FINAL	—	11.45	50.00	-38.55	N	GND
8.381	FINAL	19.0	—	60.00	-40.97	N	GND
22.038	FINAL	—	18.11	50.00	-31.89	N	GND
22.038	FINAL	24.1	—	60.00	-35.95	N	GND

Table 7-74. AC Line Conducted Data with 802.11be CDD Primary (RU26) Ch.6 (N, with AC/DC Adapter)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 202 of 209

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-288. AC Line Conducted Emissions with 802.11be CDD Primary (RU242) Ch.6 (L1, with AC/DC Adapter)


Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.197	FINAL	52.2	—	63.73	-11.53	L1	GND
0.200	FINAL	—	41.30	53.63	-12.34	L1	GND
0.292	FINAL	—	29.69	50.47	-20.79	L1	GND
0.292	FINAL	45.8	—	60.47	-14.64	L1	GND
0.713	FINAL	—	28.13	46.00	-17.87	L1	GND
0.713	FINAL	40.5	—	56.00	-15.48	L1	GND
1.457	FINAL	27.4	—	56.00	-28.58	L1	GND
1.457	FINAL	—	16.64	46.00	-29.36	L1	GND
8.608	FINAL	27.6	—	60.00	-32.37	L1	GND
8.610	FINAL	—	21.24	50.00	-28.76	L1	GND
16.494	FINAL	22.9	—	60.00	-37.11	L1	GND
16.496	FINAL	—	16.93	50.00	-33.07	L1	GND

Table 7-75. AC Line Conducted Data with 802.11be CDD Primary (RU242) Ch.6 (L1, with AC/DC Adapter)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 203 of 209

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-289. AC Line Conducted Emissions with 802.11be CDD Primary (RU242) Ch.6 (N, with AC/DC Adapter)

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.188	FINAL	53.7	—	64.11	-10.39	N	GND
0.191	FINAL	—	35.98	54.02	-18.04	N	GND
0.254	FINAL	—	29.56	51.64	-22.09	N	GND
0.254	FINAL	44.8	—	61.64	-16.85	N	GND
0.580	FINAL	—	24.69	46.00	-21.31	N	GND
0.582	FINAL	36.1	—	56.00	-19.93	N	GND
1.950	FINAL	26.1	—	56.00	-29.92	N	GND
1.952	FINAL	—	16.49	46.00	-29.51	N	GND
8.468	FINAL	—	11.52	50.00	-38.48	N	GND
8.475	FINAL	19.0	—	60.00	-41.03	N	GND
22.038	FINAL	—	18.09	50.00	-31.91	N	GND
22.038	FINAL	24.0	—	60.00	-36.01	N	GND

Table 7-76. AC Line Conducted Data with 802.11be CDD Primary (RU242) Ch.6 (N, with AC/DC Adapter)

FCC ID: BCGA3357 IC: 579C-A3357			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device		Page 204 of 209




Plot 7-290. AC Line Conducted Emissions with 802.11be CDD Diversity (RU26) Ch.6 (L1, with AC/DC Adapter)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.197	FINAL	51.6	—	63.73	-12.13	L1	GND
0.200	FINAL	—	40.70	53.63	-12.93	L1	GND
0.292	FINAL	45.5	—	60.47	-14.98	L1	GND
0.296	FINAL	—	31.98	50.35	-18.37	L1	GND
0.713	FINAL	40.4	—	56.00	-15.65	L1	GND
0.713	FINAL	—	27.94	46.00	-18.06	L1	GND
1.457	FINAL	27.5	—	56.00	-28.52	L1	GND
1.457	FINAL	—	16.56	46.00	-29.44	L1	GND
8.482	FINAL	—	21.02	50.00	-28.98	L1	GND
8.484	FINAL	27.4	—	60.00	-32.64	L1	GND
16.492	FINAL	—	16.84	50.00	-33.16	L1	GND
16.492	FINAL	22.8	—	60.00	-37.21	L1	GND

Table 7-77. AC Line Conducted Data with 802.11be CDD Diversity (RU26) Ch.6 (L1, with AC/DC Adapter)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 205 of 209




Plot 7-291. AC Line Conducted Emissions with 802.11be CDD Diversity (RU26) Ch.6 (N, with AC/DC Adapter)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.188	FINAL	54.2	—	64.11	-9.94	N	GND
0.191	FINAL	—	36.34	54.02	-17.67	N	GND
0.254	FINAL	—	30.04	51.64	-21.60	N	GND
0.254	FINAL	44.7	—	61.64	-16.98	N	GND
0.578	FINAL	—	24.07	46.00	-21.93	N	GND
0.578	FINAL	35.8	—	56.00	-20.20	N	GND
1.921	FINAL	26.6	—	56.00	-29.39	N	GND
1.923	FINAL	—	16.22	46.00	-29.78	N	GND
8.457	FINAL	19.0	—	60.00	-41.00	N	GND
8.464	FINAL	—	11.46	50.00	-38.54	N	GND
22.038	FINAL	—	18.03	50.00	-31.97	N	GND
22.038	FINAL	24.0	—	60.00	-36.01	N	GND

Table 7-78. AC Line Conducted Data with 802.11be CDD Diversity (RU26) Ch.6 (N, with AC/DC Adapter)

FCC ID: BCGA3357 IC: 579C-A3357			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device		Page 206 of 209



Plot 7-292. AC Line Conducted Emissions with 802.11be CDD Diversity (RU242) Ch.6 (L1, with AC/DC Adapter)


Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.197	FINAL	51.5	—	63.73	-12.20	L1	GND
0.200	FINAL	—	40.56	53.63	-13.07	L1	GND
0.292	FINAL	45.4	—	60.47	-15.05	L1	GND
0.294	FINAL	—	31.16	50.41	-19.25	L1	GND
0.713	FINAL	—	27.94	46.00	-18.06	L1	GND
0.713	FINAL	40.4	—	56.00	-15.64	L1	GND
1.455	FINAL	27.3	—	56.00	-28.70	L1	GND
1.457	FINAL	—	16.61	46.00	-29.39	L1	GND
8.480	FINAL	—	21.04	50.00	-28.96	L1	GND
8.484	FINAL	27.3	—	60.00	-32.67	L1	GND
16.492	FINAL	—	16.84	50.00	-33.16	L1	GND
16.492	FINAL	22.9	—	60.00	-37.15	L1	GND

Table 7-79. AC Line Conducted Data with 802.11be CDD Diversity (RU242) Ch.6 (L1, with AC/DC Adapter)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 207 of 209

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-293. AC Line Conducted Emissions with 802.11be CDD Diversity (RU242) Ch.6 (N, with AC/DC Adapter)

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.188	FINAL	54.0	—	64.11	-10.11	N	GND
0.191	FINAL	—	36.38	54.02	-17.64	N	GND
0.251	FINAL	—	28.88	51.72	-22.84	N	GND
0.251	FINAL	45.0	—	61.72	-16.69	N	GND
0.580	FINAL	—	24.75	46.00	-21.25	N	GND
0.580	FINAL	35.9	—	56.00	-20.13	N	GND
1.950	FINAL	26.2	—	56.00	-29.85	N	GND
1.950	FINAL	—	16.60	46.00	-29.40	N	GND
8.450	FINAL	19.1	—	60.00	-40.94	N	GND
8.457	FINAL	—	11.58	50.00	-38.42	N	GND
22.038	FINAL	—	18.05	50.00	-31.95	N	GND
22.038	FINAL	24.0	—	60.00	-36.00	N	GND

Table 7-80. AC Line Conducted Data with 802.11be CDD Diversity (RU242) Ch.6 (N, with AC/DC Adapter)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 208 of 209

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Tablet Device FCC ID: BCGA3357, IC: 579C-A3357** is in compliance with Part 15 Subpart C (15.247) of the FCC Rules and RSS-247 of the Innovation, Science and Economic Development Canada Rules.

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-06-R1.BCG	Test Dates: 05/12/2025 - 07/14/2025	EUT Type: Tablet Device	Page 209 of 209

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.