

APPENDIX J: RU SAR EXCLUSION

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 1 of 74

J.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 484T+242T, 996T+484T, 996T+484T+242T.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

J.2 IEEE 802.11ax/be RU Target Powers

J.2.1 Maximum 802.11ax RU WLAN Output Power

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
2.4 GHz WIFI 20 MHz Bandwidth	1	12.50	11.50	14.50	13.50	14.50	13.50
	2	12.50	11.50	15.50	14.50	16.50	15.50
	3	12.50	11.50	15.50	14.50	18.50	17.50
	4	12.50	11.50	15.50	14.50	18.50	17.50
	5	12.50	11.50	15.50	14.50	18.50	17.50
	6	12.50	11.50	15.50	14.50	18.50	17.50
	7	12.50	11.50	15.50	14.50	18.50	17.50
	8	12.50	11.50	15.50	14.50	18.50	17.50
	9	12.50	11.50	15.50	14.50	18.50	17.50
	10	12.50	11.50	15.50	14.50	16.00	15.00
	11	12.50	11.50	13.50	12.50	13.50	12.50
	12	12.00	11.00	12.00	11.00	12.00	11.00
	13	-7.80	-8.80	-7.80	-8.80	-7.80	-8.80

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a											
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones											
2.4 GHz WIFI 20 MHz Bandwidth	1	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
	2	12.50	11.50	15.50	14.50	16.00	15.00	12.50	11.50	15.50	14.50	16.00	15.00
	3	12.50	11.50	15.50	14.50	16.00	17.00	12.50	11.50	15.50	14.50	16.00	17.00
	4	12.50	11.50	15.50	14.50	16.00	17.50	12.50	11.50	15.50	14.50	16.00	17.50
	5	12.50	11.50	15.50	14.50	16.00	17.50	12.50	11.50	15.50	14.50	16.00	17.50
	6	12.50	11.50	15.50	14.50	16.00	17.50	12.50	11.50	15.50	14.50	16.00	17.50
	7	12.50	11.50	15.50	14.50	16.00	17.50	12.50	11.50	15.50	14.50	16.00	17.50
	8	12.50	11.50	15.50	14.50	16.00	17.50	12.50	11.50	15.50	14.50	16.00	17.50
	9	12.50	11.50	15.50	14.50	17.00	16.00	12.50	11.50	15.50	14.50	17.00	16.00
	10	12.50	11.50	15.50	14.50	15.50	14.50	12.50	11.50	15.50	14.50	15.50	14.50
	11	12.50	11.50	13.00	12.00	13.00	12.00	12.50	11.50	13.00	12.00	13.00	12.00
	12	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00
	13	-7.80	-8.80	-7.80	-8.80	-7.80	-8.80	-7.80	-8.80	-7.80	-8.80	-7.80	-8.80

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
2.4 GHz WIFI 20 MHz Bandwidth	1	12.50	11.50	13.50	12.50	14.00	13.00
	2	12.50	11.50	15.50	14.50	16.00	15.00
	3	12.50	11.50	15.50	14.50	18.00	17.00
	4	12.50	11.50	15.50	14.50	18.50	17.50
	5	12.50	11.50	15.50	14.50	18.50	17.50
	6	12.50	11.50	15.50	14.50	18.50	17.50
	7	12.50	11.50	15.50	14.50	18.50	17.50
	8	12.50	11.50	15.50	14.50	18.50	17.50
	9	12.50	11.50	15.50	14.50	18.00	17.00
	10	12.50	11.50	15.50	14.50	16.00	15.00
	11	12.50	11.50	13.50	12.50	13.50	12.50
	12	12.00	11.00	12.00	11.00	12.00	11.00
	13	-6.50	-7.50	-6.50	-7.50	-6.50	-7.50

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 2 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a											
		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	Tones	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	2	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	3	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	4	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	5	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	6	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	7	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	8	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	9	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	10	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	11	12.50	11.50	13.30	12.30	13.30	12.30	12.50	11.50	13.30	12.30	13.30	12.30
	12	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00
	13	-7.80	-8.80	-7.80	-8.80	-7.80	-8.80	-7.80	-8.80	-7.80	-8.80	-7.80	-8.80

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.50	8.50	12.50	11.50	15.50	14.50
	40	9.50	8.50	12.50	11.50	15.50	14.50
	44	9.50	8.50	12.50	11.50	15.50	14.50
	48	9.50	8.50	12.50	11.50	15.50	14.50
	52	NS	NS	12.50	11.50	15.50	14.50
	56	NS	NS	12.50	11.50	15.50	14.50
	60	NS	NS	12.50	11.50	15.50	14.50
	64	NS	NS	12.50	11.50	15.50	14.50
	100	NS	NS	12.50	11.50	14.50	13.50
	104	NS	NS	12.50	11.50	15.50	14.50
	108	NS	NS	12.50	11.50	15.50	14.50
	112	NS	NS	12.50	11.50	15.50	14.50
	116	NS	NS	12.50	11.50	15.50	14.50
	120	NS	NS	12.50	11.50	15.50	14.50
	124	NS	NS	12.50	11.50	15.50	14.50
	128	NS	NS	12.50	11.50	15.50	14.50
	132	NS	NS	12.50	11.50	15.50	14.50
	136	NS	NS	12.50	11.50	15.50	14.50
	140	NS	NS	12.50	11.50	14.00	13.00
	144	NS	NS	12.50	11.50	15.50	14.50
	149	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 40 MHz Bandwidth	163	9.50	8.50	12.50	11.50	15.50	14.50
	167	9.50	8.50	12.50	11.50	15.50	14.50
	161	9.50	8.50	12.50	11.50	15.50	14.50
	165	9.50	8.50	12.50	11.50	15.50	14.50
	38	9.50	8.50	12.50	11.50	13.50	12.50
	46	9.50	8.50	12.50	11.50	15.50	14.50
	54	NS	NS	12.50	11.50	15.50	14.50
	62	NS	NS	12.50	11.50	14.00	13.00
	102	NS	NS	11.80	10.80	11.80	10.80
	110	NS	NS	12.50	11.50	15.50	14.50
5 GHz WIFI 80 MHz Bandwidth	118	NS	NS	12.50	11.50	15.50	14.50
	126	NS	NS	12.50	11.50	15.50	14.50
	134	NS	NS	12.50	11.50	15.50	14.50
	142	NS	NS	12.50	11.50	15.50	14.50
	151	9.50	8.50	12.50	11.50	15.50	14.50
	159	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 160 MHz Bandwidth	42	9.50	8.50	12.50	11.50	13.30	12.30
	58	NS	NS	12.50	11.50	13.30	12.30
	106	NS	NS	12.00	11.00	12.00	11.00
	122	NS	NS	12.50	11.50	15.50	14.50
5GHz WIFI 160 Mhz Bandwidth	138	NS	NS	12.50	11.50	15.50	14.50
	155	9.50	8.50	12.50	11.50	15.50	14.50
	50	NS	NS	12.00	11.00	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 3 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.40	12.40
	144	NS	NS	11.80	10.80	15.00	14.00
	149	9.50	8.50	12.50	11.50	15.50	14.50
	153	9.50	8.50	12.50	11.50	15.50	14.50
	157	9.50	8.50	12.50	11.50	15.50	14.50
	161	9.50	8.50	12.50	11.50	15.50	14.50
	165	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.00	12.00
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	11.80	10.80
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	9.50	8.50	12.50	11.50	15.50	14.50
	159	9.50	8.50	12.50	11.50	15.50	14.50
	42	9.00	8.00	11.70	10.70	12.30	11.30
	58	NS	NS	11.70	10.70	13.30	12.30
5 GHz WIFI 80 MHz Bandwidth	106	NS	NS	11.70	10.70	11.80	10.80
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
	155	9.50	8.50	12.50	11.50	15.50	14.50
	166	9.50	8.50	12.50	11.50	15.50	14.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.50	10.50	11.50	10.50
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 4 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.40	12.40
	144	NS	NS	11.80	10.80	15.00	14.00
	149	9.50	8.50	12.50	11.50	15.50	14.50
	153	9.50	8.50	12.50	11.50	15.50	14.50
	157	9.50	8.50	12.50	11.50	15.50	14.50
	161	9.50	8.50	12.50	11.50	15.50	14.50
	165	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.00	12.00
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	11.80	10.80
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	9.50	8.50	12.50	11.50	15.50	14.50
	159	9.50	8.50	12.50	11.50	15.50	14.50
	42	9.00	8.00	11.70	10.70	12.30	11.30
	58	NS	NS	11.70	10.70	13.30	12.30
5 GHz WIFI 80 MHz Bandwidth	106	NS	NS	11.70	10.70	11.80	10.80
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
	155	9.50	8.50	12.50	11.50	15.50	14.50
	166	9.50	8.50	12.50	11.50	15.50	14.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.50	10.50	11.50	10.50
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 5 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	10.50	9.50	13.50	12.50	16.00	15.00
	40	10.50	9.50	13.50	12.50	16.50	15.50
	44	10.50	9.50	13.50	12.50	16.50	15.50
	48	10.50	9.50	13.50	12.50	16.50	15.50
	52	NS	NS	13.50	12.50	16.50	15.50
	56	NS	NS	13.50	12.50	16.50	15.50
	60	NS	NS	13.50	12.50	16.50	15.50
	64	NS	NS	13.50	12.50	16.30	15.30
	100	NS	NS	13.50	12.50	14.30	13.30
	104	NS	NS	13.50	12.50	16.50	15.50
	108	NS	NS	13.50	12.50	16.50	15.50
	112	NS	NS	13.50	12.50	16.50	15.50
	116	NS	NS	13.50	12.50	16.50	15.50
	120	NS	NS	13.50	12.50	16.50	15.50
	124	NS	NS	13.50	12.50	16.50	15.50
	128	NS	NS	13.50	12.50	16.50	15.50
	132	NS	NS	13.50	12.50	16.50	15.50
	136	NS	NS	13.50	12.50	16.50	15.50
	140	NS	NS	13.50	12.50	14.00	13.00
	144	NS	NS	13.50	12.50	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	149	10.50	9.50	13.50	12.50	16.50	15.50
	153	10.50	9.50	13.50	12.50	16.50	15.50
	157	10.50	9.50	13.50	12.50	16.50	15.50
	161	10.50	9.50	13.50	12.50	16.50	15.50
	165	10.50	9.50	13.50	12.50	16.50	15.50
	38	10.50	9.50	13.50	12.50	13.50	12.50
	46	10.50	9.50	13.50	12.50	16.50	15.50
	54	NS	NS	13.50	12.50	16.50	15.50
	62	NS	NS	13.50	12.50	14.00	13.00
	102	NS	NS	13.00	12.00	13.00	12.00
	110	NS	NS	13.50	12.50	16.50	15.50
	118	NS	NS	13.50	12.50	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	126	NS	NS	13.50	12.50	16.50	15.50
	134	NS	NS	13.50	12.50	16.30	15.30
	142	NS	NS	13.50	12.50	16.50	15.50
	151	10.50	9.50	13.50	12.50	16.50	15.50
	159	10.50	9.50	13.50	12.50	16.50	15.50
	42	10.50	9.50	13.50	12.50	13.50	12.50
	58	NS	NS	13.50	12.50	14.00	13.00
5 GHz WIFI 160 Mhz Bandwidth	106	NS	NS	13.00	12.00	13.00	12.00
	122	NS	NS	13.50	12.50	16.50	15.50
	138	NS	NS	13.50	12.50	16.50	15.50
	155	10.50	9.50	13.50	12.50	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	NS	NS	NS	NS
	114	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 6 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 Mhz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.40	12.40
	144	NS	NS	11.80	10.80	15.00	14.00
	149	9.50	8.50	12.50	11.50	15.50	14.50
	153	9.50	8.50	12.50	11.50	15.50	14.50
	157	9.50	8.50	12.50	11.50	15.50	14.50
	161	9.50	8.50	12.50	11.50	15.50	14.50
	165	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 40 Mhz Bandwidth	38	9.20	8.20	11.80	10.80	13.00	12.00
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	11.80	10.80
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	9.50	8.50	12.50	11.50	15.50	14.50
	159	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 80 Mhz Bandwidth	42	9.00	8.00	11.70	10.70	12.30	11.30
	58	NS	NS	11.70	10.70	13.30	12.30
	106	NS	NS	11.70	10.70	11.80	10.80
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
5GHz WIFI 160 Mhz Bandwidth	155	9.50	8.50	12.50	11.50	15.50	14.50
	50	NS	NS	11.50	10.50	11.50	10.50
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 7 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.40	12.40
	144	NS	NS	11.80	10.80	15.00	14.00
	149	9.50	8.50	12.50	11.50	15.50	14.50
	153	9.50	8.50	12.50	11.50	15.50	14.50
	157	9.50	8.50	12.50	11.50	15.50	14.50
	161	9.50	8.50	12.50	11.50	15.50	14.50
	165	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.00	12.00
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	11.80	10.80
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	9.50	8.50	12.50	11.50	15.50	14.50
	159	9.50	8.50	12.50	11.50	15.50	14.50
	42	9.00	8.00	11.70	10.70	12.30	11.30
	58	NS	NS	11.70	10.70	13.30	12.30
5 GHz WIFI 80 MHz Bandwidth	106	NS	NS	11.70	10.70	11.80	10.80
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
	155	9.50	8.50	12.50	11.50	15.50	14.50
	50	NS	NS	11.50	10.50	11.50	10.50
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 8 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI 20 MHz Bandwidth LP	2	NS	NS	NS	NS	NS	NS
	1	-1.20	-2.20	1.40	0.40	3.10	2.10
	5	-1.20	-2.20	1.50	0.50	4.70	3.70
	9-29	-1.40	-2.90	1.40	-0.10	4.50	3.00
	33-61	-2.10	-3.10	0.90	-0.10	3.90	2.90
	65-85	-1.60	-2.60	1.30	0.30	4.70	3.70
	89	-1.50	-2.50	1.60	0.60	4.70	3.70
	93	-1.10	-2.10	1.50	0.50	4.70	3.70
	97-113	-1.80	-2.80	0.90	-0.10	4.10	3.10
	117-181	-2.70	-3.70	-0.10	-1.10	3.20	2.20
	185	-3.50	-4.50	-0.60	-1.60	2.50	1.50
	189-225	-3.50	-4.50	-0.80	-1.80	2.20	1.20
	229	-3.30	-4.30	-0.60	-1.60	2.20	1.20
	233	NS	NS	NS	NS	NS	NS
	3	-1.30	-2.30	1.40	0.40	3.10	2.10
6 GHz WIFI 40 MHz Bandwidth LP	11	-1.30	-2.30	1.40	0.40	4.60	3.60
	19-27	-1.40	-2.40	1.40	0.40	4.50	3.50
	35-59	-2.10	-3.10	0.90	-0.10	3.90	2.90
	67-75	-1.30	-2.30	1.30	0.30	4.70	3.70
	83	-1.60	-2.60	1.30	0.30	4.70	3.70
	91	-1.50	-2.50	1.50	0.50	4.70	3.70
	99-107	-1.80	-2.80	0.90	-0.10	4.20	3.20
	115	-2.50	-3.50	0.20	-0.80	3.20	2.20
	123-179	-2.70	-3.70	-0.10	-1.10	3.20	2.20
	187	-3.50	-4.50	-0.70	-1.70	2.40	1.40
	195-219	-3.60	-4.60	-0.80	-1.80	2.20	1.20
	227	-3.70	-4.70	-0.80	-1.80	2.20	1.20
	7	-1.40	-2.40	1.40	0.40	3.00	2.00
	23	-1.40	-2.40	1.40	0.40	4.50	3.50
	39-55	-2.10	-3.10	0.80	-0.20	3.90	2.90
6 GHz WIFI 80 MHz Bandwidth LP	71	-1.40	-2.40	1.30	0.30	4.70	3.70
	87	-1.60	-2.60	1.30	0.30	4.70	3.70
	103	-1.80	-2.80	0.90	-0.10	4.20	3.20
	119	-2.50	-3.50	0.20	-0.80	3.20	2.20
	135-167	-2.80	-3.80	-0.10	-1.10	3.20	2.20
	183	-3.50	-4.50	-0.60	-1.60	2.50	1.50
	199	-3.40	-4.40	-0.90	-1.90	2.40	1.40
	215	-3.60	-4.60	-1.10	-2.10	2.20	1.20
	15	-1.70	-2.70	0.80	-0.20	2.80	1.80
	47	-2.10	-3.10	0.80	-0.20	3.90	2.90
6 GHz WIFI 160 MHz Bandwidth LP	79	-1.60	-2.60	1.30	0.30	4.30	3.30
	111	-2.70	-3.70	0.00	-1.00	3.20	2.20
	143	-2.70	-3.70	0.00	-1.00	3.20	2.20
	175	-3.80	-4.80	-1.00	-2.00	2.40	1.40
	207	-3.60	-4.60	-0.80	-1.80	2.20	1.20

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 9 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.50	8.50	12.50	11.50	15.50	14.50
	40	9.50	8.50	12.50	11.50	15.50	14.50
	44	9.50	8.50	12.50	11.50	15.50	14.50
	48	9.50	8.50	12.50	11.50	15.50	14.50
	52	NS	NS	12.50	11.50	15.50	14.50
	56	NS	NS	12.50	11.50	15.50	14.50
	60	NS	NS	12.50	11.50	15.50	14.50
	64	NS	NS	12.50	11.50	15.50	14.50
	100	NS	NS	12.50	11.50	14.50	13.50
	104	NS	NS	12.50	11.50	15.50	14.50
	108	NS	NS	12.50	11.50	15.50	14.50
	112	NS	NS	12.50	11.50	15.50	14.50
	116	NS	NS	12.50	11.50	15.50	14.50
	120	NS	NS	12.50	11.50	15.50	14.50
	124	NS	NS	12.50	11.50	15.50	14.50
	128	NS	NS	12.50	11.50	15.50	14.50
	132	NS	NS	12.50	11.50	15.50	14.50
	136	NS	NS	12.50	11.50	15.50	14.50
	140	NS	NS	12.50	11.50	14.00	13.00
	144	NS	NS	12.50	11.50	15.50	14.50
	149	9.50	8.50	12.50	11.50	15.50	14.50
	153	9.50	8.50	12.50	11.50	15.50	14.50
	157	9.50	8.50	12.50	11.50	15.50	14.50
	161	9.50	8.50	12.50	11.50	15.50	14.50
	165	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 40 MHz Bandwidth	38	9.50	8.50	12.50	11.50	13.50	12.50
	46	9.50	8.50	12.50	11.50	15.50	14.50
	54	NS	NS	12.50	11.50	15.50	14.50
	62	NS	NS	12.50	11.50	14.00	13.00
	102	NS	NS	11.80	10.80	11.80	10.80
	110	NS	NS	12.50	11.50	15.50	14.50
	118	NS	NS	12.50	11.50	15.50	14.50
	126	NS	NS	12.50	11.50	15.50	14.50
	134	NS	NS	12.50	11.50	15.50	14.50
	142	NS	NS	12.50	11.50	15.50	14.50
	151	9.50	8.50	12.50	11.50	15.50	14.50
	159	9.50	8.50	12.50	11.50	15.50	14.50
	42	9.50	8.50	12.50	11.50	13.30	12.30
	58	NS	NS	12.50	11.50	13.30	12.30
5 GHz WIFI 80 MHz Bandwidth	106	NS	NS	12.00	11.00	12.00	11.00
	122	NS	NS	12.50	11.50	15.50	14.50
	138	NS	NS	12.50	11.50	15.50	14.50
	155	9.50	8.50	12.50	11.50	15.50	14.50
	50	NS	NS	12.00	11.00	12.00	11.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 10 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.40	12.40
	144	NS	NS	11.80	10.80	15.00	14.00
	149	9.50	8.50	12.50	11.50	15.50	14.50
	153	9.50	8.50	12.50	11.50	15.50	14.50
	157	9.50	8.50	12.50	11.50	15.50	14.50
	161	9.50	8.50	12.50	11.50	15.50	14.50
	165	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.00	12.00
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	11.80	10.80
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	9.50	8.50	12.50	11.50	15.50	14.50
	159	9.50	8.50	12.50	11.50	15.50	14.50
	42	9.00	8.00	11.70	10.70	12.30	11.30
	58	NS	NS	11.70	10.70	13.30	12.30
5 GHz WIFI 80 MHz Bandwidth	106	NS	NS	11.70	10.70	11.80	10.80
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
	155	9.50	8.50	12.50	11.50	15.50	14.50
	50	NS	NS	11.50	10.50	11.50	10.50
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 11 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.20	8.20	12.00	11.00	13.60	12.60
	40	9.20	8.20	11.80	10.80	15.10	14.10
	44	9.10	8.10	11.70	10.70	14.90	13.90
	48	9.00	8.00	11.80	10.80	14.80	13.80
	52	NS	NS	11.70	10.70	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.70	10.70	14.90	13.90
	64	NS	NS	11.70	10.70	13.30	12.30
	100	NS	NS	11.70	10.70	13.20	12.20
	104	NS	NS	11.90	10.90	15.00	14.00
	108	NS	NS	11.80	10.80	14.90	13.90
	112	NS	NS	11.80	10.80	14.90	13.90
	116	NS	NS	11.90	10.90	14.90	13.90
	120	NS	NS	11.60	10.60	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.80	10.80	14.80	13.80
	132	NS	NS	11.70	10.70	14.90	13.90
	136	NS	NS	11.80	10.80	15.00	14.00
	140	NS	NS	11.70	10.70	13.40	12.40
	144	NS	NS	11.80	10.80	15.00	14.00
	149	9.50	8.50	12.50	11.50	15.50	14.50
	153	9.50	8.50	12.50	11.50	15.50	14.50
	157	9.50	8.50	12.50	11.50	15.50	14.50
	161	9.50	8.50	12.50	11.50	15.50	14.50
	165	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 40 MHz Bandwidth	38	9.20	8.20	11.80	10.80	13.00	12.00
	46	9.00	8.00	11.70	10.70	14.80	13.80
	54	NS	NS	11.70	10.70	14.90	13.90
	62	NS	NS	11.70	10.70	13.00	12.00
	102	NS	NS	11.70	10.70	11.80	10.80
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.60	10.60	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.70	10.70	14.90	13.90
	151	9.50	8.50	12.50	11.50	15.50	14.50
	159	9.50	8.50	12.50	11.50	15.50	14.50
5 GHz WIFI 80 MHz Bandwidth	42	9.00	8.00	11.70	10.70	12.30	11.30
	58	NS	NS	11.70	10.70	13.30	12.30
	106	NS	NS	11.70	10.70	11.80	10.80
	122	NS	NS	11.60	10.60	14.80	13.80
	138	NS	NS	11.70	10.70	14.90	13.90
	155	9.50	8.50	12.50	11.50	15.50	14.50
5GHz WIFI 160 MHz Bandwidth	50	NS	NS	11.50	10.50	11.50	10.50
	114	NS	NS	11.50	10.50	11.50	10.50

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 12 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-1.20	-2.20	1.40	0.40	3.10	2.10
	5	-1.20	-2.20	1.50	0.50	4.70	3.70
	9-29	-1.40	-2.90	1.40	-0.10	4.50	3.00
	33-61	-2.10	-3.10	0.90	-0.10	3.90	2.90
	65-85	-1.60	-2.60	1.30	0.30	4.70	3.70
	89	-1.50	-2.50	1.60	0.60	4.70	3.70
	93	-1.10	-2.10	1.50	0.50	4.70	3.70
	97-113	-1.80	-2.80	0.90	-0.10	4.10	3.10
	117-181	-2.70	-3.70	-0.10	-1.10	3.20	2.20
	185	-3.50	-4.50	-0.60	-1.60	2.50	1.50
	189-225	-3.50	-4.50	-0.80	-1.80	2.20	1.20
	229	-3.30	-4.30	-0.60	-1.60	2.20	1.20
	233	NS	NS	NS	NS	NS	NS
	3	-1.30	-2.30	1.40	0.40	3.10	2.10
6 GHz WIFI (40MHz BW) LP	11	-1.30	-2.30	1.40	0.40	4.60	3.60
	19-27	-1.40	-2.40	1.40	0.40	4.50	3.50
	35-59	-2.10	-3.10	0.90	-0.10	3.90	2.90
	67-75	-1.30	-2.30	1.30	0.30	4.70	3.70
	83	-1.60	-2.60	1.30	0.30	4.70	3.70
	91	-1.50	-2.50	1.50	0.50	4.70	3.70
	99-107	-1.80	-2.80	0.90	-0.10	4.20	3.20
	115	-2.50	-3.50	0.20	-0.80	3.20	2.20
	123-179	-2.70	-3.70	-0.10	-1.10	3.20	2.20
	187	-3.50	-4.50	-0.70	-1.70	2.40	1.40
	195-219	-3.60	-4.60	-0.80	-1.80	2.20	1.20
	227	-3.70	-4.70	-0.80	-1.80	2.20	1.20
	7	-1.40	-2.40	1.40	0.40	3.00	2.00
	23	-1.40	-2.40	1.40	0.40	4.50	3.50
	39-55	-2.10	-3.10	0.80	-0.20	3.90	2.90
6 GHz WIFI (80MHz BW) LP	71	-1.40	-2.40	1.30	0.30	4.70	3.70
	87	-1.60	-2.60	1.30	0.30	4.70	3.70
	103	-1.80	-2.80	0.90	-0.10	4.20	3.20
	119	-2.50	-3.50	0.20	-0.80	3.20	2.20
	135-167	-2.80	-3.80	-0.10	-1.10	3.20	2.20
	183	-3.50	-4.50	-0.60	-1.60	2.50	1.50
	199	-3.40	-4.40	-0.90	-1.90	2.40	1.40
	215	-3.60	-4.60	-1.10	-2.10	2.20	1.20
	15	-1.70	-2.70	0.80	-0.20	2.80	1.80
	47	-2.10	-3.10	0.80	-0.20	3.90	2.90
6 GHz WIFI (160MHz BW) LP	79	-1.60	-2.60	1.30	0.30	4.30	3.30
	111	-2.70	-3.70	0.00	-1.00	3.20	2.20
	143	-2.70	-3.70	0.00	-1.00	3.20	2.20
	175	-3.80	-4.80	-1.00	-2.00	2.40	1.40
	207	-3.60	-4.60	-0.80	-1.80	2.20	1.20

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 13 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-7.40	-8.40	-4.70	-5.70	-3.40	-4.40
	5	-7.30	-8.30	-4.70	-5.70	-1.60	-2.60
	9-29	-7.50	-9.00	-4.80	-6.30	-1.60	-3.10
	33-61	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	65-85	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	89	-7.10	-8.10	-4.00	-5.00	-0.90	-1.90
	93	-6.70	-7.70	-4.10	-5.10	-0.90	-1.90
	97-113	-7.50	-8.50	-4.80	-5.80	-1.60	-2.60
	117-181	-8.60	-9.60	-6.00	-7.00	-2.70	-3.70
	185	-8.90	-9.90	-6.00	-7.00	-2.90	-3.90
	189-225	-7.80	-8.80	-5.10	-6.10	-2.10	-3.10
	229	-7.70	-8.70	-4.90	-5.90	-2.10	-3.10
	233	NS	NS	NS	NS	NS	NS
	3	-7.40	-8.40	-4.70	-5.70	-3.40	-4.40
6 GHz WIFI (40MHz BW) LP	11	-7.40	-8.40	-4.70	-5.70	-1.60	-2.60
	19-27	-7.60	-8.60	-4.80	-5.80	-1.60	-2.60
	35-59	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	67-75	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
	83	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	91	-7.10	-8.10	-4.10	-5.10	-0.90	-1.90
	99-107	-7.50	-8.50	-4.80	-5.80	-1.50	-2.50
	115	-8.50	-9.50	-5.70	-6.70	-2.70	-3.70
	123-179	-8.60	-9.60	-6.00	-7.00	-2.70	-3.70
	187	-8.90	-9.90	-6.10	-7.10	-3.00	-4.00
	195-219	-7.90	-8.90	-5.10	-6.10	-2.10	-3.10
	227	-8.00	-9.00	-5.10	-6.10	-2.10	-3.10
	7	-7.50	-8.50	-4.70	-5.70	-3.40	-4.40
	23	-7.70	-8.70	-5.00	-6.00	-1.60	-2.60
	39-55	-7.70	-8.70	-5.20	-6.20	-1.70	-2.70
6 GHz WIFI (80MHz BW) LP	71	-7.00	-8.00	-4.30	-5.30	-1.10	-2.10
	87	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	103	-7.50	-8.50	-4.80	-5.80	-1.50	-2.50
	119	-8.80	-9.80	-5.80	-6.80	-2.70	-3.70
	135-167	-8.70	-9.70	-6.00	-7.00	-2.70	-3.70
	183	-9.00	-10.00	-6.30	-7.30	-3.00	-4.00
	199	-7.80	-8.80	-5.20	-6.20	-1.90	-2.90
	215	-8.10	-9.10	-5.40	-6.40	-2.10	-3.10
	15	-7.80	-8.80	-5.30	-6.30	-3.40	-4.40
	47	-7.70	-8.70	-4.80	-5.80	-1.90	-2.90
6 GHz WIFI (160MHz BW) LP	79	-7.20	-8.20	-4.50	-5.50	-1.30	-2.30
	111	-8.60	-9.60	-6.20	-7.20	-2.70	-3.70
	143	-8.80	-9.80	-5.90	-6.90	-2.70	-3.70
	175	NS	NS	-6.40	-7.40	-3.00	-4.00
	207	-7.90	-8.90	-5.20	-6.20	-2.10	-3.10

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 14 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-4.40	-5.40	-1.70	-2.70	-0.40	-1.40
	5	-4.30	-5.30	-1.70	-2.70	1.40	0.40
	9-29	-4.50	-6.00	-1.80	-3.30	1.40	-0.10
	33-61	-4.70	-5.70	-1.80	-2.80	1.30	0.30
	65-85	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	89	-4.10	-5.10	-1.00	-2.00	2.10	1.10
	93	-3.70	-4.70	-1.10	-2.10	2.10	1.10
	97-113	-4.50	-5.50	-1.80	-2.80	1.40	0.40
	117-181	-5.60	-6.60	-3.00	-4.00	0.30	-0.70
	185	-5.90	-6.90	-3.00	-4.00	0.10	-0.90
	189-225	-5.00	-6.00	-2.30	-3.30	0.70	-0.30
	229	-4.90	-5.90	-2.10	-3.10	0.70	-0.30
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-4.40	-5.40	-1.70	-2.70	-0.40	-1.40
	11	-4.40	-5.40	-1.70	-2.70	1.40	0.40
	19-27	-4.60	-5.60	-1.80	-2.80	1.40	0.40
	35-59	-4.70	-5.70	-1.80	-2.80	1.30	0.30
	67-75	-3.90	-4.90	-1.30	-2.30	1.90	0.90
	83	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	91	-4.10	-5.10	-1.10	-2.10	2.10	1.10
	99-107	-4.50	-5.50	-1.80	-2.80	1.50	0.50
	115	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	123-179	-5.60	-6.60	-3.00	-4.00	0.30	-0.70
	187	-5.90	-6.90	-3.10	-4.10	0.00	-1.00
	195-219	-5.10	-6.10	-2.30	-3.30	0.70	-0.30
	227	-5.20	-6.20	-2.30	-3.30	0.70	-0.30
6 GHz WIFI (80MHz BW) LP	7	-4.50	-5.50	-1.70	-2.70	-0.40	-1.40
	23	-4.70	-5.70	-2.00	-3.00	1.40	0.40
	39-55	-4.70	-5.70	-2.20	-3.20	1.30	0.30
	71	-4.00	-5.00	-1.30	-2.30	1.90	0.90
	87	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	103	-4.50	-5.50	-1.80	-2.80	1.50	0.50
	119	-5.80	-6.80	-2.80	-3.80	0.30	-0.70
	135-167	-5.70	-6.70	-3.00	-4.00	0.30	-0.70
	183	-6.00	-7.00	-3.30	-4.30	0.00	-1.00
	199	-5.00	-6.00	-2.40	-3.40	0.90	-0.10
	215	-5.30	-6.30	-2.60	-3.60	0.70	-0.30
6 GHz WIFI (160MHz BW) LP	15	-4.80	-5.80	-2.30	-3.30	-0.40	-1.40
	47	-4.70	-5.70	-1.80	-2.80	1.10	0.10
	79	-4.20	-5.20	-1.50	-2.50	1.70	0.70
	111	-5.60	-6.60	-3.20	-4.20	0.30	-0.70
	143	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	175	-6.20	-7.20	-3.40	-4.40	0.00	-1.00
	207	-5.10	-6.10	-2.40	-3.40	0.70	-0.30

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 15 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-6.10	-7.10	-3.10	-4.10	-0.10	-1.10
	65-85	-5.60	-6.60	-2.70	-3.70	0.70	-0.30
	89	-5.50	-6.50	-2.40	-3.40	0.70	-0.30
	93	-5.10	-6.10	-2.50	-3.50	0.70	-0.30
	97-113	-5.80	-6.80	-3.10	-4.10	0.10	-0.90
	117-181	-6.70	-7.70	-4.10	-5.10	-0.80	-1.80
	185	-7.50	-8.50	-4.60	-5.60	-1.50	-2.50
	189-225	-7.50	-8.50	-4.80	-5.80	-1.80	-2.80
	229	-7.30	-8.30	-4.60	-5.60	-1.80	-2.80
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-6.10	-7.10	-3.10	-4.10	-0.10	-1.10
	67-75	-5.30	-6.30	-2.70	-3.70	0.70	-0.30
	83	-5.60	-6.60	-2.70	-3.70	0.70	-0.30
	91	-5.50	-6.50	-2.50	-3.50	0.70	-0.30
	99-107	-5.80	-6.80	-3.10	-4.10	0.20	-0.80
	115	-6.50	-7.50	-3.80	-4.80	-0.80	-1.80
	123-179	-6.70	-7.70	-4.10	-5.10	-0.80	-1.80
	187	-7.50	-8.50	-4.70	-5.70	-1.60	-2.60
	195-219	-7.60	-8.60	-4.80	-5.80	-1.80	-2.80
	227	-7.70	-8.70	-4.80	-5.80	-1.80	-2.80
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-6.10	-7.10	-3.20	-4.20	-0.10	-1.10
6 GHz WIFI (80MHz BW) VLP	71	-5.40	-6.40	-2.70	-3.70	0.70	-0.30
	87	-5.60	-6.60	-2.70	-3.70	0.70	-0.30
	103	-5.80	-6.80	-3.10	-4.10	0.20	-0.80
	119	-6.50	-7.50	-3.80	-4.80	-0.80	-1.80
	135-167	-6.80	-7.80	-4.10	-5.10	-0.80	-1.80
	183	-7.50	-8.50	-4.60	-5.60	-1.50	-2.50
	199	-7.40	-8.40	-4.90	-5.90	-1.60	-2.60
	215	-7.60	-8.60	-5.10	-6.10	-1.80	-2.80
	15	NS	NS	NS	NS	NS	NS
	47	-6.10	-7.10	-3.20	-4.20	-0.10	-1.10
6 GHz WIFI (160MHz BW) VLP	79	-5.60	-6.60	-2.70	-3.70	0.30	-0.70
	111	-6.70	-7.70	-4.00	-5.00	-0.80	-1.80
	143	-6.70	-7.70	-4.00	-5.00	-0.80	-1.80
	175	-7.80	-8.80	-5.00	-6.00	-1.60	-2.60
	207	-7.60	-8.60	-4.80	-5.80	-1.80	-2.80

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 16 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-8.80	-9.80	-5.70	-6.70
	65-85	NS	NS	-8.30	-9.30	-5.10	-6.10
	89	NS	NS	-8.00	-9.00	-4.90	-5.90
	93	NS	NS	-8.10	-9.10	-4.90	-5.90
	97-113	NS	NS	-8.80	-9.80	-5.60	-6.60
	117-181	NS	NS	NS	NS	-6.70	-7.70
	185	NS	NS	NS	NS	-6.90	-7.90
	189-225	NS	NS	NS	NS	-6.10	-7.10
	229	NS	NS	-8.90	-9.90	-6.10	-7.10
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-8.80	-9.80	-5.70	-6.70
	67-75	NS	NS	-8.30	-9.30	-5.10	-6.10
	83	NS	NS	-8.30	-9.30	-5.10	-6.10
	91	NS	NS	-8.10	-9.10	-4.90	-5.90
	99-107	NS	NS	-8.80	-9.80	-5.50	-6.50
	115	NS	NS	NS	NS	-6.70	-7.70
	123-179	NS	NS	NS	NS	-6.70	-7.70
	187	NS	NS	NS	NS	-7.00	-8.00
	195-219	NS	NS	NS	NS	-6.10	-7.10
	227	NS	NS	NS	NS	-6.10	-7.10
6 GHz WIFI (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-5.70	-6.70
	71	NS	NS	-8.30	-9.30	-5.10	-6.10
	87	NS	NS	-8.30	-9.30	-5.10	-6.10
	103	NS	NS	-8.80	-9.80	-5.50	-6.50
	119	NS	NS	NS	NS	-6.70	-7.70
	135-167	NS	NS	NS	NS	-6.70	-7.70
	183	NS	NS	NS	NS	-7.00	-8.00
	199	NS	NS	NS	NS	-5.90	-6.90
	215	NS	NS	NS	NS	-6.10	-7.10
6 GHz WIFI (160MHz BW) VLP	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.80	-9.80	-5.90	-6.90
	79	NS	NS	-8.50	-9.50	-5.30	-6.30
	111	NS	NS	NS	NS	-6.70	-7.70
	143	NS	NS	NS	NS	-6.70	-7.70
	175	NS	NS	NS	NS	-7.00	-8.00
	207	NS	NS	NS	NS	-6.10	-7.10

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 17 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.70	-9.70	-5.80	-6.80	-2.70	-3.70
	65-85	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	89	-8.10	-9.10	-5.00	-6.00	-1.90	-2.90
	93	-7.70	-8.70	-5.10	-6.10	-1.90	-2.90
	97-113	-8.50	-9.50	-5.80	-6.80	-2.60	-3.60
	117-181	NS	NS	-7.00	-8.00	-3.70	-4.70
	185	NS	NS	-7.00	-8.00	-3.90	-4.90
	189-225	-9.00	-10.00	-6.30	-7.30	-3.30	-4.30
	229	-8.90	-9.90	-6.10	-7.10	-3.30	-4.30
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-8.70	-9.70	-5.80	-6.80	-2.70	-3.70
	67-75	-7.90	-8.90	-5.30	-6.30	-2.10	-3.10
	83	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	91	-8.10	-9.10	-5.10	-6.10	-1.90	-2.90
	99-107	-8.50	-9.50	-5.80	-6.80	-2.50	-3.50
	115	NS	NS	-6.70	-7.70	-3.70	-4.70
	123-179	NS	NS	-7.00	-8.00	-3.70	-4.70
	187	NS	NS	-7.10	-8.10	-4.00	-5.00
	195-219	NS	NS	-6.30	-7.30	-3.30	-4.30
	227	NS	NS	-6.30	-7.30	-3.30	-4.30
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-8.70	-9.70	-6.20	-7.20	-2.70	-3.70
6 GHz WIFI (80MHz BW) VLP	71	-8.00	-9.00	-5.30	-6.30	-2.10	-3.10
	87	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	103	-8.50	-9.50	-5.80	-6.80	-2.50	-3.50
	119	NS	NS	-6.80	-7.80	-3.70	-4.70
	135-167	NS	NS	-7.00	-8.00	-3.70	-4.70
	183	NS	NS	-7.30	-8.30	-4.00	-5.00
	199	-9.00	-10.00	-6.40	-7.40	-3.10	-4.10
	215	NS	NS	-6.60	-7.60	-3.30	-4.30
	15	NS	NS	NS	NS	NS	NS
	47	-8.70	-9.70	-5.80	-6.80	-2.90	-3.90
6 GHz WIFI (160MHz BW) VLP	79	-8.20	-9.20	-5.50	-6.50	-2.30	-3.30
	111	NS	NS	-7.20	-8.20	-3.70	-4.70
	143	NS	NS	-6.90	-7.90	-3.70	-4.70
	175	NS	NS	-7.40	-8.40	-4.00	-5.00
	207	NS	NS	-6.40	-7.40	-3.30	-4.30

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 18 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.50	8.50	12.50	11.50	15.50	14.50
	5	9.50	8.50	12.50	11.50	15.50	14.50
	9-29	9.50	8.00	12.50	11.00	15.50	14.00
	33-61	9.50	8.50	12.50	11.50	15.50	14.50
	65-85	9.50	8.50	12.50	11.50	13.25	12.25
	89	9.50	8.50	12.50	11.50	13.25	12.25
	93	9.50	8.50	12.50	11.50	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.75	12.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.50	8.50	12.50	11.50	15.50	14.50
	11	9.50	8.50	12.50	11.50	15.50	14.50
6 GHz WIFI (40MHz BW) SP	19-27	9.50	8.50	12.50	11.50	15.50	14.50
	35-59	9.50	8.50	12.50	11.50	15.50	14.50
	67-75	9.50	8.50	12.50	11.50	13.25	12.25
	83	9.50	8.50	12.50	11.50	13.25	12.25
	91	9.50	8.50	12.50	11.50	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.75	12.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.50	8.50	12.50	11.50	15.50	14.50
	23	9.50	8.50	12.50	11.50	15.50	14.50
	39-55	9.50	8.50	12.50	11.50	15.50	14.50
6 GHz WIFI (80MHz BW) SP	71	9.50	8.50	12.50	11.50	13.25	12.25
	87	9.50	8.50	12.50	11.50	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.75	12.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.50	8.50	12.50	11.50	15.50	14.50
	47	9.50	8.50	12.50	11.50	15.50	14.50
	79	9.50	8.50	12.50	11.50	13.25	12.25
6 GHz WIFI (160MHz BW) SP	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	13.75	12.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 19 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 2a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.50	8.50	12.50	11.50	14.60	13.60
	5	9.50	8.50	12.50	11.50	15.50	14.50
	9-29	9.50	8.00	12.50	11.00	15.50	14.00
	33-61	9.50	8.50	12.50	11.50	15.50	14.50
	65-85	9.50	8.50	12.50	11.50	13.25	12.25
	89	9.50	8.50	12.50	11.50	13.25	12.25
	93	9.50	8.50	12.50	11.50	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.75	12.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.50	8.50	12.50	11.50	14.60	13.60
6 GHz WIFI (40MHz BW) SP	11	9.50	8.50	12.50	11.50	15.50	14.50
	19-27	9.50	8.50	12.50	11.50	15.50	14.50
	35-59	9.50	8.50	12.50	11.50	15.50	14.50
	67-75	9.50	8.50	12.50	11.50	13.25	12.25
	83	9.50	8.50	12.50	11.50	13.25	12.25
	91	9.50	8.50	12.50	11.50	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.75	12.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.50	8.50	12.50	11.50	14.60	13.60
	23	9.50	8.50	12.50	11.50	15.50	14.50
	39-55	9.50	8.50	12.50	11.50	15.50	14.50
6 GHz WIFI (80MHz BW) SP	71	9.50	8.50	12.50	11.50	13.25	12.25
	87	9.50	8.50	12.50	11.50	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.75	12.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.50	8.50	12.50	11.50	14.90	13.90
	47	9.50	8.50	12.50	11.50	15.10	14.10
	79	9.50	8.50	12.50	11.50	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	13.75	12.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 20 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-1.60	-2.60	1.30	0.30	2.40	1.40
	5	-1.50	-2.50	1.10	0.10	4.20	3.20
	9-29	-1.60	-3.10	1.00	-0.50	4.20	2.70
	33-61	-1.00	-2.00	1.70	0.70	4.80	3.80
	65-85	-0.50	-1.50	2.20	1.20	5.30	4.30
	89	-0.30	-1.30	2.40	1.40	5.60	4.60
	93	-0.30	-1.30	2.40	1.40	5.50	4.50
	97-113	-1.10	-2.10	1.70	0.70	4.80	3.80
	117-181	-2.40	-3.40	0.30	-0.70	3.50	2.50
	185	-2.10	-3.10	0.70	-0.30	3.70	2.70
	189-225	0.40	-0.60	3.10	2.10	6.20	5.20
	229	0.50	-0.50	3.30	2.30	6.40	5.40
	233	NS	NS	NS	NS	NS	NS
	3	-1.60	-2.60	1.10	0.10	2.40	1.40
6 GHz WIFI (40MHz BW) LP	11	-1.60	-2.60	1.10	0.10	4.20	3.20
	19-27	-1.80	-2.80	1.00	0.00	4.20	3.20
	35-59	-1.10	-2.10	1.70	0.70	4.80	3.80
	67-75	-0.50	-1.50	2.20	1.20	5.30	4.30
	83	-0.50	-1.50	2.30	1.30	5.30	4.30
	91	-0.30	-1.30	2.40	1.40	5.50	4.50
	99-107	-1.10	-2.10	1.70	0.70	4.80	3.80
	115	-2.30	-3.30	0.50	-0.50	3.60	2.60
	123-179	-2.40	-3.40	0.30	-0.70	3.50	2.50
	187	-2.30	-3.30	0.60	-0.40	3.70	2.70
	195-219	0.40	-0.60	3.10	2.10	6.20	5.20
	227	0.40	-0.60	3.10	2.10	6.40	5.40
	7	-1.70	-2.70	1.10	0.10	2.40	1.40
	23	-1.90	-2.90	0.80	-0.20	4.30	3.30
	39-55	-1.10	-2.10	1.30	0.30	4.80	3.80
6 GHz WIFI (80MHz BW) LP	71	-0.50	-1.50	2.20	1.20	5.30	4.30
	87	-0.50	-1.50	2.20	1.20	5.30	4.30
	103	-1.10	-2.10	1.70	0.70	4.80	3.80
	119	-2.60	-3.60	0.40	-0.60	3.50	2.50
	135-167	-2.50	-3.50	0.30	-0.70	3.50	2.50
	183	-2.40	-3.40	0.30	-0.70	3.60	2.60
	199	0.40	-0.60	3.10	2.10	6.30	5.30
	215	0.10	-0.90	3.10	2.10	6.20	5.20
	15	-2.00	-3.00	1.00	0.00	2.40	1.40
	47	-1.20	-2.20	1.70	0.70	4.60	3.60
6 GHz WIFI (160MHz BW) LP	79	-0.50	-1.50	1.90	0.90	5.30	4.30
	111	-2.40	-3.40	0.00	-1.00	3.50	2.50
	143	-2.60	-3.60	0.30	-0.70	3.50	2.50
	175	-2.50	-3.50	0.30	-0.70	3.60	2.60
	207	0.40	-0.60	3.00	2.00	6.10	5.10

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 21 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-7.40	-8.40	-4.70	-5.70	-3.40	-4.40
	5	-7.30	-8.30	-4.70	-5.70	-1.60	-2.60
	9-29	-7.50	-9.00	-4.80	-6.30	-1.60	-3.10
	33-61	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	65-85	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	89	-7.10	-8.10	-4.00	-5.00	-0.90	-1.90
	93	-6.70	-7.70	-4.10	-5.10	-0.90	-1.90
	97-113	-7.50	-8.50	-4.80	-5.80	-1.60	-2.60
	117-181	-8.60	-9.60	-6.00	-7.00	-2.70	-3.70
	185	-8.90	-9.90	-6.00	-7.00	-2.90	-3.90
	189-225	-7.80	-8.80	-5.10	-6.10	-2.10	-3.10
	229	-7.70	-8.70	-4.90	-5.90	-2.10	-3.10
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-7.40	-8.40	-4.70	-5.70	-3.40	-4.40
	11	-7.40	-8.40	-4.70	-5.70	-1.60	-2.60
	19-27	-7.60	-8.60	-4.80	-5.80	-1.60	-2.60
	35-59	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	67-75	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
	83	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	91	-7.10	-8.10	-4.10	-5.10	-0.90	-1.90
	99-107	-7.50	-8.50	-4.80	-5.80	-1.50	-2.50
	115	-8.50	-9.50	-5.70	-6.70	-2.70	-3.70
	123-179	-8.60	-9.60	-6.00	-7.00	-2.70	-3.70
	187	-8.90	-9.90	-6.10	-7.10	-3.00	-4.00
	195-219	-7.90	-8.90	-5.10	-6.10	-2.10	-3.10
	227	-8.00	-9.00	-5.10	-6.10	-2.10	-3.10
6 GHz WIFI (80MHz BW) LP	7	-7.50	-8.50	-4.70	-5.70	-3.40	-4.40
	23	-7.70	-8.70	-5.00	-6.00	-1.60	-2.60
	39-55	-7.70	-8.70	-5.20	-6.20	-1.70	-2.70
	71	-7.00	-8.00	-4.30	-5.30	-1.10	-2.10
	87	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	103	-7.50	-8.50	-4.80	-5.80	-1.50	-2.50
	119	-8.80	-9.80	-5.80	-6.80	-2.70	-3.70
	135-167	-8.70	-9.70	-6.00	-7.00	-2.70	-3.70
	183	-9.00	-10.00	-6.30	-7.30	-3.00	-4.00
	199	-7.80	-8.80	-5.20	-6.20	-1.90	-2.90
6 GHz WIFI (160MHz BW) LP	215	-8.10	-9.10	-5.40	-6.40	-2.10	-3.10
	15	-7.80	-8.80	-5.30	-6.30	-3.40	-4.40
	47	-7.70	-8.70	-4.80	-5.80	-1.90	-2.90
	79	-7.20	-8.20	-4.50	-5.50	-1.30	-2.30
	111	-8.60	-9.60	-6.20	-7.20	-2.70	-3.70
	143	-8.80	-9.80	-5.90	-6.90	-2.70	-3.70
	175	NS	NS	-6.40	-7.40	-3.00	-4.00
	207	-7.90	-8.90	-5.20	-6.20	-2.10	-3.10

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 22 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-4.40	-5.40	-1.70	-2.70	-0.40	-1.40
	5	-4.30	-5.30	-1.70	-2.70	1.40	0.40
	9-29	-4.50	-6.00	-1.80	-3.30	1.40	-0.10
	33-61	-4.70	-5.70	-1.80	-2.80	1.30	0.30
	65-85	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	89	-4.10	-5.10	-1.00	-2.00	2.10	1.10
	93	-3.70	-4.70	-1.10	-2.10	2.10	1.10
	97-113	-4.50	-5.50	-1.80	-2.80	1.40	0.40
	117-181	-5.60	-6.60	-3.00	-4.00	0.30	-0.70
	185	-5.90	-6.90	-3.00	-4.00	0.10	-0.90
	189-225	-5.00	-6.00	-2.30	-3.30	0.70	-0.30
	229	-4.90	-5.90	-2.10	-3.10	0.70	-0.30
	233	NS	NS	NS	NS	NS	NS
	3	-4.40	-5.40	-1.70	-2.70	-0.40	-1.40
6 GHz WIFI (40MHz BW) LP	11	-4.40	-5.40	-1.70	-2.70	1.40	0.40
	19-27	-4.60	-5.60	-1.80	-2.80	1.40	0.40
	35-59	-4.70	-5.70	-1.80	-2.80	1.30	0.30
	67-75	-3.90	-4.90	-1.30	-2.30	1.90	0.90
	83	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	91	-4.10	-5.10	-1.10	-2.10	2.10	1.10
	99-107	-4.50	-5.50	-1.80	-2.80	1.50	0.50
	115	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	123-179	-5.60	-6.60	-3.00	-4.00	0.30	-0.70
	187	-5.90	-6.90	-3.10	-4.10	0.00	-1.00
	195-219	-5.10	-6.10	-2.30	-3.30	0.70	-0.30
	227	-5.20	-6.20	-2.30	-3.30	0.70	-0.30
	7	-4.50	-5.50	-1.70	-2.70	-0.40	-1.40
	23	-4.70	-5.70	-2.00	-3.00	1.40	0.40
	39-55	-4.70	-5.70	-2.20	-3.20	1.30	0.30
6 GHz WIFI (80MHz BW) LP	71	-4.00	-5.00	-1.30	-2.30	1.90	0.90
	87	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	103	-4.50	-5.50	-1.80	-2.80	1.50	0.50
	119	-5.80	-6.80	-2.80	-3.80	0.30	-0.70
	135-167	-5.70	-6.70	-3.00	-4.00	0.30	-0.70
	183	-6.00	-7.00	-3.30	-4.30	0.00	-1.00
	199	-5.00	-6.00	-2.40	-3.40	0.90	-0.10
	215	-5.30	-6.30	-2.60	-3.60	0.70	-0.30
	15	-4.80	-5.80	-2.30	-3.30	-0.40	-1.40
	47	-4.70	-5.70	-1.80	-2.80	1.10	0.10
6 GHz WIFI (160MHz BW) LP	79	-4.20	-5.20	-1.50	-2.50	1.70	0.70
	111	-5.60	-6.60	-3.20	-4.20	0.30	-0.70
	143	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	175	-6.20	-7.20	-3.40	-4.40	0.00	-1.00
	207	-5.10	-6.10	-2.40	-3.40	0.70	-0.30

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 23 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-5.00	-6.00	-2.30	-3.30	0.80	-0.20
	65-85	-4.50	-5.50	-1.80	-2.80	1.30	0.30
	89	-4.30	-5.30	-1.60	-2.60	1.60	0.60
	93	-4.30	-5.30	-1.60	-2.60	1.50	0.50
	97-113	-5.10	-6.10	-2.30	-3.30	0.80	-0.20
	117-181	-6.40	-7.40	-3.70	-4.70	-0.50	-1.50
	185	-6.10	-7.10	-3.30	-4.30	-0.30	-1.30
	189-225	-3.60	-4.60	-0.90	-1.90	2.20	1.20
	229	-3.50	-4.50	-0.70	-1.70	2.40	1.40
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-5.10	-6.10	-2.30	-3.30	0.80	-0.20
	67-75	-4.50	-5.50	-1.80	-2.80	1.30	0.30
	83	-4.50	-5.50	-1.70	-2.70	1.30	0.30
	91	-4.30	-5.30	-1.60	-2.60	1.50	0.50
	99-107	-5.10	-6.10	-2.30	-3.30	0.80	-0.20
	115	-6.30	-7.30	-3.50	-4.50	-0.40	-1.40
	123-179	-6.40	-7.40	-3.70	-4.70	-0.50	-1.50
	187	-6.30	-7.30	-3.40	-4.40	-0.30	-1.30
	195-219	-3.60	-4.60	-0.90	-1.90	2.20	1.20
	227	-3.60	-4.60	-0.90	-1.90	2.40	1.40
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-5.10	-6.10	-2.70	-3.70	0.80	-0.20
6 GHz WIFI (80MHz BW) VLP	71	-4.50	-5.50	-1.80	-2.80	1.30	0.30
	87	-4.50	-5.50	-1.80	-2.80	1.30	0.30
	103	-5.10	-6.10	-2.30	-3.30	0.80	-0.20
	119	-6.60	-7.60	-3.60	-4.60	-0.50	-1.50
	135-167	-6.50	-7.50	-3.70	-4.70	-0.50	-1.50
	183	-6.40	-7.40	-3.70	-4.70	-0.40	-1.40
	199	-3.60	-4.60	-0.90	-1.90	2.30	1.30
	215	-3.90	-4.90	-0.90	-1.90	2.20	1.20
	15	NS	NS	NS	NS	NS	NS
	47	-5.20	-6.20	-2.30	-3.30	0.60	-0.40
6 GHz WIFI (160MHz BW) VLP	79	-4.50	-5.50	-2.10	-3.10	1.30	0.30
	111	-6.40	-7.40	-4.00	-5.00	-0.50	-1.50
	143	-6.60	-7.60	-3.70	-4.70	-0.50	-1.50
	175	-6.50	-7.50	-3.70	-4.70	-0.40	-1.40
	207	-3.60	-4.60	-1.00	-2.00	2.10	1.10

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 24 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-8.80	-9.80	-5.70	-6.70
	65-85	NS	NS	-8.30	-9.30	-5.10	-6.10
	89	NS	NS	-8.00	-9.00	-4.90	-5.90
	93	NS	NS	-8.10	-9.10	-4.90	-5.90
	97-113	NS	NS	-8.80	-9.80	-5.60	-6.60
	117-181	NS	NS	NS	NS	-6.70	-7.70
	185	NS	NS	NS	NS	-6.90	-7.90
	189-225	NS	NS	NS	NS	-6.10	-7.10
	229	NS	NS	-8.90	-9.90	-6.10	-7.10
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-8.80	-9.80	-5.70	-6.70
	67-75	NS	NS	-8.30	-9.30	-5.10	-6.10
	83	NS	NS	-8.30	-9.30	-5.10	-6.10
	91	NS	NS	-8.10	-9.10	-4.90	-5.90
	99-107	NS	NS	-8.80	-9.80	-5.50	-6.50
	115	NS	NS	NS	NS	-6.70	-7.70
	123-179	NS	NS	NS	NS	-6.70	-7.70
	187	NS	NS	NS	NS	-7.00	-8.00
	195-219	NS	NS	NS	NS	-6.10	-7.10
	227	NS	NS	NS	NS	-6.10	-7.10
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-5.70	-6.70
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	-8.30	-9.30	-5.10	-6.10
	87	NS	NS	-8.30	-9.30	-5.10	-6.10
	103	NS	NS	-8.80	-9.80	-5.50	-6.50
	119	NS	NS	NS	NS	-6.70	-7.70
	135-167	NS	NS	NS	NS	-6.70	-7.70
	183	NS	NS	NS	NS	-7.00	-8.00
	199	NS	NS	NS	NS	-5.90	-6.90
	215	NS	NS	NS	NS	-6.10	-7.10
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.80	-9.80	-5.90	-6.90
6 GHz WIFI (160MHz BW) VLP	79	NS	NS	-8.50	-9.50	-5.30	-6.30
	111	NS	NS	NS	NS	-6.70	-7.70
	143	NS	NS	NS	NS	-6.70	-7.70
	175	NS	NS	NS	NS	-7.00	-8.00
	207	NS	NS	NS	NS	-6.10	-7.10

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 25 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.70	-9.70	-5.80	-6.80	-2.70	-3.70
	65-85	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	89	-8.10	-9.10	-5.00	-6.00	-1.90	-2.90
	93	-7.70	-8.70	-5.10	-6.10	-1.90	-2.90
	97-113	-8.50	-9.50	-5.80	-6.80	-2.60	-3.60
	117-181	NS	NS	-7.00	-8.00	-3.70	-4.70
	185	NS	NS	-7.00	-8.00	-3.90	-4.90
	189-225	-9.00	-10.00	-6.30	-7.30	-3.30	-4.30
	229	-8.90	-9.90	-6.10	-7.10	-3.30	-4.30
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-8.70	-9.70	-5.80	-6.80	-2.70	-3.70
	67-75	-7.90	-8.90	-5.30	-6.30	-2.10	-3.10
	83	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	91	-8.10	-9.10	-5.10	-6.10	-1.90	-2.90
	99-107	-8.50	-9.50	-5.80	-6.80	-2.50	-3.50
	115	NS	NS	-6.70	-7.70	-3.70	-4.70
	123-179	NS	NS	-7.00	-8.00	-3.70	-4.70
	187	NS	NS	-7.10	-8.10	-4.00	-5.00
	195-219	NS	NS	-6.30	-7.30	-3.30	-4.30
	227	NS	NS	-6.30	-7.30	-3.30	-4.30
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-8.70	-9.70	-6.20	-7.20	-2.70	-3.70
6 GHz WIFI (80MHz BW) VLP	71	-8.00	-9.00	-5.30	-6.30	-2.10	-3.10
	87	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	103	-8.50	-9.50	-5.80	-6.80	-2.50	-3.50
	119	NS	NS	-6.80	-7.80	-3.70	-4.70
	135-167	NS	NS	-7.00	-8.00	-3.70	-4.70
	183	NS	NS	-7.30	-8.30	-4.00	-5.00
	199	-9.00	-10.00	-6.40	-7.40	-3.10	-4.10
	215	NS	NS	-6.60	-7.60	-3.30	-4.30
	15	NS	NS	NS	NS	NS	NS
	47	-8.70	-9.70	-5.80	-6.80	-2.90	-3.90
6 GHz WIFI (160MHz BW) VLP	79	-8.20	-9.20	-5.50	-6.50	-2.30	-3.30
	111	NS	NS	-7.20	-8.20	-3.70	-4.70
	143	NS	NS	-6.90	-7.90	-3.70	-4.70
	175	NS	NS	-7.40	-8.40	-4.00	-5.00
	207	NS	NS	-6.40	-7.40	-3.30	-4.30

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 26 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	12.75	11.75	12.75	11.75
	5	10.00	9.00	12.75	11.75	12.75	11.75
	9-29	10.00	8.50	12.75	11.25	12.75	11.25
	33-61	10.00	9.00	12.75	11.75	12.75	11.75
	65-85	10.00	9.00	13.00	12.00	14.00	13.00
	89	10.00	9.00	13.00	12.00	14.00	13.00
	93	10.00	9.00	13.00	12.00	14.00	13.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.50	8.50	12.50	11.50	14.50	13.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	12.75	11.75	12.75	11.75
	11	10.00	9.00	12.75	11.75	12.75	11.75
6 GHz WIFI (40MHz BW) SP	19-27	10.00	9.00	12.75	11.75	12.75	11.75
	35-59	10.00	9.00	12.75	11.75	12.75	11.75
	67-75	10.00	9.00	13.00	12.00	14.00	13.00
	83	10.00	9.00	13.00	12.00	14.00	13.00
	91	10.00	9.00	13.00	12.00	14.00	13.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.50	8.50	12.50	11.50	14.50	13.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	12.75	11.75	12.75	11.75
	23	10.00	9.00	12.75	11.75	12.75	11.75
	39-55	10.00	9.00	12.75	11.75	12.75	11.75
	71	10.00	9.00	13.00	12.00	14.00	13.00
	87	10.00	9.00	13.00	12.00	14.00	13.00
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.50	8.50	12.50	11.50	14.50	13.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	12.75	11.75	12.75	11.75
	47	10.00	9.00	12.75	11.75	12.75	11.75
	79	10.00	9.00	13.00	12.00	14.00	13.00
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	9.50	8.50	12.50	11.50	14.50	13.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 27 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.50	8.50	12.50	11.50	12.75	11.75
	5	9.50	8.50	12.50	11.50	12.75	11.75
	9-29	9.50	8.00	12.50	11.00	15.50	14.00
	33-61	9.50	8.50	12.50	11.50	12.75	11.75
	65-85	9.50	8.50	12.50	11.50	14.00	13.00
	89	9.50	8.50	12.50	11.50	14.00	13.00
	93	9.50	8.50	12.50	11.50	14.00	13.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	14.50	13.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.50	8.50	12.50	11.50	12.75	11.75
6 GHz WIFI (40MHz BW) SP	11	9.50	8.50	12.50	11.50	12.75	11.75
	19-27	9.50	8.50	12.50	11.50	12.75	11.75
	35-59	9.50	8.50	12.50	11.50	12.75	11.75
	67-75	9.50	8.50	12.50	11.50	14.00	13.00
	83	9.50	8.50	12.50	11.50	14.00	13.00
	91	9.50	8.50	12.50	11.50	14.00	13.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	14.50	13.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.50	8.50	12.50	11.50	12.75	11.75
	23	9.50	8.50	12.50	11.50	12.75	11.75
	39-55	9.50	8.50	12.50	11.50	12.75	11.75
6 GHz WIFI (80MHz BW) SP	71	9.50	8.50	12.50	11.50	14.00	13.00
	87	9.50	8.50	12.50	11.50	14.00	13.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	14.50	13.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.50	8.50	12.50	11.50	12.75	11.75
	47	9.50	8.50	12.50	11.50	12.75	11.75
	79	9.50	8.50	12.50	11.50	14.00	13.00
6 GHz WIFI (160MHz BW) SP	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	14.00	13.00
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 28 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna 4a						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	9.50	8.50	12.50	11.50	12.75	11.75
	5	9.50	8.50	12.50	11.50	12.75	11.75
	9-29	9.50	8.00	12.50	11.00	15.50	14.00
	33-61	9.50	8.50	12.50	11.50	12.75	11.75
	65-85	9.50	8.50	12.50	11.50	14.00	13.00
	89	9.50	8.50	12.50	11.50	14.00	13.00
	93	9.50	8.50	12.50	11.50	14.00	13.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	14.50	13.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.50	8.50	12.50	11.50	12.75	11.75
6 GHz WIFI (40MHz BW) SP	11	9.50	8.50	12.50	11.50	12.75	11.75
	19-27	9.50	8.50	12.50	11.50	12.75	11.75
	35-59	9.50	8.50	12.50	11.50	12.75	11.75
	67-75	9.50	8.50	12.50	11.50	14.00	13.00
	83	9.50	8.50	12.50	11.50	14.00	13.00
	91	9.50	8.50	12.50	11.50	14.00	13.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	14.50	13.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.50	8.50	12.50	11.50	12.75	11.75
	23	9.50	8.50	12.50	11.50	12.75	11.75
	39-55	9.50	8.50	12.50	11.50	12.75	11.75
6 GHz WIFI (80MHz BW) SP	71	9.50	8.50	12.50	11.50	14.00	13.00
	87	9.50	8.50	12.50	11.50	14.00	13.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	14.50	13.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.50	8.50	12.50	11.50	12.75	11.75
	47	9.50	8.50	12.50	11.50	12.75	11.75
	79	9.50	8.50	12.50	11.50	14.00	13.00
6 GHz WIFI (160MHz BW) SP	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	14.50	13.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 29 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI 20 MHz Bandwidth LP	2	NS	NS	NS	NS	NS	NS
	1	-7.40	-8.40	-4.70	-5.70	-3.40	-4.40
	5	-7.30	-8.30	-4.70	-5.70	-1.60	-2.60
	9-29	-7.50	-9.00	-4.80	-6.30	-1.60	-3.10
	33-61	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	65-85	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	89	-7.10	-8.10	-4.00	-5.00	-0.90	-1.90
	93	-6.70	-7.70	-4.10	-5.10	-0.90	-1.90
	97-113	-7.50	-8.50	-4.80	-5.80	-1.60	-2.60
	117-181	-8.60	-9.60	-6.00	-7.00	-2.70	-3.70
	185	-8.90	-9.90	-6.00	-7.00	-2.90	-3.90
	189-225	-7.80	-8.80	-5.10	-6.10	-2.10	-3.10
	229	-7.70	-8.70	-4.90	-5.90	-2.10	-3.10
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI 40 MHz Bandwidth LP	3	-7.40	-8.40	-4.70	-5.70	-3.40	-4.40
	11	-7.40	-8.40	-4.70	-5.70	-1.60	-2.60
	19-27	-7.60	-8.60	-4.80	-5.80	-1.60	-2.60
	35-59	-7.70	-8.70	-4.80	-5.80	-1.70	-2.70
	67-75	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
	83	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	91	-7.10	-8.10	-4.10	-5.10	-0.90	-1.90
	99-107	-7.50	-8.50	-4.80	-5.80	-1.50	-2.50
	115	-8.50	-9.50	-5.70	-6.70	-2.70	-3.70
	123-179	-8.60	-9.60	-6.00	-7.00	-2.70	-3.70
	187	-8.90	-9.90	-6.10	-7.10	-3.00	-4.00
	195-219	-7.90	-8.90	-5.10	-6.10	-2.10	-3.10
	227	-8.00	-9.00	-5.10	-6.10	-2.10	-3.10
	231	-7.50	-8.50	-4.70	-5.70	-3.40	-4.40
6 GHz WIFI 80 MHz Bandwidth LP	23	-7.70	-8.70	-5.00	-6.00	-1.60	-2.60
	39-55	-7.70	-8.70	-5.20	-6.20	-1.70	-2.70
	71	-7.00	-8.00	-4.30	-5.30	-1.10	-2.10
	87	-7.20	-8.20	-4.30	-5.30	-1.10	-2.10
	103	-7.50	-8.50	-4.80	-5.80	-1.50	-2.50
	119	-8.80	-9.80	-5.80	-6.80	-2.70	-3.70
	135-167	-8.70	-9.70	-6.00	-7.00	-2.70	-3.70
	183	-9.00	-10.00	-6.30	-7.30	-3.00	-4.00
	199	-7.80	-8.80	-5.20	-6.20	-1.90	-2.90
	215	-8.10	-9.10	-5.40	-6.40	-2.10	-3.10
6 GHz WIFI 160 MHz Bandwidth LP	15	-7.80	-8.80	-5.30	-6.30	-3.40	-4.40
	47	-7.70	-8.70	-4.80	-5.80	-1.90	-2.90
	79	-7.20	-8.20	-4.50	-5.50	-1.30	-2.30
	111	-8.60	-9.60	-6.20	-7.20	-2.70	-3.70
	143	-8.80	-9.80	-5.90	-6.90	-2.70	-3.70
	175	NS	NS	-6.40	-7.40	-3.00	-4.00
	207	-7.90	-8.90	-5.20	-6.20	-2.10	-3.10

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 30 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI 20 MHz Bandwidth LP	2	NS	NS	NS	NS	NS	NS
	1	-4.40	-5.40	-1.70	-2.70	-0.40	-1.40
	5	-4.30	-5.30	-1.70	-2.70	1.40	0.40
	9-29	-4.50	-6.00	-1.80	-3.30	1.40	-0.10
	33-61	-4.70	-5.70	-1.80	-2.80	1.30	0.30
	65-85	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	89	-4.10	-5.10	-1.00	-2.00	2.10	1.10
	93	-3.70	-4.70	-1.10	-2.10	2.10	1.10
	97-113	-4.50	-5.50	-1.80	-2.80	1.40	0.40
	117-181	-5.60	-6.60	-3.00	-4.00	0.30	-0.70
	185	-5.90	-6.90	-3.00	-4.00	0.10	-0.90
	189-225	-5.00	-6.00	-2.30	-3.30	0.70	-0.30
	229	-4.90	-5.90	-2.10	-3.10	0.70	-0.30
	233	NS	NS	NS	NS	NS	NS
	3	-4.40	-5.40	-1.70	-2.70	-0.40	-1.40
6 GHz WIFI 40 MHz Bandwidth LP	11	-4.40	-5.40	-1.70	-2.70	1.40	0.40
	19-27	-4.60	-5.60	-1.80	-2.80	1.40	0.40
	35-59	-4.70	-5.70	-1.80	-2.80	1.30	0.30
	67-75	-3.90	-4.90	-1.30	-2.30	1.90	0.90
	83	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	91	-4.10	-5.10	-1.10	-2.10	2.10	1.10
	99-107	-4.50	-5.50	-1.80	-2.80	1.50	0.50
	115	-5.50	-6.50	-2.70	-3.70	0.30	-0.70
	123-179	-5.60	-6.60	-3.00	-4.00	0.30	-0.70
	187	-5.90	-6.90	-3.10	-4.10	0.00	-1.00
	195-219	-5.10	-6.10	-2.30	-3.30	0.70	-0.30
	227	-5.20	-6.20	-2.30	-3.30	0.70	-0.30
	7	-4.50	-5.50	-1.70	-2.70	-0.40	-1.40
	23	-4.70	-5.70	-2.00	-3.00	1.40	0.40
	39-55	-4.70	-5.70	-2.20	-3.20	1.30	0.30
6 GHz WIFI 80 MHz Bandwidth LP	71	-4.00	-5.00	-1.30	-2.30	1.90	0.90
	87	-4.20	-5.20	-1.30	-2.30	1.90	0.90
	103	-4.50	-5.50	-1.80	-2.80	1.50	0.50
	119	-5.80	-6.80	-2.80	-3.80	0.30	-0.70
	135-167	-5.70	-6.70	-3.00	-4.00	0.30	-0.70
	183	-6.00	-7.00	-3.30	-4.30	0.00	-1.00
	199	-5.00	-6.00	-2.40	-3.40	0.90	-0.10
	215	-5.30	-6.30	-2.60	-3.60	0.70	-0.30
	15	-4.80	-5.80	-2.30	-3.30	-0.40	-1.40
	47	-4.70	-5.70	-1.80	-2.80	1.10	0.10
6 GHz WIFI 160 MHz Bandwidth LP	79	-4.20	-5.20	-1.50	-2.50	1.70	0.70
	111	-5.60	-6.60	-3.20	-4.20	0.30	-0.70
	143	-5.80	-6.80	-2.90	-3.90	0.30	-0.70
	175	-6.20	-7.20	-3.40	-4.40	0.00	-1.00
	207	-5.10	-6.10	-2.40	-3.40	0.70	-0.30

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 31 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF5B						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI 20 MHz Bandwidth VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-6.10	-7.10	-3.10	-4.10	-0.10	-1.10
	65-85	-5.60	-6.60	-2.70	-3.70	0.70	-0.30
	89	-5.50	-6.50	-2.40	-3.40	0.70	-0.30
	93	-5.10	-6.10	-2.50	-3.50	0.70	-0.30
	97-113	-5.80	-6.80	-3.10	-4.10	0.10	-0.90
	117-181	-6.70	-7.70	-4.10	-5.10	-0.80	-1.80
	185	-7.50	-8.50	-4.60	-5.60	-1.50	-2.50
	189-225	-7.50	-8.50	-4.80	-5.80	-1.80	-2.80
	229	-7.30	-8.30	-4.60	-5.60	-1.80	-2.80
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI 40 MHz Bandwidth VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-6.10	-7.10	-3.10	-4.10	-0.10	-1.10
	67-75	-5.30	-6.30	-2.70	-3.70	0.70	-0.30
	83	-5.60	-6.60	-2.70	-3.70	0.70	-0.30
	91	-5.50	-6.50	-2.50	-3.50	0.70	-0.30
	99-107	-5.80	-6.80	-3.10	-4.10	0.20	-0.80
	115	-6.50	-7.50	-3.80	-4.80	-0.80	-1.80
	123-179	-6.70	-7.70	-4.10	-5.10	-0.80	-1.80
	187	-7.50	-8.50	-4.70	-5.70	-1.60	-2.60
	195-219	-7.60	-8.60	-4.80	-5.80	-1.80	-2.80
	227	-7.70	-8.70	-4.80	-5.80	-1.80	-2.80
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-6.10	-7.10	-3.20	-4.20	-0.10	-1.10
6 GHz WIFI 80 MHz Bandwidth VLP	71	-5.40	-6.40	-2.70	-3.70	0.70	-0.30
	87	-5.60	-6.60	-2.70	-3.70	0.70	-0.30
	103	-5.80	-6.80	-3.10	-4.10	0.20	-0.80
	119	-6.50	-7.50	-3.80	-4.80	-0.80	-1.80
	135-167	-6.80	-7.80	-4.10	-5.10	-0.80	-1.80
	183	-7.50	-8.50	-4.60	-5.60	-1.50	-2.50
	199	-7.40	-8.40	-4.90	-5.90	-1.60	-2.60
	215	-7.60	-8.60	-5.10	-6.10	-1.80	-2.80
	15	NS	NS	NS	NS	NS	NS
	47	-6.10	-7.10	-3.20	-4.20	-0.10	-1.10
6 GHz WIFI 160 MHz Bandwidth VLP	79	-5.60	-6.60	-2.70	-3.70	0.30	-0.70
	111	-6.70	-7.70	-4.00	-5.00	-0.80	-1.80
	143	-6.70	-7.70	-4.00	-5.00	-0.80	-1.80
	175	-7.80	-8.80	-5.00	-6.00	-1.60	-2.60
	207	-7.60	-8.60	-4.80	-5.80	-1.80	-2.80

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 32 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI 20 MHz Bandwidth VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-8.80	-9.80	-5.70	-6.70
	65-85	NS	NS	-8.30	-9.30	-5.10	-6.10
	89	NS	NS	-8.00	-9.00	-4.90	-5.90
	93	NS	NS	-8.10	-9.10	-4.90	-5.90
	97-113	NS	NS	-8.80	-9.80	-5.60	-6.60
	117-181	NS	NS	NS	NS	-6.70	-7.70
	185	NS	NS	NS	NS	-6.90	-7.90
	189-225	NS	NS	NS	NS	-6.10	-7.10
	229	NS	NS	-8.90	-9.90	-6.10	-7.10
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI 40 MHz Bandwidth VLP	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-8.80	-9.80	-5.70	-6.70
	67-75	NS	NS	-8.30	-9.30	-5.10	-6.10
	83	NS	NS	-8.30	-9.30	-5.10	-6.10
	91	NS	NS	-8.10	-9.10	-4.90	-5.90
	99-107	NS	NS	-8.80	-9.80	-5.50	-6.50
	115	NS	NS	NS	NS	-6.70	-7.70
	123-179	NS	NS	NS	NS	-6.70	-7.70
	187	NS	NS	NS	NS	-7.00	-8.00
	195-219	NS	NS	NS	NS	-6.10	-7.10
	227	NS	NS	NS	NS	-6.10	-7.10
	231	NS	NS	NS	NS	NS	NS
6 GHz WIFI 80 MHz Bandwidth VLP	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	NS	NS	-5.70	-6.70
	71	NS	NS	-8.30	-9.30	-5.10	-6.10
	87	NS	NS	-8.30	-9.30	-5.10	-6.10
	103	NS	NS	-8.80	-9.80	-5.50	-6.50
	119	NS	NS	NS	NS	-6.70	-7.70
	135-167	NS	NS	NS	NS	-6.70	-7.70
	183	NS	NS	NS	NS	-7.00	-8.00
	199	NS	NS	NS	NS	-5.90	-6.90
	215	NS	NS	NS	NS	-6.10	-7.10
	219	NS	NS	NS	NS	NS	NS
	223	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI 160 MHz Bandwidth VLP	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-8.80	-9.80	-5.90	-6.90
	79	NS	NS	-8.50	-9.50	-5.30	-6.30
	111	NS	NS	NS	NS	-6.70	-7.70
	143	NS	NS	NS	NS	-6.70	-7.70
	175	NS	NS	NS	NS	-7.00	-8.00
	207	NS	NS	NS	NS	-6.10	-7.10

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 33 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI 20 MHz Bandwidth VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-8.70	-9.70	-5.80	-6.80	-2.70	-3.70
	65-85	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	89	-8.10	-9.10	-5.00	-6.00	-1.90	-2.90
	93	-7.70	-8.70	-5.10	-6.10	-1.90	-2.90
	97-113	-8.50	-9.50	-5.80	-6.80	-2.60	-3.60
	117-181	NS	NS	-7.00	-8.00	-3.70	-4.70
	185	NS	NS	-7.00	-8.00	-3.90	-4.90
	189-225	-9.00	-10.00	-6.30	-7.30	-3.30	-4.30
	229	-8.90	-9.90	-6.10	-7.10	-3.30	-4.30
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI 40 MHz Bandwidth VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-8.70	-9.70	-5.80	-6.80	-2.70	-3.70
	67-75	-7.90	-8.90	-5.30	-6.30	-2.10	-3.10
	83	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	91	-8.10	-9.10	-5.10	-6.10	-1.90	-2.90
	99-107	-8.50	-9.50	-5.80	-6.80	-2.50	-3.50
	115	NS	NS	-6.70	-7.70	-3.70	-4.70
	123-179	NS	NS	-7.00	-8.00	-3.70	-4.70
	187	NS	NS	-7.10	-8.10	-4.00	-5.00
	195-219	NS	NS	-6.30	-7.30	-3.30	-4.30
	227	NS	NS	-6.30	-7.30	-3.30	-4.30
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-8.70	-9.70	-6.20	-7.20	-2.70	-3.70
6 GHz WIFI 80 MHz Bandwidth VLP	71	-8.00	-9.00	-5.30	-6.30	-2.10	-3.10
	87	-8.20	-9.20	-5.30	-6.30	-2.10	-3.10
	103	-8.50	-9.50	-5.80	-6.80	-2.50	-3.50
	119	NS	NS	-6.80	-7.80	-3.70	-4.70
	135-167	NS	NS	-7.00	-8.00	-3.70	-4.70
	183	NS	NS	-7.30	-8.30	-4.00	-5.00
	199	-9.00	-10.00	-6.40	-7.40	-3.10	-4.10
	215	NS	NS	-6.60	-7.60	-3.30	-4.30
	15	NS	NS	NS	NS	NS	NS
	47	-8.70	-9.70	-5.80	-6.80	-2.90	-3.90
6 GHz WIFI 160 MHz Bandwidth VLP	79	-8.20	-9.20	-5.50	-6.50	-2.30	-3.30
	111	NS	NS	-7.20	-8.20	-3.70	-4.70
	143	NS	NS	-6.90	-7.90	-3.70	-4.70
	175	NS	NS	-7.40	-8.40	-4.00	-5.00
	207	NS	NS	-6.40	-7.40	-3.30	-4.30

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 34 of 74

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF5B					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI 20 MHz Bandwidth SP	2	NS	NS	NS	NS	NS	NS
	1	9.50	8.50	12.50	11.50	14.75	13.75
	5	9.50	8.50	12.50	11.50	14.75	13.75
	9-29	9.50	8.00	12.50	11.00	14.75	13.25
	33-61	9.50	8.50	12.50	11.50	14.75	13.75
	65-85	9.50	8.50	12.50	11.50	14.75	13.75
	89	9.50	8.50	12.50	11.50	14.75	13.75
	93	9.50	8.50	12.50	11.50	14.75	13.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.50	12.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.50	8.50	12.50	11.50	14.75	13.75
	11	9.50	8.50	12.50	11.50	14.75	13.75
6 GHz WIFI 40 MHz Bandwidth SP	19-27	9.50	8.50	12.50	11.50	14.75	13.75
	35-59	9.50	8.50	12.50	11.50	14.75	13.75
	67-75	9.50	8.50	12.50	11.50	14.75	13.75
	83	9.50	8.50	12.50	11.50	14.75	13.75
	91	9.50	8.50	12.50	11.50	14.75	13.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.50	12.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.50	8.50	12.50	11.50	14.75	13.75
6 GHz WIFI 80 MHz Bandwidth SP	23	9.50	8.50	12.50	11.50	14.75	13.75
	39-55	9.50	8.50	12.50	11.50	14.75	13.75
	71	9.50	8.50	12.50	11.50	14.75	13.75
	87	9.50	8.50	12.50	11.50	14.75	13.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.50	12.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.50	8.50	12.50	11.50	14.75	13.75
	47	9.50	8.50	12.50	11.50	14.75	13.75
6 GHz WIFI 160 MHz Bandwidth SP	79	9.50	8.50	12.50	11.50	14.75	13.75
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	13.50	12.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 35 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI 20 MHz Bandwidth SP	2	NS	NS	NS	NS	NS	NS
	1	9.50	8.50	12.50	11.50	14.60	13.60
	5	9.50	8.50	12.50	11.50	14.75	13.75
	9-29	9.50	8.00	12.50	11.00	15.50	14.00
	33-61	9.50	8.50	12.50	11.50	14.75	13.75
	65-85	9.50	8.50	12.50	11.50	14.75	13.75
	89	9.50	8.50	12.50	11.50	14.75	13.75
	93	9.50	8.50	12.50	11.50	14.75	13.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.50	12.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.50	8.50	12.50	11.50	14.60	13.60
6 GHz WIFI 40 MHz Bandwidth SP	11	9.50	8.50	12.50	11.50	14.75	13.75
	19-27	9.50	8.50	12.50	11.50	14.75	13.75
	35-59	9.50	8.50	12.50	11.50	14.75	13.75
	67-75	9.50	8.50	12.50	11.50	14.75	13.75
	83	9.50	8.50	12.50	11.50	14.75	13.75
	91	9.50	8.50	12.50	11.50	14.75	13.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.50	12.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.50	8.50	12.50	11.50	14.60	13.60
	23	9.50	8.50	12.50	11.50	14.75	13.75
	39-55	9.50	8.50	12.50	11.50	14.75	13.75
6 GHz WIFI 80 MHz Bandwidth SP	71	9.50	8.50	12.50	11.50	14.75	13.75
	87	9.50	8.50	12.50	11.50	14.75	13.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.50	12.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.50	8.50	12.50	11.50	14.75	13.75
	47	9.50	8.50	12.50	11.50	14.75	13.75
	79	9.50	8.50	12.50	11.50	14.75	13.75
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	13.50	12.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 36 of 74

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI 20 MHz Bandwidth SP	2	NS	NS	NS	NS	NS	NS
	1	9.50	8.50	12.50	11.50	14.75	13.75
	5	9.50	8.50	12.50	11.50	14.75	13.75
	9-29	9.50	8.00	12.50	11.00	15.50	14.00
	33-61	9.50	8.50	12.50	11.50	14.75	13.75
	65-85	9.50	8.50	12.50	11.50	14.75	13.75
	89	9.50	8.50	12.50	11.50	14.75	13.75
	93	9.50	8.50	12.50	11.50	14.75	13.75
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.50	12.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	9.50	8.50	12.50	11.50	14.75	13.75
6 GHz WIFI 40 MHz Bandwidth SP	11	9.50	8.50	12.50	11.50	14.75	13.75
	19-27	9.50	8.50	12.50	11.50	14.75	13.75
	35-59	9.50	8.50	12.50	11.50	14.75	13.75
	67-75	9.50	8.50	12.50	11.50	14.75	13.75
	83	9.50	8.50	12.50	11.50	14.75	13.75
	91	9.50	8.50	12.50	11.50	14.75	13.75
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.50	12.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	9.50	8.50	12.50	11.50	14.75	13.75
	23	9.50	8.50	12.50	11.50	14.75	13.75
	39-55	9.50	8.50	12.50	11.50	14.75	13.75
6 GHz WIFI 80 MHz Bandwidth SP	71	9.50	8.50	12.50	11.50	14.75	13.75
	87	9.50	8.50	12.50	11.50	14.75	13.75
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.50	12.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	9.50	8.50	12.50	11.50	14.75	13.75
	47	9.50	8.50	12.50	11.50	14.75	13.75
	79	9.50	8.50	12.50	11.50	14.75	13.75
6 GHz WIFI 160 MHz Bandwidth SP	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	13.50	12.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 37 of 74

J.2.2 Maximum 802.11be MRU WLAN Output Power

[illegible]

Mode	Channel	IEEE 802.11 (Maximum tx dBm) - Antenna 3a									
		MIMO SGM		MIMO SSM		MIMO SMM		MIMO SSM		MIMO SSM	
		52_20T (Maximum)	52_20T (Nominal)	58_20T (Maximum)	58_20T (Nominal)	60T_20T (Maximum)	60T_20T (Nominal)	60T_40T (Maximum)	60T_40T (Nominal)	60T_40T_24T (Maximum)	60T_40T_24T (Nominal)
1 Gbit Wi-Fi 20 MHz bandwidth	36	13.00	13.00	14.50	13.50						
	40	13.75	13.75	15.25	14.25						
	44	13.75	13.75	15.75	14.75						
	48	13.00	13.00	15.75	14.75						
	52	13.00	13.00	15.75	14.75						
	56	13.00	13.00	15.75	14.75						
	60	13.00	13.00	15.75	14.75						
	64	13.75	13.75	14.50	13.50						
	68	13.00	13.00	14.00	13.00						
	72	13.00	13.00	15.75	14.75						
	76	13.00	13.00	15.00	14.00						
	80	13.00	13.00	15.00	14.00						
	84	13.75	13.75	14.50	13.50						
	88	13.00	13.00	14.00	13.00						
	92	13.00	13.00	15.00	14.00						
	96	13.00	13.00	15.00	14.00						
1 Gbit Wi-Fi 40 MHz bandwidth	100	13.00	13.00	15.00	14.00						
	104	13.00	13.00	15.00	14.00						
	108	13.00	13.00	15.00	14.00						
	112	13.00	13.00	15.00	14.00						
	116	13.00	13.00	15.00	14.00						
	120	13.00	13.00	15.00	14.00						
	124	13.00	13.00	15.00	14.00						
	128	13.00	13.00	15.00	14.00						
	132	13.00	13.00	15.00	14.00						
	136	13.00	13.00	15.00	14.00						
	140	13.00	13.00	15.00	14.00						
	144	13.00	13.00	15.00	14.00						
	148	13.00	13.00	15.00	14.00						
	152	13.00	13.00	15.00	14.00						
	156	13.00	13.00	15.00	14.00						
	160	13.00	13.00	15.00	14.00						
1 Gbit Wi-Fi 80 MHz bandwidth	164	13.00	13.00	15.00	14.00						
	168	13.00	13.00	15.00	14.00						
	172	13.00	13.00	15.00	14.00						
	176	13.00	13.00	15.00	14.00						
	180	13.00	13.00	15.00	14.00						
	184	13.00	13.00	15.00	14.00						
	188	13.00	13.00	15.00	14.00						
	192	13.00	13.00	15.00	14.00						
	196	13.00	13.00	15.00	14.00						
	200	13.00	13.00	15.00	14.00						
	204	13.00	13.00	15.00	14.00						
	208	13.00	13.00	15.00	14.00						
	212	13.00	13.00	15.00	14.00						
	216	13.00	13.00	15.00	14.00						
	220	13.00	13.00	15.00	14.00						
	224	13.00	13.00	15.00	14.00						
Scal Wi-Fi 80 MHz bandwidth	228	13.00	13.00	15.00	14.00						
	232	13.00	13.00	15.00	14.00						
	236	13.00	13.00	15.00	14.00						
	240	13.00	13.00	15.00	14.00						
	244	13.00	13.00	15.00	14.00						
	248	13.00	13.00	15.00	14.00						
	252	13.00	13.00	15.00	14.00						
	256	13.00	13.00	15.00	14.00						
	260	13.00	13.00	15.00	14.00						
	264	13.00	13.00	15.00	14.00						
	268	13.00	13.00	15.00	14.00						
	272	13.00	13.00	15.00	14.00						
	276	13.00	13.00	15.00	14.00						
	280	13.00	13.00	15.00	14.00						
	284	13.00	13.00	15.00	14.00						
	288	13.00	13.00	15.00	14.00						
Scal Wi-Fi 160 MHz bandwidth	292	13.00	13.00	15.00	14.00						
	296	13.00	13.00	15.00	14.00						
	300	13.00	13.00	15.00	14.00						
	304	13.00	13.00	15.00	14.00						
	308	13.00	13.00	15.00	14.00						
	312	13.00	13.00	15.00	14.00						
	316	13.00	13.00	15.00	14.00						
	320	13.00	13.00	15.00	14.00						
	324	13.00	13.00	15.00	14.00						
	328	13.00	13.00	15.00	14.00						
	332	13.00	13.00	15.00	14.00						
	336	13.00	13.00	15.00	14.00						
	340	13.00	13.00	15.00	14.00						
	344	13.00	13.00	15.00	14.00						
	348	13.00	13.00	15.00	14.00						
	352	13.00	13.00	15.00	14.00						
Scal Wi-Fi 160 MHz bandwidth	356	13.00	13.00	15.00	14.00						
	360	13.00	13.00	15.00	14.00						
	364	13.00	13.00	15.00	14.00						
	368	13.00	13.00	15.00	14.00						
	372	13.00	13.00	15.00	14.00						
	376	13.00	13.00	15.00	14.00						
	380	13.00	13.00	15.00	14.00						
	384	13.00	13.00	15.00	14.00						
	388	13.00	13.00	15.00	14.00						
	392	13.00	13.00	15.00	14.00						
	396	13.00	13.00	15.00	14.00						
	400	13.00	13.00	15.00	14.00						
	404	13.00	13.00	15.00	14.00						
	408	13.00	13.00	15.00	14.00						
	412	13.00	13.00	15.00	14.00						
	416	13.00	13.00	15.00	14.00						
Scal Wi-Fi 160 MHz bandwidth	420	13.00	13.00	15.00	14.00						
	424	13.00	13.00	15.00	14.00						
	428	13.00	13.00	15.00	14.00						
	432	13.00	13.00	15.00	14.00						
	436	13.00	13.00	15.00	14.00						
	440	13.00	13.00	15.00	14.00						
	444	13.00	13.00	15.00	14.00						
	448	13.00	13.00	15.00	14.00						
	452	13.00	13.00	15.00	14.00						
	456	13.00	13.00	15.00	14.00						
	460	13.00	13.00	15.00	14.00						
	464	13.00	13.00	15.00	14.00						
	468	13.00	13.00	15.00	14.00						
	472	13.00	13.00	15.00	14.00						
	476	13.00	13.00	15.00	14.00						
	480	13.00	13.00	15.00	14.00						
Scal Wi-Fi 160 MHz bandwidth	484	13.00	13.00	15.00	14.00						
	488	13.00	13.00	15.00	14.00						
	492	13.00	13.00	15.00	14.00						
	496	13.00	13.00	15.00	14.00						
	500	13.00	13.00	15.00	14.00						
	504	13.00	13.00	15.00	14.00						
	508	13.00	13.00	15.00	14.00						
	512	13.00	13.00	15.00	14.00						
	516	13.00	13.00	15.00	14.00						
	520	13.00	13.00	15.00	14.00						
	524	13.00	13.00	15.00	14.00						
	528	13.00	13.00	15.00	14.00						
	532	13.00	13.00	15.00	14.00						
	536	13.00	13.00	15.00	14.00						
	540	13.00	13.00	15.00	14.00						
	544	13.00	13.00	15.00	14.00						
Scal Wi-Fi 160 MHz bandwidth	548	13.00	13.00	15.00	14.00						
	552	13.00	13.00	15.00	14.00						
	556	13.00	13.00	15.00	14.00						
	560	13.00	13.00	15.00	14.00						
	564	13.00	13.00	15.00	14.00						
	568	13.00	13.00	15.00	14.00						
	572	13.00	13.00	15.00	14.00						
	576	13.00	13.00	15.00	14.00						
	580	13.00	13.00	15.00	14.00						
	584	13.00	13.00	15.00	14.00						
	588	13.00	13.00	15.00	14.00						
	592	13.00	13.00	15.00	14.00						
	596	13.00	13.00	15.00	14.00						
	600	13.00	13.00	15.00	14.00						
	604	13.00	13.00	15.00	14.00						
	608	13.00	13.00	15.00	14.00						
Scal Wi-Fi 160 MHz bandwidth	612	13.00	13.00	15.00	14.00						
	616	13.00	13.00	15.00	14.00						
	620	13.00	13.00	15.00	14.00						
	624	13.00	13.00	15.00	14.00						
	628	13.00	13.00	15.00	14.00						
	632	13.00	13.00	15.00	14.00						
	636	13.00	13.00	15.00	14.00						
	640	13.00	13.00	15.00	14.00						
	644	13.00	13.00	15.00	14.00						
	648	13.00	13.00	15.00	14.00						
	652	13.00	13.00	15.00	14.00						
	656	13.00	13.00	15.00	14.00						
	660	13.00	13.00	15.00	14.00						

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 39 of 74

Mode	Channel	IEEE 802.11 (Measurement in dBm) - Antenna WTB																																																																																																																				
		MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM		MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																											
		IS_207 (Measurement)	IS_207 (Measurement)	ISB_207 (Measurement)	ISB_207 (Measurement)	Totals		MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																											
5 GHz WRT 20 MHz Bandwidth	36	13.50	13.50	13.50	13.50	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																											
	40	13.70	13.70	13.70	13.70																																																																																																																	
	44	13.70	13.70	13.70	13.70							MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																					
	48	13.60	13.60	13.60	13.60																																																																																																																	
	52	13.50	13.50	13.50	13.50													MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																															
	56	13.50	13.50	13.50	13.50																			MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																									
	60	13.50	13.50	13.50	13.50																									MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																			
	64	13.70	13.70	13.70	13.70																															MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																													
	68	13.60	13.60	13.60	13.60																																					MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																							
	72	13.50	13.50	13.50	13.50																																											MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																	
	76	13.50	13.50	13.50	13.50																																																	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																											
	80	13.50	13.50	13.50	13.50																																																							MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																					
	84	13.70	13.70	13.70	13.70																																																													MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																															
	88	13.60	13.60	13.60	13.60																																																																			MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																									
	92	13.50	13.50	13.50	13.50																																																																									MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																			
	96	13.50	13.50	13.50	13.50																																																																															MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																													
	100	13.50	13.50	13.50	13.50																																																																																					MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																							
	104	13.50	13.50	13.50	13.50																																																																																											MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																	
	108	13.50	13.50	13.50	13.50																																																																																																	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM											
	112	13.50	13.50	13.50	13.50																																																																																																							MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM					
116	13.50	13.50	13.50	13.50	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																												
120	13.50	13.50	13.50	13.50							MMWQ SQM																																																																																																							MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM
124	13.70	13.70	13.70	13.70								MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																					
128	13.60	13.60	13.60	13.60																																																																																																																		
132	13.50	13.50	13.50	13.50														MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																															
136	13.50	13.50	13.50	13.50																				MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																									
140	13.70	13.70	13.70	13.70																										MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																			
144	13.60	13.60	13.60	13.60																																MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																													
148	13.50	13.50	13.50	13.50																																						MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																							
152	13.50	13.50	13.50	13.50																																												MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																	
156	13.50	13.50	13.50	13.50																																																		MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																											
160	13.50	13.50	13.50	13.50																																																								MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																					
164	13.50	13.50	13.50	13.50																																																														MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																															
168	13.50	13.50	13.50	13.50																																																																				MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																									
172	13.50	13.50	13.50	13.50																																																																										MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																			
176	13.50	13.50	13.50	13.50																																																																																MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																													
180	13.50	13.50	13.50	13.50																																																																																						MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																							
184	13.50	13.50	13.50	13.50																																																																																												MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																	
188	13.50	13.50	13.50	13.50																																																																																																		MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM											
192	13.50	13.50	13.50	13.50																																																																																																								MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM					
196	13.50	13.50	13.50	13.50	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																												
200	13.50	13.50	13.50	13.50							MMWQ SQM																																																																																																							MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM
204	13.50	13.50	13.50	13.50								MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																					
208	13.50	13.50	13.50	13.50																																																																																																																		
212	13.50	13.50	13.50	13.50														MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																															
216	13.50	13.50	13.50	13.50																				MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																									
220	13.50	13.50	13.50	13.50																										MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																			
224	13.50	13.50	13.50	13.50																																MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																													
228	13.50	13.50	13.50	13.50																																						MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																							
232	13.50	13.50	13.50	13.50																																												MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																	
236	13.50	13.50	13.50	13.50																																																		MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																											
240	13.50	13.50	13.50	13.50																																																								MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																					
244	13.50	13.50	13.50	13.50																																																														MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																															
248	13.50	13.50	13.50	13.50																																																																				MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																									
252	13.50	13.50	13.50	13.50																																																																										MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																			
256	13.50	13.50	13.50	13.50																																																																																MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																													
260	13.50	13.50	13.50	13.50																																																																																						MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																							
264	13.50	13.50	13.50	13.50																																																																																												MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																	
268	13.50	13.50	13.50	13.50																																																																																																		MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM											
272	13.50	13.50	13.50	13.50																																																																																																								MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM					
276	13.50	13.50	13.50	13.50	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																												
280	13.50	13.50	13.50	13.50							MMWQ SQM																																																																																																							MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM
284	13.50	13.50	13.50	13.50								MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																					
288	13.50	13.50	13.50	13.50																																																																																																																		
292	13.50	13.50	13.50	13.50														MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																															
296	13.50	13.50	13.50	13.50																				MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																									
300	13.50	13.50	13.50	13.50																										MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																			
304	13.50	13.50	13.50	13.50																																MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																													
308	13.50	13.50	13.50	13.50																																						MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																							
312	13.50	13.50	13.50	13.50																																												MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																	
316	13.50	13.50	13.50	13.50																																																		MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																											
320	13.50	13.50	13.50	13.50																																																								MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																					
324	13.50	13.50	13.50	13.50																																																														MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																															
328	13.50	13.50	13.50	13.50																																																																				MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																									
332	13.50	13.50	13.50	13.50																																																																										MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																			
336	13.50	13.50	13.50	13.50																																																																																MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																													
340	13.50	13.50	13.50	13.50																																																																																						MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																							
344	13.50	13.50	13.50	13.50																																																																																												MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																	
348	13.50	13.50	13.50	13.50																																																																																																		MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM											
352	13.50	13.50	13.50	13.50																																																																																																								MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM					
356	13.50	13.50	13.50	13.50	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																												
360	13.50	13.50	13.50	13.50							MMWQ SQM																																																																																																							MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM
364	13.50	13.50	13.50	13.50								MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																																					
368	13.50	13.50	13.50	13.50																																																																																																																		
372	13.50	13.50	13.50	13.50														MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																															
376	13.50	13.50	13.50	13.50																				MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																									
380	13.50	13.50	13.50	13.50																										MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																																			
384	13.50	13.50	13.50	13.50																																MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																													
388	13.50	13.50	13.50	13.50																																						MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																							
392	13.50	13.50	13.50	13.50																																												MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM	MMWQ SQM																																																																	
396	13.50	13.50	13.50	13.50																																																																																																																		

Mode	Channel	IEEE 802.11 (Maximum) in dBm - Antenna 2a									
		MINI0 S2M	MINI0 S2M	MINI0 S2M	MINI0 S2M	MINI0 S2M	MINI0 S2M	MINI0 S2M	MINI0 S2M	MINI0 S2M	MINI0 S2M
		S2_247 (Maximum)	S2_247 (Maximum)	S2_247 (Maximum)	S2_247 (Maximum)	S2_247 (Maximum)	S2_247 (Maximum)	S2_247 (Maximum)	S2_247 (Maximum)	S2_247 (Maximum)	S2_247 (Maximum)
6 GHz W61 (2400-2450 MHz) LP	2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
11	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
12	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
6 GHz W61 (2400-2450 MHz) VP	2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
11	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
12	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
6 GHz W61 (2400-2450 MHz) VP	2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
11	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
12	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
6 GHz W61 (2400-2450 MHz) VP	2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
11	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
12	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

FCC ID: BCGA3358

RF EXPOSURE REPORT

Approved by:
Technical Manager

DUT Type:
Tablet Device

APPENDIX J:
Page 42 of 74

Mode	Channel	IEEE 802.11 (Measurement) in dBm - Antenna 3a											
		SISO		SISO		SISO		SISO		SISO		SISO	
		SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	SISO	
E-GW WRT (Down BW) SP	2	52.267 (Measurement)	52.267 (Measurement)	50.267 (Measurement)	50.267 (Measurement)	48.667 (Measurement)	48.667 (Measurement)	50.667 (Measurement)	50.667 (Measurement)	50.667 (Measurement)	50.667 (Measurement)	50.667 (Measurement)	50.667 (Measurement)
	3	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	4	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	5	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	6	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	7	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	8	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	9	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	10	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	11	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	12	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	13	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	14	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	15	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	16	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	17	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	18	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	19	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	20	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	E-GW WRT (Down BW) SP	21	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
22		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
23		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
24		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
25		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
26		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
27		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
28		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
29		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
30		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
31		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
32		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
33		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
34		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
35		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
36		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
37		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
38		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
39		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
40		14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
E-GW WRT (Down BW) SP	41	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	42	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	43	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	44	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	45	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	46	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	47	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	48	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	49	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	50	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	51	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	52	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	53	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	54	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	55	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	56	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	57	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	58	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	59	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	60	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
E-GW WRT (Down BW) SP	61	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	62	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	63	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	64	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	65	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	66	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	67	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	68	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	69	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	70	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	71	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	72	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	73	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	74	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	75	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	76	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	77	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	78	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	79	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	80	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
E-GW WRT (Down BW) SP	81	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	82	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	83	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	84	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	85	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	86	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	87	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	88	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	89	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	90	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	91	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	92	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75
	93	14.00	14.00	14.00	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75	14.75



Mode	Channel	EIRP 800.15 (Maximum) in dBm - Antenna 1a											
		SISO	SISO	SISO	SISO	Tones		SISO	SISO	SISO	SISO	SISO	SISO
		SS_20T (Maximum)	SS_20T (Nominal)	SS_20T (Maximum)	SS_20T (Nominal)	800T_20T (Maximum)	800T_20T (Nominal)	800T_400T (Maximum)	800T_400T (Nominal)	800T_400T_240T (Maximum)	800T_400T_240T (Nominal)	800T_400T_240T (Maximum)	800T_400T_240T (Nominal)
6 GHz Wi-Fi (20MHz BW) IP	2	N/A	N/A	N/A	N/A								
	5	3.00	2.00	3.00	2.00								
	9.25	3.00	2.00	3.00	2.00								
	20.00	3.00	2.00	3.00	2.00								
	20.25	4.00	3.00	4.00	3.00								
	80	4.00	3.00	4.00	3.00								
	80	4.00	3.00	4.00	3.00								
	81.125	3.00	2.00	3.00	2.00								
	101.400	2.00	1.00	2.00	1.00								
	105	2.00	1.00	2.00	1.00								
	100.225	4.00	3.00	4.00	3.00								
	220	5.00	4.00	5.00	4.00								
	220	N/A	N/A	N/A	N/A								
	22	2.00	1.00	2.00	1.00								
	22.25	2.00	1.00	2.00	1.00								
6 GHz Wi-Fi (40MHz BW) IP	20.25	2.00	1.00	2.00	1.00								
	20.50	3.00	2.00	3.00	2.00								
	81.75	3.00	2.00	3.00	2.00								
	80	4.00	3.00	4.00	3.00								
	80.225	3.00	2.00	3.00	2.00								
	101.400	2.00	1.00	2.00	1.00								
	105	2.00	1.00	2.00	1.00								
	100.225	4.00	3.00	4.00	3.00								
	220	5.00	4.00	5.00	4.00								
	220	N/A	N/A	N/A	N/A								
	22	2.00	1.00	2.00	1.00								
	22.25	2.00	1.00	2.00	1.00								
	87	4.00	3.00	4.00	3.00								
	100	3.00	2.00	3.00	2.00								
	100	2.00	1.00	2.00	1.00								
6 GHz Wi-Fi (80MHz BW) IP	20	2.00	1.00	2.00	1.00	11.00	10.00						
	20.25	2.00	1.00	2.00	1.00	11.00	10.00						
	87	4.00	3.00	4.00	3.00	11.00	10.00						
	100	3.00	2.00	3.00	2.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
	100	2.00	1.00	2.00	1.00	11.00	10.00						
Mode	EIRP 800.15 (Maximum) in dBm - Antenna 1a												
	Tones												
	Tones												
6 GHz Wi-Fi (20MHz BW) IP	2	N/A	N/A	N/A	N/A								
	5	-1.00	-2.00	-1.00	-2.00								
	9.25	-2.00	-3.00	-2.00	-3.00								
	20.00	-2.00	-3.00	-2.00	-3.00								
	20.25	-1.00	-2.00	-1.00	-2.00								
	80	-1.00	-2.00	-1.00	-2.00								
	80	-2.00	-3.00	-2.00	-3.00								
	81.125	-1.00	-2.00	-1.00	-2.00								
	101.400	-1.00	-2.00	-1.00	-2.00								
	105	-1.00	-2.00	-1.00	-2.00								
	100.225	-1.00	-2.00	-1.00	-2.00								
	220	-1.00	-2.00	-1.00	-2.00								
	220	N/A	N/A	N/A	N/A								
	22	-1.00	-2.00	-1.00	-2.00								
	22.25	-1.00	-2.00	-1.00	-2.00								
6 GHz Wi-Fi (40MHz BW) IP	20.25	-1.00	-2.00	-1.00	-2.00								
	20.50	-1.00	-2.00	-1.00	-2.00								
	81.75	-1.00	-2.00	-1.00	-2.00								
	80	-2.00	-3.00	-2.00	-3.00								
	80.225	-1.00	-2.00	-1.00	-2.00								
	101.400	-1.00	-2.00	-1.00	-2.00								
	105	-1.00	-2.00	-1.00	-2.00								
	100.225	-1.00	-2.00	-1.00	-2.00								
	220	-1.00	-2.00	-1.00	-2.00								
	220	N/A	N/A	N/A	N/A								
	22	-1.00	-2.00	-1.00	-2.00								
	22.25	-1.00	-2.00	-1.00	-2.00								
	87	-1.00	-2.00	-1.00	-2.00								
	100	-1.00	-2.00	-1.00	-2.00								
	100	-1.00	-2.00	-1.00	-2.00								
100	-1.00	-2.00	-1.00	-2.00									
6 GHz Wi-Fi (80MHz BW) IP	40	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	40.25	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	70	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	110	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	Mode	EIRP 800.15 (Maximum) in dBm - Antenna 1a											
Tones													
Tones													
6 GHz Wi-Fi (20MHz BW) IP	2	-1.00	-2.00	-1.00	-2.00								
	5	-2.00	-3.00	-2.00	-3.00								
	9.25	-2.00	-3.00	-2.00	-3.00								
	20.00	-2.00	-3.00	-2.00	-3.00								
	20.25	-1.00	-2.00	-1.00	-2.00								
	80	-1.00	-2.00	-1.00	-2.00								
	80	-2.00	-3.00	-2.00	-3.00								
6 GHz Wi-Fi (40MHz BW) IP	20.25	-1.00	-2.00	-1.00	-2.00								
	20.50	-1.00	-2.00	-1.00	-2.00								
	81.75	-1.00	-2.00	-1.00	-2.00								
	80	-2.00	-3.00	-2.00	-3.00								
	80.225	-1.00	-2.00	-1.00	-2.00								
	101.400	-1.00	-2.00	-1.00	-2.00								
	105	-1.00	-2.00	-1.00	-2.00								
	100.225	-1.00	-2.00	-1.00	-2.00								
	220	-1.00	-2.00	-1.00	-2.00								
	220	N/A	N/A	N/A	N/A								
	22	-1.00	-2.00	-1.00	-2.00								
	22.25	-1.00	-2.00	-1.00	-2.00								
	87	-1.00	-2.00	-1.00	-2.00								
	100	-1.00	-2.00	-1.00	-2.00								
	100	-1.00	-2.00	-1.00	-2.00								
100	-1.00	-2.00	-1.00	-2.00									
6 GHz Wi-Fi (80MHz BW) IP	40	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	40.25	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	70	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	110	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
	150	-1.00	-2.00	-1.00	-2.00	5.00	4.00						
Mode	EIRP 800.15 (Maximum) in dBm - Antenna 1a												
	Tones												
	Tones												

Mode	Channel	IEEE 802.11 (Maximum) vs dBm - Antenna 6									
		SSID		SSID		SSID		SSID		SSID	
		SSID	Power	SSID	Power	SSID	Power	SSID	Power	SSID	Power
E-Gen WiFi (2000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (4000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (2000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (4000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (2000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (4000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (2000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (4000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (2000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (4000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (2000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (4000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (2000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (4000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (2000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (4000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
E-Gen WiFi (2000m BW) VLF	1	SSID (Maximum)	SSID (Normal)	SSID (Maximum)	SSID (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)	4802_4802 (Maximum)	4802_4802 (Normal)
	2	SSID	SSID	SSID	SSID						
	3	SSID	SSID	SSID	SSID						
	9.29	SSID	SSID	SSID	SSID						
	45.46	SSID	SSID	SSID	SSID						
	100	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						
	100.000	SSID	SSID	SSID	SSID						

Mode		Channel	E32 802.11 (Maximum) in dBm: Antenna W75B																
			MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD				
			52_24T (Maximum)	52_24T (Nominal)	58_24T (Maximum)	58_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)					
E-Gig WFI 20 MHz Bandwidth UP	2	95	95	95	95														
	3	-1.80	-1.80	-1.80	-1.80														
	6	-2.80	-2.80	-2.80	-2.80														
	9	-3.80	-3.80	-3.80	-3.80														
	12	-4.80	-4.80	-4.80	-4.80														
	15	-5.80	-5.80	-5.80	-5.80														
	18	-6.80	-6.80	-6.80	-6.80														
	21	-7.80	-7.80	-7.80	-7.80														
	24	-8.80	-8.80	-8.80	-8.80														
	27	-9.80	-9.80	-9.80	-9.80														
E-Gig WFI 40 MHz Bandwidth UP	30	-10.80	-10.80	-10.80	-10.80														
	33	-11.80	-11.80	-11.80	-11.80														
	36	-12.80	-12.80	-12.80	-12.80														
	39	-13.80	-13.80	-13.80	-13.80														
	42	-14.80	-14.80	-14.80	-14.80														
	45	-15.80	-15.80	-15.80	-15.80														
	48	-16.80	-16.80	-16.80	-16.80														
	51	-17.80	-17.80	-17.80	-17.80														
	54	-18.80	-18.80	-18.80	-18.80														
	57	-19.80	-19.80	-19.80	-19.80														
E-Gig WFI 80 MHz Bandwidth UP	60	-20.80	-20.80	-20.80	-20.80														
	63	-21.80	-21.80	-21.80	-21.80														
	66	-22.80	-22.80	-22.80	-22.80														
	69	-23.80	-23.80	-23.80	-23.80														
	72	-24.80	-24.80	-24.80	-24.80														
	75	-25.80	-25.80	-25.80	-25.80														
	78	-26.80	-26.80	-26.80	-26.80														
	81	-27.80	-27.80	-27.80	-27.80														
	84	-28.80	-28.80	-28.80	-28.80														
	87	-29.80	-29.80	-29.80	-29.80														
E-Gig WFI 160 MHz Bandwidth UP	90	-30.80	-30.80	-30.80	-30.80														
	93	-31.80	-31.80	-31.80	-31.80														
	96	-32.80	-32.80	-32.80	-32.80														
	99	-33.80	-33.80	-33.80	-33.80														
	102	-34.80	-34.80	-34.80	-34.80														
	105	-35.80	-35.80	-35.80	-35.80														
	108	-36.80	-36.80	-36.80	-36.80														
	111	-37.80	-37.80	-37.80	-37.80														
	114	-38.80	-38.80	-38.80	-38.80														
	117	-39.80	-39.80	-39.80	-39.80														
Mode	Channel	MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD		E32 802.11 (Maximum) in dBm: Antenna W75B		MIMO CSD		MIMO CSD		MIMO CSD		MIMO CSD	
		52_24T (Maximum)	52_24T (Nominal)	58_24T (Maximum)	58_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)		
	2	95	95	95	95	95													
E-Gig WFI 20 MHz Bandwidth UP	3	-1.80	-1.80	-1.80	-1.80	-1.80													
	6	-2.80	-2.80	-2.80	-2.80	-2.80													
	9	-3.80	-3.80	-3.80	-3.80	-3.80													
	12	-4.80	-4.80	-4.80	-4.80	-4.80													
	15	-5.80	-5.80	-5.80	-5.80	-5.80													
	18	-6.80	-6.80	-6.80	-6.80	-6.80													
	21	-7.80	-7.80	-7.80	-7.80	-7.80													
	24	-8.80	-8.80	-8.80	-8.80	-8.80													
	27	-9.80	-9.80	-9.80	-9.80	-9.80													
	30	-10.80	-10.80	-10.80	-10.80	-10.80													
E-Gig WFI 40 MHz Bandwidth UP	33	-11.80	-11.80	-11.80	-11.80	-11.80													
	36	-12.80	-12.80	-12.80	-12.80	-12.80													
	39	-13.80	-13.80	-13.80	-13.80	-13.80													
	42	-14.80	-14.80	-14.80	-14.80	-14.80													
	45	-15.80	-15.80	-15.80	-15.80	-15.80													
	48	-16.80	-16.80	-16.80	-16.80	-16.80													
	51	-17.80	-17.80	-17.80	-17.80	-17.80													
	54	-18.80	-18.80	-18.80	-18.80	-18.80													
	57	-19.80	-19.80	-19.80	-19.80	-19.80													
	60	-20.80	-20.80	-20.80	-20.80	-20.80													
E-Gig WFI 80 MHz Bandwidth UP	63	-21.80	-21.80	-21.80	-21.80	-21.80													
	66	-22.80	-22.80	-22.80	-22.80	-22.80													
	69	-23.80	-23.80	-23.80	-23.80	-23.80													
	72	-24.80	-24.80	-24.80	-24.80	-24.80													
	75	-25.80	-25.80	-25.80	-25.80	-25.80													
	78	-26.80	-26.80	-26.80	-26.80	-26.80													
	81	-27.80	-27.80	-27.80	-27.80	-27.80													
	84	-28.80	-28.80	-28.80	-28.80	-28.80													
	87	-29.80	-29.80	-29.80	-29.80	-29.80													
	90	-30.80	-30.80	-30.80	-30.80	-30.80													
E-Gig WFI 160 MHz Bandwidth UP	93	-31.80	-31.80	-31.80	-31.80	-31.80													
	96	-32.80	-32.80	-32.80	-32.80	-32.80													
	99	-33.80	-33.80	-33.80	-33.80	-33.80													
	102	-34.80	-34.80	-34.80	-34.80	-34.80													
	105	-35.80	-35.80	-35.80	-35.80	-35.80													
	108	-36.80	-36.80	-36.80	-36.80	-36.80													
	111	-37.80	-37.80	-37.80	-37.80	-37.80													
	114	-38.80	-38.80	-38.80	-38.80	-38.80													
	117	-39.80	-39.80	-39.80	-39.80	-39.80													
	120	-40.80	-40.80	-40.80	-40.80	-40.80													
Mode	Channel	SSD		SSD		SSD		SSD		E32 802.11 (Maximum) in dBm: Antenna W75B		SSD		SSD		SSD		SSD	
		52_24T (Maximum)	52_24T (Nominal)	58_24T (Maximum)	58_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)	64B_24T (Maximum)	64B_24T (Nominal)		
	2	95	95	95	95	95													
E-Gig WFI 20 MHz Bandwidth VUF	3	-1.80	-1.80	-1.80	-1.80	-1.80													
	6	-2.80	-2.80	-2.80	-2.80	-2.80													
	9	-3.80	-3.80	-3.80	-3.80	-3.80													
	12	-4.80	-4.80	-4.80	-4.80	-4.80													
	15	-5.80	-5.80	-5.80	-5.80	-5.80													
	18	-6.80	-6.80	-6.80	-6.80	-6.80													
	21	-7.80	-7.80	-7.80	-7.80	-7.80													
	24	-8.80	-8.80	-8.80	-8.80	-8.80													
	27	-9.80	-9.80	-9.80	-9.80	-9.80													
	30	-10.80	-10.80	-10.80	-10.80	-10.80													
E-Gig WFI 40 MHz Bandwidth VUF	33	-11.80	-11.80	-11.80	-11.80	-11.80													
	36	-12.80	-12.80	-12.80	-12.80	-12.80													
	39	-13.80	-13.80	-13.80	-13.80	-13.80													
	42	-14.80	-14.80	-14.80	-14.80	-14.80													
	45	-15.80	-15.80	-15.80	-15.80	-15.80													
	48	-16.80	-16.80	-16.80	-16.80	-16.80													
	51	-17.80	-17.80	-17.80	-17.80	-17.80													
	54	-18.80	-18.80	-18.80	-18.80	-18.80													
	57	-19.80	-19.80	-19.80	-19.80	-19.80													
	60	-20.80	-20.80	-20.80	-20.80	-20.80													
E-Gig WFI 80 MHz Bandwidth VUF	63	-21.80	-21.80	-21.80	-21.80	-21.80													
	66	-22.80	-22.80	-22.80	-22.80	-22.80													
	69	-23.80	-23.80	-23.80	-23.80	-23.80													
	72	-24.80	-24.80	-24.80	-24.80	-24.80													
	75	-25.80	-25.80	-25.80	-25.80	-25.80													
	78	-26.80	-26.80	-26.80	-26.80	-26.80													
	81	-27.80	-27.80	-27.80	-27.80	-27.80													
	84	-28.80	-28.80	-28.80	-28.80	-28.80													
	87	-29.80	-29.80	-29.80	-29.80	-29.80													

Module	Channel	E1E BQ2 15 (Maximum) in dBm - Antenna WTR											
		MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD			
		5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)		
E-GW WTR 20MHz Bandwidth VFP	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
	141	NS	NS	NS	NS								
	142	NS	NS	NS	NS								
E-GW WTR 40MHz Bandwidth VFP	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
	141	NS	NS	NS	NS								
	142	NS	NS	NS	NS								
E-GW WTR 80MHz Bandwidth VFP	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
	141	NS	NS	NS	NS								
	142	NS	NS	NS	NS								
Module	Channel	MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD	
	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	
	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
141	NS	NS	NS	NS									
142	NS	NS	NS	NS									
E-GW WTR 20MHz Bandwidth VFP	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
	141	NS	NS	NS	NS								
	142	NS	NS	NS	NS								
E-GW WTR 40MHz Bandwidth VFP	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
	141	NS	NS	NS	NS								
	142	NS	NS	NS	NS								
E-GW WTR 80MHz Bandwidth VFP	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
	141	NS	NS	NS	NS								
	142	NS	NS	NS	NS								
Module	Channel	MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD		MIMO CDD	
	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	5G_20T (Maximum)	5G_20T (Nominal)	
	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
141	NS	NS	NS	NS									
142	NS	NS	NS	NS									
E-GW WTR 20MHz Bandwidth VFP	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
	141	NS	NS	NS	NS								
	142	NS	NS	NS	NS								
E-GW WTR 40MHz Bandwidth VFP	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
	141	NS	NS	NS	NS								
	142	NS	NS	NS	NS								
E-GW WTR 80MHz Bandwidth VFP	2	NS	NS	NS	NS								
	3	NS	NS	NS	NS								
	4	NS	NS	NS	NS								
	5-20	NS	NS	NS	NS								
	21-25	2.00	1.00	2.00	1.00								
	26-30	4.00	2.00	4.00	2.00								
	31	6.00	4.00	6.00	4.00								
	32	8.00	6.00	8.00	6.00								
	33-123	6.00	4.00	6.00	4.00								
	124-130	4.00	2.00	4.00	2.00								
	131-135	2.00	1.00	2.00	1.00								
	136-139	1.00	0.50	1.00	0.50								
	140	NS	NS	NS	NS								
	141	NS	NS	NS	NS								
	142	NS	NS	NS	NS								

Mode	Channel	EUT 801.11 (Maximum) in dBm - Antenna 9078									
		MINMO 52M		MINMO 52M		MINMO 52M		MINMO 52M		MINMO 52M	
		52_247 (Maximum)	52_247 (Nominal)	52_247 (Maximum)	52_247 (Nominal)	52_247 (Maximum)	52_247 (Nominal)	52_247 (Maximum)	52_247 (Nominal)	52_247 (Maximum)	52_247 (Nominal)
6 GHz WFI 20 MHz Bandwidth SP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	4	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	5	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	6	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	7	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	8	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	9	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	10	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	11	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
6 GHz WFI 40 MHz Bandwidth SP	12	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	13	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	14	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	15	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	16	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	17	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	18	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	19	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	20	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	21	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
6 GHz WFI 80 MHz Bandwidth SP	22	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	23	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	24	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	25	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	26	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	27	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	28	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	29	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	30	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	31	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
6 GHz WFI 160 MHz Bandwidth SP	32	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	33	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	34	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	35	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	36	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	37	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	38	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	39	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	40	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75
	41	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75	14.00	13.75

FCC ID: BCGA3358

RF EXPOSURE REPORT

Approved by:

Technical Manager

DUT Type:
Tablet Device

APPENDIX J:
Page 49 of 74

J.3 IEEE 802.11ax RU Target Powers

Table J-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 2a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	10.70	11.24	10.65
2437	6	26T	10.51	11.36	10.52
2462	11	26T	10.61	11.22	10.92
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	12.96	13.18	12.71
2437	6	52T	13.52	14.00	13.70
2462	11	52T	11.72	11.88	11.97
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	13.04	12.83	
2437	6	106T	16.64	16.66	
2462	11	106T	11.73	11.94	

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 50 of 74

Table J-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 4a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.34	12.05	11.92
2437	6	26T	11.79	11.18	10.54
2462	11	26T	10.89	11.70	11.05
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	12.46	12.57	12.97
2437	6	52T	15.45	15.49	14.17
2462	11	52T	11.76	12.78	13.39
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	12.98	13.03	
2437	6	106T	17.60	16.73	
2462	11	106T	12.27	13.39	

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 51 of 74

Table J-3
Maximum 5 GHz 802.11ax RU Output Power – Ant 2a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	7.24	7.07	7.24
		5200	40	26T	7.26	7.12	7.36
		5220	44	26T	7.32	7.15	7.28
		5240	48	26T	7.37	7.15	7.38
	3	5745	149	26T	7.04	6.79	7.00
		5785	157	26T	6.94	6.85	7.10
		5825	165	26T	7.04	6.81	7.05
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	9.97	9.93	9.67
		5200	40	52T	9.89	9.81	9.99
		5220	44	52T	9.86	9.85	9.51
		5240	48	52T	9.95	9.86	9.52
	2A	5260	52	52T	9.84	9.78	9.85
		5280	56	52T	9.86	9.79	9.94
		5300	60	52T	9.83	9.74	9.90
		5320	64	52T	9.95	9.87	9.58
	2C	5500	100	52T	9.65	9.99	9.64
		5600	120	52T	9.84	10.15	9.81
		5580	124	52T	9.64	10.02	9.68
		5720	144	52T	9.60	9.99	9.71
	3	5745	149	52T	9.64	10.00	9.68
		5785	157	52T	9.62	10.04	9.71
		5825	165	52T	9.60	9.88	9.58

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 52 of 74

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	12.58	12.71	
		5200	40	106T	12.60	12.63	
		5220	44	106T	12.68	12.77	
		5240	48	106T	12.57	12.60	
	2A	5260	52	106T	12.54	12.80	
		5280	56	106T	12.81	12.90	
		5300	60	106T	12.89	13.00	
		5320	64	106T	12.91	12.93	
	2C	5500	100	106T	12.00	12.04	
		5600	120	106T	12.89	12.83	
		5620	124	106T	12.72	12.66	
		5720	144	106T	12.78	12.84	
	3	5745	149	106T	12.66	12.69	
		5785	157	106T	12.63	12.75	
		5825	165	106T	12.79	12.85	

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 53 of 74

Table J-4
Maximum 5 GHz 802.11ax RU Output Power – Ant 4a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	8.74	9.74	8.91
		5200	40	26T	8.95	9.82	8.89
		5220	44	26T	8.67	9.71	8.91
		5240	48	26T	8.89	9.81	8.89
	3	5745	149	26T	9.12	10.07	9.04
		5785	157	26T	9.05	10.01	9.11
		5825	165	26T	9.25	10.11	9.13
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	11.97	12.51	12.14
		5200	40	52T	12.10	12.51	12.01
		5220	44	52T	11.93	12.36	12.03
		5240	48	52T	11.90	12.36	12.04
	2A	5260	52	52T	11.88	12.38	12.03
		5280	56	52T	11.83	12.34	12.02
		5300	60	52T	11.83	12.36	11.99
		5320	64	52T	11.81	12.25	11.95
	2C	5500	100	52T	11.88	12.38	11.92
		5600	120	52T	12.01	12.32	11.99
		5580	124	52T	12.11	12.41	12.00
		5720	144	52T	12.25	12.57	12.23
	3	5745	149	52T	12.25	12.65	12.27
		5785	157	52T	12.23	12.69	12.25
		5825	165	52T	12.37	12.73	12.37

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 54 of 74

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	14.51	14.46	
		5200	40	106T	14.90	14.96	
		5220	44	106T	14.98	14.87	
		5240	48	106T	15.13	15.03	
	2A	5260	52	106T	14.97	15.05	
		5280	56	106T	14.91	14.99	
		5300	60	106T	14.97	15.05	
		5320	64	106T	14.54	14.71	
	2C	5500	100	106T	12.84	12.87	
		5600	120	106T	15.16	15.04	
		5620	124	106T	15.17	15.12	
		5720	144	106T	15.34	15.32	
	3	5745	149	106T	15.33	15.26	
		5785	157	106T	15.41	15.39	
		5825	165	106T	15.37	15.39	

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 55 of 74

Table J-5
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	6.62	7.40	6.68
		5200	40	26T	6.61	7.59	6.82
		5220	44	26T	6.74	7.59	6.88
		5240	48	26T	6.89	7.63	6.70
	3	5745	149	26T	6.50	7.30	6.56
		5785	157	26T	6.51	7.41	6.61
		5825	165	26T	6.60	7.00	6.66
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	9.56	10.07	9.72
		5200	40	52T	9.79	10.26	9.87
		5220	44	52T	9.89	10.34	10.01
		5240	48	52T	9.95	10.24	10.24
	2A	5260	52	52T	10.10	10.48	10.12
		5280	56	52T	10.14	10.59	10.25
		5300	60	52T	10.13	10.54	10.30
		5320	64	52T	10.13	10.56	10.29
	2C	5500	100	52T	10.33	10.67	10.31
		5600	120	52T	10.42	9.76	10.44
		5580	124	52T	10.49	9.82	10.48
		5720	144	52T	9.96	10.34	9.98
	3	5745	149	52T	9.75	10.05	9.76
		5785	157	52T	9.67	10.10	9.81
		5825	165	52T	9.76	10.03	9.76

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 56 of 74

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	12.84	12.88	
		5200	40	106T	12.60	12.56	
		5220	44	106T	12.55	12.59	
		5240	48	106T	12.57	12.51	
	2A	5260	52	106T	12.60	12.65	
		5280	56	106T	12.64	12.73	
		5300	60	106T	12.78	12.90	
		5320	64	106T	12.79	12.94	
	2C	5500	100	106T	12.26	12.25	
		5600	120	106T	13.09	13.12	
		5620	124	106T	13.04	13.07	
		5720	144	106T	12.93	12.95	
	3	5745	149	106T	12.72	12.78	
		5785	157	106T	12.71	12.83	
		5825	165	106T	12.70	12.71	

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 57 of 74

Table J-6
Maximum 6 GHz 802.11ax RU Output Power – Ant 2a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	6.65	7.48	6.61
		6175	45	26T	6.99	7.77	6.88
		6195	49	26T	6.82	7.82	6.92
		6415	93	26T	7.25	7.10	7.23
	6	6435	97	26T	-4.73	-3.90	-4.77
		6475	105	26T	-4.49	-3.66	-4.47
		6515	113	26T	-4.42	-3.60	-4.47
	7	6535	117	26T	6.31	6.05	6.15
		6695	149	26T	5.56	6.31	6.40
		6875	185	26T	-5.61	-5.67	-5.67
	8	6895	189	26T	-5.66	-5.75	-5.67
		6995	209	26T	-5.77	-5.72	-5.76
		7015	213	26T	-5.69	-5.89	-5.82
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	9.69	10.03	9.71
		6195	49	52T	9.75	10.11	9.88
		6415	93	52T	9.50	9.71	9.66
	6	6435	97	52T	-1.71	-1.42	-1.77
		6475	105	52T	-1.55	-1.18	-1.53
		6515	113	52T	-1.49	-1.09	-1.45
	7	6535	117	52T	8.71	9.11	8.66
		6695	149	52T	8.63	8.92	8.55
		6875	185	52T	-3.60	-3.29	-3.54
	8	6895	189	52T	-3.50	-3.48	-3.44
		6995	209	52T	-3.78	-3.39	-3.76
		7015	213	52T	-3.77	-3.42	-3.76
		7115	233	52T	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 58 of 74

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
5		5955	1	106T	14.42	14.38	
		6175	45	106T	14.55	14.52	
		6195	49	106T	14.68	14.65	
		6415	93	106T	12.37	12.18	
6		6435	97	106T	1.82	1.83	
		6475	105	106T	1.97	1.94	
		6515	113	106T	1.92	1.96	
7		6535	117	106T	11.10	11.13	
		6695	149	106T	11.05	11.01	
		6875	185	106T	-0.41	-0.50	
8		6895	189	106T	-0.50	-0.40	
		6995	209	106T	-0.44	-0.48	
		7015	213	106T	-0.78	-0.64	
		7115	233	106T	NS	NS	

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 59 of 74

Table J-7
Maximum 6 GHz 802.11ax RU Output Power – Ant 4a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	5	5955	1	26T	8.46	9.36	8.52
		6175	45	26T	8.51	9.44	8.51
		6195	49	26T	8.55	9.50	8.47
		6415	93	26T	7.69	8.54	7.61
	6	6435	97	26T	-2.99	-2.11	-3.10
		6475	105	26T	-2.95	-2.00	-3.07
		6515	113	26T	-3.16	-2.16	-3.10
	7	6535	117	26T	7.03	7.83	6.94
		6695	149	26T	7.26	8.10	7.21
		6875	185	26T	-3.10	-3.00	-2.93
	8	6895	189	26T	-0.75	0.28	-0.63
		6995	209	26T	-0.85	0.13	-0.79
		7015	213	26T	-0.93	-0.05	-0.98
		7115	233	26T	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 60 of 74

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	11.28	11.82	11.51
		6195	49	52T	11.20	12.01	11.69
		6415	93	52T	10.75	11.07	10.69
	6	6435	97	52T	0.03	0.29	-0.04
		6475	105	52T	0.12	0.34	-0.02
		6515	113	52T	-0.14	0.12	-0.26
	7	6535	117	52T	10.17	10.44	10.17
		6695	149	52T	10.44	10.75	10.39
		6875	185	52T	-0.17	0.27	-0.11
	8	6895	189	52T	1.79	2.13	1.80
		6995	209	52T	1.51	2.02	1.67
		7015	213	52T	1.63	1.90	1.55
		7115	233	52T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	11.45	11.60	
		6175	45	106T	11.40	11.51	
		6195	49	106T	11.50	11.52	
		6415	93	106T	12.08	12.02	
	6	6435	97	106T	2.98	2.86	
		6475	105	106T	2.79	2.79	
		6515	113	106T	2.70	2.67	
	7	6535	117	106T	12.20	12.15	
		6695	149	106T	12.42	12.46	
		6875	185	106T	2.72	2.82	
	8	6895	189	106T	3.92	3.86	
		6995	209	106T	4.67	4.48	
		7015	213	106T	4.40	4.38	
		7115	233	106T	NS	NS	

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 61 of 74

Table J-8
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	6.75	7.55	6.69
		6175	45	26T	6.50	7.21	6.88
		6195	49	26T	6.84	7.54	7.01
		6415	93	26T	6.66	7.48	6.64
	6	6435	97	26T	-4.79	-3.93	-2.00
		6475	105	26T	-4.62	-3.77	-4.66
		6515	113	26T	-4.65	-3.76	-4.72
	7	6535	117	26T	7.77	6.19	7.21
		6695	149	26T	7.95	6.59	8.21
		6875	185	26T	-4.44	-5.35	-3.51
	8	6895	189	26T	-6.40	-5.42	-6.42
		6995	209	26T	-6.36	-5.51	-3.77
		7015	213	26T	-6.38	-5.51	-3.80
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	10.01	10.09	9.99
		6195	49	52T	9.99	10.25	10.84
		6415	93	52T	9.84	10.10	9.77
	6	6435	97	52T	-1.69	-1.42	-1.80
		6475	105	52T	-1.57	-1.15	-1.60
		6515	113	52T	-1.58	-1.19	-1.58
	7	6535	117	52T	8.58	8.92	9.00
		6695	149	52T	11.19	11.46	11.09
		6875	185	52T	-3.25	-2.96	-3.32
	8	6895	189	52T	-3.35	-2.95	-3.45
		6995	209	52T	-3.41	-3.07	-3.46
		7015	213	52T	-3.35	-3.05	-3.43
		7115	233	52T	NS	NS	NS

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 62 of 74

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
5		5955	1	106T	12.35	12.35	
		6175	45	106T	12.02	12.64	
		6195	49	106T	12.22	12.78	
		6415	93	106T	11.99	11.99	
6		6435	97	106T	3.40	3.66	
		6475	105	106T	1.85	1.84	
		6515	113	106T	1.71	1.77	
7		6535	117	106T	10.57	10.52	
		6695	149	106T	12.30	12.24	
		6875	185	106T	-0.34	-0.45	
8		6895	189	106T	-0.43	-0.64	
		6995	209	106T	-0.05	-0.15	
		7015	213	106T	0.02	-0.11	
		7115	233	106T	NS	NS	

J.4 IEEE 802.11be MRU Target Powers

Table J-9
Maximum 2.4 GHz 802.11be MRU Output Power – Ant 2a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	13.21	12.85	
2437	6	52T + 26T	15.40	15.28	
2462	11	52T + 26T	11.90	12.04	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	13.08		
2437	6	106T + 26T	17.22		
2462	11	106T + 26T			

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 63 of 74

Table J-10
Maximum 2.4 GHz 802.11be MRU Output Power – Ant 4a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	13.26	13.93	
2437	6	52T + 26T	16.85	15.42	
2462	11	52T + 26T	13.05	13.30	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	13.06		
2437	6	106T + 26T	18.94		
2462	11	106T + 26T	12.55		

Table J-11
Maximum 5 GHz 802.11be MRU Output Power – Ant 2a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	11.51	11.52	
		5200	40	52T + 26T	11.48	11.48	
		5220	44	52T + 26T	11.60	11.61	
		5240	48	52T + 26T	11.52	11.44	
	2A	5260	52	52T + 26T	11.66	11.54	
		5280	56	52T + 26T	11.71	11.62	
		5300	60	52T + 26T	11.86	11.77	
		5320	64	52T + 26T	11.75	11.69	
	2C	5500	100	52T + 26T	11.837	11.707	
		5600	120	52T + 26T	11.648	11.501	
		5620	124	52T + 26T	11.541	11.338	
		5720	144	52T + 26T	11.588	11.525	
	3	5745	149	52T + 26T	11.453	11.288	
		5785	157	52T + 26T	11.454	11.387	
		5825	165	52T + 26T	12.854	12.715	

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 64 of 74

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	13.14		
		5200	40	106T + 26T	13.21		
		5220	44	106T + 26T	13.22		
		5240	48	106T + 26T	13.23		
	2A	5260	52	106T + 26T	13.35		
		5280	56	106T + 26T	13.37		
		5300	60	106T + 26T	13.53		
		5320	64	106T + 26T	13.45		
	2C	5500	100	106T + 26T	12.139		
		5600	120	106T + 26T	13.401		
		5620	124	106T + 26T	13.296		
		5720	144	106T + 26T	13.324		
	3	5745	149	106T + 26T	13.23		
		5785	157	106T + 26T	13.243		
		5825	165	106T + 26T	13.188		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	10.09	10.01	8.59	10.55
	2A	5290	58	484T + 242T	10.28	10.13	10.23	10.71
	2C	5530	106	484T + 242T	9.25	9.05	9.23	9.56
		5610	122	484T + 242T	13.59	13.51	13.67	14.02
		5690	138	484T + 242T	14.01	13.79	13.90	14.65
	3	5775	155	484T + 242T	12.02	12.03	12.14	12.74

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	9.19	8.95	9.27	9.6
	2C	5570	114	996T + 484T + 242T	8.60	8.33	8.63	8.8

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 65 of 74

Table J-12
Maximum 5 GHz 802.11be MRU Output Power – Ant 4a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	13.68	13.72	
		5200	40	52T + 26T	13.75	13.68	
		5220	44	52T + 26T	13.79	13.71	
		5240	48	52T + 26T	13.87	13.62	
	2A	5260	52	52T + 26T	13.95	13.73	
		5280	56	52T + 26T	13.87	13.72	
		5300	60	52T + 26T	13.79	13.71	
		5320	64	52T + 26T	13.72	13.69	
	2C	5500	100	52T + 26T	13.067	12.998	
		5600	120	52T + 26T	13.838	13.615	
		5620	124	52T + 26T	13.957	13.823	
		5720	144	52T + 26T	14.047	13.996	
	3	5745	149	52T + 26T	14.147	14.006	
		5785	157	52T + 26T	14.06	14.048	
		5825	165	52T + 26T	14.257	14.057	

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 66 of 74

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	14.62		
		5200	40	106T + 26T	15.65		
		5220	44	106T + 26T	15.39		
		5240	48	106T + 26T	15.49		
	2A	5260	52	106T + 26T	15.50		
		5280	56	106T + 26T	15.51		
		5300	60	106T + 26T	15.47		
		5320	64	106T + 26T	14.83		
	2C	5500	100	106T + 26T	12.962		
		5600	120	106T + 26T	15.58		
		5620	124	106T + 26T	15.676		
		5720	144	106T + 26T	15.955		
	3	5745	149	106T + 26T	15.911		
		5785	157	106T + 26T	15.865		
		5825	165	106T + 26T	16.019		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	11.69	11.66	11.67	11.98
	2A	5290	58	484T + 242T	12.11	12.23	12.16	12.59
	2C	5530	106	484T + 242T	11.08	11.04	11.14	11.65
		5610	122	484T + 242T	15.44	15.47	15.24	15.74
		5690	138	484T + 242T	15.19	14.97	15.28	15.85
	3	5775	155	484T + 242T	14.82	14.71	14.90	15.57

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	10.77	10.57	11.13	11.3
	2C	5570	114	996T + 484T + 242T	10.99	10.77	11.22	11.4

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 67 of 74

Table J-13
Maximum 5 GHz 802.11be MRU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	1	5180	36	52T + 26T	12.64	12.58	
		5200	40	52T + 26T	12.76	12.66	
		5220	44	52T + 26T	12.88	12.74	
		5240	48	52T + 26T	12.85	12.70	
	2A	5260	52	52T + 26T	12.93	12.86	
		5280	56	52T + 26T	13.02	12.97	
		5300	60	52T + 26T	13.00	12.91	
		5320	64	52T + 26T	12.96	12.94	
	2C	5500	100	52T + 26T	13.018	12.808	
		5600	120	52T + 26T	12.846	12.738	
		5620	124	52T + 26T	12.825	12.664	
		5720	144	52T + 26T	12.765	12.617	
	3	5745	149	52T + 26T	12.555	12.411	
		5785	157	52T + 26T	12.577	12.507	
		5825	165	52T + 26T	12.558	12.47	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	14.27		
		5200	40	106T + 26T	14.58		
		5220	44	106T + 26T	14.37		
		5240	48	106T + 26T	14.95		
	2A	5260	52	106T + 26T	14.61		
		5280	56	106T + 26T	14.72		
		5300	60	106T + 26T	14.70		
		5320	64	106T + 26T	14.79		
	2C	5500	100	106T + 26T	13.267		
		5600	120	106T + 26T	14.69		
		5620	124	106T + 26T	14.569		
		5720	144	106T + 26T	14.441		
	3	5745	149	106T + 26T	14.26		
		5785	157	106T + 26T	14.289		
		5825	165	106T + 26T	14.236		

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 68 of 74

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	12.30	12.75	12.68	12.80
160MHz BW	2A	5290	58	484T + 242T	12.44	12.35	12.45	12.84
	2C	5530	106	484T + 242T	11.13	11.10	11.25	11.66
		5610	122	484T + 242T	15.73	15.54	15.75	16.45
		5690	138	484T + 242T	17.34	17.97	17.97	18.00
	3	5775	155	484T + 242T	14.00	14.05	14.12	14.20
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	11.35	11.08	11.25	11.40
160MHz BW	2C	5570	114	996T + 484T + 242T	10.54	10.61	10.78	10.88

Table J-14
Maximum 6 GHz 802.11be MRU Output Power – Ant 2a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	11.57	11.43	
		6175	45	52T + 26T	11.55	11.40	
		6195	49	52T + 26T	11.60	11.58	
		6415	93	52T + 26T	10.46	10.34	
	6	6435	97	52T + 26T	0.90	0.66	
		6475	105	52T + 26T	1.05	0.87	
		6515	113	52T + 26T	0.93	0.84	
7	6535	117	52T + 26T	10.69	10.48		
	6695	149	52T + 26T	10.54	10.33		
	6875	185	52T + 26T	-1.76	-1.92		
8	6895	189	52T + 26T	-1.67	-1.89		
	6995	209	52T + 26T	-1.72	-1.84		
	7015	213	52T + 26T	-1.72	-1.85		
	7115	233	52T + 26T	NS	NS		

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 69 of 74

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
5		5955	1	106T + 26T	13.10		
		6175	45	106T + 26T	13.04		
		6195	49	106T + 26T	13.15		
		6415	93	106T + 26T	10.27		
6		6435	97	106T + 26T	2.09		
		6475	105	106T + 26T	2.55		
		6515	113	106T + 26T	2.71		
7		6535	117	106T + 26T	11.22		
		6695	149	106T + 26T	11.10		
		6875	185	106T + 26T	0.34		
8		6895	189	106T + 26T	0.30		
		6995	209	106T + 26T	0.21		
		7015	213	106T + 26T	0.21		
		7115	233	106T + 26T	NS		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
5		5985	7	484T + 242T	12.09	12.12	12.19	12.94
		6145	39	484T + 242T	11.71	11.80	11.86	12.48
		6225	55	484T + 242T	11.52	11.60	11.72	12.43
		6385	87	484T + 242T	9.39	9.38	9.54	10.07
6		6465	103	484T + 242T	8.95	8.77	8.94	9.29
7		6545	119	484T + 242T	8.28	8.08	8.27	8.59
		6705	151	484T + 242T	10.25	10.14	10.41	10.97
		6865	183	484T + 242T	6.78	6.61	6.67	6.89
8		6945	199	484T + 242T	7.04	6.98	7.04	7.30
		7025	215	484T + 242T	7.31	7.01	7.13	7.78

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
5		6025	15	996T + 484T + 242T	13.73	13.41	13.88	14.51
		6185	47	996T + 484T + 242T	13.36	13.01	13.47	14.46
		6345	79	996T + 484T + 242T	11.77	11.47	12.01	12.77
6		6505	111	996T + 484T + 242T	13.83	13.48	13.04	13.85
7		6665	143	996T + 484T + 242T	12.47	12.50	11.99	12.98
		6825	175	996T + 484T + 242T	12.08	11.79	12.23	12.78
8		6985	207	996T + 484T + 242T	12.07	12.59	12.28	12.70

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 70 of 74

Table J-15
Maximum 6 GHz 802.11be MRU Output Power – Ant 4a

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
20MHz BW	5	5955	1	52T + 26T	11.82	11.88	
		6175	45	52T + 26T	11.77	11.91	
		6195	49	52T + 26T	11.56	11.82	
		6415	93	52T + 26T	12.58	12.30	
	6	6435	97	52T + 26T	1.78	1.61	
		6475	105	52T + 26T	2.02	1.88	
		6515	113	52T + 26T	2.02	1.82	
	7	6535	117	52T + 26T	12.30	12.03	
		6695	149	52T + 26T	12.57	12.42	
		6875	185	52T + 26T	1.73	1.64	
	8	6895	189	52T + 26T	3.72	3.50	
		6995	209	52T + 26T	3.72	3.54	
		7015	213	52T + 26T	3.59	3.34	
		7115	233	52T + 26T	NS	NS	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
20MHz BW	5	5955	1	106T + 26T	11.77		
		6175	45	106T + 26T	11.66		
		6195	49	106T + 26T	11.87		
		6415	93	106T + 26T	12.35		
	6	6435	97	106T + 26T	3.84		
		6475	105	106T + 26T	3.81		
		6515	113	106T + 26T	3.84		
	7	6535	117	106T + 26T	12.51		
		6695	149	106T + 26T	12.79		
		6875	185	106T + 26T	3.10		
	8	6895	189	106T + 26T	5.48		
		6995	209	106T + 26T	5.55		
		7015	213	106T + 26T	5.41		
		7115	233	106T + 26T	NS		

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 71 of 74

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	12.18	12.09	12.13	12.59
		6145	39	484T + 242T	10.80	10.75	10.79	11.33
		6225	55	484T + 242T	10.61	10.58	10.75	11.20
		6385	87	484T + 242T	11.31	11.39	11.53	12.00
	6	6465	103	484T + 242T	9.97	10.06	10.10	10.50
	7	6545	119	484T + 242T	8.95	8.92	9.09	9.39
		6705	151	484T + 242T	11.88	12.06	12.08	12.79
		6865	183	484T + 242T	9.34	9.38	9.53	9.75
	8	6945	199	484T + 242T	11.22	11.35	11.39	12.20
		7025	215	484T + 242T	11.22	11.34	11.37	12.06

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 72 of 74

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
5		6025	15	996T + 484T + 242T	11.36	11.18	11.63	11.95
		6185	47	996T + 484T + 242T	11.08	10.89	11.42	11.70
		6345	79	996T + 484T + 242T	11.96	11.74	12.27	12.54
6		6505	111	996T + 484T + 242T	11.32	11.20	11.59	11.98
7		6665	143	996T + 484T + 242T	12.41	12.31	12.71	13.11
		6825	175	996T + 484T + 242T	12.19	12.12	12.43	12.88
8		6985	207	996T + 484T + 242T	11.83	11.64	12.03	12.45

Table J-16
Maximum 6 GHz 802.11be MRU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
5		5955	1	52T + 26T	11.88	11.72	
		6175	45	52T + 26T	11.74	11.80	
		6195	49	52T + 26T	11.68	11.71	
		6415	93	52T + 26T	11.58	11.44	
6		6435	97	52T + 26T	0.87	0.75	
		6475	105	52T + 26T	0.89	0.71	
		6515	113	52T + 26T	0.87	0.75	
7		6535	117	52T + 26T	10.32	10.24	
		6695	149	52T + 26T	10.14	10.12	
		6875	185	52T + 26T	-1.41	-1.51	
8		6895	189	52T + 26T	-1.21	-1.34	
		6995	209	52T + 26T	-1.36	-1.49	
		7015	213	52T + 26T	-1.24	-1.47	
		7115	233	52T + 26T	NS	NS	

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 73 of 74

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
5		5955	1	106T + 26T	12.53		
		6175	45	106T + 26T	12.33		
		6195	49	106T + 26T	12.21		
		6415	93	106T + 26T	12.13		
6		6435	97	106T + 26T	2.54		
		6475	105	106T + 26T	2.49		
		6515	113	106T + 26T	2.48		
7		6535	117	106T + 26T	10.66		
		6695	149	106T + 26T	11.06		
		6875	185	106T + 26T	0.57		
8		6895	189	106T + 26T	0.66		
		6995	209	106T + 26T	0.24		
		7015	213	106T + 26T	0.54		
		7115	233	106T + 26T	NS		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
5		5985	7	484T + 242T	11.45	11.51	11.55	12.28
		6145	39	484T + 242T	11.31	11.42	11.46	12.13
		6225	55	484T + 242T	11.21	11.26	11.32	11.36
		6385	87	484T + 242T	10.94	11.05	11.15	11.78
6		6465	103	484T + 242T	8.74	8.69	8.78	9.26
7		6545	119	484T + 242T	8.01	7.74	7.92	8.37
		6705	151	484T + 242T	9.43	9.45	9.58	10.19
		6865	183	484T + 242T	6.79	6.58	6.71	7.00
8		6945	199	484T + 242T	7.01	6.89	7.00	7.40
		7025	215	484T + 242T	7.13	6.93	7.09	7.51

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
5		6025	15	996T + 484T + 242T	11.87	11.49	12.09	12.51
		6185	47	996T + 484T + 242T	11.81	11.50	12.05	12.45
		6345	79	996T + 484T + 242T	11.57	11.41	11.91	12.22
6		6505	111	996T + 484T + 242T	10.42	10.10	10.58	10.96
7		6665	143	996T + 484T + 242T	10.02	9.81	10.30	10.66
		6825	175	996T + 484T + 242T	10.01	9.80	10.24	10.51
8		6985	207	996T + 484T + 242T	10.40	10.00	10.49	10.85

FCC ID: BCGA3358	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX J: Page 74 of 74