





Plot 7-231. Conducted Spurious Plot Antenna 4a (Bluetooth (HDRPM16), 16Mbps, ePA – Ch. 38)




Plot 7-232. Conducted Spurious Plot Antenna 4a (Bluetooth (HDRPM16), 16Mbps, ePA – Ch. 38)


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 150 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-233. Conducted Spurious Plot Antenna 4a (Bluetooth (HDRPM16), 16Mbps, ePA – Ch. 73)




Plot 7-234. Conducted Spurious Plot Antenna 4a (Bluetooth (HDRPM16), 16Mbps, ePA – Ch. 73)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 151 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-235. Conducted Spurious Plot Antenna 4a (Bluetooth (HDT2), 2Mbps, ePA – Ch. 1)




Plot 7-236. Conducted Spurious Plot Antenna 4a (Bluetooth (HDT2), 2Mbps, ePA – Ch. 1)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 152 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-237. Conducted Spurious Plot Antenna 4a (Bluetooth (HDT2), 2Mbps, ePA – Ch. 37)




Plot 7-238. Conducted Spurious Plot Antenna 4a (Bluetooth (HDT2), 2Mbps, ePA – Ch. 37)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 153 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-239. Conducted Spurious Plot Antenna 4a (Bluetooth (HDT2), 2Mbps, ePA – Ch. 73)




Plot 7-240. Conducted Spurious Plot Antenna 4a (Bluetooth (HDT2), 2Mbps, ePA – Ch. 73)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 154 of 205


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.6.2 Antenna 2a



Plot 7-241. Conducted Spurious Plot Antenna 2a (Bluetooth (HDR4), 4 Mbps, ePA – Ch. 1)




Plot 7-242. Conducted Spurious Plot Antenna 2a (Bluetooth (HDR4), 4 Mbps, ePA – Ch. 1)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 155 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-243. Conducted Spurious Plot Antenna 2a (Bluetooth (HDR4), 4 Mbps, ePA – Ch. 3)




Plot 7-244. Conducted Spurious Plot Antenna 2a (Bluetooth (HDR4), 4 Mbps, ePA – Ch. 38)


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 156 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-245. Conducted Spurious Plot Antenna 2a (Bluetooth (HDR4), 4 Mbps, ePA – Ch. 73)





Plot 7-246. Conducted Spurious Plot Antenna 2a (Bluetooth (HDR4), 4 Mbps, ePA – Ch. 73)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 157 of 205

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 158 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-249. Conducted Spurious Plot Antenna 2a (Bluetooth (HDR8), 8 Mbps, ePA – Ch. 38)




Plot 7-250. Conducted Spurious Plot Antenna 2a (Bluetooth (HDR8), 8 Mbps, ePA – Ch. 38)


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 159 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-251. Conducted Spurious Plot Antenna 2a (Bluetooth (HDR8), 8 Mbps, ePA – Ch. 73)




Plot 7-252. Conducted Spurious Plot Antenna 2a (Bluetooth (HDR8), 8 Mbps, ePA – Ch. 73)


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 160 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-253. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPS2), 2Mbps, ePA – Ch. 1)




Plot 7-254. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPS2), 2Mbps, ePA – Ch. 1)


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 161 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-255. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPS2), 2Mbps, ePA – Ch. 38)




Plot 7-256. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPS2), 2Mbps, ePA – Ch. 38)

FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 162 of 205



Plot 7-257. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPS2), 2Mbps, ePA – Ch. 73)




Plot 7-258. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPS2), 2Mbps, ePA – Ch. 73)


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 163 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-259. Conducted Spurious Plot Antenna 2a (Bluetooth (XHDRPM6), 6Mbps, ePA – Ch. 1)




Plot 7-260. Conducted Spurious Plot Antenna 2a (Bluetooth (XHDRPM6), 6Mbps, ePA – Ch. 1)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 164 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-261. Conducted Spurious Plot Antenna 2a (Bluetooth (XHDRPM6), 6Mbps, ePA – Ch. 38)




Plot 7-262. Conducted Spurious Plot Antenna 2a (Bluetooth (XHDRPM6), 6Mbps, ePA – Ch. 38)


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 165 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-263. Conducted Spurious Plot Antenna 2a (Bluetooth (XHDRPM6), 6Mbps, ePA – Ch. 73)




Plot 7-264. Conducted Spurious Plot Antenna 2a (Bluetooth (XHDRPM6), 6Mbps, ePA – Ch. 73)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 166 of 205



Plot 7-265. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPM16), 16Mbps, ePA – Ch. 1)




Plot 7-266. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPM16), 16Mbps, ePA – Ch. 1)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 167 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-267. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPM16), 16Mbps, ePA – Ch. 38)




Plot 7-268. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPM16), 16Mbps, ePA – Ch. 38)

FCC ID: BCGA3358 IC: 579C-A3358	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 168 of 205



Plot 7-269. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPM16), 16Mbps, ePA – Ch. 73)




Plot 7-270. Conducted Spurious Plot Antenna 2a (Bluetooth (HDRPM16), 16Mbps, ePA – Ch. 73)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 169 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-271. Conducted Spurious Plot Antenna 2a (Bluetooth (HDT2), 2Mbps, ePA – Ch. 1)




Plot 7-272. Conducted Spurious Plot Antenna 2a (Bluetooth (HDT2), 2Mbps, ePA – Ch. 1)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 170 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-273. Conducted Spurious Plot Antenna 2a (Bluetooth (HDT2), 2Mbps, ePA – Ch. 37)





Plot 7-274. Conducted Spurious Plot Antenna 2a (Bluetooth (HDT2), 2Mbps, ePA – Ch. 37)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 171 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 172 of 205

7.7 Radiated Spurious Emissions – Above 1GHz

§15.205 §15.209 §15.247(d); RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at maximum power and at the appropriate frequencies. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-11 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [$\mu\text{V/m}$]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-11. Radiated Limits

Test Procedures Used

ANSI C63.10-2020 – Subclause 6.6.4.3
KDB 558074 D01 v05r02 – Sections 8.6, 8.7

Test Settings

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times \text{span/RBW}$)
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 173 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-6. Radiated Test Setup >1GHz

Test Notes

1. The optional test procedures for antenna port conducted measurements of unwanted emissions per the guidance of KDB 558074 D01 v05r02 were not used to evaluate this device for compliance to radiated limits. All radiated spurious emissions levels were measured in a radiated test setup.
2. All emissions lying in restricted bands specified in §15.205 and Section 8.10 of RSS-Gen are below the limit shown in Table 7-11.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
4. This unit was tested with its standard battery.
5. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas.
6. D is the measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
7. The "-" shown in the following RSE tables are used to denote a noise floor measurement.
8. All supported modulation, antenna (including TxBF mode) and power schemes have been tested on the unit and only worst case configuration is reported.

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 174 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level }_{[dBm]} + 107 + \text{AFCL }_{[dB/m]}$
- $\text{AFCL }_{[dB/m]} = \text{Antenna Factor }_{[dB/m]} + \text{Cable Loss }_{[dB]} - \text{Preamplifier Gain }_{[dB]}$
- $\text{Margin }_{[dB]} = \text{Field Strength Level }_{[dB\mu V/m]} - \text{Limit }_{[dB\mu V/m]}$

Radiated Band Edge Measurement Offset


- The amplitude offset shown in the radiated restricted band edge plots in Section 7.7.2 to 7.7.4 was calculated using the formula:
Offset (dB) = (Antenna Factor + Cable Loss + Attenuator) – Preamplifier Gain

FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 175 of 205

V 11.0 05/2025

7.7.1 TxBF Radiated Spurious Emission Measurements (1 – 18GHz)

§15.205 §15.209 §15.247(d); RSS-Gen [8.9]



Plot 7-277. Radiated Spurious Emissions 1-18GHz TxBF (4Mbps, HDR4, ePA – Ch. 1)

Bluetooth Mode:	HDR4
Data Rate:	4Mbps
Power Scheme	ePA
Distance of Measurements:	3 Meters
Operating Frequency:	2404MHz
Channel:	1


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4808.00	Average	H	-	-	-80.56	7.62	34.06	53.98	-19.92
4808.00	Peak	H	-	-	-68.30	7.62	46.32	73.98	-27.66
12020.00	Average	V	-	-	-83.34	18.45	42.11	53.98	-11.87
12020.00	Peak	V	-	-	-72.52	18.45	52.93	73.98	-21.05

Table 7-12. Radiated Spurious Emission Measurements TxBF


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 176 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-278. Radiated Spurious Emissions 1-18GHz TxBF (4Mbps, HDR4, ePA – Ch. 38)



Plot 7-279. Radiated Spurious Emissions Above 18GHz TxBF (4Mbps, HDR4, ePA – Ch. 38)

Bluetooth Mode: HDR4
Data Rate: 4Mbps
Power Scheme: ePA
Distance of Measurements: 3 Meters
Operating Frequency: 2441MHz
Channel: 38


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4882.00	Average	V	-	-	-80.32	7.13	33.81	53.98	-20.17
4882.00	Peak	V	-	-	-69.07	7.13	45.06	73.98	-28.92
7323.00	Average	V	-	-	-81.65	10.83	36.18	53.98	-17.80
7323.00	Peak	V	-	-	-70.84	10.83	46.99	73.98	-26.99
12205.00	Average	V	-	-	-82.96	18.81	42.85	53.98	-11.13
12205.00	Peak	V	-	-	-72.21	18.81	53.60	73.98	-20.38

Table 7-13. Radiated Spurious Emission Measurements TxBF

FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 177 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-280. Radiated Spurious Emissions 1-18GHz TxBF (4Mbps, HDR4, ePA – Ch. 73)

Bluetooth Mode: HDR4
Data Rate: 4Mbps
Power Scheme: ePA
Distance of Measurements: 3 Meters
Operating Frequency: 2476MHz
Channel: 73

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4952.00	Average	H	-	-	-80.15	6.89	33.73	53.98	-20.25
4952.00	Peak	H	-	-	-68.88	6.89	45.00	73.98	-28.98
7428.00	Average	H	-	-	-81.30	10.51	36.21	53.98	-17.77
7428.00	Peak	H	-	-	-70.09	10.51	47.43	73.98	-26.55
12380.00	Average	V	-	-	-83.19	18.45	42.26	53.98	-11.72
12380.00	Peak	V	-	-	-71.68	18.45	53.77	73.98	-20.21

Table 7-14. Radiated Spurious Emission Measurements TxBF


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 178 of 205

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.7.2 Antenna 4a Radiated Restricted Band Edge Measurements

Bluetooth Mode:	HDR4
Data Rate:	4Mbps
Power Scheme:	ePA
Measurement Distance:	3 Meters
Operating Frequency:	2404MHz
Channel:	1



Plot 7-281. Radiated Restricted Lower Band Edge Measurement Antenna 4a

Bluetooth Mode:	HDR8
Data Rate:	8Mbps
Power Scheme:	ePA
Measurement Distance:	3 Meters
Operating Frequency:	2404MHz
Channel:	1




Plot 7-282. Radiated Restricted Lower Band Edge Measurement Antenna 4a

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 179 of 205

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Bluetooth Mode: XHDRPS2
 Data Rate: 2Mbps
 Power Scheme: ePA
 Measurement Distance: 3 Meters
 Operating Frequency: 2404MHz
 Channel: 1



Plot 7-283. Radiated Restricted Lower Band Edge Measurement Antenna 4a

Bluetooth Mode: XHDRPM8
 Data Rate: 8Mbps
 Power Scheme: ePA
 Measurement Distance: 3 Meters
 Operating Frequency: 2404MHz
 Channel: 1




Plot 7-284. Radiated Restricted Lower Band Edge Measurement Antenna 4a

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 180 of 205

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Bluetooth Mode: XHDRPM16
 Data Rate: 16Mbps
 Power Scheme: ePA
 Measurement Distance: 3 Meters
 Operating Frequency: 2404MHz
 Channel: 1



Plot 7-285. Radiated Restricted Lower Band Edge Measurement Antenna 4a


Bluetooth Mode: HDT8
 Data Rate: 8Mbps
 Power Scheme: ePA
 Measurement Distance: 3 Meters
 Operating Frequency: 2404MHz
 Channel: 1



Plot 7-286. Radiated Restricted Lower Band Edge Measurement Antenna 4a


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 181 of 205

Bluetooth Mode:	HDR4
Data Rate:	4Mbps
Power Scheme:	ePA
Measurement Distance:	3 Meters
Operating Frequency:	2476MHz
Channel:	73



Plot 7-287. Radiated Restricted Upper Band Edge Measurement Antenna 4a


Bluetooth Mode:	HDR8
Data Rate:	8Mbps
Power Scheme:	ePA
Measurement Distance:	3 Meters
Operating Frequency:	2476MHz
Channel:	73



Plot 7-288. Radiated Restricted Upper Band Edge Measurement Antenna 4a


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 182 of 205

Bluetooth Mode: XHDRPS2
 Data Rate: 2Mbps
 Power Scheme: ePA
 Measurement Distance: 3 Meters
 Operating Frequency: 2476MHz
 Channel: 73



Plot 7-289. Radiated Restricted Upper Band Edge Measurement Antenna 4a

Bluetooth Mode: XHDRPM8
 Data Rate: 8Mbps
 Power Scheme: ePA
 Measurement Distance: 3 Meters
 Operating Frequency: 2476MHz
 Channel: 73




Plot 7-290. Radiated Restricted Upper Band Edge Measurement Antenna 4a

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 183 of 205

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Bluetooth Mode: XHDRPM16
 Data Rate: 16Mbps
 Power Scheme: ePA
 Measurement Distance: 3 Meters
 Operating Frequency: 2476MHz
 Channel: 73



Plot 7-291. Radiated Restricted Upper Band Edge Measurement Antenna 4a

Bluetooth Mode: HDT8
 Data Rate: 8Mbps
 Power Scheme: ePA
 Measurement Distance: 3 Meters
 Operating Frequency: 2476MHz
 Channel: 73



Plot 7-292. Radiated Restricted Upper Band Edge Measurement Antenna 4a

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-16-R1.BCG	Test Dates: 05/12/2025 - 08/29/2025	EUT Type: Tablet Device	Page 184 of 205