


Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-534 Radiated Lower Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 335 of 421

V 11.0 06/2025


7.6.6 Antenna 4a Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-535 Radiated Lower Band Edge Measurement Antenna 4a

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-536 Radiated Lower Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 336 of 421


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-537 Radiated Lower Band Edge Measurement Antenna 4a

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-538 Radiated Lower Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 337 of 421


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-539 Radiated Lower Band Edge Measurement Antenna 4a

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-540 Radiated Lower Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 338 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-541 Radiated Lower Band Edge Measurement Antenna 4a

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-542 Radiated Lower Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 339 of 421


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-543 Radiated Lower Band Edge Measurement Antenna 4a

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-544 Radiated Lower Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 340 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-545 Radiated Lower Band Edge Measurement Antenna 4a

Mode BDR
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-546 Radiated Higher Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 341 of 421


V 11.0 06/2025

Mode LE1M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-547 Radiated Higher Band Edge Measurement Antenna 4a

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-548 Radiated Higher Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 342 of 421


V 11.0 06/2025

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-549 Radiated Higher Band Edge Measurement Antenna 4a

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-550 Radiated Higher Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 343 of 421


V 11.0 06/2025

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-551 Radiated Higher Band Edge Measurement Antenna 4a

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-552 Radiated Higher Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 344 of 421


V 11.0 06/2025

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-553 Radiated Higher Band Edge Measurement Antenna 4a

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-554 Radiated Higher Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 345 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-555 Radiated Higher Band Edge Measurement Antenna 4a

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-556 Radiated Higher Band Edge Measurement Antenna 4a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 346 of 421

V 11.0 06/2025


7.6.7 Antenna 2a Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-557 Radiated Lower Band Edge Measurement Antenna 2a

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-558 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 347 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-559 Radiated Lower Band Edge Measurement Antenna 2a

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-560 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 348 of 421


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-561 Radiated Lower Band Edge Measurement Antenna 2a

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-562 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 349 of 421


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-563 Radiated Lower Band Edge Measurement Antenna 2a

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-564 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 350 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-565 Radiated Lower Band Edge Measurement Antenna 2a

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz




Plot 7-566 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 351 of 421

V 11.0 06/2025

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-567 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 352 of 421

V 11.0 06/2025


7.6.8 Antenna 2a Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-568 Radiated Lower Band Edge Measurement Antenna 2a

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-569 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 353 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-570 Radiated Lower Band Edge Measurement Antenna 2a

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-571 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 354 of 421


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-572 Radiated Lower Band Edge Measurement Antenna 2a

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-573 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 355 of 421


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-574 Radiated Lower Band Edge Measurement Antenna 2a

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-575 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 356 of 421


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-576 Radiated Lower Band Edge Measurement Antenna 2a

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-577 Radiated Lower Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 357 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-578 Radiated Lower Band Edge Measurement Antenna 2a

Mode BDR
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-579 Radiated Higher Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 358 of 421


V 11.0 06/2025

Mode LE1M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-580 Radiated Higher Band Edge Measurement Antenna 2a

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-581 Radiated Higher Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 359 of 421


V 11.0 06/2025

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-582 Radiated Higher Band Edge Measurement Antenna 2a

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-583 Radiated Higher Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 360 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-584 Radiated Higher Band Edge Measurement Antenna 2a

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-585 Radiated Higher Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 361 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-586 Radiated Higher Band Edge Measurement Antenna 2a

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-587 Radiated Higher Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 362 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-588 Radiated Higher Band Edge Measurement Antenna 2a

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-589 Radiated Higher Band Edge Measurement Antenna 2a

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 363 of 421

V 11.0 06/2025


7.6.9 TxBF Primary Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-590 Radiated Lower Band Edge Measurement TxBF Primary

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-591 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 364 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-592 Radiated Lower Band Edge Measurement TxBF Primary

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-593 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 365 of 421


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-594 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-595 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 366 of 421


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-596 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-597 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 367 of 421


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-598 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz




Plot 7-599 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 368 of 421

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-600 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 369 of 421

V 11.0 06/2025


7.6.10 TxBF Primary Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-601 Radiated Lower Band Edge Measurement TxBF Primary

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-602 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 370 of 421


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-603 Radiated Lower Band Edge Measurement TxBF Primary

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-604 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 371 of 421


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-605 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-606 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 372 of 421


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-607 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-608 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 373 of 421


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-609 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-610 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 374 of 421


V 11.0 06/2025

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-611 Radiated Lower Band Edge Measurement TxBF Primary

Mode BDR
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-612 Radiated Higher Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 375 of 421


V 11.0 06/2025

Mode LE1M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-613 Radiated Higher Band Edge Measurement TxBF Primary

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-614 Radiated Higher Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 376 of 421


V 11.0 06/2025

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-615 Radiated Higher Band Edge Measurement TxBF Primary

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-616 Radiated Higher Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 377 of 421


V 11.0 06/2025

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-617 Radiated Higher Band Edge Measurement TxBF Primary

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-618 Radiated Higher Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 378 of 421


V 11.0 06/2025

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-619 Radiated Higher Band Edge Measurement TxBF Primary

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-620 Radiated Higher Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 379 of 421


V 11.0 06/2025

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-621 Radiated Higher Band Edge Measurement TxBF Primary

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-622 Radiated Higher Band Edge Measurement TxBF Primary

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 380 of 421

V 11.0 06/2025


7.6.11 TxBF Diversity Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-623 Radiated Lower Band Edge Measurement TxBF Diversity


Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-624 Radiated Lower Band Edge Measurement TxBF Diversity


FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 381 of 421

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-625 Radiated Lower Band Edge Measurement TxBF Diversity

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-626 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 382 of 421


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-627 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-628 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 383 of 421


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-629 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-630 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 384 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-631 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz




Plot 7-632 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 385 of 421

V 11.0 06/2025

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-633 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 386 of 421

V 11.0 06/2025


7.6.12 TxBF Diversity Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-634 Radiated Lower Band Edge Measurement TxBF Diversity

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-635 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 387 of 421

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-636 Radiated Lower Band Edge Measurement TxBF Diversity

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-637 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 388 of 421


V 11.0 06/2025

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-638 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-639 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 389 of 421


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-640 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-641 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 390 of 421


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-642 Radiated Lower Band Edge Measurement TxBF Diversity

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-643 Radiated Lower Band Edge Measurement TxBF Diversity

FCC ID: BCGA3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-19-R2.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 391 of 421

V 11.0 06/2025