




Plot 7-515. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11be – Ch. 93)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	H	-	-	-85.36	22.11	43.75	68.23	-24.48
12830.00	Peak	H	-	-	-73.90	22.11	55.20	88.23	-33.03

Table 7-84. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 171 of 239

V 11.0 5/2025



Plot 7-516. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11be – Ch. 97)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6435MHz
Channel:	97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	V	-	-	-85.15	21.69	43.54	68.23	-24.69
12870.00	Peak	V	-	-	-73.43	21.69	55.26	88.23	-32.97


Table 7-85. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 172 of 239

V 11.0 5/2025



Plot 7-517. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11be – Ch. 105)



Plot 7-518. Radiated Spurious Emissions 18-40GHz CDD Primary (802.11be – Ch. 105)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12950.00	Average	H	-	-	-85.18	21.75	43.57	68.23	-24.66
12950.00	Peak	H	-	-	-73.70	21.75	55.04	88.23	-33.19

Table 7-86. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 173 of 239

V 11.0 5/2025



Plot 7-519. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11be – Ch. 113)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6515MHz
Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	H	-	-	-85.34	22.09	43.75	68.23	-24.48
13030.00	Peak	H	-	-	-74.16	22.09	54.93	88.23	-33.30

Table 7-87. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 174 of 239

V 11.0 5/2025



Plot 7-520. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11be – Ch. 117)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13070.00	Average	V	-	-	-85.38	22.11	43.73	68.23	-24.50
13070.00	Peak	V	-	-	-74.13	22.11	54.98	88.23	-33.25


Table 7-88. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 175 of 239

V 11.0 5/2025



Plot 7-521. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11be – Ch. 149)




Plot 7-522. Radiated Spurious Emissions 18-40GHz CDD Primary (802.11be – Ch. 149)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6695MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 13390.00	Average	V	-	-	-85.43	22.01	43.58	53.98	-10.40
* 13390.00	Peak	V	-	-	-74.17	22.01	54.84	73.98	-19.14

Table 7-89. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 176 of 239



Plot 7-523. Radiated Spurious Emissions 1-18GHz CDD Primary (802.11be – Ch. 185)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	V	-	-	-85.86	21.79	42.93	68.23	-25.30
13750.00	Peak	V	-	-	-73.92	21.79	54.87	88.23	-33.36

Table 7-90. Radiated Spurious Emission Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 177 of 239

V 11.0 5/2025



Plot 7-524. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11be – Ch. 189)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	H	-	-	-86.04	22.16	43.12	68.23	-25.11
13790.00	Peak	H	-	-	-74.73	22.16	54.42	88.23	-33.81


Table 7-91. Radiated Spurious Emission Measurements SDM Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 178 of 239

V 11.0 5/2025



Plot 7-525. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11be – Ch. 209)



Plot 7-526. Radiated Spurious Emissions 18-40GHz SDM Primary (802.11be – Ch. 209)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	H	-	-	-86.30	22.25	42.95	68.23	-25.28
13990.00	Peak	H	-	-	-75.32	22.25	53.93	88.23	-34.30

Table 7-92. Radiated Spurious Emission Measurements SDM Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device		Page 179 of 239

V 11.0 5/2025



Plot 7-527. Radiated Spurious Emissions 1-18GHz SDM Primary (802.11be – Ch. 233)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7115MHz
Channel:	233


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	V	-	-	-86.09	22.92	43.83	68.23	-24.40
14230.00	Peak	V	-	-	-74.89	22.92	55.04	88.23	-33.19

Table 7-93. Radiated Spurious Emission Measurements SDM Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 180 of 239

V 11.0 5/2025

7.7.2 CDD/SDM Diversity Radiated Spurious Emission



Plot 7-528. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11be – Ch. 1)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11910.00	Average	V	-	-	-85.37	20.43	42.06	53.98	-11.92
* 11910.00	Peak	V	-	-	-73.59	20.43	53.84	73.98	-20.14
* 17865.00	Average	V	-	-	-85.73	25.82	47.09	53.98	-6.89
* 17865.00	Peak	V	-	-	-74.32	25.82	58.50	73.98	-15.48


Table 7-94. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 181 of 239

V 11.0 5/2025



Plot 7-529. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11be – Ch. 45)



Plot 7-530. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 45)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6175MHz
Channel:	45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 12350.00	Average	H	-	-	-85.31	20.78	42.48	53.98	-11.50
* 12350.00	Peak	H	-	-	-74.00	20.78	53.78	73.98	-20.20

Table 7-95. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device		Page 182 of 239

V 11.0 5/2025



Plot 7-531. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11be – Ch. 93)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6415MHz
Channel: 93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	V	-	-	-85.44	22.11	43.66	68.23	-24.57
12830.00	Peak	V	-	-	-74.29	22.11	54.82	88.23	-33.41

Table 7-96. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 183 of 239

V 11.0 5/2025



Plot 7-532. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11be – Ch. 97)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6435MHz
Channel: 97

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12870.00	Average	V	-	-	-84.98	21.87	43.88	68.23	-24.35
12870.00	Peak	V	-	-	-73.89	21.87	54.98	88.23	-33.25


Table 7-97. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 184 of 239

V 11.0 5/2025



Plot 7-533. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11be – Ch. 105)




Plot 7-534. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 105)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6475MHz
Channel: 105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	V	-	-	-85.19	21.80	43.62	68.23	-24.61
12950.00	Peak	V	-	-	-73.69	21.80	55.12	88.23	-33.11

Table 7-98. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device		Page 185 of 239



Plot 7-535. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11be – Ch. 113)

Mode: 802.11be

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 6515MHz


Channel: 113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13030.00	Average	V	-	-	-85.38	22.09	43.71	68.23	-24.52
13030.00	Peak	V	-	-	-74.13	22.09	54.96	88.23	-33.27

Table 7-99. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 186 of 239

V 11.0 5/2025



Plot 7-536. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11be – Ch. 117)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6535MHz
Channel: 117

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	V	-	-	-85.36	21.87	43.51	68.23	-24.72
13070.00	Peak	V	-	-	-74.05	21.87	54.81	88.23	-33.42


Table 7-100. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 187 of 239

V 11.0 5/2025



Plot 7-537. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11be – Ch. 149)




Plot 7-538. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 149)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.16	22.01	43.85	53.98	-10.13
* 13390.00	Peak	H	-	-	-74.19	22.01	54.82	73.98	-19.16

Table 7-101. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device		Page 188 of 239



Plot 7-539. Radiated Spurious Emissions 1-18GHz CDD Diversity (802.11be – Ch. 185)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6875MHz
Channel:	185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13750.00	Average	H	-	-	-85.72	21.88	43.16	68.23	-25.07
13750.00	Peak	H	-	-	-73.84	21.88	55.04	88.23	-33.19

Table 7-102. Radiated Spurious Emission Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 189 of 239

V 11.0 5/2025



Plot 7-540. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11be – Ch. 189)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13790.00	Average	V	-	-	-85.69	21.94	43.25	68.23	-24.98
13790.00	Peak	V	-	-	-74.16	21.94	54.78	88.23	-33.45


Table 7-103. Radiated Spurious Emission Measurements SDM Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 190 of 239

V 11.0 5/2025



Plot 7-541. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11be – Ch. 209)




Plot 7-542. Radiated Spurious Emissions 18-40GHz SDM Diversity (802.11be – Ch. 209)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6995MHz
Channel: 209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	V	-	-	-86.45	22.26	42.82	68.23	-25.41
13990.00	Peak	V	-	-	-75.38	22.26	53.88	88.23	-34.35

Table 7-104. Radiated Spurious Emission Measurements SDM Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device		Page 191 of 239



Plot 7-543. Radiated Spurious Emissions 1-18GHz SDM Diversity (802.11be – Ch. 233)

Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 7115MHz
Channel: 233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
14230.00	Average	V	-	-	-86.35	22.86	43.51	68.23	-24.72
14230.00	Peak	V	-	-	-75.44	22.86	54.42	88.23	-33.81


Table 7-105. Radiated Spurious Emission Measurements SDM Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 192 of 239

V 11.0 5/2025


7.7.3 Antenna WF5B Radiated Band Edge Measurements (20MHz BW)

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-544 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-545 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 193 of 239

V 11.0 5/2025

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-546 Antenna WF5B Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-547 Antenna WF5B Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 194 of 239


V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-548 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5)


Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-549 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 195 of 239

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-550 Antenna WF5B Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-551 Antenna WF5B Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 196 of 239

V 11.0 5/2025


7.7.4 Antenna WF5B Radiated Band Edge Measurements (40MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5965MHz
Channel	3



Plot 7-552 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7085MHz
Channel	227




Plot 7-553 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 197 of 239

V 11.0 5/2025


7.7.5 Antenna WF5B Radiated Band Edge Measurements (80MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5985MHz
Channel	7



Plot 7-554 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7025MHz
Channel	215




Plot 7-555 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 198 of 239

V 11.0 5/2025


7.7.6 Antenna WF5B Radiated Band Edge Measurements (160MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6025MHz
Channel	15



Plot 7-556 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6985MHz
Channel	207




Plot 7-557 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 199 of 239

V 11.0 5/2025


7.7.7 Antenna 4a Radiated Band Edge Measurements (20MHz BW)

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-558 Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-559 Antenna 4a Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 200 of 239

V 11.0 5/2025

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-560 Antenna 4a Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-561 Antenna 4a Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 201 of 239


V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-562 Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-563 Antenna 4a Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 202 of 239

V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-564 Antenna 4a Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-565 Antenna 4a Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 203 of 239


7.7.8 Antenna 4a Radiated Band Edge Measurements (40MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5965MHz
Channel	3



Plot 7-566 Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7085MHz
Channel	227




Plot 7-567 Antenna 4a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 204 of 239

V 11.0 5/2025


7.7.9 Antenna 4a Radiated Band Edge Measurements (80MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5985MHz
Channel	7



Plot 7-568 Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7025MHz
Channel	215




Plot 7-569 Antenna 4a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 205 of 239

V 11.0 5/2025


7.7.10 Antenna 4a Radiated Band Edge Measurements (160MHz BW)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6025MHz
Channel	15



Plot 7-570 Antenna 4a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	6985MHz
Channel	207




Plot 7-571 Antenna 4a Radiated Upper Band Edge (Peak & Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 206 of 239

V 11.0 5/2025


7.7.11 Antenna 2a Radiated Band Edge Measurements (20MHz BW)

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-572 Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-573 Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 207 of 239

V 11.0 5/2025

Mode	802.11a
Data Rate	MCS54
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-574 Antenna 2a Radiated Upper Band Edge (Peak – UNII Band 8)




Plot 7-575 Antenna 2a Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 208 of 239


V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	5955MHz
Channel	1



Plot 7-576 Antenna 2a Radiated Lower Band Edge (Peak & Average – UNII Band 5)

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7095MHz
Channel	229




Plot 7-577 Antenna 2a Radiated Upper Band Edge (Peak & Average – UNII Band 8)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 209 of 239

V 11.0 5/2025

Mode	802.11be-SU
Data Rate	MCS11
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-578 Antenna 2a Radiated Upper Band Edge (Peak – UNII Band 8)



Plot 7-579 Antenna 2a Radiated Upper Band Edge (Average – UNII Band 8)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-24-R2.BCG	Test Dates: 5/12/2025 - 8/27/2025	EUT Type: Tablet Device	Page 210 of 239

V 11.0 5/2025