





Plot 7-116. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 40)




Plot 7-117. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11be(SU) – Ch.40)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	V	-	-	-67.51	8.45	47.94	68.23	-20.29
* 15600.00	Average	V	-	-	-81.29	16.75	42.45	53.98	-11.53
* 15600.00	Peak	V	-	-	-70.52	16.75	53.23	73.98	-20.75

Table 7-127. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 136 of 255



Plot 7-118. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 48)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-67.30	8.77	48.47	68.23	-19.76
* 15720.00	Average	V	-	-	-81.77	17.22	42.45	53.98	-11.53
* 15720.00	Peak	V	-	-	-70.70	17.22	53.52	73.98	-20.46

Table 7-128. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 137 of 255

V 11.0 5/2025



Plot 7-119. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 52)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	V	-	-	-67.75	8.97	48.22	68.23	-20.01
* 15780.00	Average	H	-	-	-81.36	16.96	42.59	53.98	-11.39
* 15780.00	Peak	H	-	-	-70.65	16.96	53.31	73.98	-20.67


Table 7-129. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 138 of 255

V 11.0 5/2025



Plot 7-120. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 56)



Plot 7-121. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11be(SU) – Ch.56)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	H	-	-	-70.65	12.59	48.94	68.23	-19.29
* 15840.00	Average	V	-	-	-82.27	21.00	45.73	53.98	-8.25
* 15840.00	Peak	V	-	-	-71.58	20.87	56.29	73.98	-17.69

Table 7-130. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 139 of 255

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-122. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 64)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	H	-	-	-79.05	8.97	36.92	53.98	-17.06
* 10640.00	Peak	H	-	-	-68.15	8.97	47.82	73.98	-26.16
* 15960.00	Average	H	-	-	-81.44	17.89	43.46	53.98	-10.52
* 15960.00	Peak	H	-	-	-71.18	17.89	53.72	73.98	-20.26

Table 7-131. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 140 of 255

V 11.0 5/2025



Plot 7-123. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 100)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	V	-	-	-78.84	9.74	37.89	53.98	-16.09
* 11000.00	Peak	V	-	-	-68.14	9.74	48.60	73.98	-25.38
16500.00	Peak	H	-	-	-70.18	18.92	55.74	68.23	-12.49


Table 7-132. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 141 of 255

V 11.0 5/2025



Plot 7-124. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 116)




Plot 7-125. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11be(SU) – Ch.116)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	H	-	-	-78.98	9.61	37.63	53.98	-16.35
* 11160.00	Peak	H	-	-	-68.47	9.61	48.14	73.98	-25.84
16740.00	Peak	V	-	-	-71.16	19.02	54.86	68.23	-13.37

Table 7-133. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 142 of 255



Plot 7-126. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 144)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-79.33	10.14	37.81	53.98	-16.17
* 11440.00	Peak	H	-	-	-68.68	10.14	48.47	73.98	-25.51
17160.00	Peak	V	-	-	-70.20	18.77	55.57	68.23	-12.66

Table 7-134. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 143 of 255

V 11.0 5/2025



Plot 7-127. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 149)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11490.00	Average	V	-	-	-79.49	10.23	37.74	53.98	-16.24
*	11490.00	Peak	V	-	-	-68.08	10.23	49.15	73.98	-24.83
	17235.00	Peak	V	-	-	-71.24	18.60	54.36	68.23	-13.87


Table 7-135. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 144 of 255

V 11.0 5/2025



Plot 7-128. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 157)



Plot 7-129. Radiated Spurious Emissions 18GHz - 40GHz CDD Primary (802.11be(SU) – Ch.157)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters


Operating Frequency: 5785MHz

Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-79.41	10.27	37.86	53.98	-16.12
* 11570.00	Peak	H	-	-	-67.50	10.27	49.78	73.98	-24.20
17355.00	Peak	H	-	-	-71.34	19.10	54.76	68.23	-13.47

Table 7-136. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 145 of 255



Plot 7-130. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be(SU) – Ch. 165)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-79.64	10.71	38.07	53.98	-15.91
*	11650.00	Peak	H	-	-	-68.47	10.71	49.24	73.98	-24.74
	17475.00	Peak	V	-	-	-70.24	18.10	54.86	68.23	-13.37

Table 7-137. Radiated Measurements CDD Primary

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 146 of 255

V 11.0 5/2025

7.6.2 CDD Diversity Radiated Spurious Emission



Plot 7-131. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 36)


Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	V	-	-	-67.30	8.46	48.16	68.23	-20.07
* 15540.00	Average	H	-	-	-81.14	16.75	42.61	53.98	-11.37
* 15540.00	Peak	H	-	-	-70.12	16.75	53.62	73.98	-20.36


Table 7-138. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 147 of 255

V 11.0 5/2025



Plot 7-132. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 40)



Plot 7-133. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.40)

Mode: 802.11n

Data Rate: MCS8

Distance of Measurements: 3 Meters

Operating Frequency: 5200MHz


Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10400.00	Peak	H	-	-	-67.32	8.45	48.12	68.23	-20.11
* 15600.00	Average	H	-	-	-81.50	16.89	42.38	53.98	-11.60
* 15600.00	Peak	H	-	-	-70.52	16.89	53.37	73.98	-20.61

Table 7-139. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 148 of 255

V 11.0 5/2025



Plot 7-134. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 48)


Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-67.44	8.98	48.53	68.23	-19.70
* 15720.00	Average	H	-	-	-81.41	17.09	42.69	53.98	-11.29
* 15720.00	Peak	H	-	-	-70.94	17.09	53.16	73.98	-20.82

Table 7-140. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 149 of 255

V 11.0 5/2025



Plot 7-135. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 52)


Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-67.14	8.98	48.84	68.23	-19.39
* 15780.00	Average	H	-	-	-81.23	16.86	42.63	53.98	-11.35
* 15780.00	Peak	H	-	-	-70.55	16.86	53.31	73.98	-20.67


Table 7-141. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 150 of 255

V 11.0 5/2025



Plot 7-136. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 56)




Plot 7-137. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.56)

Mode:	802.11n
Data Rate:	MCS8
Distance of Measurements:	3 Meters
Operating Frequency:	5280MHz
Channel:	56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10560.00	Peak	H	-	-	-67.90	9.08	48.18	68.23	-20.05
* 15840.00	Average	H	-	-	-81.35	17.06	42.71	53.98	-11.27
* 15840.00	Peak	H	-	-	-70.11	17.06	53.95	73.98	-20.03

Table 7-142. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 151 of 255



Plot 7-138. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 64)


Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	10640.00	Average	V	-	-	-78.98	9.07	37.09	53.98	-16.89
*	10640.00	Peak	V	-	-	-68.06	9.07	48.00	73.98	-25.98
*	15960.00	Average	H	-	-	-80.82	17.89	44.07	53.98	-9.91
*	15960.00	Peak	H	-	-	-70.04	17.89	54.85	73.98	-19.13

Table 7-143. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 152 of 255

V 11.0 5/2025



Plot 7-139. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 100)


Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	V	-	-	-78.84	9.67	37.83	53.98	-16.15
* 11000.00	Peak	V	-	-	-67.94	9.67	48.72	73.98	-25.26
16500.00	Peak	V	-	-	-70.14	18.84	55.70	68.23	-12.53


Table 7-144. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 153 of 255

V 11.0 5/2025



Plot 7-140. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 116)




Plot 7-141. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.116)

Mode:	802.11n
Data Rate:	MCS8
Distance of Measurements:	3 Meters
Operating Frequency:	5580MHz
Channel:	116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-78.94	9.61	37.67	53.98	-16.31
* 11160.00	Peak	V	-	-	-67.83	9.61	48.78	73.98	-25.20
16740.00	Peak	V	-	-	-70.92	19.21	55.29	68.23	-12.94

Table 7-145. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 154 of 255



Plot 7-142. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 144)


Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11440.00	Average	H	-	-	-79.49	10.16	37.68	53.98	-16.30
*	11440.00	Peak	H	-	-	-68.16	10.16	49.01	73.98	-24.97
	17160.00	Peak	H	-	-	-71.37	18.79	54.42	68.23	-13.81

Table 7-146. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 155 of 255

V 11.0 5/2025



Plot 7-143. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 149)


Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-79.34	10.13	37.78	53.98	-16.20
* 11490.00	Peak	H	-	-	-68.11	10.13	49.01	73.98	-24.97
17235.00	Peak	V	-	-	-71.16	18.60	54.44	68.23	-13.79


Table 7-147. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 156 of 255

V 11.0 5/2025



Plot 7-144. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 157)




Plot 7-145. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11n – Ch.157)

Mode:	802.11n
Data Rate:	MCS8
Distance of Measurements:	3 Meters
Operating Frequency:	5785MHz
Channel:	157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-79.29	10.20	37.90	53.98	-16.08
* 11570.00	Peak	H	-	-	-68.06	10.20	49.13	73.98	-24.85
17355.00	Peak	H	-	-	-71.48	18.95	54.47	68.23	-13.76

Table 7-148. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 157 of 255



Plot 7-146. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11n – Ch. 165)


Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-79.38	10.74	38.36	53.98	-15.62
*	11650.00	Peak	H	-	-	-68.26	10.74	49.48	73.98	-24.50
	17475.00	Peak	H	-	-	-70.59	18.10	54.51	68.23	-13.72

Table 7-149. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 158 of 255

V 11.0 5/2025



Plot 7-147. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 36)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	H	-	-	-67.42	8.46	48.04	68.23	-20.19
* 15540.00	Average	V	-	-	-81.09	16.75	42.66	53.98	-11.32
* 15540.00	Peak	V	-	-	-70.35	16.75	53.40	73.98	-20.58


Table 7-150. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 159 of 255

V 11.0 5/2025



Plot 7-148. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 40)




Plot 7-149. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.40)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	H	-	-	-67.52	8.54	48.03	68.23	-20.20
* 15600.00	Average	H	-	-	-81.41	16.89	42.48	53.98	-11.50
* 15600.00	Peak	H	-	-	-70.28	16.89	53.61	73.98	-20.37

Table 7-151. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 160 of 255



Plot 7-150. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 48)


Mode:	802.11be(SU)
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5240MHz
Channel:	48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	H	-	-	-67.38	8.84	48.46	68.23	-19.77
* 15720.00	Average	H	-	-	-81.90	17.27	42.37	53.98	-11.61
* 15720.00	Peak	H	-	-	-70.54	17.27	53.73	73.98	-20.25

Table 7-152. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 161 of 255

V 11.0 5/2025



Plot 7-151. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 52)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-67.51	8.98	48.46	68.23	-19.77
* 15780.00	Average	V	-	-	-81.18	16.92	42.74	53.98	-11.24
* 15780.00	Peak	V	-	-	-70.26	16.92	53.66	73.98	-20.32


Table 7-153. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 162 of 255

V 11.0 5/2025



Plot 7-152. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 56)



Plot 7-153. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.56)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-67.01	9.09	49.08	68.23	-19.15
* 15840.00	Average	H	-	-	-81.38	17.10	42.73	53.98	-11.25
* 15840.00	Peak	H	-	-	-70.48	17.10	53.62	73.98	-20.36

Table 7-154. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 163 of 255

V 11.0 5/2025



Plot 7-154. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 64)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-78.83	9.07	37.24	53.98	-16.74
* 10640.00	Peak	V	-	-	-68.40	9.07	47.67	73.98	-26.31
* 15960.00	Average	H	-	-	-81.00	17.89	43.89	53.98	-10.09
* 15960.00	Peak	H	-	-	-70.48	17.89	54.41	73.98	-19.57

Table 7-155. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 164 of 255

V 11.0 5/2025



Plot 7-155. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 100)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11000.00	Average	H	-	-	-79.07	9.67	37.60	53.98	-16.38
*	11000.00	Peak	H	-	-	-66.68	9.67	49.99	73.98	-23.99
	16500.00	Peak	V	-	-	-70.08	18.87	55.78	68.23	-12.45


Table 7-156. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 165 of 255

V 11.0 5/2025



Plot 7-156. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 116)




Plot 7-157. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.116)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-78.79	9.61	37.82	53.98	-16.16
* 11160.00	Peak	V	-	-	-68.38	9.61	48.23	73.98	-25.75
16740.00	Peak	V	-	-	-70.13	19.18	56.05	68.23	-12.18

Table 7-157. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 166 of 255



Plot 7-158. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 144)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	V	-	-	-79.21	10.14	37.93	53.98	-16.05
* 11440.00	Peak	V	-	-	-68.59	10.14	48.55	73.98	-25.43
17160.00	Peak	H	-	-	-70.89	18.79	54.90	68.23	-13.33

Table 7-158. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 167 of 255

V 11.0 5/2025



Plot 7-159. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 149)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	H	-	-	-79.39	10.13	37.73	53.98	-16.25
* 11490.00	Peak	H	-	-	-68.88	10.13	48.25	73.98	-25.73
17235.00	Peak	V	-	-	-70.92	18.43	54.51	68.23	-13.72


Table 7-159. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 168 of 255

V 11.0 5/2025



Plot 7-160. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 157)



Plot 7-161. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.157)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-79.24	10.20	37.95	53.98	-16.03
* 11570.00	Peak	H	-	-	-68.83	10.20	48.37	73.98	-25.61
17355.00	Peak	H	-	-	-71.50	18.95	54.45	68.23	-13.78

Table 7-160. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 169 of 255

V 11.0 5/2025



Plot 7-162. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 165)

Mode:	802.11be(SU)
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5825MHz
Channel:	165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-79.50	10.75	38.25	53.98	-15.73
*	11650.00	Peak	H	-	-	-68.75	10.75	49.00	73.98	-24.98
	17475.00	Peak	H	-	-	-71.05	18.10	54.05	68.23	-14.18


Table 7-161. Radiated Measurements CDD Diversity

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 170 of 255


7.6.3 Simultaneous Tx Radiated Spurious Emission (Above 1GHz)

Description	Bluetooth	UNII
Antenna	Antenna 4a	Antenna 4a
Channel	78	36
Operating Frequency (MHz)	2480	5180
Mode/Modulation	GFSK ePA	802.11n

Table 7-162. Worst Case Simultaneous Transmission Configuration



Plot 7-163. Radiated Spurious Emissions above 1GHz – Simultaneous Transmission



Plot 7-164. Radiated Spurious Emissions above 18GHz – Simultaneous Transmission

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	-	-	-	-70.53	15.56	52.03	68.23	-16.20
15540.00	Avg	-	-	-	-84.29	22.24	44.95	53.98	-9.03
15540.00	Peak	-	-	-	-72.57	22.24	56.67	73.98	-17.31


Table 7-163. UNII Emissions Measurement - Simultaneous Transmission

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4960.00	Peak	-	-	-	-68.34	16.57	55.23	73.98	-18.75
7440.00	Peak	-	-	-	-70.34	11.17	47.83	73.98	-26.15
12400.00	Peak	-	-	-	-72.04	18.42	53.38	73.98	-20.60


Table 7-164. Bluetooth Emissions Measurement - Simultaneous Transmission

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 171 of 255


7.6.4 Antenna WF5B Radiated Band Edge Measurements (20MHz BW)




Plot 7-165. Antenna WF5B (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-168. Antenna WF5B (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-166. Antenna WF5B (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-169. Antenna WF5B (Peak & Average, Ch.100, 802.11n, MCS7)



Plot 7-167. Antenna WF5B (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-170. Antenna WF5B (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 172 of 255

V 11.0 5/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-171. Antenna WF5B (Peak & Average, Ch.108, 802.11n, MCS7)




Plot 7-174. Antenna WF5B (Peak, Ch.149, 802.11n, MCS7)




Plot 7-172. Antenna WF5B (Peak, Ch.136, 802.11n, MCS7)



Plot 7-175. Antenna WF5B (Peak, Ch.165, 802.11n, MCS7)




Plot 7-173. Antenna WF5B (Peak, Ch.140, 802.11n, MCS7)




Plot 7-176. Antenna WF5B (Peak & Average, Ch.36, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 173 of 255




Plot 7-177. Antenna WF5B (Peak & Average, Ch.40, 802.11be(SU), MCS11)




Plot 7-180. Antenna WF5B (Peak & Average, Ch.100, 802.11be(SU), MCS11)




Plot 7-178. Antenna WF5B (Peak & Average, Ch.60, 802.11be(SU), MCS11)



Plot 7-181. Antenna WF5B (Peak & Average, Ch.104, 802.11be(SU), MCS11)



Plot 7-179. Antenna WF5B (Peak & Average, Ch.64, 802.11be(SU), MCS11)



Plot 7-182. Antenna WF5B (Peak & Average, Ch.108, 802.11be(SU), MCS11)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 174 of 255