






Plot 7-365. Antenna 2a (Peak & Average, Ch.114 FCC ONLY, 802.11be(SU), MCS11)




Plot 7-366. Antenna 2a (Peak, Ch.114 FCC ONLY, 802.11be(SU), MCS11)

FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 210 of 255


7.6.16 CDD Primary Radiated Band Edge Measurements (20MHz BW)




Plot 7-367. CDD Primary (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-370. CDD Primary (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-368. CDD Primary (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-371. CDD Primary (Peak & Average, Ch.100, 802.11n, MCS7)



Plot 7-369. CDD Primary (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-372. CDD Primary (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3358 IC: 579C-A3358			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 211 of 255	

V 11.0 5/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-373. CDD Primary (Peak & Average, Ch.108, 802.11n, MCS7)




Plot 7-376. CDD Primary (Peak, Ch.149, 802.11n, MCS7)




Plot 7-374. CDD Primary (Peak, Ch.136, 802.11n, MCS7)



Plot 7-377. CDD Primary (Peak, Ch.165, 802.11n, MCS7)




Plot 7-375. CDD Primary (Peak, Ch.140, 802.11n, MCS7)




Plot 7-378. CDD Primary (Peak & Average, Ch.36, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 212 of 255




Plot 7-379. CDD Primary (Peak & Average, Ch.40, 802.11be(SU), MCS11)




Plot 7-382. CDD Primary (Peak & Average, Ch.100, 802.11be(SU), MCS11)




Plot 7-380. CDD Primary (Peak & Average, Ch.60, 802.11be(SU), MCS11)



Plot 7-383. CDD Primary (Peak & Average, Ch.104, 802.11be(SU), MCS11)




Plot 7-381. CDD Primary (Peak & Average, Ch.64, 802.11be(SU), MCS11)




Plot 7-384. CDD Primary (Peak & Average, Ch.108, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 213 of 255




Plot 7-385. CDD Primary (Peak, Ch.136, 802.11be(SU), MCS11)



Plot 7-388. CDD Primary (Peak, Ch.165, 802.11be(SU), MCS11)




Plot 7-386. CDD Primary (Peak, Ch.140, 802.11be(SU), MCS11)




Plot 7-387. CDD Primary (Peak, Ch.149, 802.11be(SU), MCS11)

FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 214 of 255


7.6.17 CDD Primary Radiated Band Edge Measurements (40MHz BW)




Plot 7-389. CDD Primary (Peak & Average, Ch.38, 802.11n, MCS7)




Plot 7-392. CDD Primary (Peak & Average, Ch.62, 802.11n, MCS7)




Plot 7-390. CDD Primary (Peak & Average, Ch.46, 802.11n, MCS7)



Plot 7-393. CDD Primary (Peak & Average, Ch.102, 802.11n, MCS7)



Plot 7-391. CDD Primary (Peak & Average, Ch.54, 802.11n, MCS7)




Plot 7-394. CDD Primary (Peak & Average, Ch.110, 802.11n, MCS7)


FCC ID: BCGA3358 IC: 579C-A3358			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 215 of 255	

V 11.0 5/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-395. CDD Primary (Peak & Average, Ch.118 FCC ONLY, 802.11n, MCS7)




Plot 7-398. CDD Primary (Peak, Ch.151, 802.11n, MCS7)




Plot 7-396. CDD Primary (Peak, Ch.126 FCC ONLY, 802.11n, MCS7)



Plot 7-399. CDD Primary (Peak, Ch.159, 802.11n, MCS7)




Plot 7-397. CDD Primary (Peak, Ch.134, 802.11n, MCS7)




Plot 7-400. CDD Primary (Peak & Average, Ch.38, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 216 of 255




Plot 7-401. CDD Primary (Peak & Average, Ch.46, 802.11be(SU), MCS11)




Plot 7-404. CDD Primary (Peak & Average, Ch.102, 802.11be(SU), MCS11)




Plot 7-402. CDD Primary (Peak & Average, Ch.54, 802.11be(SU), MCS11)



Plot 7-405. CDD Primary (Peak & Average, Ch.110, 802.11be(SU), MCS11)




Plot 7-403. CDD Primary (Peak & Average, Ch.62, 802.11be(SU), MCS11)




Plot 7-406. CDD Primary (Peak & Average, Ch.118 FCC ONLY, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 217 of 255




Plot 7-407. CDD Primary (Peak, Ch.126 FCC ONLY, 802.11be(SU), MCS11)



Plot 7-410. CDD Primary (Peak, Ch.159, 802.11be(SU), MCS11)




Plot 7-408. CDD Primary (Peak, Ch.134, 802.11be(SU), MCS11)




Plot 7-409. CDD Primary (Peak, Ch.151, 802.11be(SU), MCS11)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 218 of 255


7.6.18 CDD Primary Radiated Band Edge Measurements (80MHz BW)




Plot 7-411. CDD Primary (Peak & Average, Ch.42, 802.11ac, MCS9)




Plot 7-414. CDD Primary (Peak & Average, Ch.122 FCC ONLY, 802.11ac, MCS9)




Plot 7-412. CDD Primary (Peak & Average, Ch.58, 802.11ac, MCS9)



Plot 7-415. CDD Primary (Peak, Ch.122 FCC ONLY, 802.11ac, MCS9)



Plot 7-413. CDD Primary (Peak & Average, Ch.106, 802.11ac, MCS9)




Plot 7-416. CDD Primary (Peak, Ch.155, 802.11ac, MCS9)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 219 of 255

V 11.0 5/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-417. CDD Primary (Peak, Ch.155, 802.11ac, MCS9)




Plot 7-420. CDD Primary (Peak & Average, Ch.106, 802.11be(SU), MCS11)




Plot 7-418. CDD Primary (Peak & Average, Ch.42, 802.11be(SU), MCS11)



Plot 7-421. CDD Primary (Peak & Average, Ch.122 FCC ONLY, 802.11be(SU), MCS11)




Plot 7-419. CDD Primary (Peak & Average, Ch.58, 802.11be(SU), MCS11)




Plot 7-422. CDD Primary (Peak, Ch.122 FCC ONLY, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type:	Tablet Device	Page 220 of 255



Plot 7-423. CDD Primary (Peak, Ch.138, 802.11be(SU), MCS11)




Plot 7-425. CDD Primary (Peak, Ch.155, 802.11be(SU), MCS11)




Plot 7-424. CDD Primary (Peak, Ch.155, 802.11be(SU), MCS11)

FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 221 of 255


7.6.19 CDD Primary Radiated Band Edge Measurements (160MHz BW)




Plot 7-426. CDD Primary (Peak & Average, Ch.50, 802.11ac, MCS9)




Plot 7-429. CDD Primary (Peak, Ch.114 FCC ONLY, 802.11ac, MCS9)




Plot 7-427. CDD Primary (Peak & Average, Ch.50, 802.11ac, MCS9)



Plot 7-430. CDD Primary (Peak & Average, Ch.50, 802.11be(SU), MCS11)



Plot 7-428. CDD Primary (Peak & Average, Ch.114 FCC ONLY, 802.11ac, MCS9)




Plot 7-431. CDD Primary (Peak & Average, Ch.50, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 222 of 255

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-432. CDD Primary (Peak & Average, Ch.114 FCC ONLY, 802.11be(SU), MCS11)




Plot 7-433. CDD Primary (Peak, Ch.114 FCC ONLY, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 223 of 255

V 11.0 5/2025


7.6.20 CDD Diversity Radiated Band Edge Measurements (20MHz BW)




Plot 7-434. CDD Diversity (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-437. CDD Diversity (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-435. CDD Diversity (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-438. CDD Diversity (Peak & Average, Ch.100, 802.11n, MCS7)



Plot 7-436. CDD Diversity (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-439. CDD Diversity (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		Page 224 of 255

V 11.0 5/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-440. CDD Diversity (Peak & Average, Ch.108, 802.11n, MCS7)




Plot 7-443. CDD Diversity (Peak, Ch.149, 802.11n, MCS7)




Plot 7-441. CDD Diversity (Peak, Ch.136, 802.11n, MCS7)



Plot 7-444. CDD Diversity (Peak, Ch.165, 802.11n, MCS7)




Plot 7-442. CDD Diversity (Peak, Ch.140, 802.11n, MCS7)




Plot 7-445. CDD Diversity (Peak & Average, Ch.36, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 225 of 255




Plot 7-446. CDD Diversity (Peak & Average, Ch.40, 802.11be(SU), MCS11)




Plot 7-449. CDD Diversity (Peak & Average, Ch.100, 802.11be(SU), MCS11)




Plot 7-447. CDD Diversity (Peak & Average, Ch.60, 802.11be(SU), MCS11)



Plot 7-450. CDD Diversity (Peak & Average, Ch.104, 802.11be(SU), MCS11)




Plot 7-448. CDD Diversity (Peak & Average, Ch.64, 802.11be(SU), MCS11)




Plot 7-451. CDD Diversity (Peak & Average, Ch.108, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 226 of 255




Plot 7-452. CDD Diversity (Peak, Ch.136, 802.11be(SU), MCS11)



Plot 7-455. CDD Diversity (Peak, Ch.165, 802.11be(SU), MCS11)




Plot 7-453. CDD Diversity (Peak, Ch.140, 802.11be(SU), MCS11)




Plot 7-454. CDD Diversity (Peak, Ch.149, 802.11be(SU), MCS11)

FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 227 of 255


7.6.21 CDD Diversity Radiated Band Edge Measurements (40MHz BW)




Plot 7-456. CDD Diversity (Peak & Average, Ch.38, 802.11n, MCS7)




Plot 7-459. CDD Diversity (Peak & Average, Ch.62, 802.11n, MCS7)




Plot 7-457. CDD Diversity (Peak & Average, Ch.46, 802.11n, MCS7)



Plot 7-460. CDD Diversity (Peak & Average, Ch.102, 802.11n, MCS7)



Plot 7-458. CDD Diversity (Peak & Average, Ch.54, 802.11n, MCS7)




Plot 7-461. CDD Diversity (Peak & Average, Ch.110, 802.11n, MCS7)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG			Page 228 of 255
Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device		

V 11.0 5/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-462. CDD Diversity (Peak & Average, Ch.118 FCC ONLY, 802.11n, MCS7)




Plot 7-465. CDD Diversity (Peak, Ch.151, 802.11n, MCS7)




Plot 7-463. CDD Diversity (Peak, Ch.126 FCC ONLY, 802.11n, MCS7)



Plot 7-466. CDD Diversity (Peak, Ch.159, 802.11n, MCS7)




Plot 7-464. CDD Diversity (Peak, Ch.134, 802.11n, MCS7)




Plot 7-467. CDD Diversity (Peak & Average, Ch.38, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 229 of 255




Plot 7-468. CDD Diversity (Peak & Average, Ch.46, 802.11be(SU), MCS11)




Plot 7-471. CDD Diversity (Peak & Average, Ch.102, 802.11be(SU), MCS11)




Plot 7-469. CDD Diversity (Peak & Average, Ch.54, 802.11be(SU), MCS11)



Plot 7-472. CDD Diversity (Peak & Average, Ch.110, 802.11be(SU), MCS11)




Plot 7-470. CDD Diversity (Peak & Average, Ch.62, 802.11be(SU), MCS11)




Plot 7-473. CDD Diversity (Peak & Average, Ch.118 FCC ONLY, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 230 of 255




Plot 7-474. CDD Diversity (Peak, Ch.126 FCC ONLY, 802.11be(SU), MCS11)



Plot 7-477. CDD Diversity (Peak, Ch.159, 802.11be(SU), MCS11)




Plot 7-475. CDD Diversity (Peak, Ch.134, 802.11be(SU), MCS11)




Plot 7-476. CDD Diversity (Peak, Ch.151, 802.11be(SU), MCS11)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 231 of 255


7.6.22 CDD Diversity Radiated Band Edge Measurements (80MHz BW)




Plot 7-478. CDD Diversity (Peak & Average, Ch.42, 802.11ac, MCS9)




Plot 7-481. CDD Diversity (Peak & Average, Ch.122 FCC ONLY, 802.11ac, MCS9)




Plot 7-479. CDD Diversity (Peak & Average, Ch.58, 802.11ac, MCS9)



Plot 7-482. CDD Diversity (Peak, Ch.122 FCC ONLY, 802.11ac, MCS9)




Plot 7-480. CDD Diversity (Peak & Average, Ch.106, 802.11ac, MCS9)




Plot 7-483. CDD Diversity (Peak, Ch.155, 802.11ac, MCS9)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 232 of 255




Plot 7-484. CDD Diversity (Peak, Ch.155, 802.11ac, MCS9)




Plot 7-487. CDD Diversity (Peak & Average, Ch.106, 802.11be(SU), MCS11)




Plot 7-485. CDD Diversity (Peak & Average, Ch.42, 802.11be(SU), MCS11)



Plot 7-488. CDD Diversity (Peak & Average, Ch.122 FCC ONLY, 802.11be(SU), MCS11)




Plot 7-486. CDD Diversity (Peak & Average, Ch.58, 802.11be(SU), MCS11)




Plot 7-489. CDD Diversity (Peak, Ch.122 FCC ONLY, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 233 of 255



Plot 7-490. CDD Diversity (Peak, Ch.138, 802.11be(SU), MCS11)



Plot 7-492. CDD Diversity (Peak, Ch.155, 802.11be(SU), MCS11)




Plot 7-491. CDD Diversity (Peak, Ch.155, 802.11be(SU), MCS11)


FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 234 of 255

V 11.0 5/2025


7.6.23 CDD Diversity Radiated Band Edge Measurements (160MHz BW)




Plot 7-493. CDD Diversity (Peak & Average, Ch.50, 802.11ac, MCS9)




Plot 7-496. CDD Diversity (Peak, Ch.114 FCC ONLY, 802.11ac, MCS9)




Plot 7-494. CDD Diversity (Peak & Average, Ch.50, 802.11ac, MCS9)



Plot 7-497. CDD Diversity (Peak & Average, Ch.50, 802.11be(SU), MCS11)




Plot 7-495. CDD Diversity (Peak & Average, Ch.114 FCC ONLY, 802.11ac, MCS9)




Plot 7-498. CDD Diversity (Peak & Average, Ch.50, 802.11be(SU), MCS11)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 235 of 255



Plot 7-499. CDD Diversity (Peak & Average, Ch.114 FCC ONLY, 802.11be(SU), MCS11)



Plot 7-500. CDD Diversity (Peak, Ch.114 FCC ONLY, 802.11be(SU), MCS11)

FCC ID: BCGA3358 IC: 579C-A3358	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 236 of 255

7.7 Radiated Spurious Emissions – Below 1GHz

§15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-165 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-165. Radiated Limits

Test Procedures Used

ANSI C63.10-2020

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = quasi-peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 237 of 255

V 11.0 05/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-6. Radiated Test Setup < 30MHz




Figure 7-7. Radiated Test Setup < 1GHz

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 238 of 255

V 11.0 05/2025

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (8.10) are below the limit shown in Table 7-165.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector on emissions that were within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. There were no emissions detected in the 30MHz – 1GHz frequency range, as shown in the subsequent plots.
10. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger
11. All antenna configurations were investigated and only the worst case is reported.
12. The unit was tested with all possible modes and only the highest emission is reported.

Sample Calculations


Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level }_{[dBm]} + 107 + \text{AFCL }_{[dB/m]}$
- $\text{AFCL }_{[dB/m]} = \text{Antenna Factor }_{[dB/m]} + \text{Cable Loss }_{[dB]} - \text{Preamp Gain }_{[dB]}$
- $\text{Margin }_{[dB]} = \text{Field Strength Level }_{[dB\mu V/m]} - \text{Limit }_{[dB\mu V/m]}$

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 239 of 255

V 11.0 05/2025

7.7.1 CDD Primary Radiated Spurious Emissions Measurements (Below 1GHz)




Plot 7-501. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11n, Ch.40 with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
30.63	Max Peak	V	100	272	-60.85	-18.49	27.66	40.00	-12.34
47.56	Max Peak	V	200	278	-62.80	-14.36	29.84	40.00	-10.16
120.26	Max Peak	H	300	171	-64.25	-18.46	24.29	43.52	-19.23
192.52	Max Peak	H	100	236	-61.86	-16.22	28.92	43.52	-14.60
228.80	Max Peak	H	100	70	-67.72	-15.21	24.07	46.02	-21.95
276.43	Max Peak	H	100	191	-72.87	-14.00	20.13	46.02	-25.89

Table 7-166. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11n, Ch.40 with AC/DC Adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 240 of 255

V 11.0 05/2025




Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
30.87	Max Peak	V	200	45	-56.49	-18.57	31.94	40.00	-8.06
48.33	Max Peak	V	200	328	-62.86	-14.35	29.79	40.00	-10.21
121.96	Max Peak	H	200	171	-63.62	-18.71	24.67	43.52	-18.85
192.72	Max Peak	H	200	250	-60.92	-16.19	29.89	43.52	-13.63
226.91	Max Peak	H	100	91	-65.77	-15.24	25.99	46.02	-20.03
303.73	Max Peak	H	100	115	-72.94	-13.19	20.87	46.02	-25.15

Table 7-167. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11be (SU), Ch.40 with AC/DC Adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 241 of 255

V 11.0 05/2025

7.7.2 CDD Diversity Radiated Spurious Emissions Measurements (Below 1GHz)




Plot 7-503. Radiated Spurious Emissions below 1GHz CDD Diversity, 802.11n, Ch.40 with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
30.68	Max Peak	V	100	329	-60.27	-18.51	28.22	40.00	-11.78
48.48	Max Peak	V	100	313	-62.54	-14.35	30.11	40.00	-9.89
99.74	Max Peak	V	100	151	-65.22	-16.61	25.17	43.52	-18.35
192.77	Max Peak	H	100	241	-61.71	-16.19	29.10	43.52	-14.42
228.85	Max Peak	H	100	78	-67.51	-15.21	24.28	46.02	-21.74
301.46	Max Peak	H	100	137	-71.83	-13.28	21.89	46.02	-24.13

Table 7-168. Radiated Spurious Emissions below 1GHz CDD Diversity, 802.11n, Ch.40 with AC/DC Adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 242 of 255

V 11.0 05/2025



Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
37.32	Max Peak	V	100	281	-63.08	-16.71	27.21	40.00	-12.79
47.99	Max Peak	V	100	53	-61.98	-14.36	30.66	40.00	-9.34
93.88	Max Peak	V	100	92	-65.66	-17.60	23.74	43.52	-19.78
192.33	Max Peak	H	200	228	-60.98	-16.24	29.78	43.52	-13.74
241.02	Max Peak	H	100	185	-69.58	-14.72	22.70	46.02	-23.32
303.20	Max Peak	H	100	128	-73.11	-13.20	20.69	46.02	-25.33

Table 7-169. Radiated Spurious Emissions below 1GHz CDD Diversity, 802.11be (SU), Ch.40 with AC/DC Adapter


FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 243 of 255

V 11.0 05/2025

7.7.3 Simultaneous TX Radiated Spurious Emissions Measurements (Below 1GHz)

Description	Bluetooth	UNII
Antenna	Antenna 4a	Antenna 4a
Channel	78	36
Operating Frequency (MHz)	2480	5180
Mode/Modulation	GFSK ePA	802.11n

Table 7-170. Worst Case Simultaneous Transmission Configuration



Plot 7-505. Radiated Spurious Emissions – Simultaneous Transmission 30MHz – 1GHz, with AC/DC Adapter)

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
40.14	Max-Peak	V	100	-	-62.19	-16.59	28.22	40.00	-11.78
59.28	Max-Peak	V	100	-	-60.76	-16.61	29.63	40.00	-10.37
103.26	Max-Peak	V	100	-	-67.49	-17.87	21.64	43.50	-21.86
193.21	Max-Peak	H	100	-	-61.03	-17.94	28.03	43.50	-15.47
289.81	Max-Peak	H	100	-	-65.37	-15.59	26.04	46.00	-19.96
832.53	Max-Peak	V	300	-	-72.99	-5.12	28.89	46.00	-17.11

Table 7-171. Radiated Spurious Emissions – Simultaneous Transmission 30MHz – 1GHz, with AC/DC Adapter)

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 244 of 255

V 11.0 05/2025

7.8 AC Line-Conducted Emissions Measurement

§15.407; RSS-Gen [8.8]

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (8.8).

Frequency of emission (MHz)	Conducted Limit (dBμV)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-172. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10-2020, Section 6.2

Test Settings

Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 245 of 255

V 11.0 05/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-8. Test Instrument & Measurement Setup


Test Notes

1. All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
2. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger
3. The limit for an intentional radiator from 150kHz to 30MHz are specified in 15.207 and RSS-Gen (8.8).
4. $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
5. $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
6. $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
7. Traces shown in plots are made using quasi-peak and average detectors.
8. Deviations to the Specifications: None.
9. The unit was tested with all possible modes and only the highest emission is reported.

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 246 of 255

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-506. AC Line Conducted Plot with 802.11n CDD Primary – Ch.40 (L1), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.16	FINAL	---	39.52	55.40	-15.88	L1	GND
0.16	FINAL	51.14	---	65.40	-14.26	L1	GND
0.24	FINAL	---	32.32	52.02	-19.70	L1	GND
0.25	FINAL	45.45	---	61.94	-16.49	L1	GND
0.65	FINAL	---	19.67	46.00	-26.33	L1	GND
0.65	FINAL	33.04	---	56.00	-22.96	L1	GND
4.48	FINAL	31.94	---	56.00	-24.06	L1	GND
4.49	FINAL	---	16.41	46.00	-29.59	L1	GND
8.01	FINAL	14.30	---	60.00	-45.70	L1	GND
8.03	FINAL	---	7.02	50.00	-42.98	L1	GND
16.19	FINAL	---	11.37	50.00	-38.63	L1	GND
16.19	FINAL	16.19	---	60.00	-43.81	L1	GND

Table 7-173. AC Line Conducted Data with 802.11n CDD Primary – Ch.40 (L1) with AC/DC adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 247 of 255




Plot 7-507. AC Line Conducted Plot with 802.11n CDD Primary – Ch.40 (N), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.16	FINAL	---	40.89	55.40	-14.51	N	GND
0.16	FINAL	52.36	---	65.28	-12.92	N	GND
0.24	FINAL	---	33.31	52.02	-18.71	N	GND
0.25	FINAL	46.54	---	61.94	-15.40	N	GND
0.65	FINAL	35.12	---	56.00	-20.88	N	GND
0.65	FINAL	---	20.71	46.00	-25.29	N	GND
4.60	FINAL	32.84	---	56.00	-23.16	N	GND
4.60	FINAL	---	19.92	46.00	-26.08	N	GND
8.13	FINAL	22.42	---	60.00	-37.58	N	GND
8.14	FINAL	---	16.23	50.00	-33.77	N	GND
16.19	FINAL	---	12.18	50.00	-37.82	N	GND
16.19	FINAL	17.85	---	60.00	-42.15	N	GND

Table 7-174. AC Line Conducted Data with 802.11n CDD Primary – Ch.40 (N), with AC/DC adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 248 of 255

V 11.0 05/2025




Plot 7-508. AC Line Conducted Plot with 802.11be(SU) CDD Primary – Ch.40 (L1), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.16	FINAL	---	41.57	55.40	-13.83	L1	GND
0.16	FINAL	52.94	---	65.28	-12.34	L1	GND
0.49	FINAL	---	23.10	46.10	-23.00	L1	GND
0.49	FINAL	37.96	---	56.10	-18.14	L1	GND
1.05	FINAL	---	16.30	46.00	-29.70	L1	GND
1.07	FINAL	30.14	---	56.00	-25.86	L1	GND
1.88	FINAL	---	9.70	46.00	-36.30	L1	GND
1.89	FINAL	19.30	---	56.00	-36.70	L1	GND
4.72	FINAL	---	15.77	46.00	-30.23	L1	GND
4.72	FINAL	30.73	---	56.00	-25.27	L1	GND
16.18	FINAL	---	11.36	50.00	-38.64	L1	GND
16.18	FINAL	15.81	---	60.00	-44.19	L1	GND

Table 7-175. AC Line Conducted Data with 802.11be(SU) CDD Primary – Ch.40 (L1) with AC/DC adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 249 of 255

V 11.0 05/2025




Plot 7-509. AC Line Conducted Plot with 802.11be(SU) CDD Primary – Ch.40 (N), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.16	FINAL	---	44.23	55.40	-11.17	N	GND
0.16	FINAL	55.98	---	65.28	-9.30	N	GND
0.41	FINAL	---	27.45	47.67	-20.22	N	GND
0.41	FINAL	41.67	---	57.63	-15.96	N	GND
0.80	FINAL	33.63	---	56.00	-22.37	N	GND
0.80	FINAL	---	18.46	46.00	-27.54	N	GND
1.65	FINAL	---	14.27	46.00	-31.73	N	GND
1.66	FINAL	26.45	---	56.00	-29.55	N	GND
4.63	FINAL	32.62	---	56.00	-23.38	N	GND
4.63	FINAL	---	19.47	46.00	-26.53	N	GND
16.19	FINAL	---	12.48	50.00	-37.52	N	GND
16.19	FINAL	18.14	---	60.00	-41.86	N	GND

Table 7-176. AC Line Conducted Data with 802.11be(SU) CDD Primary – Ch.40 (N), with AC/DC adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 250 of 255

V 11.0 05/2025




Plot 7-510. AC Line Conducted Plot with 802.11n CDD Diversity – Ch.40 (L1), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.17	FINAL	55.20	---	65.17	-9.97	L1	GND
0.17	FINAL	---	43.51	55.06	-11.55	L1	GND
0.34	FINAL	---	28.33	49.23	-20.90	L1	GND
0.34	FINAL	43.99	---	59.23	-15.24	L1	GND
0.93	FINAL	---	16.36	46.00	-29.64	L1	GND
0.93	FINAL	34.24	---	56.00	-21.76	L1	GND
4.48	FINAL	33.28	---	56.00	-22.72	L1	GND
4.48	FINAL	---	17.93	46.00	-28.07	L1	GND
8.70	FINAL	13.56	---	60.00	-46.44	L1	GND
8.70	FINAL	---	7.03	50.00	-42.97	L1	GND
16.29	FINAL	---	11.32	50.00	-38.68	L1	GND
16.29	FINAL	15.62	---	60.00	-44.38	L1	GND

Table 7-177. AC Line Conducted Data with 802.11n CDD Diversity – Ch.40 (L1) with AC/DC adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 251 of 255

V 11.0 05/2025




Plot 7-511. AC Line Conducted Plot with 802.11n CDD Diversity – Ch.40 (N), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.17	FINAL	53.02	---	65.17	-12.15	N	GND
0.17	FINAL	---	41.59	55.06	-13.47	N	GND
0.41	FINAL	---	26.84	47.63	-20.79	N	GND
0.41	FINAL	41.53	---	57.63	-16.10	N	GND
1.10	FINAL	---	19.05	46.00	-26.95	N	GND
1.10	FINAL	35.12	---	56.00	-20.88	N	GND
4.48	FINAL	35.46	---	56.00	-20.54	N	GND
4.48	FINAL	---	22.18	46.00	-23.82	N	GND
16.29	FINAL	17.91	---	60.00	-42.09	N	GND
16.29	FINAL	---	12.35	50.00	-37.65	N	GND
24.44	FINAL	7.94	---	60.00	-52.06	N	GND
24.44	FINAL	---	2.30	50.00	-47.70	N	GND

Table 7-178. AC Line Conducted Data with 802.11n CDD Diversity – Ch.40 (N), with AC/DC adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 252 of 255

V 11.0 05/2025




Plot 7-512. AC Line Conducted Plot with 802.11be(SU) CDD Diversity – Ch.40 (L1), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.16	FINAL	52.92	---	65.28	-12.36	L1	GND
0.17	FINAL	---	41.62	55.17	-13.55	L1	GND
0.41	FINAL	---	27.15	47.63	-20.48	L1	GND
0.41	FINAL	41.13	---	57.63	-16.50	L1	GND
1.27	FINAL	---	18.14	46.00	-27.86	L1	GND
1.27	FINAL	32.88	---	56.00	-23.12	L1	GND
4.46	FINAL	33.76	---	56.00	-22.24	L1	GND
4.47	FINAL	---	18.64	46.00	-27.36	L1	GND
8.54	FINAL	---	7.58	50.00	-42.42	L1	GND
8.54	FINAL	14.10	---	60.00	-45.90	L1	GND
16.29	FINAL	---	11.38	50.00	-38.62	L1	GND
16.29	FINAL	15.63	---	60.00	-44.37	L1	GND

Table 7-179. AC Line Conducted Data with 802.11be(SU) CDD Diversity – Ch.40 (L1) with AC/DC adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 253 of 255

V 11.0 05/2025



Plot 7-513. AC Line Conducted Plot with 802.11be(SU) CDD Diversity – Ch.40 (N), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.16	FINAL	55.45	---	65.28	-9.83	N	GND
0.17	FINAL	---	43.93	55.17	-11.24	N	GND
0.51	FINAL	---	22.92	46.00	-23.08	N	GND
0.51	FINAL	41.15	---	56.00	-14.85	N	GND
2.03	FINAL	---	12.39	46.00	-33.61	N	GND
2.03	FINAL	26.37	---	56.00	-29.63	N	GND
4.47	FINAL	35.01	---	56.00	-20.99	N	GND
4.48	FINAL	---	21.65	46.00	-24.35	N	GND
8.76	FINAL	24.39	---	60.00	-35.61	N	GND
8.76	FINAL	---	18.64	50.00	-31.36	N	GND
24.43	FINAL	---	1.97	50.00	-48.03	N	GND
24.43	FINAL	7.84	---	60.00	-52.16	N	GND

Table 7-180. AC Line Conducted Data with 802.11be(SU) CDD Diversity – Ch.40 (N), with AC/DC adapter

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 254 of 255

V 11.0 05/2025

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Tablet Device FCC ID: BCGA3358** and **IC: 579C-A3358** is in compliance with Part 15 Subpart E (15.407) of the FCC Rules and RSS-247 of the Innovation, Science and Economic Development Canada Rules.

FCC ID: BCGA3358 IC: 579C-A3358		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170039-22-R1.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 255 of 255

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.