

APPENDIX G: RU SAR EXCLUSION

G.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 484T+242T, 996T+484T, 996T+484T+242T.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

G.2 IEEE 802.11ax RU Target Powers

G.2.1 Maximum 802.11ax RU WLAN Output Power

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.50	12.50	14.00	13.00	14.00	13.00
	2	13.50	12.50	16.50	15.50	16.50	15.50
	3	13.50	12.50	16.50	15.50	17.50	16.50
	4	13.50	12.50	16.50	15.50	19.00	18.00
	5	13.50	12.50	16.50	15.50	19.00	18.00
	6	13.50	12.50	16.50	15.50	19.00	18.00
	7	13.50	12.50	16.50	15.50	19.00	18.00
	8	13.50	12.50	16.50	15.50	19.00	18.00
	9	13.50	12.50	16.50	15.50	17.80	16.80
	10	13.50	12.50	15.80	14.80	15.80	14.80
	11	13.50	12.50	14.50	13.50	14.50	13.50
	12	12.00	11.00	12.00	11.00	12.00	11.00
	13	-7.50	-8.50	-7.50	-8.50	-7.50	-8.50

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8											
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones											
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.00	12.00	14.00	13.00	14.00	13.00	13.00	12.00	14.00	13.00	14.00	13.00
	2	13.00	12.00	15.50	14.50	15.50	14.50	13.00	12.00	15.50	14.50	15.50	14.50
	3	13.00	12.00	16.00	15.00	17.00	16.00	13.00	12.00	16.00	15.00	17.00	16.00
	4	13.00	12.00	16.00	15.00	18.50	17.50	13.00	12.00	16.00	15.00	18.50	17.50
	5	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	18.50	17.50	13.00	12.00	16.00	15.00	18.50	17.50
	9	13.00	12.00	16.00	15.00	16.80	15.80	13.00	12.00	16.00	15.00	16.80	15.80
	10	13.00	12.00	15.30	14.30	15.30	14.30	13.00	12.00	15.30	14.30	15.30	14.30
	11	12.00	11.00	12.00	11.00	12.00	11.00	12.00	11.00	12.00	11.00	12.00	11.00
	12	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50	11.50	10.50
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.00	12.00	14.00	13.00	14.00	13.00
	2	13.00	12.00	16.00	15.00	16.50	15.50
	3	13.00	12.00	16.00	15.00	17.50	16.50
	4	13.00	12.00	16.00	15.00	18.75	17.75
	5	13.00	12.00	16.00	15.00	18.75	17.75
	6	13.00	12.00	16.00	15.00	18.75	17.75
	7	13.00	12.00	16.00	15.00	18.75	17.75
	8	13.00	12.00	16.00	15.00	18.75	17.75
	9	13.00	12.00	16.00	15.00	18.00	17.00
	10	13.00	12.00	16.00	15.00	16.00	15.00
	11	13.00	12.00	14.00	13.00	14.00	13.00
	12	12.50	11.50	13.00	12.00	13.00	12.00
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 1 of 56

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7											
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	Tones		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.00	12.00	14.00	13.00	14.00	13.00	13.00	12.00	14.00	13.00	14.00	13.00
	2	13.00	12.00	15.50	14.50	15.50	14.50	13.00	12.00	15.50	14.50	14.50	14.50
	3	13.00	12.00	16.00	15.00	17.00	16.00	13.00	12.00	16.00	15.00	17.00	16.00
	4	13.00	12.00	16.00	15.00	18.50	17.50	13.00	12.00	16.00	15.00	18.50	17.50
	5	13.00	12.00	16.00	15.00	18.75	17.75	13.00	12.00	16.00	15.00	18.75	17.75
	6	13.00	12.00	16.00	15.00	18.75	17.75	13.00	12.00	16.00	15.00	18.75	17.75
	7	13.00	12.00	16.00	15.00	18.75	17.75	13.00	12.00	16.00	15.00	18.75	17.75
	8	13.00	12.00	16.00	15.00	18.50	17.50	13.00	12.00	16.00	15.00	18.50	17.50
	9	13.00	12.00	16.00	15.00	16.80	15.80	13.00	12.00	16.00	15.00	16.80	15.80
	10	13.00	12.00	15.50	14.50	15.50	14.50	13.00	12.00	15.50	14.50	15.50	14.50
	11	13.00	12.00	15.00	14.00	15.00	14.00	13.00	12.00	15.00	14.00	15.00	14.00
	12	11.30	10.30	11.30	10.30	11.30	10.30	11.30	10.30	11.30	10.30	11.30	10.30
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF9					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.00	12.00	14.00	13.00	14.00	13.00
	2	13.00	12.00	16.00	15.00	16.50	15.50
	3	13.00	12.00	16.00	15.00	17.50	16.50
	4	13.00	12.00	16.00	15.00	19.00	18.00
	5	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	18.80	17.80
	9	13.00	12.00	16.00	15.00	18.00	17.00
	10	13.00	12.00	16.00	15.00	16.00	15.00
	11	13.00	12.00	14.00	13.00	14.00	13.00
	12	12.50	11.50	13.00	12.00	13.00	12.00
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF9											
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	Tones		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)	26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
2.4 GHz WIFI 20 MHz Bandwidth	1	13.00	12.00	14.00	13.00	14.00	13.00	13.00	12.00	14.00	13.00	14.00	13.00
	2	13.00	12.00	15.50	14.50	15.50	14.50	13.00	12.00	15.50	14.50	15.50	14.50
	3	13.00	12.00	16.00	15.00	17.00	16.00	13.00	12.00	16.00	15.00	17.00	16.00
	4	13.00	12.00	16.00	15.00	18.50	17.50	13.00	12.00	16.00	15.00	18.50	17.50
	5	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	6	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	7	13.00	12.00	16.00	15.00	19.00	18.00	13.00	12.00	16.00	15.00	19.00	18.00
	8	13.00	12.00	16.00	15.00	18.50	17.50	13.00	12.00	16.00	15.00	18.50	17.50
	9	13.00	12.00	16.00	15.00	16.80	15.80	13.00	12.00	16.00	15.00	16.80	15.80
	10	13.00	12.00	15.50	14.50	15.50	14.50	13.00	12.00	15.50	14.50	15.50	14.50
	11	13.00	12.00	15.00	14.00	15.00	14.00	13.00	12.00	15.00	14.00	15.00	14.00
	12	11.30	10.30	11.30	10.30	11.30	10.30	11.30	10.30	11.30	10.30	11.30	10.30
	13	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00	-9.00	-10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 2 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	11.00	10.00	14.00	13.00	16.50	15.50
	40	11.00	10.00	14.00	13.00	17.00	16.00
	44	11.00	10.00	14.00	13.00	17.00	16.00
	48	11.00	10.00	14.00	13.00	17.00	16.00
	52	NS	NS	14.00	13.00	17.00	16.00
	56	NS	NS	14.00	13.00	17.00	16.00
	60	NS	NS	14.00	13.00	17.00	16.00
	64	NS	NS	14.00	13.00	16.50	15.50
	100	NS	NS	14.00	13.00	14.30	13.30
	104	NS	NS	14.00	13.00	17.00	16.00
	108	NS	NS	14.00	13.00	17.00	16.00
	112	NS	NS	14.00	13.00	17.00	16.00
	116	NS	NS	14.00	13.00	17.00	16.00
	120	NS	NS	14.00	13.00	17.00	16.00
	124	NS	NS	14.00	13.00	17.00	16.00
	128	NS	NS	14.00	13.00	17.00	16.00
	132	NS	NS	14.00	13.00	17.00	16.00
	136	NS	NS	14.00	13.00	17.00	16.00
	140	NS	NS	12.00	11.00	12.00	11.00
	144	NS	NS	14.00	13.00	17.00	16.00
5 GHz WIFI 40 MHz Bandwidth	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
	38	11.00	10.00	13.50	12.50	13.50	12.50
	46	11.00	10.00	14.00	13.00	17.00	16.00
	54	NS	NS	14.00	13.00	17.00	16.00
	62	NS	NS	14.00	13.00	14.50	13.50
	102	NS	NS	12.30	11.30	12.30	11.30
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	14.00	13.00	17.00	16.00
	118	NS	NS	14.00	13.00	17.00	16.00
	126	NS	NS	14.00	13.00	17.00	16.00
	134	NS	NS	14.00	13.00	15.50	14.50
	142	NS	NS	14.00	13.00	17.00	16.00
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
5GHz WIFI 160 Mhz Bandwidth	42	11.00	10.00	13.00	12.00	13.00	12.00
	58	NS	NS	14.00	13.00	14.00	13.00
	106	NS	NS	12.00	11.00	12.00	11.00
	122	NS	NS	14.00	13.00	16.00	15.00
	138	NS	NS	14.00	13.00	17.00	16.00
	155	11.00	10.00	14.00	13.00	17.00	16.00
	50	NS	NS	11.50	10.50	11.50	10.50
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 3 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WFSB						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	12.00	11.00	13.60	12.60
	40	9.10	8.10	12.00	11.00	15.00	14.00
	44	8.90	7.90	11.90	10.90	14.90	13.90
	48	9.10	8.10	11.80	10.80	15.00	14.00
	52	NS	NS	11.90	10.90	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.60	10.60	15.00	14.00
	64	NS	NS	11.70	10.70	13.40	12.40
	100	NS	NS	11.90	10.90	13.40	12.40
	104	NS	NS	12.00	11.00	15.00	14.00
	108	NS	NS	11.90	10.90	14.90	13.90
	112	NS	NS	11.90	10.90	14.90	13.90
	116	NS	NS	11.80	10.80	14.90	13.90
	120	NS	NS	11.80	10.80	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.90	10.90	14.80	13.80
	132	NS	NS	11.90	10.90	14.80	13.80
	136	NS	NS	11.90	10.90	14.80	13.80
	140	NS	NS	11.30	10.30	11.30	10.30
	144	NS	NS	11.80	10.80	14.90	13.90
5 GHz WIFI 40 MHz Bandwidth	149	11.00	10.00	14.00	13.00	17.00	16.00
	153	11.00	10.00	14.00	13.00	17.00	16.00
	157	11.00	10.00	14.00	13.00	17.00	16.00
	161	11.00	10.00	14.00	13.00	17.00	16.00
	165	11.00	10.00	14.00	13.00	17.00	16.00
	38	9.10	8.10	12.00	11.00	13.00	12.00
	46	8.70	7.70	11.80	10.80	14.90	13.90
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.60	10.60	13.40	12.40
	102	NS	NS	11.90	10.90	12.30	11.30
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.80	10.80	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.80	10.80	14.80	13.80
	151	11.00	10.00	14.00	13.00	17.00	16.00
	159	11.00	10.00	14.00	13.00	17.00	16.00
	42	8.70	7.70	11.80	10.80	13.00	12.00
5GHz WIFI 160 Mhz Bandwidth	58	NS	NS	11.60	10.60	13.40	12.40
	106	NS	NS	11.90	10.90	12.00	11.00
	122	NS	NS	11.80	10.80	14.80	13.80
	138	NS	NS	11.80	10.80	14.80	13.80
	155	11.00	10.00	14.00	13.00	17.00	16.00
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.00	10.00	11.00	10.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 4 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	11.50	10.50	14.50	13.50	16.50	15.50
	40	11.50	10.50	14.50	13.50	17.00	16.00
	44	11.50	10.50	14.50	13.50	17.00	16.00
	48	11.50	10.50	14.50	13.50	17.00	16.00
	52	NS	NS	14.50	13.50	16.75	15.75
	56	NS	NS	14.50	13.50	16.75	15.75
	60	NS	NS	14.50	13.50	16.75	15.75
	64	NS	NS	14.50	13.50	16.40	15.40
	100	NS	NS	14.00	13.00	14.00	13.00
	104	NS	NS	14.50	13.50	15.50	14.50
	108	NS	NS	14.50	13.50	15.50	14.50
	112	NS	NS	14.50	13.50	15.50	14.50
	116	NS	NS	14.50	13.50	15.50	14.50
	120	NS	NS	14.50	13.50	15.50	14.50
	124	NS	NS	14.50	13.50	15.50	14.50
	128	NS	NS	14.50	13.50	15.50	14.50
	132	NS	NS	14.50	13.50	15.50	14.50
	136	NS	NS	14.50	13.50	15.50	14.50
	140	NS	NS	12.00	11.00	12.00	11.00
	144	NS	NS	14.50	13.50	15.50	14.50
5 GHz WIFI 40 MHz Bandwidth	149	11.50	10.50	14.50	13.50	16.50	15.50
	153	11.50	10.50	14.50	13.50	16.50	15.50
	157	11.50	10.50	14.50	13.50	16.50	15.50
	161	11.50	10.50	14.50	13.50	16.50	15.50
	165	11.50	10.50	14.50	13.50	16.50	15.50
	38	11.50	10.50	14.00	13.00	14.00	13.00
	46	11.50	10.50	14.50	13.50	17.00	16.00
	54	NS	NS	14.50	13.50	16.75	15.75
	62	NS	NS	14.50	13.50	14.50	13.50
	102	NS	NS	12.50	11.50	12.50	11.50
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	14.50	13.50	15.50	14.50
	118	NS	NS	14.50	13.50	15.50	14.50
	126	NS	NS	14.50	13.50	15.50	14.50
	134	NS	NS	14.50	13.50	15.50	14.50
	142	NS	NS	14.50	13.50	15.50	14.50
	151	11.50	10.50	14.50	13.50	16.50	15.50
	159	11.50	10.50	14.50	13.50	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	42	11.50	10.50	13.00	12.00	13.00	12.00
	58	NS	NS	14.50	13.50	14.50	13.50
	106	NS	NS	12.00	11.00	12.00	11.00
	122	NS	NS	14.50	13.50	15.50	14.50
	138	NS	NS	14.50	13.50	15.50	14.50
	155	11.50	10.50	14.50	13.50	16.50	15.50
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 5 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	12.00	11.00	13.60	12.60
	40	9.10	8.10	12.00	11.00	15.00	14.00
	44	8.80	7.80	11.90	10.90	14.90	13.90
	48	9.10	8.10	11.80	10.80	15.00	14.00
	52	NS	NS	11.90	10.90	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.60	10.60	15.00	14.00
	64	NS	NS	11.70	10.70	13.40	12.40
	100	NS	NS	11.90	10.90	13.40	12.40
	104	NS	NS	12.00	11.00	15.00	14.00
	108	NS	NS	11.90	10.90	14.90	13.90
	112	NS	NS	11.90	10.90	14.90	13.90
	116	NS	NS	11.80	10.80	14.90	13.90
	120	NS	NS	11.80	10.80	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.90	10.90	14.80	13.80
	132	NS	NS	11.90	10.90	14.80	13.80
	136	NS	NS	11.90	10.90	14.80	13.80
	140	NS	NS	11.30	10.30	11.30	10.30
	144	NS	NS	11.80	10.80	14.90	13.90
	149	11.00	10.00	14.00	13.00	16.50	15.50
	153	11.00	10.00	14.00	13.00	16.50	15.50
	157	11.00	10.00	14.00	13.00	16.50	15.50
	161	11.00	10.00	14.00	13.00	16.50	15.50
	165	11.00	10.00	14.00	13.00	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	12.00	11.00	13.00	12.00
	46	8.70	7.70	11.80	10.80	14.90	13.90
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.60	10.60	13.40	12.40
	102	NS	NS	11.90	10.90	12.30	11.30
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.80	10.80	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.80	10.80	14.80	13.80
	151	11.00	10.00	14.00	13.00	16.50	15.50
	159	11.00	10.00	14.00	13.00	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	42	8.70	7.70	11.80	10.80	13.00	12.00
	58	NS	NS	11.60	10.60	13.40	12.40
	106	NS	NS	11.90	10.90	12.00	11.00
	122	NS	NS	11.80	10.80	14.80	13.80
	138	NS	NS	11.80	10.80	14.80	13.80
	155	11.00	10.00	14.00	13.00	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.00	10.00	11.00	10.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 6 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF8						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	12.00	11.00	13.60	12.60
	40	9.10	8.10	12.00	11.00	15.00	14.00
	44	8.90	7.90	11.90	10.90	14.90	13.90
	48	9.10	8.10	11.80	10.80	15.00	14.00
	52	NS	NS	11.90	10.90	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.60	10.60	15.00	14.00
	64	NS	NS	11.70	10.70	13.40	12.40
	100	NS	NS	11.90	10.90	13.40	12.40
	104	NS	NS	12.00	11.00	15.00	14.00
	108	NS	NS	11.90	10.90	14.90	13.90
	112	NS	NS	11.90	10.90	14.90	13.90
	116	NS	NS	11.80	10.80	14.90	13.90
	120	NS	NS	11.80	10.80	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.90	10.90	14.80	13.80
	132	NS	NS	11.90	10.90	14.80	13.80
	136	NS	NS	11.90	10.90	14.80	13.80
	140	NS	NS	11.30	10.30	11.30	10.30
	144	NS	NS	11.80	10.80	14.90	13.90
	149	11.00	10.00	14.00	13.00	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	153	11.00	10.00	14.00	13.00	16.50	15.50
	157	11.00	10.00	14.00	13.00	16.50	15.50
	161	11.00	10.00	14.00	13.00	16.50	15.50
	165	11.00	10.00	14.00	13.00	16.50	15.50
	38	9.10	8.10	12.00	11.00	13.00	12.00
	46	8.70	7.70	11.80	10.80	14.90	13.90
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.60	10.60	13.40	12.40
	102	NS	NS	11.90	10.90	12.30	11.30
	110	NS	NS	11.80	10.80	14.90	13.90
5 GHz WIFI 80 MHz Bandwidth	118	NS	NS	11.80	10.80	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.80	10.80	14.80	13.80
	151	11.00	10.00	14.00	13.00	16.50	15.50
	159	11.00	10.00	14.00	13.00	16.50	15.50
	42	8.70	7.70	11.80	10.80	13.00	12.00
	58	NS	NS	11.60	10.60	13.40	12.40
5GHz WIFI 160 Mhz Bandwidth	106	NS	NS	11.90	10.90	12.00	11.00
	122	NS	NS	11.80	10.80	14.80	13.80
	138	NS	NS	11.80	10.80	14.80	13.80
	155	11.00	10.00	14.00	13.00	16.50	15.50
	50	NS	NS	11.00	10.00	11.00	10.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 7 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	11.00	10.00	14.00	13.00	16.50	15.50
	40	11.00	10.00	14.00	13.00	17.00	16.00
	44	11.00	10.00	14.00	13.00	17.00	16.00
	48	11.00	10.00	14.00	13.00	17.00	16.00
	52	NS	NS	14.00	13.00	17.00	16.00
	56	NS	NS	14.00	13.00	17.00	16.00
	60	NS	NS	14.00	13.00	17.00	16.00
	64	NS	NS	14.00	13.00	16.50	15.50
	100	NS	NS	14.00	13.00	14.30	13.30
	104	NS	NS	14.00	13.00	16.25	15.25
	108	NS	NS	14.00	13.00	16.25	15.25
	112	NS	NS	14.00	13.00	16.25	15.25
	116	NS	NS	14.00	13.00	16.25	15.25
	120	NS	NS	14.00	13.00	16.25	15.25
	124	NS	NS	14.00	13.00	16.25	15.25
	128	NS	NS	14.00	13.00	16.25	15.25
	132	NS	NS	14.00	13.00	16.25	15.25
	136	NS	NS	14.00	13.00	16.25	15.25
	140	NS	NS	12.00	11.00	12.00	11.00
	144	NS	NS	14.00	13.00	16.25	15.25
	149	11.00	10.00	14.00	13.00	16.50	15.50
	153	11.00	10.00	14.00	13.00	16.50	15.50
	157	11.00	10.00	14.00	13.00	16.50	15.50
	161	11.00	10.00	14.00	13.00	16.50	15.50
	165	11.00	10.00	14.00	13.00	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	11.00	10.00	13.50	12.50	13.50	12.50
	46	11.00	10.00	14.00	13.00	17.00	16.00
	54	NS	NS	14.00	13.00	17.00	16.00
	62	NS	NS	14.00	13.00	14.50	13.50
	102	NS	NS	12.30	11.30	12.30	11.30
	110	NS	NS	14.00	13.00	16.25	15.25
	118	NS	NS	14.00	13.00	16.25	15.25
	126	NS	NS	14.00	13.00	16.25	15.25
	134	NS	NS	14.00	13.00	15.50	14.50
	142	NS	NS	14.00	13.00	16.25	15.25
	151	11.00	10.00	14.00	13.00	16.50	15.50
	159	11.00	10.00	14.00	13.00	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	42	11.00	10.00	13.00	12.00	13.00	12.00
	58	NS	NS	14.00	13.00	14.00	13.00
	106	NS	NS	12.00	11.00	12.00	11.00
	122	NS	NS	14.00	13.00	16.00	15.00
	138	NS	NS	14.00	13.00	16.25	15.25
	155	11.00	10.00	14.00	13.00	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.50	10.50	11.50	10.50
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 8 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	12.00	11.00	13.60	12.60
	40	9.10	8.10	12.00	11.00	15.00	14.00
	44	8.80	7.80	11.90	10.90	14.90	13.90
	48	9.10	8.10	11.80	10.80	15.00	14.00
	52	NS	NS	11.90	10.90	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.60	10.60	15.00	14.00
	64	NS	NS	11.70	10.70	13.40	12.40
	100	NS	NS	11.90	10.90	13.40	12.40
	104	NS	NS	12.00	11.00	15.00	14.00
	108	NS	NS	11.90	10.90	14.90	13.90
	112	NS	NS	11.90	10.90	14.90	13.90
	116	NS	NS	11.80	10.80	14.90	13.90
	120	NS	NS	11.80	10.80	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.90	10.90	14.80	13.80
	132	NS	NS	11.90	10.90	14.80	13.80
	136	NS	NS	11.90	10.90	14.80	13.80
	140	NS	NS	11.30	10.30	11.30	10.30
	144	NS	NS	11.80	10.80	14.90	13.90
	149	11.00	10.00	14.00	13.00	16.50	15.50
	153	11.00	10.00	14.00	13.00	16.50	15.50
	157	11.00	10.00	14.00	13.00	16.50	15.50
	161	11.00	10.00	14.00	13.00	16.50	15.50
	165	11.00	10.00	14.00	13.00	16.50	15.50
5 GHz WIFI 40 MHz Bandwidth	38	9.10	8.10	12.00	11.00	13.00	12.00
	46	8.70	7.70	11.80	10.80	14.90	13.90
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.60	10.60	13.40	12.40
	102	NS	NS	11.90	10.90	12.30	11.30
	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.80	10.80	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.80	10.80	14.80	13.80
	151	11.00	10.00	14.00	13.00	16.50	15.50
	159	11.00	10.00	14.00	13.00	16.50	15.50
5 GHz WIFI 80 MHz Bandwidth	42	8.70	7.70	11.80	10.80	13.00	12.00
	58	NS	NS	11.60	10.60	13.40	12.40
	106	NS	NS	11.90	10.90	12.00	11.00
	122	NS	NS	11.80	10.80	14.80	13.80
	138	NS	NS	11.80	10.80	14.80	13.80
	155	11.00	10.00	14.00	13.00	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.00	10.00	11.00	10.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 9 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
5 GHz WIFI 20 MHz Bandwidth	36	9.10	8.10	12.00	11.00	13.60	12.60
	40	9.10	8.10	12.00	11.00	15.00	14.00
	44	8.90	7.90	11.90	10.90	14.90	13.90
	48	9.10	8.10	11.80	10.80	15.00	14.00
	52	NS	NS	11.90	10.90	15.00	14.00
	56	NS	NS	11.80	10.80	14.90	13.90
	60	NS	NS	11.60	10.60	15.00	14.00
	64	NS	NS	11.70	10.70	13.40	12.40
	100	NS	NS	11.90	10.90	13.40	12.40
	104	NS	NS	12.00	11.00	15.00	14.00
	108	NS	NS	11.90	10.90	14.90	13.90
	112	NS	NS	11.90	10.90	14.90	13.90
	116	NS	NS	11.80	10.80	14.90	13.90
	120	NS	NS	11.80	10.80	14.90	13.90
	124	NS	NS	11.90	10.90	14.90	13.90
	128	NS	NS	11.90	10.90	14.80	13.80
	132	NS	NS	11.90	10.90	14.80	13.80
	136	NS	NS	11.90	10.90	14.80	13.80
	140	NS	NS	11.30	10.30	11.30	10.30
	144	NS	NS	11.80	10.80	14.90	13.90
5 GHz WIFI 40 MHz Bandwidth	149	11.00	10.00	14.00	13.00	16.50	15.50
	153	11.00	10.00	14.00	13.00	16.50	15.50
	157	11.00	10.00	14.00	13.00	16.50	15.50
	161	11.00	10.00	14.00	13.00	16.50	15.50
	165	11.00	10.00	14.00	13.00	16.50	15.50
	38	9.10	8.10	12.00	11.00	13.00	12.00
	46	8.70	7.70	11.80	10.80	14.90	13.90
	54	NS	NS	11.80	10.80	14.90	13.90
	62	NS	NS	11.60	10.60	13.40	12.40
	102	NS	NS	11.90	10.90	12.30	11.30
5 GHz WIFI 80 MHz Bandwidth	110	NS	NS	11.80	10.80	14.90	13.90
	118	NS	NS	11.80	10.80	14.90	13.90
	126	NS	NS	11.80	10.80	14.80	13.80
	134	NS	NS	11.70	10.70	13.20	12.20
	142	NS	NS	11.80	10.80	14.80	13.80
	151	11.00	10.00	14.00	13.00	16.50	15.50
	159	11.00	10.00	14.00	13.00	16.50	15.50
	42	8.70	7.70	11.80	10.80	13.00	12.00
5 GHz WIFI 160 Mhz Bandwidth	58	NS	NS	11.60	10.60	13.40	12.40
	106	NS	NS	11.90	10.90	12.00	11.00
	122	NS	NS	11.80	10.80	14.80	13.80
	138	NS	NS	11.80	10.80	14.80	13.80
	155	11.00	10.00	14.00	13.00	16.50	15.50
5GHz WIFI 160 Mhz Bandwidth	50	NS	NS	11.00	10.00	11.00	10.00
	114	NS	NS	11.00	10.00	11.00	10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 10 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-0.40	-1.40	2.30	1.30	3.70	2.70
	5	-0.50	-1.50	2.20	1.20	5.40	4.40
	9-29	-0.60	-1.60	1.90	0.90	5.30	4.30
	33-61	0.50	-0.50	3.20	2.20	6.30	5.30
	65-85	-0.70	-1.70	2.30	1.30	5.50	4.50
	89	-0.40	-1.40	2.50	1.50	5.60	4.60
	93	-0.30	-1.30	2.20	1.20	5.60	4.60
	97-113	-0.80	-1.80	2.10	1.10	5.20	4.20
	117-181	-1.50	-2.50	1.30	0.30	4.40	3.40
	185	-1.30	-2.30	1.60	0.60	4.60	3.60
	189-225	-1.40	-2.40	1.10	0.10	4.30	3.30
	229	-1.20	-2.20	1.50	0.50	4.60	3.60
	233	NS	NS	NS	NS	NS	NS
	3	-0.60	-1.60	2.20	1.20	3.70	2.70
	11	-0.50	-1.50	1.90	0.90	5.30	4.30
6 GHz WIFI (40MHz BW) LP	19-27	-0.70	-1.70	2.00	1.00	5.30	4.30
	35-59	0.50	-0.50	3.20	2.20	6.30	5.30
	67-75	-0.40	-1.40	2.30	1.30	5.50	4.50
	83	-0.50	-1.50	2.30	1.30	5.50	4.50
	91	-0.60	-1.60	2.20	1.20	5.60	4.60
	99-107	-0.70	-1.70	2.10	1.10	5.20	4.20
	115	-1.50	-2.50	1.40	0.40	4.60	3.60
	123-179	-1.50	-2.50	1.30	0.30	4.40	3.40
	187	-1.30	-2.30	1.60	0.60	4.60	3.60
	195-219	-1.50	-2.50	1.10	0.10	4.30	3.30
	227	-1.50	-2.50	1.50	0.50	4.60	3.60
	7	-0.60	-1.60	1.90	0.90	3.70	2.70
	23	-0.60	-1.60	2.00	1.00	5.30	4.30
	39-55	0.50	-0.50	3.10	2.10	6.30	5.30
	71	-0.40	-1.40	2.30	1.30	5.50	4.50
	87	-0.60	-1.60	2.20	1.20	5.50	4.50
6 GHz WIFI (80MHz BW) LP	103	-0.70	-1.70	2.10	1.10	5.20	4.20
	119	-1.50	-2.50	1.30	0.30	4.40	3.40
	135-167	-1.40	-2.40	1.30	0.30	4.40	3.40
	183	-1.30	-2.30	1.40	0.40	4.50	3.50
	199	-1.30	-2.30	1.30	0.30	4.40	3.40
	215	-1.50	-2.50	1.10	0.10	4.30	3.30
	15	-0.90	-1.90	1.60	0.60	3.70	2.70
	47	0.50	-0.50	3.20	2.20	6.30	5.30
	79	-0.50	-1.50	2.20	1.20	5.30	4.30
	111	-1.50	-2.50	1.30	0.30	4.40	3.40
6 GHz WIFI (160MHz BW) LP	143	-1.40	-2.40	1.30	0.30	4.40	3.40
	175	-1.50	-2.50	1.30	0.30	4.50	3.50
	207	-1.40	-2.40	1.10	0.10	4.30	3.30

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 11 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.10	-7.10	-3.30	-4.30	-1.80	-2.80
	5	-6.00	-7.00	-3.30	-4.30	-0.30	-1.30
	9-29	-6.10	-7.10	-3.60	-4.60	-0.60	-1.60
	33-61	-5.90	-6.90	-3.30	-4.30	-0.10	-1.10
	65-85	-6.40	-7.40	-3.40	-4.40	-0.40	-1.40
	89	-6.10	-7.10	-3.20	-4.20	-0.10	-1.10
	93	-6.10	-7.10	-3.50	-4.50	-0.10	-1.10
	97-113	-6.70	-7.70	-3.90	-4.90	-0.70	-1.70
	117-181	-6.80	-7.80	-4.00	-5.00	-0.90	-1.90
	185	-6.70	-7.70	-3.90	-4.90	-0.80	-1.80
	189-225	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	229	-6.20	-7.20	-3.50	-4.50	-0.40	-1.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-6.10	-7.10	-3.30	-4.30	-1.80	-2.80
	11	-6.10	-7.10	-3.60	-4.60	-0.20	-1.20
	19-27	-6.20	-7.20	-3.50	-4.50	-0.60	-1.60
	35-59	-5.90	-6.90	-3.30	-4.30	-0.10	-1.10
	67-75	-6.20	-7.20	-3.40	-4.40	-0.40	-1.40
	83	-6.20	-7.20	-3.40	-4.40	-0.20	-1.20
	91	-6.30	-7.30	-3.50	-4.50	-0.10	-1.10
	99-107	-6.70	-7.70	-3.90	-4.90	-0.70	-1.70
	115	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	123-179	-6.80	-7.80	-4.00	-5.00	-0.90	-1.90
	187	-6.70	-7.70	-3.90	-4.90	-0.90	-1.90
	195-219	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	227	-6.30	-7.30	-3.50	-4.50	-0.40	-1.40
	7	-6.10	-7.10	-3.60	-4.60	-1.80	-2.80
6 GHz WIFI (80MHz BW) LP	23	-6.10	-7.10	-3.50	-4.50	-0.60	-1.60
	39-55	-6.00	-7.00	-3.30	-4.30	-0.10	-1.10
	71	-6.20	-7.20	-3.40	-4.40	-0.40	-1.40
	87	-6.40	-7.40	-3.50	-4.50	-0.20	-1.20
	103	-6.70	-7.70	-3.90	-4.90	-0.70	-1.70
	119	-7.00	-8.00	-4.20	-5.20	-1.10	-2.10
	135-167	-6.70	-7.70	-4.00	-5.00	-0.90	-1.90
	183	-6.80	-7.80	-4.00	-5.00	-0.90	-1.90
	199	-6.40	-7.40	-3.70	-4.70	-0.70	-1.70
	215	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
6 GHz WIFI (160MHz BW) LP	15	-6.40	-7.40	-4.00	-5.00	-1.90	-2.90
	47	-5.90	-6.90	-3.30	-4.30	-0.10	-1.10
	79	-6.20	-7.20	-3.50	-4.50	-0.40	-1.40
	111	-7.00	-8.00	-4.50	-5.50	-1.10	-2.10
	143	-6.70	-7.70	-4.00	-5.00	-0.90	-1.90
	175	-6.90	-7.90	-4.10	-5.10	-0.90	-1.90
	207	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 12 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF5B						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.10	-4.10	-0.30	-1.30	1.20	0.20
	5	-3.00	-4.00	-0.30	-1.30	2.70	1.70
	9-29	-3.10	-4.10	-0.60	-1.60	2.40	1.40
	33-61	-2.90	-3.90	-0.30	-1.30	2.90	1.90
	65-85	-3.40	-4.40	-0.40	-1.40	2.60	1.60
	89	-3.10	-4.10	-0.20	-1.20	2.90	1.90
	93	-3.10	-4.10	-0.50	-1.50	2.90	1.90
	97-113	-3.70	-4.70	-0.90	-1.90	2.30	1.30
	117-181	-3.90	-4.90	-1.10	-2.10	2.00	1.00
	185	-3.70	-4.70	-0.90	-1.90	2.20	1.20
	189-225	-3.60	-4.60	-1.00	-2.00	2.20	1.20
	229	-3.30	-4.30	-0.60	-1.60	2.50	1.50
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-3.10	-4.10	-0.30	-1.30	1.20	0.20
	11	-3.10	-4.10	-0.60	-1.60	2.80	1.80
	19-27	-3.20	-4.20	-0.50	-1.50	2.40	1.40
	35-59	-2.90	-3.90	-0.30	-1.30	2.90	1.90
	67-75	-3.20	-4.20	-0.40	-1.40	2.60	1.60
	83	-3.20	-4.20	-0.40	-1.40	2.80	1.80
	91	-3.30	-4.30	-0.50	-1.50	2.90	1.90
	99-107	-3.70	-4.70	-0.90	-1.90	2.30	1.30
	115	-4.00	-5.00	-1.10	-2.10	2.00	1.00
	123-179	-3.90	-4.90	-1.10	-2.10	2.00	1.00
	187	-3.70	-4.70	-0.90	-1.90	2.10	1.10
	195-219	-3.60	-4.60	-1.00	-2.00	2.20	1.20
	227	-3.40	-4.40	-0.60	-1.60	2.50	1.50
	7	-3.10	-4.10	-0.60	-1.60	1.20	0.20
6 GHz WIFI (80MHz BW) LP	23	-3.10	-4.10	-0.50	-1.50	2.40	1.40
	39-55	-3.00	-4.00	-0.30	-1.30	2.90	1.90
	71	-3.20	-4.20	-0.40	-1.40	2.60	1.60
	87	-3.40	-4.40	-0.50	-1.50	2.80	1.80
	103	-3.70	-4.70	-0.90	-1.90	2.30	1.30
	119	-4.00	-5.00	-1.20	-2.20	1.90	0.90
	135-167	-3.80	-4.80	-1.10	-2.10	2.00	1.00
	183	-3.80	-4.80	-1.00	-2.00	2.10	1.10
	199	-3.50	-4.50	-0.80	-1.80	2.20	1.20
	215	-3.60	-4.60	-1.00	-2.00	2.20	1.20
	15	-3.40	-4.40	-1.00	-2.00	1.10	0.10
	47	-2.90	-3.90	-0.30	-1.30	2.90	1.90
	79	-3.20	-4.20	-0.50	-1.50	2.60	1.60
	111	-4.00	-5.00	-1.50	-2.50	1.90	0.90
6 GHz WIFI (160MHz BW) LP	143	-3.80	-4.80	-1.10	-2.10	2.00	1.00
	175	-3.90	-4.90	-1.10	-2.10	2.10	1.10
	207	-3.60	-4.60	-1.00	-2.00	2.20	1.20

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 13 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-3.50	-4.50	-0.80	-1.80	2.30	1.30
	65-85	-4.70	-5.70	-1.70	-2.70	1.50	0.50
	89	-4.40	-5.40	-1.50	-2.50	1.60	0.60
	93	-4.30	-5.30	-1.80	-2.80	1.60	0.60
	97-113	-4.80	-5.80	-1.90	-2.90	1.20	0.20
	117-181	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	185	-5.30	-6.30	-2.40	-3.40	0.60	-0.40
	189-225	-5.40	-6.40	-2.90	-3.90	0.30	-0.70
	229	-5.20	-6.20	-2.50	-3.50	0.60	-0.40
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-3.50	-4.50	-0.80	-1.80	2.30	1.30
	67-75	-4.40	-5.40	-1.70	-2.70	1.50	0.50
	83	-4.50	-5.50	-1.70	-2.70	1.50	0.50
	91	-4.60	-5.60	-1.80	-2.80	1.60	0.60
	99-107	-4.70	-5.70	-1.90	-2.90	1.20	0.20
	115	-5.50	-6.50	-2.60	-3.60	0.60	-0.40
	123-179	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	187	-5.30	-6.30	-2.40	-3.40	0.60	-0.40
	195-219	-5.50	-6.50	-2.90	-3.90	0.30	-0.70
	227	-5.50	-6.50	-2.50	-3.50	0.60	-0.40
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-3.50	-4.50	-0.90	-1.90	2.30	1.30
6 GHz WIFI (80MHz BW) VLP	71	-4.40	-5.40	-1.70	-2.70	1.50	0.50
	87	-4.60	-5.60	-1.80	-2.80	1.50	0.50
	103	-4.70	-5.70	-1.90	-2.90	1.20	0.20
	119	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	135-167	-5.40	-6.40	-2.70	-3.70	0.40	-0.60
	183	-5.30	-6.30	-2.60	-3.60	0.50	-0.50
	199	-5.30	-6.30	-2.70	-3.70	0.40	-0.60
	215	-5.50	-6.50	-2.90	-3.90	0.30	-0.70
	15	NS	NS	NS	NS	NS	NS
	47	-3.50	-4.50	-0.80	-1.80	2.30	1.30
6 GHz WIFI (160MHz BW) VLP	79	-4.50	-5.50	-1.80	-2.80	1.30	0.30
	111	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	143	-5.40	-6.40	-2.70	-3.70	0.40	-0.60
	175	-5.50	-6.50	-2.70	-3.70	0.50	-0.50
	207	-5.40	-6.40	-2.90	-3.90	0.30	-0.70

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 14 of 56

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.30	-8.30	-4.10	-5.10
	65-85	NS	NS	-7.40	-8.40	-4.40	-5.40
	89	NS	NS	-7.20	-8.20	-4.10	-5.10
	93	NS	NS	-7.50	-8.50	-4.10	-5.10
	97-113	NS	NS	-7.90	-8.90	-4.70	-5.70
	117-181	NS	NS	-8.00	-9.00	-4.90	-5.90
	185	NS	NS	-7.90	-8.90	-4.80	-5.80
	189-225	NS	NS	-7.90	-8.90	-4.70	-5.70
	229	NS	NS	-7.50	-8.50	-4.40	-5.40
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.30	-8.30	-4.10	-5.10
	67-75	NS	NS	-7.40	-8.40	-4.40	-5.40
	83	NS	NS	-7.40	-8.40	-4.20	-5.20
	91	NS	NS	-7.50	-8.50	-4.10	-5.10
	99-107	NS	NS	-7.90	-8.90	-4.70	-5.70
	115	NS	NS	-8.10	-9.10	-5.00	-6.00
	123-179	NS	NS	-8.00	-9.00	-4.90	-5.90
	187	NS	NS	-7.90	-8.90	-4.90	-5.90
	195-219	NS	NS	-7.90	-8.90	-4.70	-5.70
	227	NS	NS	-7.50	-8.50	-4.40	-5.40
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.30	-8.30	-4.10	-5.10
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	-7.40	-8.40	-4.40	-5.40
	87	NS	NS	-7.50	-8.50	-4.20	-5.20
	103	NS	NS	-7.90	-8.90	-4.70	-5.70
	119	NS	NS	-8.20	-9.20	-5.10	-6.10
	135-167	NS	NS	-8.00	-9.00	-4.90	-5.90
	183	NS	NS	-8.00	-9.00	-4.90	-5.90
	199	NS	NS	-7.70	-8.70	-4.70	-5.70
	215	NS	NS	-7.90	-8.90	-4.70	-5.70
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.30	-8.30	-4.10	-5.10
6 GHz WIFI (160MHz BW) VLP	79	NS	NS	-7.50	-8.50	-4.40	-5.40
	111	NS	NS	-8.60	-9.60	-5.10	-6.10
	143	NS	NS	-8.00	-9.00	-4.90	-5.90
	175	NS	NS	-8.10	-9.10	-4.90	-5.90
	207	NS	NS	-7.90	-8.90	-4.70	-5.70

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
	65-85	-7.40	-8.40	-4.40	-5.40	-1.40	-2.40
	89	-7.10	-8.10	-4.20	-5.20	-1.10	-2.10
	93	-7.10	-8.10	-4.50	-5.50	-1.10	-2.10
	97-113	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	117-181	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
	185	-7.70	-8.70	-4.90	-5.90	-1.80	-2.80
	189-225	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	229	-7.30	-8.30	-4.60	-5.60	-1.50	-2.50
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
	67-75	-7.20	-8.20	-4.40	-5.40	-1.40	-2.40
	83	-7.20	-8.20	-4.40	-5.40	-1.20	-2.20
	91	-7.30	-8.30	-4.50	-5.50	-1.10	-2.10
	99-107	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	115	-8.00	-9.00	-5.10	-6.10	-2.00	-3.00
	123-179	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
	187	-7.70	-8.70	-4.90	-5.90	-1.90	-2.90
	195-219	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	227	-7.40	-8.40	-4.60	-5.60	-1.50	-2.50
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.00	-8.00	-4.30	-5.30	-1.10	-2.10
6 GHz WIFI (80MHz BW) VLP	71	-7.20	-8.20	-4.40	-5.40	-1.40	-2.40
	87	-7.40	-8.40	-4.50	-5.50	-1.20	-2.20
	103	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	119	-8.00	-9.00	-5.20	-6.20	-2.10	-3.10
	135-167	-7.80	-8.80	-5.10	-6.10	-2.00	-3.00
	183	-7.80	-8.80	-5.00	-6.00	-1.90	-2.90
	199	-7.50	-8.50	-4.80	-5.80	-1.80	-2.80
	215	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	15	NS	NS	NS	NS	NS	NS
	47	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
6 GHz WIFI (160MHz BW) VLP	79	-7.20	-8.20	-4.50	-5.50	-1.40	-2.40
	111	-8.00	-9.00	-5.60	-6.60	-2.10	-3.10
	143	-7.80	-8.80	-5.10	-6.10	-2.00	-3.00
	175	-7.90	-8.90	-5.10	-6.10	-1.90	-2.90
	207	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 15 of 56

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	16.00	15.00
	5	10.00	9.00	13.00	12.00	16.00	15.00
	9-29	10.00	9.00	13.00	12.00	16.00	15.00
	33-61	10.00	9.00	13.00	12.00	16.00	15.00
	65-85	10.00	9.00	13.00	12.00	16.00	15.00
	89	10.00	9.00	13.00	12.00	16.00	15.00
	93	10.00	9.00	13.00	12.00	16.00	15.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.50	12.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	16.00	15.00
	11	10.00	9.00	13.00	12.00	16.00	15.00
6 GHz WIFI (40MHz BW) SP	19-27	10.00	9.00	13.00	12.00	16.00	15.00
	35-59	10.00	9.00	13.00	12.00	16.00	15.00
	67-75	10.00	9.00	13.00	12.00	16.00	15.00
	83	10.00	9.00	13.00	12.00	16.00	15.00
	91	10.00	9.00	13.00	12.00	16.00	15.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.50	12.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	16.00	15.00
	23	10.00	9.00	13.00	12.00	16.00	15.00
	39-55	10.00	9.00	13.00	12.00	16.00	15.00
	71	10.00	9.00	13.00	12.00	16.00	15.00
	87	10.00	9.00	13.00	12.00	16.00	15.00
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.50	12.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	16.00	15.00
	47	10.00	9.00	13.00	12.00	16.00	15.00
	79	10.00	9.00	13.00	12.00	16.00	15.00
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	8.50	7.50	11.50	10.50	13.50	12.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	16.00	15.00
	5	10.00	9.00	13.00	12.00	16.00	15.00
	9-29	10.00	9.00	13.00	12.00	16.00	15.00
	33-61	10.00	9.00	13.00	12.00	16.00	15.00
	65-85	10.00	9.00	13.00	12.00	16.00	15.00
	89	10.00	9.00	13.00	12.00	16.00	15.00
	93	10.00	9.00	13.00	12.00	16.00	15.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.50	12.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	16.00	15.00
	11	10.00	9.00	13.00	12.00	16.00	15.00
6 GHz WIFI (40MHz BW) SP	19-27	10.00	9.00	13.00	12.00	16.00	15.00
	35-59	10.00	9.00	13.00	12.00	16.00	15.00
	67-75	10.00	9.00	13.00	12.00	16.00	15.00
	83	10.00	9.00	13.00	12.00	16.00	15.00
	91	10.00	9.00	13.00	12.00	16.00	15.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.50	12.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	16.00	15.00
	23	10.00	9.00	13.00	12.00	16.00	15.00
	39-55	10.00	9.00	13.00	12.00	16.00	15.00
	71	10.00	9.00	13.00	12.00	16.00	15.00
	87	10.00	9.00	13.00	12.00	16.00	15.00
6 GHz WIFI (80MHz BW) SP	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.50	12.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	16.00	15.00
	47	10.00	9.00	13.00	12.00	16.00	15.00
	79	10.00	9.00	13.00	12.00	16.00	15.00
	111	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	143	8.50	7.50	11.50	10.50	13.50	12.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 16 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF58						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	16.00	15.00
	5	10.00	9.00	13.00	12.00	16.00	15.00
	9-29	10.00	9.00	13.00	12.00	16.00	15.00
	33-61	10.00	9.00	13.00	12.00	16.00	15.00
	65-85	10.00	9.00	13.00	12.00	16.00	15.00
	89	10.00	9.00	13.00	12.00	16.00	15.00
	93	10.00	9.00	13.00	12.00	16.00	15.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	13.50	12.50
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	16.00	15.00
	11	10.00	9.00	13.00	12.00	16.00	15.00
	19-27	10.00	9.00	13.00	12.00	16.00	15.00
6 GHz WIFI (40MHz BW) SP	35-59	10.00	9.00	13.00	12.00	16.00	15.00
	67-75	10.00	9.00	13.00	12.00	16.00	15.00
	83	10.00	9.00	13.00	12.00	16.00	15.00
	91	10.00	9.00	13.00	12.00	16.00	15.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	13.50	12.50
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	16.00	15.00
	23	10.00	9.00	13.00	12.00	16.00	15.00
6 GHz WIFI (80MHz BW) SP	39-55	10.00	9.00	13.00	12.00	16.00	15.00
	71	10.00	9.00	13.00	12.00	16.00	15.00
	87	10.00	9.00	13.00	12.00	16.00	15.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	13.50	12.50
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	16.00	15.00
6 GHz WIFI (160MHz BW) SP	47	10.00	9.00	13.00	12.00	16.00	15.00
	79	10.00	9.00	13.00	12.00	16.00	15.00
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	13.50	12.50
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 17 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna W/F8						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	0.40	-0.60	3.20	2.20	4.70	3.70
	5	0.50	-0.50	3.20	2.20	6.20	5.20
	9-29	0.40	-0.60	3.00	2.00	5.90	4.90
	33-61	-0.30	-1.30	2.30	1.30	5.50	4.50
	65-85	0.30	-0.70	2.90	1.90	5.90	4.90
	89	0.30	-0.70	3.10	2.10	6.20	5.20
	93	0.20	-0.80	3.20	2.20	6.30	5.30
	97-113	-0.50	-1.50	2.30	1.30	5.50	4.50
	117-181	-0.10	-1.10	2.60	1.60	5.70	4.70
	185	0.00	-1.00	2.80	1.80	5.90	4.90
	189-225	0.50	-0.50	3.30	2.30	6.30	5.30
	229	0.80	-0.20	3.50	2.50	6.70	5.70
	233	NS	NS	NS	NS	NS	NS
	3	0.40	-0.60	3.20	2.20	4.70	3.70
6 GHz WIFI (40MHz BW) LP	11	0.40	-0.60	3.00	2.00	6.30	5.30
	19-27	0.40	-0.60	3.10	2.10	5.90	4.90
	35-59	-0.30	-1.30	2.30	1.30	5.50	4.50
	67-75	0.10	-0.90	2.90	1.90	5.90	4.90
	83	0.30	-0.70	3.00	2.00	6.10	5.10
	91	0.20	-0.80	3.10	2.10	6.20	5.20
	99-107	-0.50	-1.50	2.30	1.30	5.50	4.50
	115	-0.30	-1.30	2.40	1.40	5.50	4.50
	123-179	-0.10	-1.10	2.60	1.60	5.70	4.70
	187	0.00	-1.00	2.80	1.80	5.80	4.80
	195-219	0.50	-0.50	3.30	2.30	6.30	5.30
	227	0.70	-0.30	3.50	2.50	6.60	5.60
	7	0.40	-0.60	3.00	2.00	4.70	3.70
	23	0.40	-0.60	3.10	2.10	6.10	5.10
	39-55	-0.40	-1.40	2.30	1.30	5.50	4.50
6 GHz WIFI (80MHz BW) LP	71	0.10	-0.90	2.90	1.90	5.90	4.90
	87	-0.10	-1.10	3.00	2.00	6.10	5.10
	103	-0.50	-1.50	2.30	1.30	5.50	4.50
	119	-0.60	-1.60	2.40	1.40	5.50	4.50
	135-167	-0.10	-1.10	2.60	1.60	5.70	4.70
	183	-0.10	-1.10	2.70	1.70	5.80	4.80
	199	0.60	-0.40	3.30	2.30	6.30	5.30
	215	0.50	-0.50	3.30	2.30	6.40	5.40
	15	0.10	-0.90	3.00	2.00	4.60	3.60
	47	-0.30	-1.30	2.30	1.30	5.50	4.50
6 GHz WIFI (160MHz BW) LP	79	0.20	-0.80	2.80	1.80	5.90	4.90
	111	-0.50	-1.50	2.00	1.00	5.50	4.50
	143	-0.10	-1.10	2.60	1.60	5.70	4.70
	175	-0.10	-1.10	2.60	1.60	5.80	4.80
	207	0.50	-0.50	3.20	2.20	6.30	5.30

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 18 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.10	-7.10	-3.30	-4.30	-1.80	-2.80
	5	-6.00	-7.00	-3.30	-4.30	-0.30	-1.30
	9-29	-6.10	-7.10	-3.60	-4.60	-0.60	-1.60
	33-61	-5.90	-6.90	-3.30	-4.30	-0.10	-1.10
	65-85	-6.40	-7.40	-3.40	-4.40	-0.40	-1.40
	89	-6.10	-7.10	-3.20	-4.20	-0.10	-1.10
	93	-6.10	-7.10	-3.50	-4.50	-0.10	-1.10
	97-113	-6.70	-7.70	-3.90	-4.90	-0.70	-1.70
	117-181	-6.80	-7.80	-4.00	-5.00	-0.90	-1.90
	185	-6.70	-7.70	-3.90	-4.90	-0.80	-1.80
	189-225	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	229	-6.20	-7.20	-3.50	-4.50	-0.40	-1.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-6.10	-7.10	-3.30	-4.30	-1.80	-2.80
	11	-6.10	-7.10	-3.60	-4.60	-0.20	-1.20
	19-27	-6.20	-7.20	-3.50	-4.50	-0.60	-1.60
	35-59	-5.90	-6.90	-3.30	-4.30	-0.10	-1.10
	67-75	-6.20	-7.20	-3.40	-4.40	-0.40	-1.40
	83	-6.20	-7.20	-3.40	-4.40	-0.20	-1.20
	91	-6.30	-7.30	-3.50	-4.50	-0.10	-1.10
	99-107	-6.70	-7.70	-3.90	-4.90	-0.70	-1.70
	115	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	123-179	-6.80	-7.80	-4.00	-5.00	-0.90	-1.90
	187	-6.70	-7.70	-3.90	-4.90	-0.90	-1.90
	195-219	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	227	-6.30	-7.30	-3.50	-4.50	-0.40	-1.40
	7	-6.10	-7.10	-3.60	-4.60	-1.80	-2.80
6 GHz WIFI (80MHz BW) LP	23	-6.10	-7.10	-3.50	-4.50	-0.60	-1.60
	39-55	-6.00	-7.00	-3.30	-4.30	-0.10	-1.10
	71	-6.20	-7.20	-3.40	-4.40	-0.40	-1.40
	87	-6.40	-7.40	-3.50	-4.50	-0.20	-1.20
	103	-6.70	-7.70	-3.90	-4.90	-0.70	-1.70
	119	-7.00	-8.00	-4.20	-5.20	-1.10	-2.10
	135-167	-6.70	-7.70	-4.00	-5.00	-0.90	-1.90
	183	-6.80	-7.80	-4.00	-5.00	-0.90	-1.90
	199	-6.40	-7.40	-3.70	-4.70	-0.70	-1.70
	215	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
6 GHz WIFI (160MHz BW) LP	15	-6.40	-7.40	-4.00	-5.00	-1.90	-2.90
	47	-5.90	-6.90	-3.30	-4.30	-0.10	-1.10
	79	-6.20	-7.20	-3.50	-4.50	-0.40	-1.40
	111	-7.00	-8.00	-4.50	-5.50	-1.10	-2.10
	143	-6.70	-7.70	-4.00	-5.00	-0.90	-1.90
	175	-6.90	-7.90	-4.10	-5.10	-0.90	-1.90
	207	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 19 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.10	-4.10	-0.30	-1.30	1.20	0.20
	5	-3.00	-4.00	-0.30	-1.30	2.70	1.70
	9-29	-3.10	-4.10	-0.60	-1.60	2.40	1.40
	33-61	-2.90	-3.90	-0.30	-1.30	2.90	1.90
	65-85	-3.40	-4.40	-0.40	-1.40	2.60	1.60
	89	-3.10	-4.10	-0.20	-1.20	2.90	1.90
	93	-3.10	-4.10	-0.50	-1.50	2.90	1.90
	97-113	-3.70	-4.70	-0.90	-1.90	2.30	1.30
	117-181	-3.90	-4.90	-1.10	-2.10	2.00	1.00
	185	-3.70	-4.70	-0.90	-1.90	2.20	1.20
	189-225	-3.60	-4.60	-1.00	-2.00	2.20	1.20
	229	-3.30	-4.30	-0.60	-1.60	2.50	1.50
	233	NS	NS	NS	NS	NS	NS
	3	-3.10	-4.10	-0.30	-1.30	1.20	0.20
	11	-3.10	-4.10	-0.60	-1.60	2.80	1.80
	19-27	-3.20	-4.20	-0.50	-1.50	2.40	1.40
6 GHz WIFI (40MHz BW) LP	35-59	-2.90	-3.90	-0.30	-1.30	2.90	1.90
	67-75	-3.20	-4.20	-0.40	-1.40	2.60	1.60
	83	-3.20	-4.20	-0.40	-1.40	2.80	1.80
	91	-3.30	-4.30	-0.50	-1.50	2.90	1.90
	99-107	-3.70	-4.70	-0.90	-1.90	2.30	1.30
	115	-4.00	-5.00	-1.10	-2.10	2.00	1.00
	123-179	-3.90	-4.90	-1.10	-2.10	2.00	1.00
	187	-3.70	-4.70	-0.90	-1.90	2.10	1.10
	195-219	-3.60	-4.60	-1.00	-2.00	2.20	1.20
	227	-3.40	-4.40	-0.60	-1.60	2.50	1.50
	7	-3.10	-4.10	-0.60	-1.60	1.20	0.20
	23	-3.10	-4.10	-0.50	-1.50	2.40	1.40
	39-55	-3.00	-4.00	-0.30	-1.30	2.90	1.90
6 GHz WIFI (80MHz BW) LP	71	-3.20	-4.20	-0.40	-1.40	2.60	1.60
	87	-3.40	-4.40	-0.50	-1.50	2.80	1.80
	103	-3.70	-4.70	-0.90	-1.90	2.30	1.30
	119	-4.00	-5.00	-1.20	-2.20	1.90	0.90
	135-167	-3.80	-4.80	-1.10	-2.10	2.00	1.00
	183	-3.80	-4.80	-1.00	-2.00	2.10	1.10
	199	-3.50	-4.50	-0.80	-1.80	2.20	1.20
	215	-3.60	-4.60	-1.00	-2.00	2.20	1.20
	15	-3.40	-4.40	-1.00	-2.00	1.10	0.10
	47	-2.90	-3.90	-0.30	-1.30	2.90	1.90
	79	-3.20	-4.20	-0.50	-1.50	2.60	1.60
6 GHz WIFI (160MHz BW) LP	111	-4.00	-5.00	-1.50	-2.50	1.90	0.90
	143	-3.80	-4.80	-1.10	-2.10	2.00	1.00
	175	-3.90	-4.90	-1.10	-2.10	2.10	1.10
	207	-3.60	-4.60	-1.00	-2.00	2.20	1.20

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-4.30	-5.30	-1.70	-2.70	1.50	0.50
	65-85	-3.70	-4.70	-1.10	-2.10	1.90	0.90
	89	-3.70	-4.70	-0.90	-1.90	2.20	1.20
	93	-3.80	-4.80	-0.80	-1.80	2.30	1.30
	97-113	-4.50	-5.50	-1.70	-2.70	1.50	0.50
	117-181	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	185	-4.00	-5.00	-1.20	-2.20	1.90	0.90
	189-225	-3.50	-4.50	-0.70	-1.70	2.30	1.30
	229	-3.20	-4.20	-0.50	-1.50	2.70	1.70
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	35-59	-4.30	-5.30	-1.70	-2.70	1.50	0.50
	67-75	-3.90	-4.90	-1.10	-2.10	1.90	0.90
	83	-3.70	-4.70	-1.00	-2.00	2.10	1.10
	91	-3.80	-4.80	-0.90	-1.90	2.20	1.20
	99-107	-4.50	-5.50	-1.70	-2.70	1.50	0.50
	115	-4.30	-5.30	-1.60	-2.60	1.50	0.50
	123-179	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	187	-4.00	-5.00	-1.20	-2.20	1.80	0.80
	195-219	-3.50	-4.50	-0.70	-1.70	2.30	1.30
	227	-3.30	-4.30	-0.50	-1.50	2.60	1.60
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-4.40	-5.40	-1.70	-2.70	1.50	0.50
6 GHz WIFI (80MHz BW) VLP	71	-3.90	-4.90	-1.10	-2.10	1.90	0.90
	87	-4.10	-5.10	-1.00	-2.00	2.10	1.10
	103	-4.50	-5.50	-1.70	-2.70	1.50	0.50
	119	-4.50	-5.50	-1.60	-2.60	1.50	0.50
	135-167	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	183	-4.10	-5.10	-1.30	-2.30	1.80	0.80
	199	-3.40	-4.40	-0.70	-1.70	2.30	1.30
	215	-3.50	-4.50	-0.70	-1.70	2.40	1.40
	15	NS	NS	NS	NS	NS	NS
	47	-4.30	-5.30	-1.70	-2.70	1.50	0.50
	79	-3.80	-4.80	-1.20	-2.20	1.90	0.90
6 GHz WIFI (160MHz BW) VLP	111	-4.50	-5.50	-2.10	-3.10	1.50	0.50
	143	-4.10	-5.10	-1.40	-2.40	1.70	0.70
	175	-4.10	-5.10	-1.40	-2.40	1.80	0.80
	207	-3.50	-4.50	-0.80	-1.80	2.30	1.30

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 20 of 56

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.30	-8.30	-4.10	-5.10
	65-85	NS	NS	-7.40	-8.40	-4.40	-5.40
	89	NS	NS	-7.20	-8.20	-4.10	-5.10
	93	NS	NS	-7.50	-8.50	-4.10	-5.10
	97-113	NS	NS	-7.90	-8.90	-4.70	-5.70
	117-181	NS	NS	-8.00	-9.00	-4.90	-5.90
	185	NS	NS	-7.90	-8.90	-4.80	-5.80
	189-225	NS	NS	-7.90	-8.90	-4.70	-5.70
	229	NS	NS	-7.50	-8.50	-4.40	-5.40
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.30	-8.30	-4.10	-5.10
	67-75	NS	NS	-7.40	-8.40	-4.40	-5.40
	83	NS	NS	-7.40	-8.40	-4.20	-5.20
	91	NS	NS	-7.50	-8.50	-4.10	-5.10
	99-107	NS	NS	-7.90	-8.90	-4.70	-5.70
	115	NS	NS	-8.10	-9.10	-5.00	-6.00
	123-179	NS	NS	-8.00	-9.00	-4.90	-5.90
	187	NS	NS	-7.90	-8.90	-4.90	-5.90
	195-219	NS	NS	-7.90	-8.90	-4.70	-5.70
	227	NS	NS	-7.50	-8.50	-4.40	-5.40
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.30	-8.30	-4.10	-5.10
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	-7.40	-8.40	-4.40	-5.40
	87	NS	NS	-7.50	-8.50	-4.20	-5.20
	103	NS	NS	-7.90	-8.90	-4.70	-5.70
	119	NS	NS	-8.20	-9.20	-5.10	-6.10
	135-167	NS	NS	-8.00	-9.00	-4.90	-5.90
	183	NS	NS	-8.00	-9.00	-4.90	-5.90
	199	NS	NS	-7.70	-8.70	-4.70	-5.70
	215	NS	NS	-7.90	-8.90	-4.70	-5.70
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.30	-8.30	-4.10	-5.10
6 GHz WIFI (160MHz BW) VLP	79	NS	NS	-7.50	-8.50	-4.40	-5.40
	111	NS	NS	-8.60	-9.60	-5.10	-6.10
	143	NS	NS	-8.00	-9.00	-4.90	-5.90
	175	NS	NS	-8.10	-9.10	-4.90	-5.90
	207	NS	NS	-7.90	-8.90	-4.70	-5.70

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 21 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
	65-85	-7.40	-8.40	-4.40	-5.40	-1.40	-2.40
	89	-7.10	-8.10	-4.20	-5.20	-1.10	-2.10
	93	-7.10	-8.10	-4.50	-5.50	-1.10	-2.10
	97-113	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	117-181	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
	185	-7.70	-8.70	-4.90	-5.90	-1.80	-2.80
	189-225	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	229	-7.30	-8.30	-4.60	-5.60	-1.50	-2.50
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	35-59	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
	67-75	-7.20	-8.20	-4.40	-5.40	-1.40	-2.40
	83	-7.20	-8.20	-4.40	-5.40	-1.20	-2.20
	91	-7.30	-8.30	-4.50	-5.50	-1.10	-2.10
	99-107	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	115	-8.00	-9.00	-5.10	-6.10	-2.00	-3.00
	123-179	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
	187	-7.70	-8.70	-4.90	-5.90	-1.90	-2.90
	195-219	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	227	-7.40	-8.40	-4.60	-5.60	-1.50	-2.50
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.00	-8.00	-4.30	-5.30	-1.10	-2.10
6 GHz WIFI (80MHz BW) VLP	71	-7.20	-8.20	-4.40	-5.40	-1.40	-2.40
	87	-7.40	-8.40	-4.50	-5.50	-1.20	-2.20
	103	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	119	-8.00	-9.00	-5.20	-6.20	-2.10	-3.10
	135-167	-7.80	-8.80	-5.10	-6.10	-2.00	-3.00
	183	-7.80	-8.80	-5.00	-6.00	-1.90	-2.90
	199	-7.50	-8.50	-4.80	-5.80	-1.80	-2.80
	215	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	15	NS	NS	NS	NS	NS	NS
	47	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
6 GHz WIFI (160MHz BW) VLP	79	-7.20	-8.20	-4.50	-5.50	-1.40	-2.40
	111	-8.00	-9.00	-5.60	-6.60	-2.10	-3.10
	143	-7.80	-8.80	-5.10	-6.10	-2.00	-3.00
	175	-7.90	-8.90	-5.10	-6.10	-1.90	-2.90
	207	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.75	9.75	10.75	9.75	10.75	9.75
	5	10.75	9.75	10.75	9.75	10.75	9.75
	9-29	10.75	9.75	10.75	9.75	10.75	9.75
	33-61	10.75	9.75	10.75	9.75	10.75	9.75
	65-85	11.00	10.00	11.00	10.00	11.00	10.00
	89	11.00	10.00	11.00	10.00	11.00	10.00
	93	11.00	10.00	11.00	10.00	11.00	10.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	9.50	8.50	10.75	9.75	10.75	9.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.75	9.75	10.75	9.75	10.75	9.75
	11	10.75	9.75	10.75	9.75	10.75	9.75
	19-27	10.75	9.75	10.75	9.75	10.75	9.75
6 GHz WIFI (40MHz BW) SP	35-59	10.75	9.75	10.75	9.75	10.75	9.75
	67-75	11.00	10.00	11.00	10.00	11.00	10.00
	83	11.00	10.00	11.00	10.00	11.00	10.00
	91	11.00	10.00	11.00	10.00	11.00	10.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	9.50	8.50	10.75	9.75	10.75	9.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.75	9.75	10.75	9.75	10.75	9.75
	23	10.75	9.75	10.75	9.75	10.75	9.75
	39-55	10.75	9.75	10.75	9.75	10.75	9.75
6 GHz WIFI (80MHz BW) SP	71	11.00	10.00	11.00	10.00	11.00	10.00
	87	11.00	10.00	11.00	10.00	11.00	10.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	9.50	8.50	10.75	9.75	10.75	9.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.75	9.75	10.75	9.75	10.75	9.75
	47	10.75	9.75	10.75	9.75	10.75	9.75
6 GHz WIFI (160MHz BW) SP	79	11.00	10.00	11.00	10.00	11.00	10.00
	111	NS	NS	NS	NS	NS	NS
	143	9.50	8.50	10.75	9.75	10.75	9.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 22 of 56

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna W/F8					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	10.75	9.75	10.75	9.75
	5	10.00	9.00	10.75	9.75	10.75	9.75
	9-29	10.00	9.00	10.75	9.75	10.75	9.75
	33-61	10.00	9.00	10.75	9.75	10.75	9.75
	65-85	10.00	9.00	11.00	10.00	11.00	10.00
	89	10.00	9.00	11.00	10.00	11.00	10.00
	93	10.00	9.00	11.00	10.00	11.00	10.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	10.75	9.75	10.75	9.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	10.75	9.75	10.75	9.75
	11	10.00	9.00	10.75	9.75	10.75	9.75
	19-27	10.00	9.00	10.75	9.75	10.75	9.75
6 GHz WIFI (40MHz BW) SP	35-59	10.00	9.00	10.75	9.75	10.75	9.75
	67-75	10.00	9.00	11.00	10.00	11.00	10.00
	83	10.00	9.00	11.00	10.00	11.00	10.00
	91	10.00	9.00	11.00	10.00	11.00	10.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	10.75	9.75	10.75	9.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	10.75	9.75	10.75	9.75
	23	10.00	9.00	10.75	9.75	10.75	9.75
	39-55	10.00	9.00	10.75	9.75	10.75	9.75
	71	10.00	9.00	11.00	10.00	11.00	10.00
	87	10.00	9.00	11.00	10.00	11.00	10.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	135-167	8.50	7.50	10.75	9.75	10.75	9.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	10.75	9.75	10.75	9.75
	47	10.00	9.00	10.75	9.75	10.75	9.75
	79	10.00	9.00	11.00	10.00	11.00	10.00
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	10.75	9.75	10.75	9.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 23 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna Wf8						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	10.75	9.75	10.75	9.75
	5	10.00	9.00	10.75	9.75	10.75	9.75
	9-29	10.00	9.00	10.75	9.75	10.75	9.75
	33-61	10.00	9.00	10.75	9.75	10.75	9.75
	65-85	10.00	9.00	11.00	10.00	11.00	10.00
	89	10.00	9.00	11.00	10.00	11.00	10.00
	93	10.00	9.00	11.00	10.00	11.00	10.00
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	10.75	9.75	10.75	9.75
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	10.75	9.75	10.75	9.75
	11	10.00	9.00	10.75	9.75	10.75	9.75
	19-27	10.00	9.00	10.75	9.75	10.75	9.75
6 GHz WIFI (40MHz BW) SP	35-59	10.00	9.00	10.75	9.75	10.75	9.75
	67-75	10.00	9.00	11.00	10.00	11.00	10.00
	83	10.00	9.00	11.00	10.00	11.00	10.00
	91	10.00	9.00	11.00	10.00	11.00	10.00
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	10.75	9.75	10.75	9.75
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	10.75	9.75	10.75	9.75
	23	10.00	9.00	10.75	9.75	10.75	9.75
6 GHz WIFI (80MHz BW) SP	39-55	10.00	9.00	10.75	9.75	10.75	9.75
	71	10.00	9.00	11.00	10.00	11.00	10.00
	87	10.00	9.00	11.00	10.00	11.00	10.00
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	10.75	9.75	10.75	9.75
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	10.75	9.75	10.75	9.75
6 GHz WIFI (160MHz BW) SP	47	10.00	9.00	10.75	9.75	10.75	9.75
	79	10.00	9.00	11.00	10.00	11.00	10.00
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	10.75	9.75	10.75	9.75
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 24 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-0.40	-1.40	2.30	1.30	3.70	2.70
	5	-0.50	-1.50	2.20	1.20	5.40	4.40
	9-29	-0.60	-1.60	1.90	0.90	5.30	4.30
	33-61	0.50	-0.50	3.20	2.20	6.30	5.30
	65-85	-0.70	-1.70	2.30	1.30	5.50	4.50
	89	-0.40	-1.40	2.50	1.50	5.60	4.60
	93	-0.30	-1.30	2.20	1.20	5.60	4.60
	97-113	-0.80	-1.80	2.10	1.10	5.20	4.20
	117-181	-1.50	-2.50	1.30	0.30	4.40	3.40
	185	-1.30	-2.30	1.60	0.60	4.60	3.60
	189-225	-1.40	-2.40	1.10	0.10	4.30	3.30
	229	-1.20	-2.20	1.50	0.50	4.60	3.60
	233	NS	NS	NS	NS	NS	NS
	3	-0.60	-1.60	2.20	1.20	3.70	2.70
6 GHz WIFI (40MHz BW) LP	11	-0.50	-1.50	1.90	0.90	5.30	4.30
	19-27	-0.70	-1.70	2.00	1.00	5.30	4.30
	35-59	0.50	-0.50	3.20	2.20	6.30	5.30
	67-75	-0.40	-1.40	2.30	1.30	5.50	4.50
	83	-0.50	-1.50	2.30	1.30	5.50	4.50
	91	-0.60	-1.60	2.20	1.20	5.60	4.60
	99-107	-0.70	-1.70	2.10	1.10	5.20	4.20
	115	-1.50	-2.50	1.40	0.40	4.60	3.60
	123-179	-1.50	-2.50	1.30	0.30	4.40	3.40
	187	-1.30	-2.30	1.60	0.60	4.60	3.60
	195-219	-1.50	-2.50	1.10	0.10	4.30	3.30
	227	-1.50	-2.50	1.50	0.50	4.60	3.60
	7	-0.60	-1.60	1.90	0.90	3.70	2.70
	23	-0.60	-1.60	2.00	1.00	5.30	4.30
	39-55	0.50	-0.50	3.10	2.10	6.30	5.30
6 GHz WIFI (80MHz BW) LP	71	-0.40	-1.40	2.30	1.30	5.50	4.50
	87	-0.60	-1.60	2.20	1.20	5.50	4.50
	103	-0.70	-1.70	2.10	1.10	5.20	4.20
	119	-1.50	-2.50	1.30	0.30	4.40	3.40
	135-167	-1.40	-2.40	1.30	0.30	4.40	3.40
	183	-1.30	-2.30	1.40	0.40	4.50	3.50
	199	-1.30	-2.30	1.30	0.30	4.40	3.40
	215	-1.50	-2.50	1.10	0.10	4.30	3.30
	15	-0.90	-1.90	1.60	0.60	3.70	2.70
	47	0.50	-0.50	3.20	2.20	6.30	5.30
6 GHz WIFI (160MHz BW) LP	79	-0.50	-1.50	2.20	1.20	5.30	4.30
	111	-1.50	-2.50	1.30	0.30	4.40	3.40
	143	-1.40	-2.40	1.30	0.30	4.40	3.40
	175	-1.50	-2.50	1.30	0.30	4.50	3.50
	207	-1.40	-2.40	1.10	0.10	4.30	3.30

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 25 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-6.10	-7.10	-3.30	-4.30	-1.80	-2.80
	5	-6.00	-7.00	-3.30	-4.30	-0.30	-1.30
	9-29	-6.10	-7.10	-3.60	-4.60	-0.60	-1.60
	33-61	-5.90	-6.90	-3.30	-4.30	-0.10	-1.10
	65-85	-6.40	-7.40	-3.40	-4.40	-0.40	-1.40
	89	-6.10	-7.10	-3.20	-4.20	-0.10	-1.10
	93	-6.10	-7.10	-3.50	-4.50	-0.10	-1.10
	97-113	-6.70	-7.70	-3.90	-4.90	-0.70	-1.70
	117-181	-6.80	-7.80	-4.00	-5.00	-0.90	-1.90
	185	-6.70	-7.70	-3.90	-4.90	-0.80	-1.80
	189-225	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	229	-6.20	-7.20	-3.50	-4.50	-0.40	-1.40
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) LP	3	-6.10	-7.10	-3.30	-4.30	-1.80	-2.80
	11	-6.10	-7.10	-3.60	-4.60	-0.20	-1.20
	19-27	-6.20	-7.20	-3.50	-4.50	-0.60	-1.60
	35-59	-5.90	-6.90	-3.30	-4.30	-0.10	-1.10
	67-75	-6.20	-7.20	-3.40	-4.40	-0.40	-1.40
	83	-6.20	-7.20	-3.40	-4.40	-0.20	-1.20
	91	-6.30	-7.30	-3.50	-4.50	-0.10	-1.10
	99-107	-6.70	-7.70	-3.90	-4.90	-0.70	-1.70
	115	-7.00	-8.00	-4.10	-5.10	-1.00	-2.00
	123-179	-6.80	-7.80	-4.00	-5.00	-0.90	-1.90
	187	-6.70	-7.70	-3.90	-4.90	-0.90	-1.90
	195-219	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
	227	-6.30	-7.30	-3.50	-4.50	-0.40	-1.40
	7	-6.10	-7.10	-3.60	-4.60	-1.80	-2.80
6 GHz WIFI (80MHz BW) LP	23	-6.10	-7.10	-3.50	-4.50	-0.60	-1.60
	39-55	-6.00	-7.00	-3.30	-4.30	-0.10	-1.10
	71	-6.20	-7.20	-3.40	-4.40	-0.40	-1.40
	87	-6.40	-7.40	-3.50	-4.50	-0.20	-1.20
	103	-6.70	-7.70	-3.90	-4.90	-0.70	-1.70
	119	-7.00	-8.00	-4.20	-5.20	-1.10	-2.10
	135-167	-6.70	-7.70	-4.00	-5.00	-0.90	-1.90
	183	-6.80	-7.80	-4.00	-5.00	-0.90	-1.90
	199	-6.40	-7.40	-3.70	-4.70	-0.70	-1.70
	215	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70
6 GHz WIFI (160MHz BW) LP	15	-6.40	-7.40	-4.00	-5.00	-1.90	-2.90
	47	-5.90	-6.90	-3.30	-4.30	-0.10	-1.10
	79	-6.20	-7.20	-3.50	-4.50	-0.40	-1.40
	111	-7.00	-8.00	-4.50	-5.50	-1.10	-2.10
	143	-6.70	-7.70	-4.00	-5.00	-0.90	-1.90
	175	-6.90	-7.90	-4.10	-5.10	-0.90	-1.90
	207	-6.50	-7.50	-3.90	-4.90	-0.70	-1.70

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 26 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS
	1	-3.10	-4.10	-0.30	-1.30	1.20	0.20
	5	-3.00	-4.00	-0.30	-1.30	2.70	1.70
	9-29	-3.10	-4.10	-0.60	-1.60	2.40	1.40
	33-61	-2.90	-3.90	-0.30	-1.30	2.90	1.90
	65-85	-3.40	-4.40	-0.40	-1.40	2.60	1.60
	89	-3.10	-4.10	-0.20	-1.20	2.90	1.90
	93	-3.10	-4.10	-0.50	-1.50	2.90	1.90
	97-113	-3.70	-4.70	-0.90	-1.90	2.30	1.30
	117-181	-3.90	-4.90	-1.10	-2.10	2.00	1.00
	185	-3.70	-4.70	-0.90	-1.90	2.20	1.20
	189-225	-3.60	-4.60	-1.00	-2.00	2.20	1.20
	229	-3.30	-4.30	-0.60	-1.60	2.50	1.50
	233	NS	NS	NS	NS	NS	NS
	3	-3.10	-4.10	-0.30	-1.30	1.20	0.20
	11	-3.10	-4.10	-0.60	-1.60	2.80	1.80
	19-27	-3.20	-4.20	-0.50	-1.50	2.40	1.40
6 GHz WIFI (40MHz BW) LP	35-59	-2.90	-3.90	-0.30	-1.30	2.90	1.90
	67-75	-3.20	-4.20	-0.40	-1.40	2.60	1.60
	83	-3.20	-4.20	-0.40	-1.40	2.80	1.80
	91	-3.30	-4.30	-0.50	-1.50	2.90	1.90
	99-107	-3.70	-4.70	-0.90	-1.90	2.30	1.30
	115	-4.00	-5.00	-1.10	-2.10	2.00	1.00
	123-179	-3.90	-4.90	-1.10	-2.10	2.00	1.00
	187	-3.70	-4.70	-0.90	-1.90	2.10	1.10
	195-219	-3.60	-4.60	-1.00	-2.00	2.20	1.20
	227	-3.40	-4.40	-0.60	-1.60	2.50	1.50
	7	-3.10	-4.10	-0.60	-1.60	1.20	0.20
	23	-3.10	-4.10	-0.50	-1.50	2.40	1.40
	39-55	-3.00	-4.00	-0.30	-1.30	2.90	1.90
6 GHz WIFI (80MHz BW) LP	71	-3.20	-4.20	-0.40	-1.40	2.60	1.60
	87	-3.40	-4.40	-0.50	-1.50	2.80	1.80
	103	-3.70	-4.70	-0.90	-1.90	2.30	1.30
	119	-4.00	-5.00	-1.20	-2.20	1.90	0.90
	135-167	-3.80	-4.80	-1.10	-2.10	2.00	1.00
	183	-3.80	-4.80	-1.00	-2.00	2.10	1.10
	199	-3.50	-4.50	-0.80	-1.80	2.20	1.20
	215	-3.60	-4.60	-1.00	-2.00	2.20	1.20
	15	-3.40	-4.40	-1.00	-2.00	1.10	0.10
	47	-2.90	-3.90	-0.30	-1.30	2.90	1.90
	79	-3.20	-4.20	-0.50	-1.50	2.60	1.60
6 GHz WIFI (160MHz BW) LP	111	-4.00	-5.00	-1.50	-2.50	1.90	0.90
	143	-3.80	-4.80	-1.10	-2.10	2.00	1.00
	175	-3.90	-4.90	-1.10	-2.10	2.10	1.10
	207	-3.60	-4.60	-1.00	-2.00	2.20	1.20

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-3.50	-4.50	-0.80	-1.80	2.30	1.30
	65-85	-4.70	-5.70	-1.70	-2.70	1.50	0.50
	89	-4.40	-5.40	-1.50	-2.50	1.60	0.60
	93	-4.30	-5.30	-1.80	-2.80	1.60	0.60
	97-113	-4.80	-5.80	-1.90	-2.90	1.20	0.20
	117-181	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	185	-5.30	-6.30	-2.40	-3.40	0.60	-0.40
	189-225	-5.40	-6.40	-2.90	-3.90	0.30	-0.70
	229	-5.20	-6.20	-2.50	-3.50	0.60	-0.40
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	35-59	-3.50	-4.50	-0.80	-1.80	2.30	1.30
	67-75	-4.40	-5.40	-1.70	-2.70	1.50	0.50
	83	-4.50	-5.50	-1.70	-2.70	1.50	0.50
	91	-4.60	-5.60	-1.80	-2.80	1.60	0.60
	99-107	-4.70	-5.70	-1.90	-2.90	1.20	0.20
	115	-5.50	-6.50	-2.60	-3.60	0.60	-0.40
	123-179	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	187	-5.30	-6.30	-2.40	-3.40	0.60	-0.40
	195-219	-5.50	-6.50	-2.90	-3.90	0.30	-0.70
	227	-5.50	-6.50	-2.50	-3.50	0.60	-0.40
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-3.50	-4.50	-0.90	-1.90	2.30	1.30
6 GHz WIFI (80MHz BW) VLP	71	-4.40	-5.40	-1.70	-2.70	1.50	0.50
	87	-4.60	-5.60	-1.80	-2.80	1.50	0.50
	103	-4.70	-5.70	-1.90	-2.90	1.20	0.20
	119	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	135-167	-5.40	-6.40	-2.70	-3.70	0.40	-0.60
	183	-5.30	-6.30	-2.60	-3.60	0.50	-0.50
	199	-5.30	-6.30	-2.70	-3.70	0.40	-0.60
	215	-5.50	-6.50	-2.90	-3.90	0.30	-0.70
	15	NS	NS	NS	NS	NS	NS
	47	-3.50	-4.50	-0.80	-1.80	2.30	1.30
	79	-4.50	-5.50	-1.80	-2.80	1.30	0.30
6 GHz WIFI (160MHz BW) VLP	111	-5.50	-6.50	-2.70	-3.70	0.40	-0.60
	143	-5.40	-6.40	-2.70	-3.70	0.40	-0.60
	175	-5.50	-6.50	-2.70	-3.70	0.50	-0.50
	207	-5.40	-6.40	-2.90	-3.90	0.30	-0.70

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 27 of 56

Mode	Channel	IEEE 802.11 ([Maximum] in dBm) - Antenna WF7					
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	NS	NS	-7.30	-8.30	-4.10	-5.10
	65-85	NS	NS	-7.40	-8.40	-4.40	-5.40
	89	NS	NS	-7.20	-8.20	-4.10	-5.10
	93	NS	NS	-7.50	-8.50	-4.10	-5.10
	97-113	NS	NS	-7.90	-8.90	-4.70	-5.70
	117-181	NS	NS	-8.00	-9.00	-4.90	-5.90
	185	NS	NS	-7.90	-8.90	-4.80	-5.80
	189-225	NS	NS	-7.90	-8.90	-4.70	-5.70
	229	NS	NS	-7.50	-8.50	-4.40	-5.40
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
	35-59	NS	NS	-7.30	-8.30	-4.10	-5.10
	67-75	NS	NS	-7.40	-8.40	-4.40	-5.40
	83	NS	NS	-7.40	-8.40	-4.20	-5.20
	91	NS	NS	-7.50	-8.50	-4.10	-5.10
	99-107	NS	NS	-7.90	-8.90	-4.70	-5.70
	115	NS	NS	-8.10	-9.10	-5.00	-6.00
	123-179	NS	NS	-8.00	-9.00	-4.90	-5.90
	187	NS	NS	-7.90	-8.90	-4.90	-5.90
	195-219	NS	NS	-7.90	-8.90	-4.70	-5.70
	227	NS	NS	-7.50	-8.50	-4.40	-5.40
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	NS	NS	-7.30	-8.30	-4.10	-5.10
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	-7.40	-8.40	-4.40	-5.40
	87	NS	NS	-7.50	-8.50	-4.20	-5.20
	103	NS	NS	-7.90	-8.90	-4.70	-5.70
	119	NS	NS	-8.20	-9.20	-5.10	-6.10
	135-167	NS	NS	-8.00	-9.00	-4.90	-5.90
	183	NS	NS	-8.00	-9.00	-4.90	-5.90
	199	NS	NS	-7.70	-8.70	-4.70	-5.70
	215	NS	NS	-7.90	-8.90	-4.70	-5.70
	15	NS	NS	NS	NS	NS	NS
	47	NS	NS	-7.30	-8.30	-4.10	-5.10
6 GHz WIFI (160MHz BW) VLP	79	NS	NS	-7.50	-8.50	-4.40	-5.40
	111	NS	NS	-8.60	-9.60	-5.10	-6.10
	143	NS	NS	-8.00	-9.00	-4.90	-5.90
	175	NS	NS	-8.10	-9.10	-4.90	-5.90
	207	NS	NS	-7.90	-8.90	-4.70	-5.70

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 28 of 56

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS
	1	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS
	9-29	NS	NS	NS	NS	NS	NS
	33-61	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
	65-85	-7.40	-8.40	-4.40	-5.40	-1.40	-2.40
	89	-7.10	-8.10	-4.20	-5.20	-1.10	-2.10
	93	-7.10	-8.10	-4.50	-5.50	-1.10	-2.10
	97-113	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	117-181	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
	185	-7.70	-8.70	-4.90	-5.90	-1.80	-2.80
	189-225	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	229	-7.30	-8.30	-4.60	-5.60	-1.50	-2.50
	233	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS
	19-27	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) VLP	35-59	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
	67-75	-7.20	-8.20	-4.40	-5.40	-1.40	-2.40
	83	-7.20	-8.20	-4.40	-5.40	-1.20	-2.20
	91	-7.30	-8.30	-4.50	-5.50	-1.10	-2.10
	99-107	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	115	-8.00	-9.00	-5.10	-6.10	-2.00	-3.00
	123-179	-7.90	-8.90	-5.10	-6.10	-2.00	-3.00
	187	-7.70	-8.70	-4.90	-5.90	-1.90	-2.90
	195-219	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	227	-7.40	-8.40	-4.60	-5.60	-1.50	-2.50
	7	NS	NS	NS	NS	NS	NS
	23	NS	NS	NS	NS	NS	NS
	39-55	-7.00	-8.00	-4.30	-5.30	-1.10	-2.10
6 GHz WIFI (80MHz BW) VLP	71	-7.20	-8.20	-4.40	-5.40	-1.40	-2.40
	87	-7.40	-8.40	-4.50	-5.50	-1.20	-2.20
	103	-7.70	-8.70	-4.90	-5.90	-1.70	-2.70
	119	-8.00	-9.00	-5.20	-6.20	-2.10	-3.10
	135-167	-7.80	-8.80	-5.10	-6.10	-2.00	-3.00
	183	-7.80	-8.80	-5.00	-6.00	-1.90	-2.90
	199	-7.50	-8.50	-4.80	-5.80	-1.80	-2.80
	215	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80
	15	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) VLP	47	-6.90	-7.90	-4.30	-5.30	-1.10	-2.10
	79	-7.20	-8.20	-4.50	-5.50	-1.40	-2.40
	111	-8.00	-9.00	-5.60	-6.60	-2.10	-3.10
	143	-7.80	-8.80	-5.10	-6.10	-2.00	-3.00
	175	-7.90	-8.90	-5.10	-6.10	-1.90	-2.90
	207	-7.60	-8.60	-5.00	-6.00	-1.80	-2.80

Mode	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7						
	Channel	SISO	SISO	SISO	SISO	SISO	SISO
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	13.50	12.50
	5	10.00	9.00	13.00	12.00	13.50	12.50
	9-29	10.00	9.00	13.00	12.00	13.50	12.50
	33-61	10.00	9.00	13.00	12.00	13.50	12.50
	65-85	10.00	9.00	13.00	12.00	13.25	12.25
	89	10.00	9.00	13.00	12.00	13.25	12.25
	93	10.00	9.00	13.00	12.00	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	14.25	13.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	13.50	12.50
	11	10.00	9.00	13.00	12.00	13.50	12.50
	19-27	10.00	9.00	13.00	12.00	13.50	12.50
6 GHz WIFI (40MHz BW) SP	35-59	10.00	9.00	13.00	12.00	13.50	12.50
	67-75	10.00	9.00	13.00	12.00	13.25	12.25
	83	10.00	9.00	13.00	12.00	13.25	12.25
	91	10.00	9.00	13.00	12.00	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	14.25	13.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
	7	10.00	9.00	13.00	12.00	13.50	12.50
	23	10.00	9.00	13.00	12.00	13.50	12.50
	39-55	10.00	9.00	13.00	12.00	13.50	12.50
6 GHz WIFI (80MHz BW) SP	71	10.00	9.00	13.00	12.00	13.25	12.25
	87	10.00	9.00	13.00	12.00	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	14.25	13.25
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
	15	10.00	9.00	13.00	12.00	13.50	12.50
6 GHz WIFI (160MHz BW) SP	47	10.00	9.00	13.00	12.00	13.50	12.50
	79	10.00	9.00	13.00	12.00	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	14.25	13.25
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 29 of 56

Mode	IEEE 802.11 ([Maximum] in dBm) - Antenna W7						
	Channel	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	13.50	12.50
	5	10.00	9.00	13.00	12.00	13.50	12.50
	9-29	10.00	9.00	13.00	12.00	13.50	12.50
	33-61	10.00	9.00	13.00	12.00	13.50	12.50
	65-85	10.00	9.00	13.00	12.00	13.25	12.25
	89	10.00	9.00	13.00	12.00	13.25	12.25
	93	10.00	9.00	13.00	12.00	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	14.25	13.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	3	10.00	9.00	13.00	12.00	13.50	12.50
	11	10.00	9.00	13.00	12.00	13.50	12.50
	19-27	10.00	9.00	13.00	12.00	13.50	12.50
	35-59	10.00	9.00	13.00	12.00	13.50	12.50
	67-75	10.00	9.00	13.00	12.00	13.25	12.25
	83	10.00	9.00	13.00	12.00	13.25	12.25
	91	10.00	9.00	13.00	12.00	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	14.25	13.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	7	10.00	9.00	13.00	12.00	13.50	12.50
	23	10.00	9.00	13.00	12.00	13.50	12.50
	39-55	10.00	9.00	13.00	12.00	13.50	12.50
	71	10.00	9.00	13.00	12.00	13.25	12.25
	87	10.00	9.00	13.00	12.00	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	14.25	13.25
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	15	10.00	9.00	13.00	12.00	13.50	12.50
	47	10.00	9.00	13.00	12.00	13.50	12.50
	79	10.00	9.00	13.00	12.00	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	14.25	13.25
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 30 of 56

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7					
		MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM	MIMO SDM
		Tones					
		26T (Maximum)	26T (Nominal)	52T (Maximum)	52T (Nominal)	106T (Maximum)	106T (Nominal)
6 GHz WIFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS
	1	10.00	9.00	13.00	12.00	13.50	12.50
	5	10.00	9.00	13.00	12.00	13.50	12.50
	9-29	10.00	9.00	13.00	12.00	13.50	12.50
	33-61	10.00	9.00	13.00	12.00	13.50	12.50
	65-85	10.00	9.00	13.00	12.00	13.25	12.25
	89	10.00	9.00	13.00	12.00	13.25	12.25
	93	10.00	9.00	13.00	12.00	13.25	12.25
	97-113	NS	NS	NS	NS	NS	NS
	117-181	8.50	7.50	11.50	10.50	14.25	13.25
	185	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS
	3	10.00	9.00	13.00	12.00	13.50	12.50
6 GHz WIFI (40MHz BW) SP	11	10.00	9.00	13.00	12.00	13.50	12.50
	19-27	10.00	9.00	13.00	12.00	13.50	12.50
	35-59	10.00	9.00	13.00	12.00	13.50	12.50
	67-75	10.00	9.00	13.00	12.00	13.25	12.25
	83	10.00	9.00	13.00	12.00	13.25	12.25
	91	10.00	9.00	13.00	12.00	13.25	12.25
	99-107	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS
	123-179	8.50	7.50	11.50	10.50	14.25	13.25
	187	NS	NS	NS	NS	NS	NS
	195-219	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	23	10.00	9.00	13.00	12.00	13.50	12.50
	29-55	10.00	9.00	13.00	12.00	13.50	12.50
	71	10.00	9.00	13.00	12.00	13.25	12.25
	87	10.00	9.00	13.00	12.00	13.25	12.25
	103	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS
	135-167	8.50	7.50	11.50	10.50	14.25	13.25
	183	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	15	10.00	9.00	13.00	12.00	13.50	12.50
	47	10.00	9.00	13.00	12.00	13.50	12.50
	79	10.00	9.00	13.00	12.00	13.25	12.25
	111	NS	NS	NS	NS	NS	NS
	143	8.50	7.50	11.50	10.50	14.25	13.25
	175	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS

G.2.2 Maximum 802.11be MRU WLAN Output Power

Mode	Channel	IEEE 802.11 ((Maximum) in dBm) - Antenna WF7											
		Tones											
		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIFI (20MHz BW) SP	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIFI (40MHz BW) SP	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIFI (80MHz BW) SP	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WIFI (160MHz BW) SP	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	8	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 31 of 56

[illegible]

Mode	Channel	IEEE 802.11 (Measurement in dBm) - Reference 30708													
		MIMO-CSD		MIMO-CSD		MIMO-CSD		MIMO-CSD		MIMO-CSD		MIMO-CSD		MIMO-CSD	
		12_20T (Maximum)	12_20T (Maximum)	126_20T (Maximum)	126_20T (Maximum)	4847_240T (Maximum)	4847_240T (Maximum)	4847_484T (Maximum)	4847_484T (Maximum)	4847_484T (Maximum)	4847_484T (Maximum)	4847_484T (Maximum)	4847_484T (Maximum)	4847_484T (Maximum)	
5 GHz Wi-Fi 20 MHz bandwidth	4a	12.70	12.80	15.70	14.40	15.60									
	4a	12.70	12.70	15.70	15.70	15.60									
	4a	12.70	12.70	15.70	15.70	15.60									
	4a	12.70	12.70	15.70	15.70	15.60									
	4a	12.70	12.70	15.70	15.70	15.60									
	4a	12.80	12.80	15.80	14.40	15.60									
	10a	12.80	12.80	15.80	15.80	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	10a	12.70	12.70	15.70	15.70	15.60									
	5 GHz Wi-Fi 40 MHz bandwidth	42	12.80	12.80	15.80	14.40	15.60								
42		12.80	12.80	15.80	14.40	15.60									
42		12.80	12.80	15.80	14.40	15.60									
42		12.80	12.80	15.80	14.40	15.60									
42		12.80	12.80	15.80	14.40	15.60									
42		12.80	12.80	15.80	14.40	15.60									
42		12.80	12.80	15.80	14.40	15.60									
42		12.80	12.80	15.80	14.40	15.60									
42		12.80	12.80	15.80	14.40	15.60									
42		12.80	12.80	15.80	14.40	15.60									
5 GHz Wi-Fi 80 MHz bandwidth	42	12.80	12.80	15.80	14.40	15.60	11.00	11.00	11.00						
	42	12.70	12.70	15.70	14.30	15.50	10.90	10.90	10.90						
	42	12.60	12.60	15.60	14.20	15.40	10.80	10.80	10.80						
	42	12.50	12.50	15.50	14.10	15.30	10.70	10.70	10.70						
	42	12.40	12.40	15.40	14.00	15.20	10.60	10.60	10.60						
5 GHz Wi-Fi 160 MHz bandwidth	44	11.00	10.90	11.00	11.00	10.90	11.00	10.90	10.90	11.00	10.90	11.00	10.90	10.90	

Mode	Channel	IEEE 802.11 (Measurement) in effect - Antenna WFSB											
		MIMO 1DM	MIMO 2DM	MIMO 3DM	MIMO 4DM	MIMO 5DM	MIMO 6DM	MIMO 7DM	MIMO 8DM	MIMO 9DM	MIMO 10DM	MIMO 11DM	
5 GHz W/TH 20 MHz bandwidth	CS_20T (Measurement)	CS_20T (Nominal)	LS_20T (Measurement)	LS_20T (Nominal)	6E2_20T (Measurement)	6E2_20T (Nominal)	6E4_40T (Measurement)	6E4_40T (Nominal)	6E6_40T (Measurement)	6E6_40T (Nominal)	6E8_40T_20T (Measurement)	6E8_40T_20T (Nominal)	
	35	13.80	13.80	15.40	15.40								
	40	13.75	13.75	15.30	15.30								
	45	13.75	13.75	15.30	15.30								
	50	13.75	13.80	15.30	15.30								
	55	13.75	13.80	15.30	15.30								
	60	13.75	13.75	15.30	15.30								
	65	13.75	13.80	15.40	15.40								
	70	13.80	13.80	15.40	15.40								
	75	13.75	13.75	15.30	15.30								
	80	13.75	13.75	15.30	15.30								
	85	13.75	13.80	15.40	15.40								
	90	13.75	13.75	15.30	15.30								
	95	13.75	13.80	15.40	15.40								
	100	13.80	13.80	15.40	15.40								
	105	13.75	13.75	15.30	15.30								
	110	13.75	13.75	15.30	15.30								
	115	13.75	13.75	15.30	15.30								
	120	13.80	13.80	15.40	15.40								
	5 GHz W/TH 40 MHz bandwidth	125	13.75	13.75	15.30	15.30							
130		13.80	13.80	15.40	15.40								
135		13.75	13.75	15.30	15.30								
140		13.75	13.75	15.30	15.30								
145		13.80	13.80	15.40	15.40								
150		13.75	13.75	15.30	15.30								
155		13.80	13.80	15.40	15.40								
160		13.75	13.75	15.30	15.30								
165		13.80	13.80	15.40	15.40								
170		13.75	13.75	15.30	15.30								
5 GHz W/TH 80 MHz bandwidth	175	13.75	13.75	15.30	15.30	13.00	13.00						
	180	13.75	13.75	15.30	15.30	14.00	14.00	13.00	13.00				
	185	13.80	13.80	15.40	15.40	13.00	13.00	13.00	13.00	13.00			
	190	13.75	13.75	15.30	15.30	13.00	13.00	13.00	13.00	13.00	13.00		
	195	13.80	13.80	15.40	15.40	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
5 GHz W/TH 160 MHz bandwidth	200	13.75	13.75	15.30	15.30	13.00	13.00	13.00	13.00	13.00	13.00	13.00	
	205	13.80	13.80	15.40	15.40	13.00	13.00	13.00	13.00	13.00	13.00	13.00	

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 32 of 56



Mode	Channel	IEEE 802.11 (Maximum) in dBm - Antenna WTR									
		S50	S50	S50	S50	Types		S50	S50	S50	S50
		S2_20T (Maximum)	S2_20T (Nominal)	S50_20T (Maximum)	S50_20T (Nominal)	604T_242T (Maximum)	604T_242T (Nominal)	906T_404T (Maximum)	906T_404T (Nominal)	906T_404T_242T (Maximum)	906T_404T_242T (Nominal)
5 GHz WTR 20 MHz Bandwidth	36	13.70	13.70	13.70	13.70						
	40	16.00	16.00	16.00	17.00						
	44	16.00	16.00	16.00	17.00						
	48	16.00	16.00	16.00	17.00						
	52	16.00	16.00	16.00	17.00						
	56	16.00	16.00	16.00	17.00						
	60	16.00	16.00	16.00	17.00						
	64	16.00	16.00	16.00	17.00						
	100	14.00	13.00	14.00	13.00						
	104	15.00	14.00	15.00	14.00						
	108	15.00	14.00	15.00	14.00						
	112	15.00	14.00	15.00	14.00						
	116	15.00	14.00	15.00	14.00						
	120	15.00	14.00	15.00	14.00						
	124	15.00	14.00	15.00	14.00						
	128	15.00	14.00	15.00	14.00						
	132	15.00	14.00	15.00	14.00						
	136	15.00	14.00	15.00	14.00						
	140	15.00	14.00	15.00	14.00						
	144	15.00	14.00	15.00	14.00						
	148	16.00	15.00	16.00	15.00						
5 GHz WTR 40 MHz Bandwidth	36	14.00	13.00	14.00	13.00						
	40	16.00	15.00	16.00	17.00						
	44	16.00	15.00	16.00	17.00						
	48	16.00	15.00	16.00	17.00						
	52	16.00	15.00	16.00	17.00						
	56	16.00	15.00	16.00	17.00						
	60	16.00	15.00	16.00	17.00						
	100	14.00	13.00	14.00	13.00						
	104	15.00	14.00	15.00	14.00						
	108	15.00	14.00	15.00	14.00						
5 GHz WTR 80 MHz Bandwidth	36	13.00	12.00	13.00	12.00	13.00	12.00				
	40	14.00	13.00	14.00	13.00	14.00	13.00				
	44	14.00	13.00	14.00	13.00	14.00	13.00				
	48	14.00	13.00	14.00	13.00	14.00	13.00				
5 GHz WTR 160 MHz Bandwidth	36	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00
	134	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00

Mode	Channel	IEEE 802.11 (Maximum) in dBm - Antenna WTR									
		MMW C50	MMW C50	MMW C50	MMW C50	Types		MMW C50	MMW C50	MMW C50	MMW C50
		S2_20T (Maximum)	S2_20T (Nominal)	S50_20T (Maximum)	S50_20T (Nominal)	604T_242T (Maximum)	604T_242T (Nominal)	906T_404T (Maximum)	906T_404T (Nominal)	906T_404T_242T (Maximum)	906T_404T_242T (Nominal)
5 GHz WTR 20 MHz Bandwidth	36	13.70	13.70	13.70	13.70						
	40	13.70	13.70	13.70	13.70						
	44	13.70	13.70	13.70	13.70						
	48	13.70	13.70	13.70	13.70						
	52	13.80	13.80	13.70	13.70						
	56	13.70	13.70	13.70	13.70						
	60	13.70	13.70	13.70	13.70						
	64	13.70	13.70	13.70	13.70						
	100	11.00	10.00	11.00	10.00						
	104	11.00	10.00	11.00	10.00						
	108	11.70	10.70	11.70	10.70						
	112	11.70	10.70	11.70	10.70						
	116	11.70	10.70	11.70	10.70						
	120	11.70	10.70	11.70	10.70						
	124	11.70	10.70	11.70	10.70						
	128	11.00	10.00	11.00	10.00						
	132	11.00	10.00	11.00	10.00						
	136	11.00	10.00	11.00	10.00						
	140	11.00	10.00	11.00	10.00						
	144	11.00	10.00	11.00	10.00						
5 GHz WTR 40 MHz Bandwidth	36	13.00	12.00	13.00	12.00						
	40	13.00	12.00	13.00	12.00						
	44	13.00	12.00	13.00	12.00						
	48	13.00	12.00	13.00	12.00						
	52	13.00	12.00	13.00	12.00						
	56	13.00	12.00	13.00	12.00						
	60	13.00	12.00	13.00	12.00						
	100	11.00	10.00	11.00	10.00						
	104	11.00	10.00	11.00	10.00						
	108	11.00	10.00	11.00	10.00						
5 GHz WTR 80 MHz Bandwidth	36	11.00	10.00	11.00	10.00	11.00	10.00				
	40	11.00	10.00	11.00	10.00	11.00	10.00				
	44	11.00	10.00	11.00	10.00	11.00	10.00				
	48	11.00	10.00	11.00	10.00	11.00	10.00				
5 GHz WTR 160 MHz Bandwidth	36	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00
	134	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00

Mode	Channel	IEEE 802.11 (Maximum) in dBm - Antenna WTR									
		MMW C50M	MMW C50M	MMW C50M	MMW C50M	Types		MMW C50M	MMW C50M	MMW C50M	MMW C50M
		S2_20T (Maximum)	S2_20T (Nominal)	S50_20T (Maximum)	S50_20T (Nominal)	604T_242T (Maximum)	604T_242T (Nominal)	906T_404T (Maximum)	906T_404T (Nominal)	906T_404T_242T (Maximum)	906T_404T_242T (Nominal)
5 GHz WTR 20 MHz Bandwidth	36	13.70	13.70	13.70	13.70						
	40	13.70	13.70	13.70	13.70						
	44	13.70	13.70	13.70	13.70						
	48	13.70	13.70	13.70	13.70						
	52	13.80	13.80	13.70	13.70						
	56	13.70	13.70	13.70	13.70						
	60	13.70	13.70	13.70	13.70						
	64	13.80	13.80	13.70	13.70						
	100	11.00	10.00	11.00	10.00						
	104	11.00	10.00	11.00	10.00						
	108	11.70	10.70	11.70	10.70						
	112	11.70	10.70	11.70	10.70						
	116	11.00	10.00	11.00	10.00						
	120	11.00	10.00	11.00	10.00						
	124	11.70	10.70	11.70	10.70						
	128	11.00	10.00	11.00	10.00						
	132	11.00	10.00	11.00	10.00						
	136	11.00	10.00	11.00	10.00						
	140	11.00	10.00	11.00	10.00						
	144	11.00	10.00	11.00	10.00						
5 GHz WTR 40 MHz Bandwidth	36	13.00	12.00	13.00	12.00						
	40	13.00	12.00	13.00	12.00						
	44	13.00	12.00	13.00	12.00						
	48	13.00	12.00	13.00	12.00						
	52	13.00	12.00	13.00	12.00						
	56	13.00	12.00	13.00	12.00						
	60	13.00	12.00	13.00	12.00						
	100	11.00	10.00	11.00	10.00						
	104	11.00	10.00	11.00	10.00						
	108	11.00	10.00	11.00	10.00						
5 GHz WTR 80 MHz Bandwidth	36	11.00	10.00	11.00	10.00	11.00	10.00				
	40	11.00	10.00	11.00	10.00	11.00	10.00				
	44	11.00	10.00	11.00	10.00	11.00	10.00				
	48	11.00	10.00	11.00	10.00	11.00	10.00				
5 GHz WTR 160 MHz Bandwidth	36	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00
	134	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00	11.00	10.00

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 33 of 56

[illegible]

Mode	Channel	IEEE 802.11 (Maximum) in dBm - Antenna WP7									
		MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD	MIMO CDD
5 GHz with 20 MHz bandwidth	IS_20T (Maximum)	IS_20T (Maximum)	IS6_20T (Maximum)	IS6_20T (Maximum)	6E6_242T (Maximum)	6E6_242T (Maximum)	6E6_48T (Maximum)	6E6_48T (Maximum)	6E6_48T_242T (Maximum)	6E6_48T_242T (Maximum)	
	36	13.00	13.00	14.40	13.60						
	40	13.70	13.70	15.10	14.30						
	44	13.70	13.70	15.10	14.30						
	48	13.70	13.70	15.10	14.30						
	52	13.00	13.00	14.70	13.70						
	56	13.70	13.70	15.10	14.30						
	60	13.70	13.70	15.10	14.30						
	64	13.00	13.00	14.40	13.60						
	68	13.00	13.00	14.40	13.60						
	72	13.70	13.70	15.10	14.30						
	76	13.70	13.70	15.10	14.30						
	80	13.00	13.00	14.40	13.60						
	84	13.00	13.00	14.40	13.60						
	88	13.70	13.70	15.10	14.30						
	92	13.70	13.70	15.10	14.30						
	96	13.00	13.00	14.50	14.00						
	100	13.00	13.00	14.50	14.00						
	104	13.70	13.70	15.10	14.30						
	5 GHz with 40 MHz bandwidth	108	13.70	13.70	15.10	14.30					
112		13.70	13.70	15.10	14.30						
116		13.00	13.00	14.50	14.00						
120		13.00	13.00	14.50	14.00						
124		13.70	13.70	15.10	14.30						
128		13.00	13.00	14.50	14.00						
132		13.70	13.70	15.10	14.30						
136		13.00	13.00	14.50	14.00						
140		13.70	13.70	15.10	14.30						
144		13.00	13.00	14.50	14.00						
148		13.00	13.00	14.50	14.00						
152		13.70	13.70	15.10	14.30						
156		13.00	13.00	14.50	14.00						
160		13.70	13.70	15.10	14.30						
164		13.00	13.00	14.50	14.00						
168		13.70	13.70	15.10	14.30						
172		13.00	13.00	14.50	14.00						
176		13.70	13.70	15.10	14.30						
180		13.00	13.00	14.50	14.00						
5 GHz with 80 MHz bandwidth		184	13.70	13.70	15.10	14.30					
	188	13.00	13.00	14.50	14.00						
	192	13.70	13.70	15.10	14.30						
	196	13.00	13.00	14.50	14.00						
	200	13.70	13.70	15.10	14.30						
	204	13.00	13.00	14.50	14.00						
5 GHz with 160 MHz bandwidth	208	13.70	13.70	15.10	14.30						
	212	13.00	13.00	14.50	14.00						
	216	13.70	13.70	15.10	14.30						
	220	13.00	13.00	14.50	14.00						

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna WP7											
		MIMO 12M		MIMO 12M		MIMO 12M		MIMO 12M		MIMO 12M		MIMO 12M	
		6E2_20T (Maximum)	6E2_20T (Nominal)	6E2_20T (Maximum)	6E2_20T (Nominal)	6E2_20T (Maximum)	6E2_20T (Nominal)	6E2_20T (Maximum)	6E2_20T (Nominal)	6E2_20T (Maximum)	6E2_20T (Nominal)	6E2_20T (Maximum)	6E2_20T (Nominal)
5 GHz With 20 MHz Bandwidth	36	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00	12.00
	40	12.75	12.75	13.50	13.50	14.25	14.25	15.00	15.00	15.75	15.75	16.50	16.50
	44	13.50	13.50	14.25	14.25	15.00	15.00	15.75	15.75	16.50	16.50	17.25	17.25
	48	14.25	14.25	15.00	15.00	15.75	15.75	16.50	16.50	17.25	17.25	18.00	18.00
	52	15.00	15.00	15.75	15.75	16.50	16.50	17.25	17.25	18.00	18.00	18.75	18.75
	56	15.75	15.75	16.50	16.50	17.25	17.25	18.00	18.00	18.75	18.75	19.50	19.50
	60	16.50	16.50	17.25	17.25	18.00	18.00	18.75	18.75	19.50	19.50	20.25	20.25
	64	17.25	17.25	18.00	18.00	18.75	18.75	19.50	19.50	20.25	20.25	21.00	21.00
	68	18.00	18.00	18.75	18.75	19.50	19.50	20.25	20.25	21.00	21.00	21.75	21.75
	72	18.75	18.75	19.50	19.50	20.25	20.25	21.00	21.00	21.75	21.75	22.50	22.50
	76	19.50	19.50	20.25	20.25	21.00	21.00	21.75	21.75	22.50	22.50	23.25	23.25
	80	20.25	20.25	21.00	21.00	21.75	21.75	22.50	22.50	23.25	23.25	24.00	24.00
	84	21.00	21.00	21.75	21.75	22.50	22.50	23.25	23.25	24.00	24.00	24.75	24.75
	88	21.75	21.75	22.50	22.50	23.25	23.25	24.00	24.00	24.75	24.75	25.50	25.50
	92	22.50	22.50	23.25	23.25	24.00	24.00	24.75	24.75	25.50	25.50	26.25	26.25
	96	23.25	23.25	24.00	24.00	24.75	24.75	25.50	25.50	26.25	26.25	27.00	27.00
	100	24.00	24.00	24.75	24.75	25.50	25.50	26.25	26.25	27.00	27.00	27.75	27.75
	104	24.75	24.75	25.50	25.50	26.25	26.25	27.00	27.00	27.75	27.75	28.50	28.50
	108	25.50	25.50	26.25	26.25	27.00	27.00	27.75	27.75	28.50	28.50	29.25	29.25
	5 GHz With 40 MHz Bandwidth	112	26.25	26.25	27.00	27.00	27.75	27.75	28.50	28.50	29.25	29.25	30.00
116		27.00	27.00	27.75	27.75	28.50	28.50	29.25	29.25	30.00	30.00	30.75	30.75
120		27.75	27.75	28.50	28.50	29.25	29.25	30.00	30.00	30.75	30.75	31.50	31.50
124		28.50	28.50	29.25	29.25	30.00	30.00	30.75	30.75	31.50	31.50	32.25	32.25
128		29.25	29.25	30.00	30.00	30.75	30.75	31.50	31.50	32.25	32.25	33.00	33.00
132		30.00	30.00	30.75	30.75	31.50	31.50	32.25	32.25	33.00	33.00	33.75	33.75
136		30.75	30.75	31.50	31.50	32.25	32.25	33.00	33.00	33.75	33.75	34.50	34.50
140		31.50	31.50	32.25	32.25	33.00	33.00	33.75	33.75	34.50	34.50	35.25	35.25
144		32.25	32.25	33.00	33.00	33.75	33.75	34.50	34.50	35.25	35.25	36.00	36.00
148		33.00	33.00	33.75	33.75	34.50	34.50	35.25	35.25	36.00	36.00	36.75	36.75
152		33.75	33.75	34.50	34.50	35.25	35.25	36.00	36.00	36.75	36.75	37.50	37.50
156		34.50	34.50	35.25	35.25	36.00	36.00	36.75	36.75	37.50	37.50	38.25	38.25
5 GHz With 80 MHz Bandwidth	160	35.25	35.25	36.00	36.00	36.75	36.75	37.50	37.50	38.25	38.25	39.00	39.00
	164	36.00	36.00	36.75	36.75	37.50	37.50	38.25	38.25	39.00	39.00	39.75	39.75
	168	36.75	36.75	37.50	37.50	38.25	38.25	39.00	39.00	39.75	39.75	40.50	40.50
	172	37.50	37.50	38.25	38.25	39.00	39.00	39.75	39.75	40.50	40.50	41.25	41.25
5 GHz With 160 MHz Bandwidth	176	38.25	38.25	39.00	39.00	39.75	39.75	40.50	40.50	41.25	41.25	42.00	42.00
	180	39.00	39.00	39.75	39.75	40.50	40.50	41.25	41.25	42.00	42.00	42.75	42.75

Mode	Channel	IEEE 802.11 (Maximum) in dBm - Antenna WTR									
		S50	S50	S50	S50	Totals		S50	S50	S50	S50
		S2_247 (Maximum)	S2_247 (Maximum)	S4_247 (Maximum)	S4_247 (Maximum)	8047_247 (Maximum)	8047_247 (Maximum)	8047_487 (Maximum)	8047_487 (Maximum)	8047_487_247 (Maximum)	8047_487_247 (Maximum)
4 GHz WTR (Maximum WTR) LP	1	95	95	95	95						
	5	4.10	-3.10	-3.10	-3.10						
	15	4.10	-3.10	-3.10	-3.10						
	30	4.00	-3.00	-3.00	-3.00						
	45	3.10	-2.10	-2.10	-2.10						
	60	4.10	-3.10	-3.10	-3.10						
	75	4.10	-3.10	-3.10	-3.10						
	90	3.00	-2.00	-2.00	-2.00						
	105	3.10	-2.10	-2.10	-2.10						
	120	3.10	-2.10	-2.10	-2.10						
	135	3.10	-2.10	-2.10	-2.10						
	150	3.10	-2.10	-2.10	-2.10						
	165	3.10	-2.10	-2.10	-2.10						
	180	3.10	-2.10	-2.10	-2.10						
	195	3.10	-2.10	-2.10	-2.10						
4 GHz WTR (Maximum WTR) LP	210	3.10	-2.10	-2.10	-2.10						
	225	3.10	-2.10	-2.10	-2.10						
	240	3.10	-2.10	-2.10	-2.10						
	255	3.10	-2.10	-2.10	-2.10						
	270	3.10	-2.10	-2.10	-2.10						
	285	3.10	-2.10	-2.10	-2.10						
	300	3.10	-2.10	-2.10	-2.10						
	315	3.10	-2.10	-2.10	-2.10						
	330	3.10	-2.10	-2.10	-2.10						
	345	3.10	-2.10	-2.10	-2.10						
	360	3.10	-2.10	-2.10	-2.10						
	375	3.10	-2.10	-2.10	-2.10						
	390	3.10	-2.10	-2.10	-2.10						
	405	3.10	-2.10	-2.10	-2.10						
	420	3.10	-2.10	-2.10	-2.10						
4 GHz WTR (Maximum WTR) LP	435	3.10	-2.10	-2.10	-2.10						
	450	3.10	-2.10	-2.10	-2.10						
	465	3.10	-2.10	-2.10	-2.10						
	480	3.10	-2.10	-2.10	-2.10						
	495	3.10	-2.10	-2.10	-2.10						
	510	3.10	-2.10	-2.10	-2.10						
	525	3.10	-2.10	-2.10	-2.10						
	540	3.10	-2.10	-2.10	-2.10						
	555	3.10	-2.10	-2.10	-2.10						
	570	3.10	-2.10	-2.10	-2.10						
	585	3.10	-2.10	-2.10	-2.10						
	600	3.10	-2.10	-2.10	-2.10						
	615	3.10	-2.10	-2.10	-2.10						
	630	3.10	-2.10	-2.10	-2.10						
	645	3.10	-2.10	-2.10	-2.10						

Mode	Channel	IEEE 802.11 (Maximum) in dBm - Antenna WTR									
		MIMO C00	MIMO C00	MIMO C00	MIMO C00	Totals		MIMO C00	MIMO C00	MIMO C00	MIMO C00
		S2_247 (Maximum)	S2_247 (Maximum)	S4_247 (Maximum)	S4_247 (Maximum)	8047_247 (Maximum)	8047_247 (Maximum)	8047_487 (Maximum)	8047_487 (Maximum)	8047_487_247 (Maximum)	8047_487_247 (Maximum)
4 GHz WTR (Maximum WTR) LP	1	95	95	95	95						
	5	-1.10	-2.10	-2.10	-2.10						
	15	-1.10	-2.10	-2.10	-2.10						
	30	-1.10	-2.10	-2.10	-2.10						
	45	-1.10	-2.10	-2.10	-2.10						
	60	-1.10	-2.10	-2.10	-2.10						
	75	-1.10	-2.10	-2.10	-2.10						
	90	-1.10	-2.10	-2.10	-2.10						
	105	-1.10	-2.10	-2.10	-2.10						
	120	-1.10	-2.10	-2.10	-2.10						
	135	-1.10	-2.10	-2.10	-2.10						
	150	-1.10	-2.10	-2.10	-2.10						
	165	-1.10	-2.10	-2.10	-2.10						
	180	-1.10	-2.10	-2.10	-2.10						
	195	-1.10	-2.10	-2.10	-2.10						
	210	-1.10	-2.10	-2.10	-2.10						
4 GHz WTR (Maximum WTR) LP	225	-1.10	-2.10	-2.10	-2.10						
	240	-1.10	-2.10	-2.10	-2.10						
	255	-1.10	-2.10	-2.10	-2.10						
	270	-1.10	-2.10	-2.10	-2.10						
	285	-1.10	-2.10	-2.10	-2.10						
	300	-1.10	-2.10	-2.10	-2.10						
	315	-1.10	-2.10	-2.10	-2.10						
	330	-1.10	-2.10	-2.10	-2.10						
	345	-1.10	-2.10	-2.10	-2.10						
	360	-1.10	-2.10	-2.10	-2.10						
	375	-1.10	-2.10	-2.10	-2.10						
	390	-1.10	-2.10	-2.10	-2.10						
	405	-1.10	-2.10	-2.10	-2.10						
	420	-1.10	-2.10	-2.10	-2.10						
	435	-1.10	-2.10	-2.10	-2.10						
	450	-1.10	-2.10	-2.10	-2.10						
4 GHz WTR (Maximum WTR) LP	465	-1.10	-2.10	-2.10	-2.10						
	480	-1.10	-2.10	-2.10	-2.10						
	495	-1.10	-2.10	-2.10	-2.10						
	510	-1.10	-2.10	-2.10	-2.10						
	525	-1.10	-2.10	-2.10	-2.10						
	540	-1.10	-2.10	-2.10	-2.10						
	555	-1.10	-2.10	-2.10	-2.10						
	570	-1.10	-2.10	-2.10	-2.10						
	585	-1.10	-2.10	-2.10	-2.10						
	600	-1.10	-2.10	-2.10	-2.10						
	615	-1.10	-2.10	-2.10	-2.10						
	630	-1.10	-2.10	-2.10	-2.10						
	645	-1.10	-2.10	-2.10	-2.10						
	660	-1.10	-2.10	-2.10	-2.10						
	675	-1.10	-2.10	-2.10	-2.10						
	690	-1.10	-2.10	-2.10	-2.10						

Mode	Channel	IEEE 802.11 (Maximum) in dBm - Antenna WTR									
		MIMO C00		MIMO C00		MIMO C00		MIMO C00		MIMO C00	
		S2_247 (Maximum)	S2_247 (Maximum)	S4_247 (Maximum)	S4_247 (Maximum)	S8_247 (Maximum)	S8_247 (Maximum)	S16_247 (Maximum)	S16_247 (Maximum)	S32_247 (Maximum)	S32_247 (Maximum)
4 GHz WTR (Maximum WTR) LP	1	95	95	95	95	95	95	95	95	95	95
	5	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	15	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	30	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	45	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	60	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	75	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	90	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	105	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	120	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	135	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	150	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	165	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	180	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	195	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	210	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
4 GHz WTR (Maximum WTR) LP	225	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	240	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	255	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	270	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	285	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	300	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	315	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	330	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	345	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	360	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	375	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	390	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	405	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	420	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	435	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	450	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
4 GHz WTR (Maximum WTR) LP	465	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	480	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	495	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	510	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	525	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	540	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10
	555	1.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10

Metric	Channel	433 402 13 (Emissions in dBm) - Average WPA3									
		SISO		MISO		MISO		MISO		MISO	
		433 402 13 (Emissions in dBm)	433 402 13 (Emissions in dBm)	433 402 13 (Emissions in dBm)	433 402 13 (Emissions in dBm)	433 402 13 (Emissions in dBm)	433 402 13 (Emissions in dBm)	433 402 13 (Emissions in dBm)	433 402 13 (Emissions in dBm)	433 402 13 (Emissions in dBm)	433 402 13 (Emissions in dBm)
4 Gbit/s (Channel 13) VLP	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4 Gbit/s (Channel 13) VLP	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4 Gbit/s (Channel 13) VLP	21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Male	Channel	EST. 1992-11 (Rebroadcasts in effect: August 2018)									
		MWHD 1200	MWHD 1200	MWHD 1200	MWHD 1200	MWHD 1200	MWHD 1200	MWHD 1200	MWHD 1200	MWHD 1200	MWHD 1200
C-Gate with (caption text) VLP	2	12,421 (Rebroadcast)	12,421 (Rebroadcast)	12,421 (Rebroadcast)	12,421 (Rebroadcast)	441,441 (Rebroadcast)	441,441 (Rebroadcast)	441,441 (Rebroadcast)	441,441 (Rebroadcast)	441,441 (Rebroadcast)	441,441 (Rebroadcast)
	3	NS	NS	NS	NS						
	4	NS	NS	NS	NS						
	5	NS	NS	NS	NS						
	6-20	1-10	1-10	1-10	1-10						
	21-30	1-10	1-10	1-10	1-10						
	31	1-10	1-10	1-10	1-10						
	32	1-10	1-10	1-10	1-10						
	33-113	1-10	1-10	1-10	1-10						
	114	1-10	1-10	1-10	1-10						
	115	1-10	1-10	1-10	1-10						
	116	1-10	1-10	1-10	1-10						
	117	1-10	1-10	1-10	1-10						
	118	1-10	1-10	1-10	1-10						
	119	1-10	1-10	1-10	1-10						
C-Gate with (caption text) VLP	1	NS	NS	NS	NS						
	2	NS	NS	NS	NS						
	3	NS	NS	NS	NS						
	4-20	NS	NS	NS	NS						
	21-30	1-10	1-10	1-10	1-10						
	31	1-10	1-10	1-10	1-10						
	32	1-10	1-10	1-10	1-10						
	33-113	1-10	1-10	1-10	1-10						
	114	1-10	1-10	1-10	1-10						
	115	1-10	1-10	1-10	1-10						
	116	1-10	1-10	1-10	1-10						
	117	1-10	1-10	1-10	1-10						
	118	1-10	1-10	1-10	1-10						
	119	1-10	1-10	1-10	1-10						
	C-Gate with (caption text) VLP	2	NS	NS	NS	NS					
3		NS	NS	NS	NS						
4-20		NS	NS	NS	NS						
21		1-10	1-10	1-10	1-10						
22		1-10	1-10	1-10	1-10						
23		1-10	1-10	1-10	1-10						
24		1-10	1-10	1-10	1-10						
25		1-10	1-10	1-10	1-10						
26		1-10	1-10	1-10	1-10						
27		1-10	1-10	1-10	1-10						
28		1-10	1-10	1-10	1-10						
29		1-10	1-10	1-10	1-10						
30		1-10	1-10	1-10	1-10						
31		1-10	1-10	1-10	1-10						
32		1-10	1-10	1-10	1-10						

[illegible][illegible]

Model	Channel	E12 B01 A1 (Measurements in dBm) - Reference W98									
		MIMO C00	MIMO C00	MIMO C00	MIMO C00	MIMO C00		MIMO C00	MIMO C00	MIMO C00	MIMO C00
		52_247 (Measurement)	52_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)		55_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)
6 GHz W98 (Reference W98) VLP	2	40	40	40	40						
	3	40	40	40	40						
	4	40	40	40	40						
	5	40	40	40	40						
	6	40	40	40	40						
	7	40	40	40	40						
	8	40	40	40	40						
	9	40	40	40	40						
	10	40	40	40	40						
	11	40	40	40	40						
6 GHz W98 (Reference W98) VLP	12	40	40	40	40						
	13	40	40	40	40						
	14	40	40	40	40						
	15	40	40	40	40						
	16	40	40	40	40						
	17	40	40	40	40						
	18	40	40	40	40						
	19	40	40	40	40						
	20	40	40	40	40						
	21	40	40	40	40						
6 GHz W98 (Reference W98) VLP	22	40	40	40	40						
	23	40	40	40	40						
	24	40	40	40	40						
	25	40	40	40	40						
	26	40	40	40	40						
	27	40	40	40	40						
	28	40	40	40	40						
	29	40	40	40	40						
	30	40	40	40	40						
	31	40	40	40	40						
6 GHz W98 (Reference W98) VLP	32	40	40	40	40						
	33	40	40	40	40						
	34	40	40	40	40						
	35	40	40	40	40						
	36	40	40	40	40						
	37	40	40	40	40						
	38	40	40	40	40						
	39	40	40	40	40						
	40	40	40	40	40						
	41	40	40	40	40						

Model	Channel	E12 B01 A1 (Measurements in dBm) - Reference W98									
		MIMO C00	MIMO C00	MIMO C00	MIMO C00	MIMO C00		MIMO C00	MIMO C00	MIMO C00	MIMO C00
		52_247 (Measurement)	52_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)		55_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)
6 GHz W98 (Reference W98) VLP	2	40	40	40	40						
	3	40	40	40	40						
	4	40	40	40	40						
	5	40	40	40	40						
	6	40	40	40	40						
	7	40	40	40	40						
	8	40	40	40	40						
	9	40	40	40	40						
	10	40	40	40	40						
	11	40	40	40	40						
6 GHz W98 (Reference W98) VLP	12	40	40	40	40						
	13	40	40	40	40						
	14	40	40	40	40						
	15	40	40	40	40						
	16	40	40	40	40						
	17	40	40	40	40						
	18	40	40	40	40						
	19	40	40	40	40						
	20	40	40	40	40						
	21	40	40	40	40						
6 GHz W98 (Reference W98) VLP	22	40	40	40	40						
	23	40	40	40	40						
	24	40	40	40	40						
	25	40	40	40	40						
	26	40	40	40	40						
	27	40	40	40	40						
	28	40	40	40	40						
	29	40	40	40	40						
	30	40	40	40	40						
	31	40	40	40	40						

Model	Channel	E12 B01 A1 (Measurements in dBm) - Reference W98									
		MIMO C00	MIMO C00	MIMO C00	MIMO C00	MIMO C00		MIMO C00	MIMO C00	MIMO C00	MIMO C00
		52_247 (Measurement)	52_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)		55_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)	55_247 (Measurement)
6 GHz W98 (Reference W98) VLP	2	40	40	40	40						
	3	40	40	40	40						
	4	40	40	40	40						
	5	40	40	40	40						
	6	40	40	40	40						
	7	40	40	40	40						
	8	40	40	40	40						
	9	40	40	40	40						
	10	40	40	40	40						
	11	40	40	40	40						
6 GHz W98 (Reference W98) VLP	12	40	40	40	40						
	13	40	40	40	40						
	14	40	40	40	40						
	15	40	40	40	40						
	16	40	40	40	40						
	17	40	40	40	40						
	18	40	40	40	40						
	19	40	40	40	40						
	20	40	40	40	40						
	21	40	40	40	40						
6 GHz W98 (Reference W98) VLP	22	40	40	40	40						
	23	40	40	40	40						
	24	40	40	40	40						
	25	40	40	40	40						
	26	40	40	40	40						
	27	40	40	40	40						
	28	40	40	40	40						
	29	40	40	40	40						
	30	40	40	40	40						
	31	40	40	40	40						

Model	Channel	E12 RB 11 (Measurement in dBm) - Reference 98B									
		MIMO 10M	MIMO 10M	MIMO 10M	MIMO 10M	MIMO 10M		MIMO 10M	MIMO 10M	MIMO 10M	MIMO 10M
		52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)		52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)
6 GHz VEH (Spectrum 500) LP	2	95	95	95	95						
	3	10.75	10.75	10.75	10.75						
	5	10.75	10.75	10.75	10.75						
	10.25	10.75	10.75	10.75	10.75						
	10.75	10.75	10.75	10.75	10.75						
	11	11.00	11.00	11.00	11.00						
	11.25	11.00	11.00	11.00	11.00						
	11.50	10.75	10.75	10.75	10.75						
	11.75	10.75	10.75	10.75	10.75						
	12	10.75	10.75	10.75	10.75						
6 GHz VEH (Spectrum 500) LP	12.25	10.75	10.75	10.75	10.75						
	12.5	10.75	10.75	10.75	10.75						
	12.75	10.75	10.75	10.75	10.75						
	13	10.75	10.75	10.75	10.75						
	13.25	10.75	10.75	10.75	10.75						
	13.5	10.75	10.75	10.75	10.75						
	13.75	10.75	10.75	10.75	10.75						
	14	10.75	10.75	10.75	10.75						
	14.25	10.75	10.75	10.75	10.75						
	14.5	10.75	10.75	10.75	10.75						
6 GHz VEH (Spectrum 500) LP	14.75	10.75	10.75	10.75	10.75						
	15	10.75	10.75	10.75	10.75						
	15.25	10.75	10.75	10.75	10.75						
	15.5	10.75	10.75	10.75	10.75						
	15.75	10.75	10.75	10.75	10.75						
	16	10.75	10.75	10.75	10.75						
	16.25	10.75	10.75	10.75	10.75						
	16.5	10.75	10.75	10.75	10.75						
	16.75	10.75	10.75	10.75	10.75						
	17	10.75	10.75	10.75	10.75						
	17.25	10.75	10.75	10.75	10.75						
6 GHz VEH (Spectrum 500) LP	17.5	10.75	10.75	10.75	10.75						
	17.75	10.75	10.75	10.75	10.75						
	18	10.75	10.75	10.75	10.75						
	18.25	10.75	10.75	10.75	10.75						
	18.5	10.75	10.75	10.75	10.75						
	18.75	10.75	10.75	10.75	10.75						
	19	10.75	10.75	10.75	10.75						
	19.25	10.75	10.75	10.75	10.75						
	19.5	10.75	10.75	10.75	10.75						
	19.75	10.75	10.75	10.75	10.75						

Model	Channel	E12 RB 11 (Measurement in dBm) - Reference 98B									
		SISO	SISO	SISO	SISO	SISO		SISO	SISO	SISO	SISO
		52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)		52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)
6 GHz VEH (Spectrum 500) LP	2	95	95	95	95						
	3	4.50	4.50	4.50	4.50						
	5	4.50	4.50	4.50	4.50						
	10.25	4.50	4.50	4.50	4.50						
	10.75	4.50	4.50	4.50	4.50						
	11	4.50	4.50	4.50	4.50						
	11.25	4.50	4.50	4.50	4.50						
	11.50	4.50	4.50	4.50	4.50						
	11.75	4.50	4.50	4.50	4.50						
	12	4.50	4.50	4.50	4.50						
6 GHz VEH (Spectrum 500) LP	12.25	4.50	4.50	4.50	4.50						
	12.5	4.50	4.50	4.50	4.50						
	12.75	4.50	4.50	4.50	4.50						
	13	4.50	4.50	4.50	4.50						
	13.25	4.50	4.50	4.50	4.50						
	13.5	4.50	4.50	4.50	4.50						
	13.75	4.50	4.50	4.50	4.50						
	14	4.50	4.50	4.50	4.50						
	14.25	4.50	4.50	4.50	4.50						
	14.5	4.50	4.50	4.50	4.50						
6 GHz VEH (Spectrum 500) LP	14.75	4.50	4.50	4.50	4.50						
	15	4.50	4.50	4.50	4.50						
	15.25	4.50	4.50	4.50	4.50						
	15.5	4.50	4.50	4.50	4.50						
	15.75	4.50	4.50	4.50	4.50						
	16	4.50	4.50	4.50	4.50						
	16.25	4.50	4.50	4.50	4.50						
	16.5	4.50	4.50	4.50	4.50						
	16.75	4.50	4.50	4.50	4.50						
	17	4.50	4.50	4.50	4.50						
6 GHz VEH (Spectrum 500) LP	17.25	4.50	4.50	4.50	4.50						
	17.5	4.50	4.50	4.50	4.50						
	17.75	4.50	4.50	4.50	4.50						
	18	4.50	4.50	4.50	4.50						
	18.25	4.50	4.50	4.50	4.50						
	18.5	4.50	4.50	4.50	4.50						
	18.75	4.50	4.50	4.50	4.50						
	19	4.50	4.50	4.50	4.50						
	19.25	4.50	4.50	4.50	4.50						
	19.5	4.50	4.50	4.50	4.50						
6 GHz VEH (Spectrum 500) LP	19.75	4.50	4.50	4.50	4.50						
	20	4.50	4.50	4.50	4.50						
	20.25	4.50	4.50	4.50	4.50						
	20.5	4.50	4.50	4.50	4.50						
	20.75	4.50	4.50	4.50	4.50						
	21	4.50	4.50	4.50	4.50						
	21.25	4.50	4.50	4.50	4.50						
	21.5	4.50	4.50	4.50	4.50						
	21.75	4.50	4.50	4.50	4.50						
	22	4.50	4.50	4.50	4.50						

Site ID	Channel	E12 RB 11 (Measurement) in dBm - Reference 98B									
		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD		MIMO CSD	MIMO CSD	MIMO CSD	MIMO CSD
		52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)	52_267 (Measurement)	66E_267 (Measurement)	66E_267 (Measurement)	66E_267 (Measurement)	66E_267 (Measurement)	66E_267 (Measurement)	66E_267 (Measurement)
6 GHz VEH (Spectrum 500) LP	2	95	95	95	95						
	3	-1.50	-1.50	-1.50	-1.50						
	5	-1.50	-1.50	-1.50	-1.50						
	10.25	-1.50	-1.50	-1.50	-1.50						
	10.75	-1.50	-1.50	-1.50	-1.50						
	11	-1.50	-1.50	-1.50	-1.50						
	11.25	-1.50	-1.50	-1.50	-1.50						
	11.50	-1.50	-1.50	-1.50	-1.50						
	11.75	-1.50	-1.50	-1.50	-1.50						
	12	-1.50	-1.50	-1.50	-1.50						
6 GHz VEH (Spectrum 500) LP	12.25	-1.50	-1.50	-1.50	-1.50						
	12.5	-1.50	-1.50	-1.50	-1.50						
	12.75	-1.50	-1.50	-1.50	-1.50						
	13	-1.50	-1.50	-1.50	-1.50						
	13.25	-1.50	-1.50	-1.50	-1.50						
	13.5	-1.50	-1.50	-1.50	-1.50						
	13.75	-1.50	-1.50	-1.50	-1.50						
	14	-1.50	-1.50	-1.50	-1.50						
	14.25	-1.50	-1.50	-1.50	-1.50						
	14.5	-1.50	-1.50	-1.50	-1.50						
6 GHz VEH (Spectrum 500) LP	14.75	-1.50	-1.50	-1.50	-1.50						
	15	-1.50	-1.50	-1.50	-1.50						
	15.25	-1.50	-1.50	-1.50	-1.50						
	15.5	-1.50	-1.50	-1.50	-1.50						
	15.75	-1.50	-1.50	-1.50	-1.50						
	16	-1.50	-1.50	-1.50	-1.50						
	16.25	-1.50	-1.50	-1.50	-1.50						
	16.5	-1.50	-1.50	-1.50	-1.50						
	16.75	-1.50	-1.50	-1.50	-1.50						
	17	-1.50	-1.50	-1.50	-1.50						
6 GHz VEH (Spectrum 500) LP	17.25	-1.50	-1.50	-1.50	-1.50						
	17.5	-1.50	-1.50	-1.50	-1.50						
	17.75	-1.50	-1.50	-1.50	-1.50						
	18	-1.50	-1.50	-1.50	-1.50						
	18.25	-1.50	-1.50	-1.50	-1.50						
	18.5	-1.50	-1.50	-1.50	-1.50						
	18.75	-1.50	-1.50	-1.50	-1.50						
	19	-1.50	-1.50	-1.50	-1.50						
	19.25	-1.50	-1.50	-1.50	-1.50						
	19.5	-1.50	-1.50	-1.50	-1.50						
6 GHz VEH (Spectrum 500) LP	19.75	-1.50	-1.50	-1.50	-1.50						
	20	-1.50	-1.50	-1.50	-1.50						
	20.25	-1.50	-1.50	-1.50	-1.50						
	20.5	-1.50	-1.50	-1.50	-1.50						
	20.75	-1.50	-1.50	-1.50	-1.50						
	21	-1.50	-1.50	-1.50	-1.50						
	21.25	-1.50	-1.50	-1.50	-1.50						
	21.5	-1.50	-1.50	-1.50	-1.50						
	21.75	-1.50	-1.50	-1.50	-1.50						
	22	-1.50	-1.50	-1.50	-1.50						

[illegible]

Index	Channel	IEEE 802.11 (Maximum is 40dBm) Antenna WP7									
		S50	S90	S90	S90	S90	S90	S90	S90	S90	S90
4 GHz WP7 (Maximum WP7)	1	13,415 (Maximum)	13,415 (Maximum)	15,415 (Maximum)	15,415 (Maximum)	480,1415 (Maximum)	480,1415 (Maximum)	480,1415 (Maximum)	480,1415 (Maximum)	480,1415 (Maximum)	480,1415 (Maximum)
	2	90	90	90	90						
	3	90	90	90	90						
	4	90	90	90	90						
	5	90	90	90	90						
	6	90	90	90	90						
	7	90	90	90	90						
	8	90	90	90	90						
	9	90	90	90	90						
	10	90	90	90	90						
	11	90	90	90	90						
	12	90	90	90	90						
	13	90	90	90	90						
	14	90	90	90	90						
4 GHz WP7 (Maximum WP7)	1	90	90	90	90						
	2	90	90	90	90						
	3	90	90	90	90						
	4	90	90	90	90						
	5	90	90	90	90						
	6	90	90	90	90						
	7	90	90	90	90						
	8	90	90	90	90						
	9	90	90	90	90						
	10	90	90	90	90						
	11	90	90	90	90						
	12	90	90	90	90						
	13	90	90	90	90						
	14	90	90	90	90						
4 GHz WP7 (Maximum WP7)	1	90	90	90	90						
	2	90	90	90	90						
	3	90	90	90	90						
	4	90	90	90	90						
	5	90	90	90	90						
	6	90	90	90	90						
	7	90	90	90	90						
	8	90	90	90	90						
	9	90	90	90	90						
	10	90	90	90	90						
	11	90	90	90	90						
	12	90	90	90	90						
	13	90	90	90	90						
	14	90	90	90	90						
4 GHz WP7 (Maximum WP7)	1	90	90	90	90						
	2	90	90	90	90						
	3	90	90	90	90						
	4	90	90	90	90						
	5	90	90	90	90						
	6	90	90	90	90						
	7	90	90	90	90						
	8	90	90	90	90						
	9	90	90	90	90						
	10	90	90	90	90						
	11	90	90	90	90						
	12	90	90	90	90						
	13	90	90	90	90						
	14	90	90	90	90						

Isule	Channel	IEEE 802.11 (Standard in dBm) - Antenna WB7													
		MIMO C10	MIMO C20	MIMO C30	MIMO C50	MIMO C60	MIMO C70	MIMO C80	MIMO C90	MIMO C100	MIMO C120				
4 GHz with (channel 60) VLP	1	13,247 (Maximum)	12,207 (Maximum)	105,247 (Maximum)	105,247 (Maximum)	4867,3427 (Maximum)						4867,3427 (Maximum)	4867,4867 (Maximum)	4867,4867 (Maximum)	4867,4867 (Maximum)
	2	95	95	95	95	95	95	95	95	95	95	95	95	95	
	3	95	95	95	95	95	95	95	95	95	95	95	95	95	
	4	95	95	95	95	95	95	95	95	95	95	95	95	95	
	5	95	95	95	95	95	95	95	95	95	95	95	95	95	
	6	95	95	95	95	95	95	95	95	95	95	95	95	95	
	7	95	95	95	95	95	95	95	95	95	95	95	95	95	
	8	95	95	95	95	95	95	95	95	95	95	95	95	95	
	9	95	95	95	95	95	95	95	95	95	95	95	95	95	
	10	95	95	95	95	95	95	95	95	95	95	95	95	95	
	11	95	95	95	95	95	95	95	95	95	95	95	95	95	
	12	95	95	95	95	95	95	95	95	95	95	95	95	95	
	13	95	95	95	95	95	95	95	95	95	95	95	95	95	
	14	95	95	95	95	95	95	95	95	95	95	95	95	95	
	15	95	95	95	95	95	95	95	95	95	95	95	95	95	
4 GHz with (channel 60) VLP	1	95	95	95	95	95	95	95	95	95	95	95	95	95	
	2	95	95	95	95	95	95	95	95	95	95	95	95	95	
	3	95	95	95	95	95	95	95	95	95	95	95	95	95	
	4	95	95	95	95	95	95	95	95	95	95	95	95	95	
	5	95	95	95	95	95	95	95	95	95	95	95	95	95	
	6	95	95	95	95	95	95	95	95	95	95	95	95	95	
	7	95	95	95	95	95	95	95	95	95	95	95	95	95	
	8	95	95	95	95	95	95	95	95	95	95	95	95	95	
	9	95	95	95	95	95	95	95	95	95	95	95	95	95	
	10	95	95	95	95	95	95	95	95	95	95	95	95	95	
	11	95	95	95	95	95	95	95	95	95	95	95	95	95	
	12	95	95	95	95	95	95	95	95	95	95	95	95	95	
	13	95	95	95	95	95	95	95	95	95	95	95	95	95	
	14	95	95	95	95	95	95	95	95	95	95	95	95	95	
	15	95	95	95	95	95	95	95	95	95	95	95	95	95	
4 GHz with (channel 60) VLP	1	95	95	95	95	95	95	95	95	95	95	95	95	95	
	2	95	95	95	95	95	95	95	95	95	95	95	95	95	
	3	95	95	95	95	95	95	95	95	95	95	95	95	95	
	4	95	95	95	95	95	95	95	95	95	95	95	95	95	
	5	95	95	95	95	95	95	95	95	95	95	95	95	95	
	6	95	95	95	95	95	95	95	95	95	95	95	95	95	
	7	95	95	95	95	95	95	95	95	95	95	95	95	95	
	8	95	95	95	95	95	95	95	95	95	95	95	95	95	
	9	95	95	95	95	95	95	95	95	95	95	95	95	95	
	10	95	95	95	95	95	95	95	95	95	95	95	95	95	
	11	95	95	95	95	95	95	95	95	95	95	95	95	95	
	12	95	95	95	95	95	95	95	95	95	95	95	95	95	
	13	95	95	95	95	95	95	95	95	95	95	95	95	95	
	14	95	95	95	95	95	95	95	95	95	95	95	95	95	
	15	95	95	95	95	95	95	95	95	95	95	95	95	95	

Title	ISE 802.11 (802.11n) to 802.11ac - Antenna WP7											
	Channel	MIMO 1200	MIMO 1200	MIMO 1200	MIMO 1200	MIMO 1200	MIMO 1200	MIMO 1200	MIMO 1200	MIMO 1200	MIMO 1200	MIMO 1200
4 GHz with (Channel 36) VLP	1	12_241 (Maximum)	12_242 (Maximum)	12_243 (Maximum)	12_244 (Maximum)	481_245 (Maximum)	481_246 (Maximum)	481_247 (Maximum)	481_248 (Maximum)	481_249 (Maximum)	481_250 (Maximum)	481_251 (Maximum)
	2	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	3	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	4	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	5	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	6	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	7	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	8	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	9	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	10	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	11	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	12	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
4 GHz with (Channel 36) VLP	13	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	14	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	15	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	16	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	17	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	18	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	19	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	20	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	21	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	22	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	23	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	24	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
4 GHz with (Channel 36) VLP	25	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	26	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	27	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	28	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	29	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	30	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	31	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	32	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	33	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	34	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	35	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	36	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
4 GHz with (Channel 36) VLP	37	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	38	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	39	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	40	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	41	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	42	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	43	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	44	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	45	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	46	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	47	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251
	48	12_241	12_242	12_243	12_244	481_245	481_246	481_247	481_248	481_249	481_250	481_251

G.3 IEEE 802.11ax RU Target Powers

Table G-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF8

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	12.12	13.45	13.01
2437	6	26T	13.20	13.25	13.13
2462	11	26T	13.00	13.42	11.77
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	12.89	13.62	13.67
2437	6	52T	16.27	16.30	16.16
2462	11	52T	14.29	14.47	13.18
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	13.31	13.80	
2437	6	106T	18.72	18.69	
2462	11	106T	14.48	13.61	

Table G-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF7

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	12.39	12.77	12.60
2437	6	26T	12.60	12.86	11.71
2462	11	26T	11.88	12.57	12.36
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	13.53	13.58	13.67
2437	6	52T	15.78	15.95	14.87
2462	11	52T	13.12	13.69	13.61

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 43 of 56

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	13.52	13.64	
2437	6	106T	18.52	17.83	
2462	11	106T	13.38	13.79	

Table G-3
Maximum 2.4 GHz 802.11ax RU Output Power – Ant WF9

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	12.84	13.31	13.13
2437	6	26T	13.05	13.47	12.24
2462	11	26T	12.42	13.48	12.86
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	13.47	13.49	13.62
2437	6	52T	16.20	16.38	15.29
2462	11	52T	13.74	14.25	14.18
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	13.47	13.73	
2437	6	106T	19.24	18.52	
2462	11	106T	13.99	14.40	

Table G-2
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	9.84	10.72	9.86
		5200	40	26T	9.94	10.77	9.97
		5220	44	26T	9.65	10.58	9.73
		5240	48	26T	9.64	10.67	9.93
	3	5745	149	26T	9.80	10.57	9.69
		5785	157	26T	9.75	10.61	9.68
		5825	165	26T	9.75	10.57	9.68

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 44 of 56

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	1	5180	36	52T	12.92	13.35	13.04
		5200	40	52T	13.05	13.42	13.08
		5220	44	52T	12.85	13.29	12.94
		5240	48	52T	12.94	13.43	13.11
	2A	5260	52	52T	12.85	13.26	13.01
		5280	56	52T	12.87	13.25	13.01
		5300	60	52T	12.82	13.23	12.95
		5320	64	52T	12.87	13.22	12.88
	2C	5500	100	52T	12.99	13.30	12.95
		5600	120	52T	12.88	13.25	12.88
		5580	124	52T	12.91	13.23	12.84
		5720	144	52T	13.10	13.44	13.02
20MHz BW	3	5745	149	52T	12.84	13.16	12.76
		5785	157	52T	12.81	13.18	12.84
		5825	165	52T	12.88	13.27	12.80
	1	5180	36	106T	15.53	15.60	
		5200	40	106T	16.13	16.09	
		5220	44	106T	15.93	16.00	
		5240	48	106T	16.12	16.18	
	2A	5260	52	106T	16.06	16.11	
		5280	56	106T	16.06	16.15	
		5300	60	106T	15.97	16.06	
		5320	64	106T	15.56	15.60	
	2C	5500	100	106T	13.44	13.42	
		5600	120	106T	15.95	15.92	
		5620	124	106T	15.97	16.01	
		5720	144	106T	16.10	16.07	
	3	5745	149	106T	15.89	16.01	
		5785	157	106T	16.04	16.06	
		5825	165	106T	16.06	16.00	

Table G-5
Maximum 5 GHz 802.11ax RU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	9.85	10.86	10.07
		5200	40	26T	9.92	10.84	9.98
		5220	44	26T	9.75	10.84	10.09
		5240	48	26T	9.87	10.36	10.44
	3	5745	149	26T	9.68	10.50	9.64
		5785	157	26T	9.65	10.44	9.58
		5825	165	26T	9.69	10.46	9.55

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 45 of 56

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	1	5180	36	52T	13.09	13.56	13.26
		5200	40	52T	13.14	13.58	13.28
		5220	44	52T	13.02	13.49	13.25
		5240	48	52T	13.14	13.58	13.28
	2A	5260	52	52T	13.18	13.65	13.36
		5280	56	52T	13.15	13.64	13.38
		5300	60	52T	13.13	13.54	13.22
		5320	64	52T	13.09	13.54	13.20
	2C	5500	100	52T	12.35	12.72	12.33
		5600	120	52T	12.72	13.03	12.62
		5580	124	52T	12.67	12.93	12.57
		5720	144	52T	12.79	13.09	12.73
	3	5745	149	52T	12.84	13.12	12.70
		5785	157	52T	12.75	13.07	12.73
		5825	165	52T	12.83	13.07	12.75
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	1	5180	36	106T	15.17	15.35	
		5200	40	106T	15.72	15.73	
		5220	44	106T	15.63	15.79	
		5240	48	106T	15.77	15.90	
	2A	5260	52	106T	15.50	15.60	
		5280	56	106T	15.57	15.69	
		5300	60	106T	15.45	15.55	
		5320	64	106T	15.16	15.27	
	2C	5500	100	106T	12.51	12.51	
		5600	120	106T	13.86	13.88	
		5620	124	106T	13.82	13.77	
		5720	144	106T	13.85	13.79	
	3	5745	149	106T	14.58	14.90	
		5785	157	106T	14.87	14.83	
		5825	165	106T	14.94	14.83	

Table G-6
Maximum 5 GHz 802.11ax RU Output Power – Ant WF7

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	9.69	10.60	9.82
		5200	40	26T	9.50	10.36	9.62
		5220	44	26T	9.59	10.51	9.68
		5240	48	26T	9.43	10.48	9.56
	3	5745	149	26T	9.35	10.02	9.23
		5785	157	26T	9.30	10.13	9.21
		5825	165	26T	9.31	10.09	9.14

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 46 of 56

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	1	5180	36	52T	12.84	13.32	12.92
		5200	40	52T	12.68	13.12	12.73
		5220	44	52T	12.74	13.07	12.85
		5240	48	52T	12.69	13.09	12.77
	2A	5260	52	52T	12.72	13.13	12.72
		5280	56	52T	12.75	13.15	12.85
		5300	60	52T	12.82	13.19	12.90
		5320	64	52T	12.78	13.23	12.88
	2C	5500	100	52T	12.72	13.04	12.70
		5600	120	52T	12.74	13.04	12.72
		5580	124	52T	12.55	12.90	12.51
		5720	144	52T	12.57	12.89	12.49
20MHz BW	3	5745	149	52T	12.41	12.74	12.29
		5785	157	52T	12.19	12.62	12.16
		5825	165	52T	12.38	12.69	12.32
	1	5180	36	106T	15.39	15.53	
		5200	40	106T	15.81	15.77	
		5220	44	106T	15.79	15.93	
		5240	48	106T	15.75	15.77	
	2A	5260	52	106T	15.79	15.76	
		5280	56	106T	15.82	15.95	
		5300	60	106T	15.90	15.98	
		5320	64	106T	15.37	15.50	
	2C	5500	100	106T	13.06	13.13	
		5600	120	106T	15.07	15.07	
		5620	124	106T	14.90	14.89	
		5720	144	106T	14.86	14.88	
	3	5745	149	106T	15.05	14.97	
		5785	157	106T	15.02	14.94	
		5825	165	106T	14.99	14.93	

Table G-3
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	8.82	9.71	8.77
		6175	45	26T	8.92	9.74	8.82
		6195	49	26T	8.72	9.61	8.72
		6415	93	26T	8.37	9.18	8.37
	6	6435	97	26T	-1.73	-0.98	-1.85
		6475	105	26T	-1.55	-0.82	-1.61
		6515	113	26T	-1.45	-0.86	-1.49
		6535	117	26T	6.82	7.50	6.56
	7	6695	149	26T	7.02	7.87	6.94
		6875	185	26T	-1.32	-1.34	-1.42
		6895	189	26T	-1.52	-1.41	-1.49
		6995	209	26T	-1.54	-1.43	-1.56
	8	7015	213	26T	-1.49	-1.41	-1.66
		7115	233	26T	NS	NS	NS

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 47 of 56

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	12.16	12.41	12.00
		6195	49	52T	11.87	12.19	11.85
		6415	93	52T	11.58	11.94	11.57
	6	6435	97	52T	1.07	1.41	1.06
		6475	105	52T	1.09	1.45	1.10
		6515	113	52T	1.19	1.52	1.13
	7	6535	117	52T	9.93	10.27	9.87
		6695	149	52T	10.34	10.56	10.19
		6875	185	52T	1.20	1.58	1.43
	8	6895	189	52T	1.04	1.08	1.06
		6995	209	52T	1.00	1.05	1.02
		7015	213	52T	1.07	1.09	0.98
		7115	233	52T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	5	5955	1	106T	15.25	15.27	
		6175	45	106T	15.23	15.23	
		6195	49	106T	15.05	15.04	
		6415	93	106T	14.66	14.67	
	6	6435	97	106T	4.02	3.98	
		6475	105	106T	4.02	3.89	
		6515	113	106T	4.00	3.90	
	7	6535	117	106T	12.08	11.96	
		6695	149	106T	12.41	12.37	
		6875	185	106T	3.77	3.75	
	8	6895	189	106T	3.54	3.48	
		6995	209	106T	3.44	3.37	
		7015	213	106T	3.39	3.31	
		7115	233	106T	NS	NS	

Table G-8
Maximum 6 GHz 802.11ax RU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	8.91	9.80	8.88
		6175	45	26T	8.81	9.64	8.88
		6195	49	26T	8.89	8.81	8.97
		6415	93	26T	9.23	9.09	9.19
	6	6435	97	26T	-1.49	-0.59	-1.45
		6475	105	26T	-1.31	-0.93	-1.12
		6515	113	26T	-0.82	-0.56	-0.77
	7	6535	117	26T	7.67	8.63	7.66
		6695	149	26T	7.96	8.79	7.85
		6875	185	26T	-0.65	-0.51	-0.90
	8	6895	189	26T	-1.26	-0.57	-1.39
		6995	209	26T	-1.46	-0.68	-1.57
		7015	213	26T	-1.26	-0.54	-1.51
		7115	233	26T	NS	NS	NS
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	9.16	9.47	9.15
		6195	49	52T	9.02	9.37	9.04
		6415	93	52T	9.26	9.62	9.22
	6	6435	97	52T	1.49	1.86	1.52
		6475	105	52T	1.36	1.78	1.47
		6515	113	52T	1.44	1.83	1.52
	7	6535	117	52T	9.12	9.41	9.02
		6695	149	52T	9.37	9.69	9.30
		6875	185	52T	1.49	1.78	1.41
	8	6895	189	52T	1.56	1.84	1.49
		6995	209	52T	1.88	2.10	1.70
		7015	213	52T	1.82	1.97	1.61
		7115	233	52T	NS	NS	NS

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 48 of 56

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
5		5955	1	106T	9.25	9.28	
		6175	45	106T	9.14	9.20	
		6195	49	106T	9.12	9.15	
		6415	93	106T	9.33	9.36	
6		6435	97	106T	4.28	4.19	
		6475	105	106T	4.15	4.09	
		6515	113	106T	4.21	4.11	
7		6535	117	106T	9.32	9.21	
		6695	149	106T	9.54	9.43	
		6875	185	106T	4.46	4.43	
8		6895	189	106T	4.64	4.60	
		6995	209	106T	4.62	4.48	
		7015	213	106T	4.62	4.44	
		7115	233	106T	NS	NS	

Table G-9
Maximum 6 GHz 802.11ax RU Output Power – Ant WF7

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
5		5955	1	26T	8.38	9.23	8.29
		6175	45	26T	8.16	9.08	8.18
		6195	49	26T	8.15	9.04	8.21
		6415	93	26T	8.11	8.90	8.05
6		6435	97	26T	-1.89	-1.03	-1.90
		6475	105	26T	-1.69	-0.89	-1.66
		6515	113	26T	-1.88	-0.94	-1.81
7		6535	117	26T	6.80	7.66	6.69
		6695	149	26T	6.73	7.58	6.60
		6875	185	26T	-1.83	-1.35	-1.90
8		6895	189	26T	-1.93	-1.45	-2.02
		6995	209	26T	-3.07	-2.27	-3.22
		7015	213	26T	-3.18	-2.34	-3.30
		7115	233	26T	NS	NS	NS

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
5		5955	1	52T	11.58	11.84	11.47
		6195	49	52T	11.34	11.77	11.36
		6415	93	52T	11.23	11.54	11.24
		6435	97	52T	1.08	1.47	1.07
6		6475	105	52T	1.17	1.47	1.10
		6515	113	52T	0.95	1.36	0.99
		6535	117	52T	10.03	10.29	9.80
7		6695	149	52T	10.02	10.31	9.88
		6875	185	52T	0.86	1.19	0.80
		6895	189	52T	0.53	0.85	0.45
8		6995	209	52T	-0.30	-0.01	-0.38
		7015	213	52T	-0.62	-0.34	-0.72
		7115	233	52T	NS	NS	NS

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
5		5955	1	106T	12.19	12.13	
		6175	45	106T	12.05	12.07	
		6195	49	106T	11.99	12.02	
		6415	93	106T	11.59	11.57	
6		6435	97	106T	3.96	3.85	
		6475	105	106T	4.01	3.86	
		6515	113	106T	3.77	3.65	
7		6535	117	106T	12.83	12.78	
		6695	149	106T	12.96	12.92	
		6875	185	106T	2.82	2.65	
8		6895	189	106T	2.53	2.47	
		6995	209	106T	2.33	2.28	
		7015	213	106T	2.16	2.09	
		7115	233	106T	NS	NS	

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 49 of 56

G.4 IEEE 802.11be MRU Target Powers

Table G-4
Maximum 2.4 GHz 802.11be MRU Output Power – Ant WF8

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	13.78	13.96	
2437	6	52T + 26T	17.79	17.71	
2462	11	52T + 26T	14.39	13.81	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	13.425		
2437	6	106T + 26T	18.789		
2462	11	106T + 26T	14.43		

Table G-11
Maximum 2.4 GHz 802.11be MRU Output Power – Ant WF7

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	13.60	13.68	
2437	6	52T + 26T	17.42	16.79	
2462	11	52T + 26T	13.88	13.96	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	13.57		
2437	6	106T + 26T	18.51		
2462	11	106T + 26T	13.59		

Table G-12
Maximum 2.4 GHz 802.11be MRU Output Power – Ant WF9

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			71	72	x
2412	1	52T + 26T	13.70	13.67	
2437	6	52T + 26T	17.83	17.23	
2462	11	52T + 26T	14.44	14.47	

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 50 of 56

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			82	x	x
2412	1	106T + 26T	13.51		
2437	6	106T + 26T	19.76		
2462	11	106T + 26T	14.11		

Table G-5
Maximum 5 GHz 802.11be MRU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	14.99	14.93	
		5200	40	52T + 26T	15.10	15.00	
		5220	44	52T + 26T	14.86	14.81	
		5240	48	52T + 26T	15.00	14.87	
	2A	5260	52	52T + 26T	14.91	14.79	
		5280	56	52T + 26T	14.84	14.79	
		5300	60	52T + 26T	14.84	14.71	
5320		64	52T + 26T	14.82	14.76		
2C	5500	100	52T + 26T	13.648	13.542		
	5600	120	52T + 26T	14.798	14.655		
	5620	124	52T + 26T	14.83	14.686		
	5720	144	52T + 26T	14.887	14.782		
3	5745	149	52T + 26T	14.8	14.576		
	5785	157	52T + 26T	14.688	14.535		
	5825	165	52T + 26T	14.804	14.66		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.67		
		5200	40	106T + 26T	16.74		
		5220	44	106T + 26T	16.46		
		5240	48	106T + 26T	16.57		
	2A	5260	52	106T + 26T	16.63		
		5280	56	106T + 26T	16.67		
		5300	60	106T + 26T	16.59		
5320		64	106T + 26T	16.04			
2C	5500	100	106T + 26T	13.478			
	5600	120	106T + 26T	16.497			
	5620	124	106T + 26T	16.551			
	5720	144	106T + 26T	16.635			
3	5745	149	106T + 26T	16.527			
	5785	157	106T + 26T	16.618			
	5825	165	106T + 26T	16.551			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
	90	91	92	93				
	1	5210	42	484T + 242T	11.66	11.53	11.67	12.05
	2A	5290	58	484T + 242T	12.45	12.40	12.44	13.02
	2C	5530	106	484T + 242T	10.70	10.53	10.67	11.01
		5610	122	484T + 242T	14.02	14.01	14.05	14.88
5690		138	484T + 242T	18.54	18.04	18.14	18.67	
3	5775	155	484T + 242T	15.59	15.46	15.63	16.37	

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 51 of 56

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	10.49	10.29	10.54	10.8
	2C	5570	114	996T + 484T + 242T	10.05	9.87	10.11	10.3

Table G-14
Maximum 5 GHz 802.11be MRU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	14.93	15.02	
		5200	40	52T + 26T	15.04	15.06	
		5220	44	52T + 26T	15.04	15.01	
		5240	48	52T + 26T	15.07	14.98	
	2A	5260	52	52T + 26T	15.05	14.94	
		5280	56	52T + 26T	15.06	15.05	
		5300	60	52T + 26T	14.98	14.87	
5320		64	52T + 26T	14.92	14.90		
2C	5500	100	52T + 26T	12.77	12.56		
	5600	120	52T + 26T	14.13	14.04		
	5620	124	52T + 26T	14.09	13.91		
	5720	144	52T + 26T	14.11	13.99		
3	5745	149	52T + 26T	14.57	14.51		
	5785	157	52T + 26T	14.61	14.45		
	5825	165	52T + 26T	14.62	14.51		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.21		
		5200	40	106T + 26T	16.05		
		5220	44	106T + 26T	15.89		
		5240	48	106T + 26T	15.77		
	2A	5260	52	106T + 26T	15.43		
		5280	56	106T + 26T	15.57		
		5300	60	106T + 26T	15.46		
5320		64	106T + 26T	15.46			
2C	5500	100	106T + 26T	12.59			
	5600	120	106T + 26T	13.94			
	5620	124	106T + 26T	13.9			
	5720	144	106T + 26T	13.91			
3	5745	149	106T + 26T	14.84			
	5785	157	106T + 26T	14.86			
	5825	165	106T + 26T	14.93			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	1	5210	42	484T + 242T	11.36	11.32	11.34	11.80
	2A	5290	58	484T + 242T	12.69	12.65	12.74	13.31
	2C	5530	106	484T + 242T	10.20	10.04	10.13	10.40
		5610	122	484T + 242T	13.54	13.53	13.60	14.23
		5690	138	484T + 242T	13.59	13.60	13.69	14.37
	3	5775	155	484T + 242T	14.56	14.62	14.68	15.28

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	1	5250	50	996T + 484T + 242T	10.21	9.97	10.28	10.4
2C	5570	114	996T + 484T + 242T	9.57	9.32	9.54	9.7	

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 52 of 56

Table G-15
Maximum 5 GHz 802.11be MRU Output Power – Ant WF7

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	1	5180	36	52T + 26T	14.77	14.74	
		5200	40	52T + 26T	14.55	14.51	
		5220	44	52T + 26T	14.71	14.53	
		5240	48	52T + 26T	14.57	14.45	
	2A	5260	52	52T + 26T	14.64	14.46	
		5280	56	52T + 26T	14.67	14.55	
		5300	60	52T + 26T	14.70	14.61	
5320		64	52T + 26T	14.74	14.59		
2C	5500	100	52T + 26T	13.43	13.27		
	5600	120	52T + 26T	14.62	14.45		
	5620	124	52T + 26T	14.50	14.30		
	5720	144	52T + 26T	14.44	14.30		
3	5745	149	52T + 26T	14.20	14.11		
	5785	157	52T + 26T	14.34	14.22		
	5825	165	52T + 26T	14.33	14.15		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	1	5180	36	106T + 26T	15.50		
		5200	40	106T + 26T	16.21		
		5220	44	106T + 26T	16.21		
		5240	48	106T + 26T	16.19		
	2A	5260	52	106T + 26T	16.36		
		5280	56	106T + 26T	16.41		
		5300	60	106T + 26T	16.49		
5320		64	106T + 26T	16.01			
2C	5500	100	106T + 26T	13.17			
	5600	120	106T + 26T	15.14			
	5620	124	106T + 26T	15.06			
	5720	144	106T + 26T	14.89			
3	5745	149	106T + 26T	15.13			
	5785	157	106T + 26T	15.02			
	5825	165	106T + 26T	15.07			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
	90	91	92	93				
	1	5210	42	484T + 242T	11.25	11.33	11.42	11.84
	2A	5290	58	484T + 242T	12.31	12.35	12.33	12.95
	2C	5530	106	484T + 242T	10.60	10.34	10.61	10.93
		5610	122	484T + 242T	13.83	13.90	14.03	14.85
5690		138	484T + 242T	13.97	14.03	14.10	14.99	
3	5775	155	484T + 242T	14.08	14.09	14.19	15.02	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
	96	97	98	99				
	1	5250	50	996T + 484T + 242T	10.37	10.10	10.46	10.7
2C	5570	114	996T + 484T + 242T	9.96	9.63	10.01	10.2	

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 53 of 56

Table G-6
Maximum 6 GHz 802.11be MRU Output Power – Ant WF5B

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					71	72	N/A	
	5	5955	1	52T + 26T	14.10	13.91		
		6175	45	52T + 26T	14.00	13.90		
		6195	49	52T + 26T	13.92	13.73		
		6415	93	52T + 26T	13.41	13.31		
	6	6435	97	52T + 26T	3.33	3.21		
		6475	105	52T + 26T	3.37	3.17		
		6515	113	52T + 26T	3.35	3.21		
7	6535	117	52T + 26T	11.85	11.69			
	6695	149	52T + 26T	12.19	11.92			
	6875	185	52T + 26T	3.14	3.29			
8	6895	189	52T + 26T	3.07	3.04			
	6995	209	52T + 26T	2.97	2.89			
	7015	213	52T + 26T	2.95	2.77			
	7115	233	52T + 26T	NS	NS			
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					82	N/A	N/A	
	5	5955	1	106T + 26T	15.40			
		6175	45	106T + 26T	15.31			
		6195	49	106T + 26T	15.09			
		6415	93	106T + 26T	14.99			
	6	6435	97	106T + 26T	4.87			
		6475	105	106T + 26T	4.83			
		6515	113	106T + 26T	4.80			
	7	6535	117	106T + 26T	12.14			
		6695	149	106T + 26T	12.48			
		6875	185	106T + 26T	4.87			
	8	6895	189	106T + 26T	4.59			
		6995	209	106T + 26T	4.49			
		7015	213	106T + 26T	4.52			
		7115	233	106T + 26T	NS			
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	14.25	14.35	14.33	15.13
		6145	39	484T + 242T	14.06	14.17	14.14	14.87
		6225	55	484T + 242T	13.92	13.99	14.04	14.88
		6385	87	484T + 242T	14.02	14.05	14.05	14.93
	6	6465	103	484T + 242T	10.96	10.95	11.08	11.62
		6545	119	484T + 242T	10.53	10.46	10.50	10.99
	7	6705	151	484T + 242T	11.54	11.60	11.66	12.23
		6865	183	484T + 242T	10.98	10.97	11.08	11.52
		6945	199	484T + 242T	10.82	10.90	10.97	11.62
	8	7025	215	484T + 242T	10.41	10.47	10.64	11.25
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	14.94	14.59	15.03	15.49
		6185	47	996T + 484T + 242T	14.73	14.38	14.89	15.37
		6345	79	996T + 484T + 242T	14.58	14.26	14.67	15.17
	6	6505	111	996T + 484T + 242T	11.54	11.44	11.87	12.18
		6665	143	996T + 484T + 242T	12.12	11.83	12.29	12.67
	7	6825	175	996T + 484T + 242T	12.32	12.08	12.56	12.94
		6985	207	996T + 484T + 242T	13.07	12.79	13.24	13.75

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 54 of 56

Table G-17
Maximum 6 GHz 802.11be MRU Output Power – Ant WF8

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)				
					RU Index				
					71	72	N/A		
	5	5955	1	52T + 26T	9.57	9.44			
		6175	45	52T + 26T	9.49	9.35			
		6195	49	52T + 26T	9.47	9.33			
		6415	93	52T + 26T	9.62	9.51			
	6	6435	97	52T + 26T	3.30	3.04			
		6475	105	52T + 26T	3.15	2.99			
		6515	113	52T + 26T	3.22	2.96			
7	6535	117	52T + 26T	9.59	9.31				
	6695	149	52T + 26T	9.75	9.62				
	6875	185	52T + 26T	3.22	3.13				
8	6895	189	52T + 26T	3.76	3.55				
	6995	209	52T + 26T	3.50	3.22				
	7015	213	52T + 26T	3.41	3.20				
				7115	233	52T + 26T	NS	NS	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	9.38		
		6175	45	106T + 26T	9.27		
		6195	49	106T + 26T	9.27		
		6415	93	106T + 26T	9.48		
	6	6435	97	106T + 26T	5.15		
		6475	105	106T + 26T	5.08		
		6515	113	106T + 26T	5.05		
7	6535	117	106T + 26T	9.36			
	6695	149	106T + 26T	9.59			
	6875	185	106T + 26T	5.31			
8	6895	189	106T + 26T	5.80			
	6995	209	106T + 26T	5.38			
	7015	213	106T + 26T	5.43			
	7115	233	106T + 26T	NS			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	9.06	8.78	8.82	9.15
		6145	39	484T + 242T	8.97	8.76	8.78	9.08
		6225	55	484T + 242T	8.93	8.79	8.81	9.02
		6385	87	484T + 242T	9.32	9.05	9.22	9.44
	6	6465	103	484T + 242T	10.03	10.03	10.07	10.29
	7	6545	119	484T + 242T	8.89	8.85	8.79	8.94
		6705	151	484T + 242T	8.99	8.80	8.93	9.24
6865		183	484T + 242T	8.87	8.82	8.77	9.03	
8	6945	199	484T + 242T	8.71	8.56	8.62	8.88	
	7025	215	484T + 242T	8.79	8.58	8.68	8.97	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	9.35	9.13	9.40	9.50
		6185	47	996T + 484T + 242T	9.31	9.08	9.34	9.55
		6345	79	996T + 484T + 242T	9.38	9.15	9.41	9.56
	6	6505	111	996T + 484T + 242T	10.55	10.30	10.53	10.80
	7	6665	143	996T + 484T + 242T	9.34	9.07	9.36	9.56
		6825	175	996T + 484T + 242T	9.01	8.75	9.08	9.26
	8	6985	207	996T + 484T + 242T	9.00	8.68	9.00	9.13

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 55 of 56

Table G-18
Maximum 6 GHz 802.11be MRU Output Power – Ant WF7

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					71	72	N/A
	5	5955	1	52T + 26T	12.50	12.29	
		6175	45	52T + 26T	12.30	12.19	
		6195	49	52T + 26T	12.29	12.18	
		6415	93	52T + 26T	11.92	11.75	
	6	6435	97	52T + 26T	2.74	2.54	
		6475	105	52T + 26T	2.73	2.58	
		6515	113	52T + 26T	2.52	2.36	
7	6535	117	52T + 26T	11.80	11.63		
	6695	149	52T + 26T	12.00	11.83		
	6875	185	52T + 26T	2.35	2.15		
8	6895	189	52T + 26T	2.04	1.87		
	6995	209	52T + 26T	1.89	1.59		
	7015	213	52T + 26T	1.60	1.48		
	7115	233	52T + 26T	NS	NS		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					82	N/A	N/A
	5	5955	1	106T + 26T	12.30		
		6175	45	106T + 26T	12.10		
		6195	49	106T + 26T	12.21		
		6415	93	106T + 26T	11.77		
	6	6435	97	106T + 26T	4.85		
		6475	105	106T + 26T	4.86		
		6515	113	106T + 26T	4.61		
7	6535	117	106T + 26T	12.92			
	6695	149	106T + 26T	13.05			
	6875	185	106T + 26T	3.88			
8	6895	189	106T + 26T	3.58			
	6995	209	106T + 26T	3.41			
	7015	213	106T + 26T	3.32			
	7115	233	106T + 26T	NS			

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					90	91	92	93
	5	5985	7	484T + 242T	11.58	11.51	11.64	12.11
		6145	39	484T + 242T	11.15	11.29	11.33	11.78
		6225	55	484T + 242T	11.11	11.18	11.28	11.86
		6385	87	484T + 242T	11.06	11.05	11.12	11.65
	6	6465	103	484T + 242T	10.97	10.99	11.08	11.54
		6545	119	484T + 242T	10.52	10.34	10.39	10.93
	7	6705	151	484T + 242T	11.90	12.05	12.13	12.87
6865		183	484T + 242T	9.96	9.90	10.08	10.56	
8		6945	199	484T + 242T	9.65	9.57	9.84	10.36
	7025	215	484T + 242T	9.29	9.42	9.56	10.13	

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)			
					RU Index			
					96	97	98	99
	5	6025	15	996T + 484T + 242T	11.94	11.76	12.26	12.55
		6185	47	996T + 484T + 242T	11.61	11.44	11.92	12.31
		6345	79	996T + 484T + 242T	11.33	11.12	11.60	11.89
	6	6505	111	996T + 484T + 242T	12.51	12.38	12.79	13.19
		6665	143	996T + 484T + 242T	12.40	12.31	12.66	13.08
	7	6825	175	996T + 484T + 242T	12.00	11.77	12.15	12.57
		6985	207	996T + 484T + 242T	12.29	11.99	12.41	12.77

FCC ID: BCGA3360	RF EXPOSURE REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX G: Page 56 of 56