





Plot 7-194. PSD Tx BF Diversity Antenna WF8 (NB UNII XHDRPM6, ePA – 6263MHz)




Plot 7-195. PSD Tx BF Diversity Antenna WF7 (NB UNII XHDRPM6, ePA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 132 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-196. PSD TxBF Diversity Antenna WF8 (NB UNII XHDRPM6, iPA – 6263MHz)





Plot 7-197. PSD TxBF Diversity Antenna WF7 (NB UNII XHDRPM6, iPA – 6263MHz)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 133 of 329

V 11.0 06/2025



Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 134 of 329

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 135 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-202. PSD Tx BF Diversity Antenna WF8 (NB UNII HDRPL12, ePA - 6263MHz)




Plot 7-203. PSD Tx BF Diversity Antenna WF7 (NB UNII HDRPL12, ePA - 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 136 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-204. PSD TxBF Diversity Antenna WF8 (NB UNII HDRPL12, iPA – 6263MHz)





Plot 7-205. PSD TxBF Diversity Antenna WF7 (NB UNII HDRPL12, iPA – 6263MHz)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 137 of 329

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 138 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-208. PSD TxBF Diversity Antenna WF8 (NB UNII HDRPL32, iPA – 6263MHz)



Plot 7-209. PSD TxBF Diversity Antenna WF7 (NB UNII HDRPL32, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 139 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-210. PSD Tx BF Diversity Antenna WF8 (NB UNII HDT2, ePA – 6263MHz)




Plot 7-211. PSD Tx BF Diversity Antenna WF7 (NB UNII HDT2, ePA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 140 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-212. PSD Tx BF Diversity Antenna WF8 (NB UNII HDT2, iPA - 6263MHz)



Plot 7-213. PSD Tx BF Diversity Antenna WF7 (NB UNII HDT2, iPA - 6263MHz)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 141 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-214. PSD TxBF Diversity Antenna WF8 (NB UNII HDT4, ePA – 6263MHz)




Plot 7-215. PSD TxBF Diversity Antenna WF7 (NB UNII HDT4, ePA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 142 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-216. PSD Tx BF Diversity Antenna WF8 (NB UNII HDT4, iPA - 6263MHz)




Plot 7-217. PSD Tx BF Diversity Antenna WF7 (NB UNII HDT4, iPA - 6263MHz)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 143 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-218. PSD Tx BF Diversity Antenna WF8 (NB UNII HDT6, ePA – 6263MHz)




Plot 7-219. PSD Tx BF Diversity Antenna WF7 (NB UNII HDT6, ePA – 6263MHz)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 144 of 329



Plot 7-220. PSD TxBF Diversity Antenna WF8 (NB UNII HDT6, iPA – 6263MHz)



Plot 7-221. PSD TxBF Diversity Antenna WF7 (NB UNII HDT6, iPA – 6263MHz)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 145 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Note:

Per ANSI C63.10-2020 and KDB 662911 v02r01 Section E)1), the conducted powers at WF5B and WF8 were first measured separately during TxBF transmission as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Per ANSI C63.10-2020 Section 14.6.3, the directional gain is calculated using the following formula, where G_N is the gain of the nth antenna and N_{ANT} , the total number of antennas used.

$$\text{Directional gain} = 10 \log[(10^{G_1/20} + 10^{G_2/20} + \dots + 10^{G_N/20})^2 / N_{ANT}] \text{ dBi}$$

Per ANSI C63.10-2020 Section 14.6.3, the uncorrelated directional gain is calculated using the following formula, where G_N is the gain of the nth antenna and N_{ANT} , the total number of antennas used.

$$\text{Directional gain} = 10 \log[(10^{G_1/10} + 10^{G_2/10} + \dots + 10^{G_N/10}) / N_{ANT}] \text{ dBi}$$

Sample TxBF Calculation:

At 6108MHz, the average conducted output power was measured to be -14.23 dBm for Antenna WF5B and -15.74 dBm for Antenna WF8.

$$\text{Antenna WF5B} + \text{Antenna WF8} = \text{TxBF}$$

$$(-14.23 \text{ dBm} + -15.74 \text{ dBm}) = (0.038\text{mW} + 0.027\text{mW}) = 0.064 \text{ mW} = -11.91 \text{ dBm}$$

Sample e.i.r.p. Calculation:

At 6108MHz, the average MIMO conducted power was calculated to be -11.91 dBm with directional gain of 2.82 dBi.

$$\text{e.i.r.p. (dBm)} = \text{Conducted Power (dBm)} + \text{Ant gain (dBi)}$$

$$-11.91 \text{ dBm} + 2.82 \text{ dBi} = -9.09 \text{ dBm}$$

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 146 of 329

V 11.0 06/2025

7.5 In-Band Emissions

§15.407(b)(7); RSS-248[4.6.2]

Test Overview and Limit

The spectrum analyzer was connected to the antenna terminal while the EUT was operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2020 and KDB 789033 D02 v02r01, and at the appropriate frequencies.

For transmitters operating within the 5.925-7.125 GHz bands: In-Band Emission must be suppressed by 20 dB at 1 MHz outside of channel edge, by 28 dB at one channel bandwidth from the channel center, and by 40 dB at one- and one-half times the channel bandwidth away from channel center. At frequencies between one megahertz outside an unlicensed device's channel edge and one channel bandwidth from the center of the channel, the limits must be linearly interpolated between 20 dB and 28 dB suppression, and at frequencies between one and one- and one-half times an unlicensed device's channel bandwidth, the limits must be linearly interpolated between 28 dB and 40 dB suppression. Emissions removed from the channel center by more than one- and one-half times the channel bandwidth must be suppressed by at least 40 dB.

Test Procedure Used

ANSI C63.10-2020 – Section 12.4.2.2

KDB 987594 D02 v03 – Section J

Test Settings

1. Connect output of the antenna port to a spectrum analyzer or EMI receiver, with appropriate attenuation, as to not damage the instrumentation.
2. Set the reference level of the measuring equipment in accordance with procedure 4.1.6.2 of ANSI C63.10-2020.
3. Measure the 26 dB EBW using the test procedure 12.4.1 of ANSI C63.10-2020. (This will be used to determine the channel edge.)
4. Measure the In-Band Emission (which will be used for emissions mask reference) using the following procedure:
 - a) Set the span to encompass the entire 26 dB EBW of the signal.
 - b) Set RBW = same RBW used for 26 dB EBW measurement.
 - c) Set VBW $\geq 3 \times$ RBW
 - d) Number of points in sweep $\geq [2 \times \text{span} / \text{RBW}]$.
 - e) Sweep time = auto.
 - f) Detector = RMS (i.e., power averaging)
 - g) Trace average at least 100 traces in power averaging (rms) mode.
 - h) Use the peak search function on the instrument to find the peak of the spectrum.
5. For the purposes of developing the emission mask, the channel bandwidth is defined as the 26 dB EBW.
6. Using the measuring equipment limit line function, develop the emissions mask based on the following requirements. The emissions In-Band Emission must be reduced below the peak In-Band Emission (in dB) as follows:
 - i) Suppressed by 20 dB at 1 MHz outside of the channel edge. (The channel edge is defined as the 26-dB point on either side of the carrier center frequency.)
 - j) Suppressed by 28 dB at one channel bandwidth from the channel center.
 - k) Suppressed by 40 dB at one- and one-half times the channel bandwidth from the channel center.
7. Adjust the span to encompass the entire mask as necessary.
8. Clear trace.
9. Trace average at least 100 traces in power averaging (rms) mode.
10. Adjust the reference level as necessary so that the crest of the channel touches the top of the emission mask.

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 147 of 329

V 11.0 06/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-4. Test Instrument & Measurement Setup

Test Notes

1. All modulation and power schemes were investigated and only the worst case is reported.
2. Low, mid, and high channels were tested, and only mid channel plots have been reported.

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 148 of 329

V 11.0 06/2025

7.5.1 Antenna WF5B In-Band Emission Measurements (U-NII-5)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Antenna WF5B In-Band Emission
6106	1.0	NB UNII BDR	ePA	Pass
6263	1.0	NB UNII BDR	ePA	Pass
6420	1.0	NB UNII BDR	ePA	Pass
6106	1.0	NB UNII BDR	iPA	Pass
6263	1.0	NB UNII BDR	iPA	Pass
6420	1.0	NB UNII BDR	iPA	Pass
6106	1.0	NB UNII LE1M	ePA	Pass
6263	1.0	NB UNII LE1M	ePA	Pass
6420	1.0	NB UNII LE1M	ePA	Pass
6106	1.0	NB UNII LE1M	iPA	Pass
6263	1.0	NB UNII LE1M	iPA	Pass
6420	1.0	NB UNII LE1M	iPA	Pass
6106	2.0	NB UNII LE2M	ePA	Pass
6263	2.0	NB UNII LE2M	ePA	Pass
6420	2.0	NB UNII LE2M	ePA	Pass
6106	2.0	NB UNII LE2M	iPA	Pass
6263	2.0	NB UNII LE2M	iPA	Pass
6420	2.0	NB UNII LE2M	iPA	Pass
6106	4.0	NB UNII HDR4	ePA	Pass
6263	4.0	NB UNII HDR4	ePA	Pass
6420	4.0	NB UNII HDR4	ePA	Pass
6106	4.0	NB UNII HDR4	iPA	Pass
6263	4.0	NB UNII HDR4	iPA	Pass
6420	4.0	NB UNII HDR4	iPA	Pass
6107	8.0	NB UNII HDR8	ePA	Pass
6263	8.0	NB UNII HDR8	ePA	Pass
6420	8.0	NB UNII HDR8	ePA	Pass
6107	8.0	NB UNII HDR8	iPA	Pass
6263	8.0	NB UNII HDR8	iPA	Pass
6420	8.0	NB UNII HDR8	iPA	Pass
6106	2.0	NB UNII HDRPS2	ePA	Pass
6263	2.0	NB UNII HDRPS2	ePA	Pass
6420	2.0	NB UNII HDRPS2	ePA	Pass
6106	2.0	NB UNII HDRPS2	iPA	Pass
6263	2.0	NB UNII HDRPS2	iPA	Pass
6420	2.0	NB UNII HDRPS2	iPA	Pass
6107	6.0	NB UNII XHDRPM6	ePA	Pass
6263	6.0	NB UNII XHDRPM6	ePA	Pass
6420	6.0	NB UNII XHDRPM6	ePA	Pass
6107	6.0	NB UNII XHDRPM6	iPA	Pass
6263	6.0	NB UNII XHDRPM6	iPA	Pass
6420	6.0	NB UNII XHDRPM6	iPA	Pass
6107	16.0	NB UNII HDRPM16	ePA	Pass
6263	16.0	NB UNII HDRPM16	ePA	Pass
6420	16.0	NB UNII HDRPM16	ePA	Pass
6107	16.0	NB UNII HDRPM16	iPA	Pass
6263	16.0	NB UNII HDRPM16	iPA	Pass
6420	16.0	NB UNII HDRPM16	iPA	Pass
6109	12.0	NB UNII HDRPL12	ePA	Pass
6263	12.0	NB UNII HDRPL12	ePA	Pass
6417	12.0	NB UNII HDRPL12	ePA	Pass
6109	12.0	NB UNII HDRPL12	iPA	Pass
6263	12.0	NB UNII HDRPL12	iPA	Pass
6417	12.0	NB UNII HDRPL12	iPA	Pass
6109	32.0	NB UNII HDRPL32	ePA	Pass
6263	32.0	NB UNII HDRPL32	ePA	Pass
6417	32.0	NB UNII HDRPL32	ePA	Pass
6109	32.0	NB UNII HDRPL32	iPA	Pass
6263	32.0	NB UNII HDRPL32	iPA	Pass
6417	32.0	NB UNII HDRPL32	iPA	Pass
6106	2.0	NB UNII HDT2	ePA	Pass
6263	2.0	NB UNII HDT2	ePA	Pass
6420	2.0	NB UNII HDT2	ePA	Pass
6106	2.0	NB UNII HDT2	iPA	Pass
6263	2.0	NB UNII HDT2	iPA	Pass
6420	2.0	NB UNII HDT2	iPA	Pass
6106	4.0	NB UNII HDT4	ePA	Pass
6263	4.0	NB UNII HDT4	ePA	Pass
6420	4.0	NB UNII HDT4	ePA	Pass
6106	4.0	NB UNII HDT4	iPA	Pass
6263	4.0	NB UNII HDT4	iPA	Pass
6420	4.0	NB UNII HDT4	iPA	Pass
6106	6.0	NB UNII HDT6	ePA	Pass
6263	6.0	NB UNII HDT6	ePA	Pass
6420	6.0	NB UNII HDT6	ePA	Pass
6106	6.0	NB UNII HDT6	iPA	Pass
6263	6.0	NB UNII HDT6	iPA	Pass
6420	6.0	NB UNII HDT6	iPA	Pass

Table 7-15. In-Band Emission Measurements Antenna WF5B


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 149 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-222. In-Band Emissions Antenna WF5B (NB UNII BDR, ePA – 6263MHz)




Plot 7-223. In-Band Emissions Antenna WF5B (NB UNII BDR, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 150 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-224. In-Band Emissions Antenna WF5B (NB UNII LE1M, ePA – 6263MHz)




Plot 7-225. In-Band Emissions Antenna WF5B (NB UNII LE1M, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 151 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-226. In-Band Emissions Antenna WF5B (NB UNII LE2M, ePA – 6263MHz)




Plot 7-227. In-Band Emissions Antenna WF5B (NB UNII LE2M, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 152 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-228. In-Band Emissions Antenna WF5B (NB UNII HDR4, ePA – 6263MHz)




Plot 7-229. In-Band Emissions Antenna WF5B (NB UNII HDR4, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 153 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-230. In-Band Emissions Antenna WF5B (NB UNII HDR8, ePA – 6263MHz)




Plot 7-231. In-Band Emissions Antenna WF5B (NB UNII HDR8, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 154 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-232. In-Band Emissions Antenna WF5B (NB UNII HDRPS2, ePA – 6263MHz)




Plot 7-233. In-Band Emissions Antenna WF5B (NB UNII HDRPS2, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 155 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-234. In-Band Emissions Antenna WF5B (NB UNII XHDRPM6, ePA – 6263MHz)




Plot 7-235. In-Band Emissions Antenna WF5B (NB UNII XHDRPM6, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 156 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-236. In-Band Emissions Antenna WF5B (NB UNII HDRPM16, ePA – 6263MHz)




Plot 7-237. In-Band Emissions Antenna WF5B (NB UNII HDRPM16, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 157 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-238. In-Band Emissions Antenna WF5B (NB UNII HDRPL12, ePA – 6263MHz)




Plot 7-239. In-Band Emissions Antenna WF5B (NB UNII HDRPL12, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 158 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-240. In-Band Emissions Antenna WF5B (NB UNII HDRPL32, ePA – 6263MHz)




Plot 7-241. In-Band Emissions Antenna WF5B (NB UNII HDRPL32, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 159 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-242. In-Band Emissions Antenna WF5B (NB UNII HDT2, ePA – 6263MHz)




Plot 7-243. In-Band Emissions Antenna WF5B (NB UNII HDT2, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 160 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-244. In-Band Emissions Antenna WF5B (NB UNII HDT4, ePA – 6263MHz)




Plot 7-245. In-Band Emissions Antenna WF5B (NB UNII HDT4, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 161 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-246. In-Band Emissions Antenna WF5B (NB UNII HDT6, ePA – 6263MHz)



Plot 7-247. In-Band Emissions Antenna WF5B (NB UNII HDT6, iPA – 6263MHz)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 162 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.5.2 Antenna WF8 In-Band Emission Measurements (U-NII-5)


Frequency [MHz]	Data Rate [Mbps]	Mode	Power Scheme	Antenna WF8 In-Band Emission
6106	1.0	NB UNII BDR	ePA	Pass
6263	1.0	NB UNII BDR	ePA	Pass
6420	1.0	NB UNII BDR	ePA	Pass
6106	1.0	NB UNII BDR	iPA	Pass
6263	1.0	NB UNII BDR	iPA	Pass
6420	1.0	NB UNII BDR	iPA	Pass
6106	1.0	NB UNII LE1M	ePA	Pass
6263	1.0	NB UNII LE1M	ePA	Pass
6420	1.0	NB UNII LE1M	ePA	Pass
6106	1.0	NB UNII LE1M	iPA	Pass
6263	1.0	NB UNII LE1M	iPA	Pass
6420	1.0	NB UNII LE1M	iPA	Pass
6106	2.0	NB UNII LE2M	ePA	Pass
6263	2.0	NB UNII LE2M	ePA	Pass
6420	2.0	NB UNII LE2M	ePA	Pass
6106	2.0	NB UNII LE2M	iPA	Pass
6263	2.0	NB UNII LE2M	iPA	Pass
6420	2.0	NB UNII LE2M	iPA	Pass
6106	4.0	NB UNII HDR4	ePA	Pass
6263	4.0	NB UNII HDR4	ePA	Pass
6420	4.0	NB UNII HDR4	ePA	Pass
6106	4.0	NB UNII HDR4	iPA	Pass
6263	4.0	NB UNII HDR4	iPA	Pass
6420	4.0	NB UNII HDR4	iPA	Pass
6107	8.0	NB UNII HDR8	ePA	Pass
6263	8.0	NB UNII HDR8	ePA	Pass
6420	8.0	NB UNII HDR8	ePA	Pass
6107	8.0	NB UNII HDR8	iPA	Pass
6263	8.0	NB UNII HDR8	iPA	Pass
6420	8.0	NB UNII HDR8	iPA	Pass
6106	2.0	NB UNII HDRPS2	ePA	Pass
6263	2.0	NB UNII HDRPS2	ePA	Pass
6420	2.0	NB UNII HDRPS2	ePA	Pass
6106	2.0	NB UNII HDRPS2	iPA	Pass
6263	2.0	NB UNII HDRPS2	iPA	Pass
6420	2.0	NB UNII HDRPS2	iPA	Pass
6107	6.0	NB UNII XHDRPM6	ePA	Pass
6263	6.0	NB UNII XHDRPM6	ePA	Pass
6420	6.0	NB UNII XHDRPM6	ePA	Pass
6107	6.0	NB UNII XHDRPM6	iPA	Pass
6263	6.0	NB UNII XHDRPM6	iPA	Pass
6420	6.0	NB UNII XHDRPM6	iPA	Pass
6107	16.0	NB UNII HDRPM16	ePA	Pass
6263	16.0	NB UNII HDRPM16	ePA	Pass
6420	16.0	NB UNII HDRPM16	ePA	Pass
6107	16.0	NB UNII HDRPM16	iPA	Pass
6263	16.0	NB UNII HDRPM16	iPA	Pass
6420	16.0	NB UNII HDRPM16	iPA	Pass
6109	12.0	NB UNII HDRPL12	ePA	Pass
6263	12.0	NB UNII HDRPL12	ePA	Pass
6417	12.0	NB UNII HDRPL12	ePA	Pass
6109	12.0	NB UNII HDRPL12	iPA	Pass
6263	12.0	NB UNII HDRPL12	iPA	Pass
6417	12.0	NB UNII HDRPL12	iPA	Pass
6109	32.0	NB UNII HDRPL32	ePA	Pass
6263	32.0	NB UNII HDRPL32	ePA	Pass
6417	32.0	NB UNII HDRPL32	ePA	Pass
6109	32.0	NB UNII HDRPL32	iPA	Pass
6263	32.0	NB UNII HDRPL32	iPA	Pass
6417	32.0	NB UNII HDRPL32	iPA	Pass
6106	2.0	NB UNII HDT2	ePA	Pass
6263	2.0	NB UNII HDT2	ePA	Pass
6420	2.0	NB UNII HDT2	ePA	Pass
6106	2.0	NB UNII HDT2	iPA	Pass
6263	2.0	NB UNII HDT2	iPA	Pass
6420	2.0	NB UNII HDT2	iPA	Pass
6106	4.0	NB UNII HDT4	ePA	Pass
6263	4.0	NB UNII HDT4	ePA	Pass
6420	4.0	NB UNII HDT4	ePA	Pass
6106	4.0	NB UNII HDT4	iPA	Pass
6263	4.0	NB UNII HDT4	iPA	Pass
6420	4.0	NB UNII HDT4	iPA	Pass
6106	6.0	NB UNII HDT6	ePA	Pass
6263	6.0	NB UNII HDT6	ePA	Pass
6420	6.0	NB UNII HDT6	ePA	Pass
6106	6.0	NB UNII HDT6	iPA	Pass
6263	6.0	NB UNII HDT6	iPA	Pass
6420	6.0	NB UNII HDT6	iPA	Pass

Table 7-16. In-Band Emission Measurements Antenna WF8


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 163 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-248. In-Band Emissions Antenna WF8 (NB UNII BDR, ePA – 6263MHz)




Plot 7-249. In-Band Emissions Antenna WF8 (NB UNII BDR, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 164 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-250. In-Band Emissions Antenna WF8 (NB UNII LE1M, ePA – 6263MHz)




Plot 7-251. In-Band Emissions Antenna WF8 (NB UNII LE1M, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 165 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-252. In-Band Emissions Antenna WF8 (NB UNII LE2M, ePA – 6263MHz)




Plot 7-253. In-Band Emissions Antenna WF8 (NB UNII LE2M, iPA – 6263MHz)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 166 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-254. In-Band Emissions Antenna WF8 (NB UNII HDR4, ePA – 6263MHz)



Plot 7-255. In-Band Emissions Antenna WF8 (NB UNII HDR4, iPA – 6263MHz)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-11-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 167 of 329

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.