





Plot 7-1385. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 149 – RU26)




Plot 7-1386. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 149 – RU26)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.31	21.80	43.49	53.98	-10.49
* 13390.00	Peak	H	-	-	-74.20	21.80	54.60	73.98	-19.38

Table 7-235. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 444 of 639



Plot 7-1387. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 185 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	H	-	-	-85.73	21.89	43.16	68.23	-25.07
13750.00	Peak	H	-	-	-74.99	21.89	53.90	88.23	-34.33

Table 7-236. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 445 of 639

V 11.0 05/2025



Plot 7-1388. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 189 – RU26)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6895MHz
Channel: 189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13790.00	Average	V	-	-	-85.83	21.94	43.10	68.23	-25.13
13790.00	Peak	V	-	-	-74.21	21.94	54.72	88.23	-33.51


Table 7-237. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 446 of 639

V 11.0 05/2025



Plot 7-1389. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 209 – RU26)



Plot 7-1390. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 209 – RU26)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13990.00	Average	V	-	-	-86.47	22.12	42.65	68.23	-25.58
13990.00	Peak	V	-	-	-74.54	22.12	54.58	88.23	-33.65

Table 7-238. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 447 of 639

V 11.0 05/2025



Plot 7-1391. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 229 – RU26)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7095MHz
Channel:	229


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14190.00	Average	H	-	-	-85.89	22.69	43.80	68.23	-24.43
14190.00	Peak	H	-	-	-75.00	22.69	54.69	88.23	-33.54

Table 7-239. Radiated Spurious Emission Measurements CDD Diversity – RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 448 of 639

V 11.0 05/2025

RU242



Plot 7-1392. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 1 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11910.00	Average	V	-	-	-84.92	20.43	42.51	53.98	-11.47
* 11910.00	Peak	V	-	-	-73.69	20.43	53.74	73.98	-20.24
* 17865.00	Average	V	-	-	-85.16	26.12	47.97	53.98	-6.01
* 17865.00	Peak	V	-	-	-73.43	26.12	59.70	73.98	-14.28


Table 7-240. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 449 of 639

V 11.0 05/2025



Plot 7-1393. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 45 – RU242)




Plot 7-1394. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 45 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6175MHz
Channel:	45

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 12350.00	Average	V	-	-	-85.21	20.69	42.48	53.98	-11.50
* 12350.00	Peak	V	-	-	-72.63	20.69	55.07	73.98	-18.91

Table 7-241. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 450 of 639



Plot 7-1395. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 93 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6415MHz
Channel:	93

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
12830.00	Average	V	-	-	-85.56	22.11	43.54	68.23	-24.69
12830.00	Peak	V	-	-	-74.41	22.11	54.70	88.23	-33.53

Table 7-242. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 451 of 639

V 11.0 05/2025




Plot 7-1396. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 97 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6435MHz
Channel:	97


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12870.00	Average	V	-	-	-84.06	21.97	44.91	68.23	-23.32
12870.00	Peak	V	-	-	-74.42	21.97	54.54	88.23	-33.69

Table 7-243. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 452 of 639



Plot 7-1397. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 105 – RU242)




Plot 7-1398. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 105 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6475MHz
Channel:	105

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
12950.00	Average	H	-	-	-84.87	21.88	44.01	68.23	-24.22
12950.00	Peak	H	-	-	-74.54	21.88	54.34	88.23	-33.89

Table 7-244. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 453 of 639



Plot 7-1399. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 113 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6515MHz
Channel:	113

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13030.00	Average	V	-	-	-85.66	22.11	43.45	68.23	-24.78
13030.00	Peak	V	-	-	-73.96	22.11	55.16	88.23	-33.07

Table 7-245. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 454 of 639

V 11.0 05/2025




Plot 7-1400. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 117 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6535MHz
Channel:	117


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13070.00	Average	H	-	-	-84.89	22.02	44.13	68.23	-24.10
13070.00	Peak	H	-	-	-72.74	22.02	56.28	88.23	-31.95

Table 7-246. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 455 of 639



Plot 7-1401. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 149 – RU242)




Plot 7-1402. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 149 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6695MHz
Channel:	149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 13390.00	Average	H	-	-	-85.79	21.80	43.01	53.98	-10.97
* 13390.00	Peak	H	-	-	-75.01	21.80	53.79	73.98	-20.19

Table 7-247. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device		Page 456 of 639



Plot 7-1403. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 185 – RU242)


Mode: 802.11be
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 6875MHz
Channel: 185

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
13750.00	Average	V	-	-	-85.94	21.78	42.84	68.23	-25.39
13750.00	Peak	V	-	-	-75.22	21.78	53.56	88.23	-34.67

Table 7-248. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 457 of 639

V 11.0 05/2025



Plot 7-1404. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 189 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6895MHz
Channel:	189

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13790.00	Average	V	-	-	-85.53	21.94	43.41	68.23	-24.82
13790.00	Peak	V	-	-	-74.36	21.94	54.58	88.23	-33.65


Table 7-249. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 458 of 639

V 11.0 05/2025



Plot 7-1405. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 209 – RU242)



Plot 7-1406. Radiated Spurious Emissions 18-40GHz CDD Diversity (802.11be – Ch. 209 – RU242)


Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	6995MHz
Channel:	209

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
13990.00	Average	H	-	-	-85.50	22.12	43.62	68.23	-24.61
13990.00	Peak	H	-	-	-74.37	22.12	54.74	88.23	-33.49

Table 7-250. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device		Page 459 of 639

V 11.0 05/2025



Plot 7-1407. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be – Ch. 233 – RU242)

Mode:	802.11be
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	7115MHz
Channel:	233

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
14230.00	Average	V	-	-	-86.65	22.69	43.03	68.23	-25.20
14230.00	Peak	V	-	-	-74.44	22.69	55.25	88.23	-32.98


Table 7-251. Radiated Spurious Emission Measurements CDD Diversity – RU242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 460 of 639

7.7.3 Antenna WF5B Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1



Plot 7-1408 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5955MHz
 Channel: 1




Plot 7-1409 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 461 of 639

V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 462 of 639


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1412 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1




Plot 7-1413 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 463 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-1414 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1415 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 464 of 639


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1416 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1417 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 465 of 639

V 11.0 05/2025

Mode	802.11be OFDMA
Transfer Rate	MCS11
RU Index	61
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-1418 Antenna WF5B Radiated Upper Band Edge (Peak – UNII Band 8)



Plot 7-1419 Antenna WF5B Radiated Upper Band Edge (Average – UNII Band 8)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 466 of 639

V 11.0 05/2025

7.7.4 Antenna WF5B Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3



Plot 7-1420 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 17
 Distance of Measurements: 3 Meters
 Operating Frequency: 5965MHz
 Channel: 3




Plot 7-1421 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 467 of 639

V 11.0 05/2025


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3



Plot 7-1424 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-1425 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 469 of 639

V 11.0 05/2025

7.7.5 Antenna WF5B Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-1426 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7




Plot 7-1427 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 470 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1428 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-1429 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 471 of 639


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1430 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7




Plot 7-1431 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 472 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1432 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1433 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 473 of 639

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1434 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1435 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 474 of 639

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1436 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215




Plot 7-1437 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484+242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 475 of 639


RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1438 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 67
Distance of Measurements: 3 Meters
Operating Frequency: 7025MHz
Channel: 215



Plot 7-1439 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 476 of 639

V 11.0 05/2025

7.7.6 Antenna WF5B Radiated Band Edge Measurements (160MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1440 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1441 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 477 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1442 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 36
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1443 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 478 of 639


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1444 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1445 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 479 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1446 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (H)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1447 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484 (L)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 480 of 639

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1448 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 94
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1449 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 481 of 639

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1450 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (H)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 95
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1451 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484 (L)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 482 of 639

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1452 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1453 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 483 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1454 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1455 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 484 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1456 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 98
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15




Plot 7-1457 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996+484+242 (H)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 485 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1460 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)


Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 96
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1461 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 487 of 639

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1462 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 97
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1463 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 488 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1466 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (L)

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 99
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207




Plot 7-1467 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996+484+242 (H)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 490 of 639

V 11.0 05/2025


RU996x2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6025MHz
Channel: 15



Plot 7-1468 Antenna WF5B Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU996X2

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 68
Distance of Measurements: 3 Meters
Operating Frequency: 6985MHz
Channel: 207



Plot 7-1469 Antenna WF5B Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU996X2


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 491 of 639

V 11.0 05/2025

7.7.7 Antenna WF8 Radiated Band Edge Measurements (20MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1470 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1




Plot 7-1471 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 492 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-1472 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1473 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 493 of 639


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1474 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1




Plot 7-1475 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU52+26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 494 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229



Plot 7-1476 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1477 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU52+26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 495 of 639


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5955MHz
Channel: 1



Plot 7-1478 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 7095MHz
Channel: 229




Plot 7-1479 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU242


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 496 of 639

V 11.0 05/2025

Mode	802.11be OFDMA
Transfer Rate	MCS11
RU Index	61
Distance of Measurement	3 Meters
Operating Frequency	7115MHz
Channel	233



Plot 7-1480 Antenna WF8 Radiated Upper Band Edge (Peak – UNII Band 8)



Plot 7-1481 Antenna WF8 Radiated Upper Band Edge (Average – UNII Band 8)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 497 of 639

V 11.0 05/2025

7.7.8 Antenna WF8 Radiated Band Edge Measurements (40MHz BW)


RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3



Plot 7-1482 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3




Plot 7-1483 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 498 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-1484 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 17
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227




Plot 7-1485 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 499 of 639


RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 5965MHz
Channel: 3



Plot 7-1486 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 65
Distance of Measurements: 3 Meters
Operating Frequency: 7085MHz
Channel: 227



Plot 7-1487 Antenna WF8 Radiated Upper Band Edge (Peak & Average – UNII Band 8) - RU484


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 500 of 639

V 11.0 05/2025

7.7.9 Antenna WF8 Radiated Band Edge Measurements (80MHz BW)


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7



Plot 7-1488 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS11
 RU Index: 36
 Distance of Measurements: 3 Meters
 Operating Frequency: 5985MHz
 Channel: 7




Plot 7-1489 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU26

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 501 of 639

V 11.0 05/2025


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 90
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1492 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 91
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7




Plot 7-1493 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 503 of 639


V 11.0 05/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 92
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1494 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

Mode: 802.11be OFDMA
Transfer Rate: MCS11
RU Index: 93
Distance of Measurements: 3 Meters
Operating Frequency: 5985MHz
Channel: 7



Plot 7-1495 Antenna WF8 Radiated Lower Band Edge (Peak & Average – UNII Band 5) - RU484+242

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-16-R2.BCG	Test Dates: 05/12/2025 - 09/09/2025	EUT Type: Tablet Device	Page 504 of 639

