





Plot 7-152. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 56)



Plot 7-153. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.56)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5280MHz

Channel: 56


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-70.28	12.83	49.55	68.23	-18.68
* 15840.00	Average	V	-	-	-81.85	21.06	46.21	53.98	-7.77
* 15840.00	Peak	V	-	-	-70.90	21.06	57.16	73.98	-16.82

Table 7-154. Radiated Measurements CDD Diversity

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 168 of 261

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-154. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 64)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-81.38	12.83	38.45	53.98	-15.53
* 10640.00	Peak	V	-	-	-70.01	12.83	49.82	73.98	-24.16
* 15960.00	Average	V	-	-	-81.91	21.07	46.17	53.98	-7.81
* 15960.00	Peak	V	-	-	-71.51	21.07	56.57	73.98	-17.41

Table 7-155. Radiated Measurements CDD Diversity

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 169 of 261

V 11.0 05/2025



Plot 7-155. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 100)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-81.31	13.72	39.41	53.98	-14.57
* 11000.00	Peak	H	-	-	-70.42	13.72	50.30	73.98	-23.68
16500.00	Peak	H	-	-	-70.83	22.84	59.01	68.23	-9.22


Table 7-156. Radiated Measurements CDD Diversity

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 170 of 261

V 11.0 05/2025



Plot 7-156. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 116)



Plot 7-157. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.116)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5580MHz

Channel: 116


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-80.70	13.06	39.36	53.98	-14.62
* 11160.00	Peak	V	-	-	-69.81	13.06	50.25	73.98	-23.73
16740.00	Peak	V	-	-	-70.03	23.11	60.08	68.23	-8.15

Table 7-157. Radiated Measurements CDD Diversity

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 171 of 261

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-158. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 144)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	V	-	-	-81.00	13.73	39.73	53.98	-14.25
* 11440.00	Peak	V	-	-	-70.37	13.73	50.37	73.98	-23.61
17160.00	Peak	H	-	-	-72.16	24.04	58.87	68.23	-9.36

Table 7-158. Radiated Measurements CDD Diversity

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 172 of 261

V 11.0 05/2025



Plot 7-159. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 149)


Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-81.39	13.92	39.54	53.98	-14.44
* 11490.00	Peak	V	-	-	-69.97	13.92	50.96	73.98	-23.02
17235.00	Peak	V	-	-	-72.28	24.65	59.37	68.23	-8.86


Table 7-159. Radiated Measurements CDD Diversity

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 173 of 261

V 11.0 05/2025



Plot 7-160. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 157)



Plot 7-161. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (802.11be(SU) – Ch.157)

Mode: 802.11be(SU)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5785MHz

Channel: 157


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-80.58	14.34	40.77	53.98	-13.21
* 11570.00	Peak	V	-	-	-71.22	14.34	50.12	73.98	-23.86
17355.00	Peak	V	-	-	-71.20	24.27	60.07	68.23	-8.16

Table 7-160. Radiated Measurements CDD Diversity

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 174 of 261

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-162. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be(SU) – Ch. 165)

Mode: 802.11be(SU)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-81.23	14.22	39.99	53.98	-13.99
* 11650.00	Peak	V	-	-	-70.38	14.22	50.84	73.98	-23.14
17475.00	Peak	H	-	-	-72.11	25.21	60.10	68.23	-8.13


Table 7-161. Radiated Measurements CDD Diversity

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 175 of 261


7.6.3 Simultaneous TX Radiated Spurious Emissions Measurements

Description	Bluetooth	UNII
Antenna	Antenna WF7	Antenna WF7
Channel	78	36
Operating Frequency (MHz)	2480	5180
Mode/Modulation	GFSK ePA	802.11n

Table 7-162. Worst Case Simultaneous Transmission Configuration



Plot 7-163. Radiated Spurious Emissions – Simultaneous Transmission above 1 GHz



Plot 7-164. Radiated Spurious Emissions 18GHz - 40GHz Simultaneous Transmission

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	-	-	-	-70.31	15.56	52.25	68.23	-15.98
* 15540.00	Avg	-	-	-	-84.40	22.24	44.84	53.98	-9.14
* 15540.00	Peak	-	-	-	-73.57	22.24	55.67	73.98	-18.31

Table 7-163. UNII Radiated Spurious Emissions – Simultaneous Transmission

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)						Approved by: Technical Manager	
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device						Page 176 of 261	

V 11.0 05/2025


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4960.00	Peak	-	-	-	-69.31	16.57	54.26	73.98	-19.72
7440.00	Peak	-	-	-	-70.53	11.17	47.64	73.98	-26.34
12400.00	Peak	-	-	-	-72.59	18.42	52.83	73.98	-21.15

Table 7-164. Bluetooth Radiated Spurious Emissions – Simultaneous Transmission


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 177 of 261

V 11.0 05/2025


7.6.4 Antenna WF5B Radiated Band Edge Measurements (20MHz BW)




Plot 7-165. Antenna WF5B (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-168. Antenna WF5B (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-166. Antenna WF5B (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-169. Antenna WF5B (Peak & Average, Ch.100, 802.11n, MCS7)



Plot 7-167. Antenna WF5B (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-170. Antenna WF5B (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 178 of 261

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-171. Antenna WF5B (Peak & Average, Ch.108, 802.11n, MCS7)




Plot 7-174. Antenna WF5B (Peak, Ch.149, 802.11n, MCS7)




Plot 7-172. Antenna WF5B (Peak, Ch.136, 802.11n, MCS7)



Plot 7-175. Antenna WF5B (Peak, Ch.165, 802.11n, MCS7)




Plot 7-173. Antenna WF5B (Peak, Ch.140, 802.11n, MCS7)




Plot 7-176. Antenna WF5B (Peak & Average, Ch.36, 802.11be(SU), MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 179 of 261




Plot 7-177. Antenna WF5B (Peak & Average, Ch.40, 802.11be(SU), MCS11)




Plot 7-180. Antenna WF5B (Peak & Average, Ch.100, 802.11be(SU), MCS11)




Plot 7-178. Antenna WF5B (Peak & Average, Ch.60, 802.11be(SU), MCS11)



Plot 7-181. Antenna WF5B (Peak & Average, Ch.104, 802.11be(SU), MCS11)




Plot 7-179. Antenna WF5B (Peak & Average, Ch.64, 802.11be(SU), MCS11)




Plot 7-182. Antenna WF5B (Peak & Average, Ch.108, 802.11be(SU), MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 180 of 261




Plot 7-183. Antenna WF5B (Peak, Ch.136, 802.11be(SU), MCS11)



Plot 7-185. Antenna WF5B (Peak, Ch.149, 802.11be(SU), MCS11)



Plot 7-184. Antenna WF5B (Peak, Ch.140, 802.11be(SU), MCS11)




Plot 7-186. Antenna WF5B (Peak, Ch.165, 802.11be(SU), MCS11)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 181 of 261


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.5 Antenna WF5B Radiated Band Edge Measurements (40MHz BW)




Plot 7-187. Antenna WF5B (Peak & Average, Ch.38, 802.11n, MCS7)




Plot 7-190. Antenna WF5B (Peak & Average, Ch.62, 802.11n, MCS7)




Plot 7-188. Antenna WF5B (Peak & Average, Ch.46, 802.11n, MCS7)



Plot 7-191. Antenna WF5B (Peak & Average, Ch.102, 802.11n, MCS7)



Plot 7-189. Antenna WF5B (Peak & Average, Ch.54, 802.11n, MCS7)




Plot 7-192. Antenna WF5B (Peak & Average, Ch.110, 802.11n, MCS7)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 182 of 261

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-193. Antenna WF5B (Peak & Average, Ch.118 (FCC ONLY), 802.11n, MCS7)




Plot 7-196. Antenna WF5B (Peak, Ch.151, 802.11n, MCS7)




Plot 7-194. Antenna WF5B (Peak, Ch.126 (FCC ONLY), 802.11n, MCS7)



Plot 7-197. Antenna WF5B (Peak, Ch.159, 802.11n, MCS7)



Plot 7-195. Antenna WF5B (Peak, Ch.134, 802.11n, MCS7)




Plot 7-198. Antenna WF5B (Peak & Average, Ch.38, 802.11be(SU), MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 183 of 261

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-199. Antenna WF5B (Peak & Average, Ch.46, 802.11be(SU), MCS11)




Plot 7-202. Antenna WF5B (Peak & Average, Ch.102, 802.11be(SU), MCS11)




Plot 7-200. Antenna WF5B (Peak & Average, Ch.54, 802.11be(SU), MCS11)



Plot 7-203. Antenna WF5B (Peak & Average, Ch.110, 802.11be(SU), MCS11)




Plot 7-201. Antenna WF5B (Peak & Average, Ch.62, 802.11be(SU), MCS11)




Plot 7-204. Antenna WF5B (Peak & Average, Ch.118 (FCC ONLY), 802.11be(SU), MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 184 of 261




Plot 7-205. Antenna WF5B (Peak, Ch.126 (FCC ONLY), 802.11be(SU), MCS11)



Plot 7-207. Antenna WF5B (Peak, Ch.151, 802.11be(SU), MCS11)




Plot 7-206. Antenna WF5B (Peak, Ch.134, 802.11be(SU), MCS11)




Plot 7-208. Antenna WF5B (Peak, Ch.159, 802.11be(SU), MCS11)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 185 of 261


7.6.6 Antenna WF5B Radiated Band Edge Measurements (80MHz BW)




Plot 7-209. Antenna WF5B (Peak & Average, Ch.42, 802.11ac, MCS9)




Plot 7-212. Antenna WF5B (Peak & Average, Ch.122 (FCC ONLY), 802.11ac, MCS9)




Plot 7-210. Antenna WF5B (Peak & Average, Ch.58, 802.11ac, MCS9)



Plot 7-213. Antenna WF5B (Peak, Ch.122 (FCC ONLY), 802.11ac, MCS9)



Plot 7-211. Antenna WF5B (Peak & Average, Ch.106, 802.11ac, MCS9)




Plot 7-214. Antenna WF5B (Peak, Ch.155, 802.11ac, MCS9)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 186 of 261

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-215. Antenna WF5B (Peak, Ch.155, 802.11ac, MCS9)




Plot 7-218. Antenna WF5B (Peak & Average, Ch.106, 802.11be(SU), MCS11)




Plot 7-216. Antenna WF5B (Peak & Average, Ch.42, 802.11be(SU), MCS11)



Plot 7-219. Antenna WF5B (Peak & Average, Ch.122 (FCC ONLY), 802.11be(SU), MCS11)




Plot 7-217. Antenna WF5B (Peak & Average, Ch.58, 802.11be(SU), MCS11)




Plot 7-220. Antenna WF5B (Peak, Ch.122 (FCC ONLY), 802.11be(SU), MCS11)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 187 of 261




Plot 7-221. Antenna WF5B (Peak, Ch.155, 802.11be(SU), MCS11)




Plot 7-222. Antenna WF5B (Peak, Ch.155, 802.11be(SU), MCS11)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 188 of 261



Plot 7-229. Antenna WF5B (Peak & Average, Ch.114 (FCC ONLY), 802.11be(SU), MCS11)




Plot 7-230. Antenna WF5B (Peak, Ch.114 (FCC ONLY), 802.11be(SU), MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 190 of 261

V 11.0 05/2025


7.6.8 Antenna WF8 Radiated Band Edge Measurements (20MHz BW)




Plot 7-231. Antenna WF8 (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-234. Antenna WF8 (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-232. Antenna WF8 (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-235. Antenna WF8 (Peak & Average, Ch.100, 802.11n, MCS7)



Plot 7-233. Antenna WF8 (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-236. Antenna WF8 (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 191 of 261

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-237. Antenna WF8 (Peak & Average, Ch.108, 802.11n, MCS7)




Plot 7-240. Antenna WF8 (Peak, Ch.149, 802.11n, MCS7)




Plot 7-238. Antenna WF8 (Peak, Ch.136, 802.11n, MCS7)



Plot 7-241. Antenna WF8 (Peak, Ch.165, 802.11n, MCS7)




Plot 7-239. Antenna WF8 (Peak, Ch.140, 802.11n, MCS7)




Plot 7-242. Antenna WF8 (Peak & Average, Ch.36, 802.11be(SU), MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 192 of 261




Plot 7-243. Antenna WF8 (Peak & Average, Ch.40, 802.11be(SU), MCS11)




Plot 7-246. Antenna WF8 (Peak & Average, Ch.100, 802.11be(SU), MCS11)




Plot 7-244. Antenna WF8 (Peak & Average, Ch.60, 802.11be(SU), MCS11)



Plot 7-247. Antenna WF8 (Peak & Average, Ch.104, 802.11be(SU), MCS11)




Plot 7-245. Antenna WF8 (Peak & Average, Ch.64, 802.11be(SU), MCS11)




Plot 7-248. Antenna WF8 (Peak & Average, Ch.108, 802.11be(SU), MCS11)


FCC ID: BCGA3360 IC: 579C-A3360			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 193 of 261	




Plot 7-249. Antenna WF8 (Peak, Ch.136, 802.11be(SU), MCS11)



Plot 7-251. Antenna WF8 (Peak, Ch.149, 802.11be(SU), MCS11)



Plot 7-250. Antenna WF8 (Peak, Ch.140, 802.11be(SU), MCS11)




Plot 7-252. Antenna WF8 (Peak, Ch.165, 802.11be(SU), MCS11)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 194 of 261


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.9 Antenna WF8 Radiated Band Edge Measurements (40MHz BW)




Plot 7-253. Antenna WF8 (Peak & Average, Ch.38, 802.11n, MCS7)




Plot 7-256. Antenna WF8 (Peak & Average, Ch.62, 802.11n, MCS7)




Plot 7-254. Antenna WF8 (Peak & Average, Ch.46, 802.11n, MCS7)



Plot 7-257. Antenna WF8 (Peak & Average, Ch.102, 802.11n, MCS7)



Plot 7-255. Antenna WF8 (Peak & Average, Ch.54, 802.11n, MCS7)




Plot 7-258. Antenna WF8 (Peak & Average, Ch.110, 802.11n, MCS7)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 195 of 261

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-259. Antenna WF8 (Peak & Average, Ch.118 (FCC ONLY), 802.11n, MCS7)




Plot 7-262. Antenna WF8 (Peak, Ch.151, 802.11n, MCS7)




Plot 7-260. Antenna WF8 (Peak, Ch.126 (FCC ONLY), 802.11n, MCS7)



Plot 7-263. Antenna WF8 (Peak, Ch.159, 802.11n, MCS7)



Plot 7-261. Antenna WF8 (Peak, Ch.134, 802.11n, MCS7)




Plot 7-264. Antenna WF8 (Peak & Average, Ch.38, 802.11be(SU), MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 196 of 261

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-265. Antenna WF8 (Peak & Average, Ch.46, 802.11be(SU), MCS11)




Plot 7-268. Antenna WF8 (Peak & Average, Ch.102, 802.11be(SU), MCS11)




Plot 7-266. Antenna WF8 (Peak & Average, Ch.54, 802.11be(SU), MCS11)



Plot 7-269. Antenna WF8 (Peak & Average, Ch.110, 802.11be(SU), MCS11)



Plot 7-267. Antenna WF8 (Peak & Average, Ch.62, 802.11be(SU), MCS11)




Plot 7-270. Antenna WF8 (Peak & Average, Ch.118 (FCC ONLY), 802.11be(SU), MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 197 of 261

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-271. Antenna WF8 (Peak, Ch.126 (FCC ONLY), 802.11be(SU), MCS11)



Plot 7-273. Antenna WF8 (Peak, Ch.151, 802.11be(SU), MCS11)



Plot 7-272. Antenna WF8 (Peak, Ch.134, 802.11be(SU), MCS11)



Plot 7-274. Antenna WF8 (Peak, Ch.159, 802.11be(SU), MCS11)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-13.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 198 of 261

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.