







Plot 7-148 PSD CDD Primary Antenna WF8 (20MHz BW 802.11be(RU) RU52 Index40 - Ch.144)




Plot 7-152 PSD CDD Primary Antenna WF5B (20MHz BW 802.11be(RU) RU52 Index40 - Ch.144)




Plot 7-149 PSD CDD Primary Antenna WF8 (40MHz BW 802.11be(RU) RU52 Index40 - Ch.118)




Plot 7-153 PSD CDD Primary Antenna WF5B (40MHz BW 802.11be(RU) RU52 Index40 - Ch.118)




Plot 7-150 PSD CDD Primary Antenna WF8 (80MHz BW 802.11be(RU) RU52 Index52 - Ch.122)



Plot 7-154 PSD CDD Primary Antenna WF5B (80MHz BW 802.11be(RU) RU52 Index52 - Ch.122)



Plot 7-151 PSD CDD Primary Antenna WF8 (160MHz BW 802.11be(RU) RU52 Index37 - Ch.114)



Plot 7-155 PSD CDD Primary Antenna WF5B (160MHz BW 802.11be(RU) RU52 Index37 - Ch.114)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 119 of 372

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-156 PSD CDD Primary Antenna WF8 (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.36)




Plot 7-160 PSD CDD Primary Antenna WF5B (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.138)




Plot 7-157 PSD CDD Primary Antenna WF8 (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.138)




Plot 7-161 PSD CDD Primary Antenna WF5B (160MHz BW 802.11be(RU) RU996+484 Index94 - Ch.114)




Plot 7-158 PSD CDD Primary Antenna WF8 (160MHz BW 802.11be(RU) RU996+484 Index94 - Ch.114)



Plot 7-162 PSD CDD Primary Antenna WF8 (20MHz BW 802.11be(RU) RU242 Index61 - Ch.48)




Plot 7-159 PSD CDD Primary Antenna WF5B (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.36)




Plot 7-163 PSD CDD Primary Antenna WF8 (40MHz BW 802.11be(RU) RU484 Index65 - Ch.54)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 120 of 372




Plot 7-164 PSD CDD Primary Antenna WF8 (80MHz BW 802.11be(RU) RU996 Index67 - Ch.138)




Plot 7-167 PSD CDD Primary Antenna WF5B (40MHz BW 802.11be(RU) RU484 Index65 - Ch.54)




Plot 7-165 PSD CDD Primary Antenna WF8 (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.114)



Plot 7-168 PSD CDD Primary Antenna WF5B (80MHz BW 802.11be(RU) RU996 Index67 - Ch.138)



Plot 7-166 PSD CDD Primary Antenna WF5B (20MHz BW 802.11be(RU) RU242 Index61 - Ch.48)



Plot 7-169 PSD CDD Primary Antenna WF5B (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.114)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 121 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF5B Power Density [dBm/500kHz]	Antenna WF8 Power Density [dBm/500kHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 3	5180	149	be (20MHz)	CDD	26	0	MCS5	4.70	4.79	7.75	30.0	-22.25
	5200	157	be (20MHz)	CDD	26	0	MCS5	4.67	4.62	7.66	30.0	-22.34
	5240	165	be (20MHz)	CDD	26	8	MCS5	4.47	4.73	7.61	30.0	-22.39
	5190	151	be (40MHz)	CDD	26	8	MCS5	5.04	4.51	7.80	30.0	-22.20
	5230	159	be (40MHz)	CDD	26	0	MCS5	5.10	4.58	7.86	30.0	-22.14
	5210	155	be (80MHz)	CDD	26	17	MCS5	4.72	4.51	7.63	30.0	-22.37

Table 7-170. Band 3 Power Spectral Density Measurements CDD Primary (RU26)


	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF5B Power Density [dBm/500kHz]	Antenna WF8 Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Mbe Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20MHz)	CDD	52+26	71	MCS5	4.66	4.56	7.62	30.0	-22.38
	5785	157	be (20MHz)	CDD	52+26	72	MCS5	4.30	4.41	7.37	30.0	-22.63
	5825	165	be (20MHz)	CDD	52+26	71	MCS5	4.67	4.53	7.61	30.0	-22.39
	5745	149	be (20MHz)	CDD	106+26	82	MCS5	4.51	4.53	7.53	30.0	-22.47
	5785	157	be (20MHz)	CDD	106+26	82	MCS5	4.31	4.24	7.28	30.0	-22.72
	5825	165	be (20MHz)	CDD	106+26	82	MCS5	4.56	4.44	7.51	30.0	-22.49
	5775	155	be (80MHz)	CDD	484+242	93	MCS5	-2.82	-3.21	0.00	30.0	-30.00

Table 7-171. Band 3 Power Spectral Density Measurements CDD Primary (MRU)


	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF5B Power Density [dBm/500kHz]	Antenna WF8 Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20MHz)	CDD	242	61	MCS5	4.11	4.15	7.14	30.0	-22.86
	5785	157	be (20MHz)	CDD	242	61	MCS5	4.12	4.17	7.15	30.0	-22.85
	5825	165	be (20MHz)	CDD	242	61	MCS5	4.04	4.34	7.20	30.0	-22.80
	5755	151	be (40MHz)	CDD	484	65	MCS5	1.19	1.26	4.24	30.0	-25.76
	5795	159	be (40MHz)	CDD	484	65	MCS5	1.09	1.33	4.22	30.0	-25.78
	5775	155	be (80MHz)	CDD	996	67	MCS5	-4.93	-4.80	-1.86	30.0	-31.86

Table 7-172. Band 3 Power Spectral Density Measurements CDD Primary (Fully-loaded RU)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 122 of 372




Plot 7-170 PSD CDD Primary Antenna WF8 (20MHz BW 802.11be(RU) RU26 Index0 - Ch.149)




Plot 7-174 PSD CDD Primary Antenna WF5B (40MHz BW 802.11be(RU) RU26 Index0 - Ch.159)



Plot 7-171 PSD CDD Primary Antenna WF8 (40MHz BW 802.11be(RU) RU26 Index0 - Ch.159)



Plot 7-175 PSD CDD Primary Antenna WF5B (80MHz BW 802.11be(RU) RU26 Index17 - Ch.155)




Plot 7-172 PSD CDD Primary Antenna WF8 (80MHz BW 802.11be(RU) RU26 Index17 - Ch.155)



Plot 7-176 PSD CDD Primary Antenna WF8 (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.149)



Plot 7-173 PSD CDD Primary Antenna WF5B (20MHz BW 802.11be(RU) RU26 Index0 - Ch.149)




Plot 7-177 PSD CDD Primary Antenna WF8 (80MHz BW 802.11be(RU) RU484+242 Index93 - Ch.155)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 123 of 372




Plot 7-178 PSD CDD Primary Antenna WF5B (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.149)




Plot 7-182 PSD CDD Primary Antenna WF8 (80MHz BW 802.11be(RU) RU996 Index67 - Ch.155)




Plot 7-179 PSD CDD Primary Antenna WF5B (80MHz BW 802.11be(RU) RU484+242 Index93 - Ch.155)




Plot 7-183 PSD CDD Primary Antenna WF5B (20MHz BW 802.11be(RU) RU242 Index61 - Ch.165)




Plot 7-180 PSD CDD Primary Antenna WF8 (20MHz BW 802.11be(RU) RU242 Index61 - Ch.165)



Plot 7-184 PSD CDD Primary Antenna WF5B (40MHz BW 802.11be(RU) RU484 Index65 - Ch.151)



Plot 7-181 PSD CDD Primary Antenna WF8 (40MHz BW 802.11be(RU) RU484 Index65 - Ch.151)



Plot 7-185 PSD CDD Primary Antenna WF5B (80MHz BW 802.11be(RU) RU996 Index67 - Ch.155)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 124 of 372

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF5B Power Density [dBm/MHz]	Antenna WF8 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directoinal Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	SDM	26	8	MCS5	2.72	3.29	6.02	1.71	7.73	10.0	-2.27
	5200	40	be (20MHz)	SDM	26	0	MCS5	2.77	2.89	5.84	1.71	7.55	10.0	-2.45
	5240	48	be (20MHz)	SDM	26	8	MCS5	2.81	3.34	6.09	1.71	7.80	10.0	-2.20
	5190	38	be (40MHz)	SDM	26	17	MCS5	2.79	3.25	6.03	1.71	7.74	10.0	-2.26
	5230	46	be (40MHz)	SDM	26	8	MCS5	2.45	1.84	5.17	1.71	6.88	10.0	-3.12
	5210	42	be (80MHz)	SDM	26	17	MCS5	2.39	1.97	5.19	1.71	6.90	10.0	-3.10
Band 1/2A	5250	50	be (160MHz)	SDM	52	52-L	MCS5	2.48	1.88	5.20	1.71	6.91	10.0	-3.09

Table 7-173. ISED Band 1 e.i.r.p. Power Spectral Density Measurements SDM Primary (RU26 and RU52)


	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF5B Power Density [dBm/MHz]	Antenna WF8 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directoinal Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	SDM	52+26	72	MCS5	2.83	3.26	6.06	1.71	7.77	10	-2.23
	5200	40	be (20MHz)	SDM	52+26	71	MCS5	2.94	3.36	6.16	1.71	7.87	10	-2.13
	5240	48	be (20MHz)	SDM	52+26	72	MCS5	2.50	2.98	5.76	1.71	7.47	10	-2.53
	5180	36	be (20MHz)	SDM	106+26	82	MCS5	1.11	2.09	4.64	1.71	6.35	10	-3.65
	5200	40	be (20MHz)	SDM	106+26	82	MCS5	3.12	3.56	6.36	1.71	8.07	10	-1.93
	5240	48	be (20MHz)	SDM	106+26	83	MCS5	2.84	3.22	6.04	1.71	7.75	10	-2.25
Band 1/2A	5210	42	be (80MHz)	CDD	484+242	93	MCS5	-3.88	-3.76	-0.81	4.72	3.91	10	-6.09
	5250	50 (L)	be (160MHz)	CDD	996+484	95	MCS5	-8.64	-8.91	-5.76	4.72	-1.05	10	-11.05
	5250	50 (L)	be (160MHz)	CDD	996+484+242	99	MCS5	-9.39	-9.81	-6.59	4.72	-1.87	10	-11.87
	5250	50 (U)	be (160MHz)	CDD	996+484	94	MCS5	-8.81	-9.08	-5.93	4.72	-1.22	10	-11.22
	5250	50 (U)	be (160MHz)	CDD	996+484+242	97	MCS5	-9.64	-9.61	-6.62	4.72	-1.90	10	-11.90

Table 7-174. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM Primary (MRU)


	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF5B Power Density [dBm/MHz]	Antenna WF8 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directoinal Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	SDM	242	61	MCS5	1.84	2.59	5.24	1.71	6.95	10.0	-3.05
	5200	40	be (20MHz)	SDM	242	61	MCS5	2.91	3.56	6.26	1.71	7.97	10.0	-2.03
	5240	48	be (20MHz)	SDM	242	61	MCS5	2.63	3.36	6.02	1.71	7.73	10.0	-2.27
	5190	38	be (40MHz)	CDD	484	65	MCS5	-2.83	-2.70	0.25	4.72	4.96	10.0	-5.04
	5230	46	be (40MHz)	SDM	484	65	MCS5	1.67	0.83	4.28	1.71	5.99	10.0	-4.01
	5210	42	be (80MHz)	CDD	996	67	MCS5	-5.60	-5.29	-2.43	4.72	2.28	10.0	-7.72
Band 1/2A	5250	50	be (160MHz)	CDD	996	68	MCS5	-10.47	-9.85	-7.13	4.72	-2.42	10.0	-12.42

Table 7-175. ISED Band 1 e.i.r.p. Power Spectral Density Measurements CDD/SDM Primary (Fully-loaded RU)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 125 of 372




Plot 7-186 PSD SDM Primary Antenna WF8 (20MHz BW 802.11be(RU) RU26 Index8 - Ch.48)




Plot 7-190 PSD SDM Primary Antenna WF5B (20MHz BW 802.11be(RU) RU26 Index8 - Ch.48)




Plot 7-187 PSD SDM Primary Antenna WF8 (40MHz BW 802.11be(RU) RU26 Index17 - Ch.38)




Plot 7-191 PSD SDM Primary Antenna WF5B (40MHz BW 802.11be(RU) RU26 Index17 - Ch.38)




Plot 7-188 PSD SDM Primary Antenna WF8 (80MHz BW 802.11be(RU) RU26 Index17 - Ch.42)



Plot 7-192 PSD SDM Primary Antenna WF5B (80MHz BW 802.11be(RU) RU26 Index17 - Ch.42)



Plot 7-189 PSD SDM Primary Antenna WF8 (160MHz BW 802.11be(RU) RU52 Index52 - Ch.50)




Plot 7-193 PSD SDM Primary Antenna WF5B (160MHz BW 802.11be(RU) RU52 Index52 - Ch.50)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 126 of 372




Plot 7-194 PSD SDM Primary Antenna WF8 (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.40)




Plot 7-198 PSD CDD Primary Antenna WF5B (80MHz BW 802.11be(RU) RU484+242 Index93 - Ch.42)




Plot 7-195 PSD CDD Primary Antenna WF8 (80MHz BW 802.11be(RU) RU484+242 Index93 - Ch.42)



Plot 7-199 PSD CDD Primary Antenna WF5B (160MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)



Plot 7-196 PSD CDD Primary Antenna WF8 (160MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)



Plot 7-200 PSD SDM Primary Antenna WF8 (20MHz BW 802.11be(RU) RU242 Index61 - Ch.40)



Plot 7-197 PSD SDM Primary Antenna WF5B (20MHz BW 802.11be(RU) RU106+26 Index82 - Ch.40)




Plot 7-201 PSD SDM Primary Antenna WF8 (40MHz BW 802.11be(RU) RU484 Index65 - Ch.46)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 127 of 372

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-202 PSD CDD Primary Antenna WF8 (80MHz BW 802.11be(RU) RU996 Index67 - Ch.42)



Plot 7-205 PSD SDM Primary Antenna WF5B (40MHz BW 802.11be(RU) RU484 Index65 - Ch.46)




Plot 7-203 PSD CDD Primary Antenna WF8 (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)



Plot 7-206 PSD CDD Primary Antenna WF5B (80MHz BW 802.11be(RU) RU996 Index67 - Ch.42)



Plot 7-204 PSD SDM Primary Antenna WF5B (20MHz BW 802.11be(RU) RU242 Index61 - Ch.40)



Plot 7-207 PSD CDD Primary Antenna WF5B (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.50)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 128 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.5.5 Summed CDD/SDM Diversity Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF8 Power Density [dBm/MHz]	Antenna WF7 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	CDD	26	0	MCS5	5.79	5.49	8.66	11.0	-2.34
	5200	40	be (20MHz)	CDD	26	0	MCS5	4.88	5.40	8.16	11.0	-2.84
	5240	48	be (20MHz)	CDD	26	8	MCS5	5.46	5.34	8.41	11.0	-2.59
	5190	38	be (40MHz)	CDD	26	8	MCS5	4.88	5.27	8.09	11.0	-2.91
	5230	46	be (40MHz)	CDD	26	8	MCS5	4.57	5.04	7.82	11.0	-3.18
	5210	42	be (80MHz)	CDD	26	0	MCS5	4.70	4.93	7.83	11.0	-3.17
Band 1/2A	5250	50	be (160MHz)	CDD	52	52	MCS5	4.24	4.28	7.27	11.0	-3.73
Band 2A	5260	52	be (20MHz)	CDD	52	37	MCS5	5.42	5.41	8.43	11.0	-2.57
	5280	60	be (20MHz)	CDD	52	40	MCS5	4.76	5.46	8.13	11.0	-2.87
	5320	64	be (20MHz)	CDD	52	40	MCS5	5.30	5.52	8.42	11.0	-2.58
	5270	54	be (40MHz)	CDD	52	40	MCS5	5.15	5.23	8.20	11.0	-2.80
	5310	62	be (40MHz)	CDD	52	40	MCS5	4.91	5.11	8.02	11.0	-2.98
	5290	58	be (80MHz)	CDD	52	52	MCS5	4.98	5.08	8.04	11.0	-2.96
Band 2C	5500	100	be (20MHz)	CDD	52	37	MCS5	5.24	5.11	8.19	11.0	-2.81
	5580	116	be (20MHz)	CDD	52	37	MCS5	5.64	5.17	8.42	11.0	-2.58
	5720	144	be (20MHz)	CDD	52	40	MCS5	5.63	5.38	8.52	11.0	-2.48
	5510	102	be (40MHz)	CDD	52	44	MCS5	5.31	5.07	8.20	11.0	-2.80
	5550	110	be (40MHz)	CDD	52	40	MCS5	5.42	4.99	8.22	11.0	-2.78
	*5590	118	be (40MHz)	CDD	52	40	MCS5	5.58	5.33	8.47	11.0	-2.53
	5670	134	be (40MHz)	CDD	52	37	MCS5	5.15	4.99	8.08	11.0	-2.92
	5710	142	be (40MHz)	CDD	52	44	MCS5	5.29	5.27	8.29	11.0	-2.71
	5530	106	be (80MHz)	CDD	52	52	MCS5	5.38	5.35	8.37	11.0	-2.63
	*5610	122	be (80MHz)	CDD	52	52	MCS5	5.35	5.09	8.23	11.0	-2.77
	5690	138	be (80MHz)	CDD	52	52	MCS5	5.08	5.01	8.06	11.0	-2.94
	*5570	114	be (160MHz)	CDD	52	52	MCS5	4.65	4.36	7.52	11.0	-3.48

Table 7-176. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Diversity (RU26 and RU52)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 129 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF8 Power Density [dBm/MHz]	Antenna WF7 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	CDD	52+26	71	MCS5	5.75	5.76	8.77	11	-2.23
	5200	40	be (20MHz)	CDD	52+26	71	MCS5	5.81	5.74	8.79	11	-2.21
	5240	48	be (20MHz)	CDD	52+26	71	MCS5	5.94	5.85	8.91	11	-2.09
	5180	36	be (20MHz)	CDD	106+26	83	MCS5	4.36	4.61	7.50	11	-3.50
	5200	40	be (20MHz)	CDD	106+26	82	MCS5	5.36	5.50	8.44	11	-2.56
	5240	48	be (20MHz)	CDD	106+26	83	MCS5	5.76	5.88	8.83	11	-2.17
Band 1/2A	5210	42	be (80MHz)	CDD	484+242	91	MCS5	-4.51	-4.27	-1.37	11	-12.37
	5250	50 (L)	be (160MHz)	CDD	996+484	95	MCS5	-8.91	-8.82	-5.85	11	-16.85
	5250	50 (L)	be (160MHz)	CDD	996+484+242	97	MCS5	-9.73	-9.56	-6.63	11	-17.63
	5250	50 (U)	be (160MHz)	CDD	996+484	94	MCS5	-9.08	-8.90	-5.98	11	-16.98
Band 2A	5250	50 (U)	be (160MHz)	CDD	996+484+242	97	MCS5	-9.61	-9.55	-6.57	11	-17.57
	5260	52	be (20MHz)	CDD	52+26	71	MCS5	5.81	6.03	8.93	11	-2.07
	5280	60	be (20MHz)	CDD	52+26	71	MCS5	5.84	6.03	8.95	11	-2.05
	5320	64	be (20MHz)	CDD	52+26	72	MCS5	5.75	5.65	8.71	11	-2.29
	5260	52	be (20MHz)	CDD	106+26	83	MCS5	5.43	5.19	8.32	11	-2.68
	5280	60	be (20MHz)	CDD	106+26	83	MCS5	5.58	5.50	8.55	11	-2.45
	5320	64	be (20MHz)	CDD	106+26	82	MCS5	4.29	4.49	7.40	11	-3.60
	5290	58	be (80MHz)	CDD	484+242	91	MCS5	-3.22	-3.11	-0.15	11	-11.15
Band 2C	5500	100	be (20MHz)	CDD	52+26	71	MCS5	5.56	5.71	8.64	11	-2.36
	5580	116	be (20MHz)	CDD	52+26	72	MCS5	5.72	5.34	8.55	11	-2.45
	5720	144	be (20MHz)	CDD	52+26	71	MCS5	5.39	5.16	8.29	11	-2.71
	5500	100	be (20MHz)	CDD	106+26	82	MCS5	3.38	3.53	6.46	11	-4.54
	5580	116	be (20MHz)	CDD	106+26	83	MCS5	5.67	5.35	8.53	11	-2.47
	5720	144	be (20MHz)	CDD	106+26	83	MCS5	5.63	5.10	8.38	11	-2.62
	5530	106	be (80MHz)	CDD	484+242	92	MCS5	-5.28	-4.88	-2.06	11	-13.06
	*5610	122	be (80MHz)	CDD	484+242	92	MCS5	-1.74	-1.82	1.23	11	-9.77
	5690	138	be (80MHz)	CDD	484+242	92	MCS5	2.89	2.71	5.81	11	-5.19
	*5570	114 (L)	be (160MHz)	CDD	996+484	95	MCS5	-8.82	-9.24	-6.02	11	-17.02
	*5570	114 (H)	be (160MHz)	CDD	996+484+242	97	MCS5	-9.49	-9.66	-6.57	11	-17.57
	*5570	114 (L)	be (160MHz)	CDD	996+484	95	MCS5	-8.82	-9.24	-6.02	11	-17.02
	*5570	114 (H)	be (160MHz)	CDD	996+484+242	97	MCS5	-9.49	-9.66	-6.57	11	-17.57

Table 7-177. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Diversity (MRU)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 130 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF8 Power Density [dBm/MHz]	Antenna WF7 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	be (20MHz)	CDD	242	61	MCS5	2.09	2.41	5.26	11.0	-5.74
	5200	40	be (20MHz)	CDD	242	61	MCS5	5.18	5.70	8.46	11.0	-2.54
	5240	48	be (20MHz)	CDD	242	61	MCS5	5.73	5.46	8.61	11.0	-2.39
	5190	38	be (40MHz)	CDD	484	65	MCS5	-2.78	-2.45	0.40	11.0	-10.60
	5230	46	be (40MHz)	CDD	484	65	MCS5	4.02	3.98	7.01	11.0	-3.99
	5210	42	be (80MHz)	CDD	996	67	MCS5	-6.16	-5.76	-2.94	11.0	-13.94
Band 1/2A	5250	50	be (160MHz)	CDD	996x2	68	MCS5	-10.54	-10.32	-7.42	11.0	-18.42
Band 2A	5260	52	be (20MHz)	CDD	242	61	MCS5	5.00	5.36	8.19	11.0	-2.81
	5280	60	be (20MHz)	CDD	242	61	MCS5	5.65	5.55	8.61	11.0	-2.39
	5320	64	be (20MHz)	CDD	242	61	MCS5	3.71	3.46	6.60	11.0	-4.40
	5270	54	be (40MHz)	CDD	484	65	MCS5	4.35	4.16	7.26	11.0	-3.74
	5310	62	be (40MHz)	CDD	484	65	MCS5	-2.08	-1.72	1.11	11.0	-9.89
	5290	58	be (80MHz)	CDD	996	67	MCS5	-5.20	-4.88	-2.03	11.0	-13.03
Band 2C	5500	100	be (20MHz)	CDD	242	61	MCS5	2.08	2.11	5.10	11.0	-5.90
	5580	116	be (20MHz)	CDD	242	61	MCS5	5.14	5.20	8.18	11.0	-2.82
	5720	144	be (20MHz)	CDD	242	61	MCS5	5.56	5.59	8.58	11.0	-2.42
	5510	102	be (40MHz)	CDD	484	65	MCS5	-3.51	-2.95	-0.21	11.0	-11.21
	5550	110	be (40MHz)	CDD	484	65	MCS5	2.06	2.02	5.05	11.0	-5.95
	*5590	118	be (40MHz)	CDD	484	65	MCS5	4.35	3.93	7.16	11.0	-3.84
	5670	134	be (40MHz)	CDD	484	65	MCS5	-0.01	-0.28	2.87	11.0	-8.13
	5710	142	be (40MHz)	CDD	484	65	MCS5	4.14	3.91	7.04	11.0	-3.96
	5530	106	be (80MHz)	CDD	996	67	MCS5	-6.15	-6.37	-3.25	11.0	-14.25
	*5610	122	be (80MHz)	CDD	996	67	MCS5	-2.08	-2.23	0.85	11.0	-10.15
	5690	138	be (80MHz)	CDD	996	67	MCS5	1.12	0.88	4.01	11.0	-6.99
	*5570	114	be (160MHz)	CDD	996x2	68	MCS5	-8.99	-8.90	-5.93	11.0	-16.93


Table 7-178. Bands 1, 2A, 2C Power Spectral Density Measurements CDD Diversity (Fully-loaded RU)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 131 of 372

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-208 PSD CDD Diversity Antenna WF7 (20MHz BW 802.11be(RU) RU26 Index0 - Ch.36)




Plot 7-212 PSD CDD Diversity Antenna WF8 (20MHz BW 802.11be(RU) RU26 Index0 - Ch.36)




Plot 7-209 PSD CDD Diversity Antenna WF7 (40MHz BW 802.11be(RU) RU52 Index40 - Ch.118)




Plot 7-213 PSD CDD Diversity Antenna WF8 (40MHz BW 802.11be(RU) RU52 Index40 - Ch.118)




Plot 7-210 PSD CDD Diversity Antenna WF7 (80MHz BW 802.11be(RU) RU52 Index52 - Ch.106)



Plot 7-214 PSD CDD Diversity Antenna WF8 (80MHz BW 802.11be(RU) RU52 Index52 - Ch.106)



Plot 7-211 PSD CDD Diversity Antenna WF7 (160MHz BW 802.11be(RU) RU52 Index52 - Ch.114)



Plot 7-215 PSD CDD Diversity Antenna WF8 (160MHz BW 802.11be(RU) RU52 Index52 - Ch.114)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 132 of 372

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-216 PSD CDD Diversity Antenna WF7 (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.60)




Plot 7-220 PSD CDD Diversity Antenna WF8 (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.138)




Plot 7-217 PSD CDD Diversity Antenna WF7 (80MHz BW 802.11be(RU) RU484+242 Index92 - Ch.138)




Plot 7-221 PSD CDD Diversity Antenna WF8 (160MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)




Plot 7-218 PSD CDD Diversity Antenna WF7 (160MHz BW 802.11be(RU) RU996+484 Index95 - Ch.50)



Plot 7-222 PSD CDD Diversity Antenna WF7 (20MHz BW 802.11be(RU) RU242 Index61 - Ch.60)




Plot 7-219 PSD CDD Diversity Antenna WF8 (20MHz BW 802.11be(RU) RU52+26 Index71 - Ch.60)




Plot 7-223 PSD CDD Diversity Antenna WF7 (40MHz BW 802.11be(RU) RU484 Index65 - Ch.54)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 133 of 372




Plot 7-224 PSD CDD Diversity Antenna WF7 (80MHz BW 802.11be(RU) RU996 Index67 - Ch.138)




Plot 7-227 PSD CDD Diversity Antenna WF8 (40MHz BW 802.11be(RU) RU484 Index65 - Ch.54)



Plot 7-225 PSD CDD Diversity Antenna WF7 (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.114)



Plot 7-228 PSD CDD Diversity Antenna WF8 (80MHz BW 802.11be(RU) RU996 Index67 - Ch.138)



Plot 7-226 PSD CDD Diversity Antenna WF8 (20MHz BW 802.11be(RU) RU242 Index61 - Ch.60)



Plot 7-229 PSD CDD Diversity Antenna WF8 (160MHz BW 802.11be(RU) RU996X2 Index68 - Ch.114)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 134 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF8 Power Density [dBm/500kHz]	Antenna WF7 Power Density [dBm/500kHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 3	5180	149	be (20MHz)	CDD	26	0	MCS5	4.79	4.51	7.66	30.0	-22.34
	5200	157	be (20MHz)	CDD	26	0	MCS5	4.62	4.46	7.55	30.0	-22.45
	5240	165	be (20MHz)	CDD	26	8	MCS5	4.73	4.49	7.62	30.0	-22.38
	5190	151	be (40MHz)	CDD	26	0	MCS5	4.58	4.44	7.52	30.0	-22.48
	5230	159	be (40MHz)	CDD	26	0	MCS5	4.58	4.18	7.40	30.0	-22.60
	5210	155	be (80MHz)	CDD	26	17	MCS5	4.51	4.41	7.47	30.0	-22.53

Table 7-179. Band 3 Power Spectral Density Measurements CDD Diversity (RU26)

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF8 Power Density [dBm/500kHz]	Antenna WF7 Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Mbe Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20MHz)	CDD	52+26	71	MCS5	4.56	4.12	7.35	30.0	-22.65
	5785	157	be (20MHz)	CDD	52+26	72	MCS5	4.41	4.14	7.28	30.0	-22.72
	5825	165	be (20MHz)	CDD	52+26	71	MCS5	4.53	4.10	7.33	30.0	-22.67
	5745	149	be (20MHz)	CDD	106+26	82	MCS5	4.53	3.92	7.25	30.0	-22.75
	5785	157	be (20MHz)	CDD	106+26	82	MCS5	4.24	3.90	7.08	30.0	-22.92
	5825	165	be (20MHz)	CDD	106+26	83	MCS5	4.45	3.93	7.20	30.0	-22.80
	5775	155	be (80MHz)	CDD	484+242	92	MCS5	-3.37	-3.19	-0.27	30.0	-30.27

Table 7-180. Band 3 Power Spectral Density Measurements CDD Diversity (MRU)


	Frequency [MHz]	Channel	802.11 MODE	Mode	RU Size	RU Index	Data Rate	Antenna WF8 Power Density [dBm/500kHz]	Antenna WF7 Power Density [dBm/500kHz]	Summed Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	be (20MHz)	CDD	242	61	MCS5	4.15	4.03	7.10	30.0	-22.90
	5785	157	be (20MHz)	CDD	242	61	MCS5	4.17	3.99	7.09	30.0	-22.91
	5825	165	be (20MHz)	CDD	242	61	MCS5	4.34	4.09	7.23	30.0	-22.77
	5755	151	be (40MHz)	CDD	484	65	MCS5	1.26	1.15	4.22	30.0	-25.78
	5795	159	be (40MHz)	CDD	484	65	MCS5	1.33	1.04	4.20	30.0	-25.80
	5775	155	be (80MHz)	CDD	996	67	MCS5	-4.80	-5.11	-1.94	30.0	-31.94

Table 7-181. Band 3 Power Spectral Density Measurements CDD Diversity (Fully-loaded RU)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 135 of 372




Plot 7-230 PSD CDD Diversity Antenna WF7 (20MHz BW 802.1be(RU) RU26 Index0 - Ch.149)




Plot 7-234 PSD CDD Diversity Antenna WF8 (40MHz BW 802.1be(RU) RU26 Index0 - Ch.151)



Plot 7-231 PSD CDD Diversity Antenna WF7 (40MHz BW 802.1be(RU) RU26 Index0 - Ch.151)



Plot 7-235 PSD CDD Diversity Antenna WF8 (80MHz BW 802.1be(RU) RU26 Index17 - Ch.155)




Plot 7-232 PSD CDD Diversity Antenna WF7 (80MHz BW 802.1be(RU) RU26 Index17 - Ch.155)



Plot 7-236 PSD CDD Diversity Antenna WF7 (20MHz BW 802.1be(RU) RU52+26 Index71 - Ch.149)



Plot 7-233 PSD CDD Diversity Antenna WF8 (20MHz BW 802.1be(RU) RU26 Index0 - Ch.149)



Plot 7-237 PSD CDD Diversity Antenna WF7 (80MHz BW 802.1be(RU) RU484+242 Index92 - Ch.155)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 136 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.