





Plot 7-301. RSE above 1GHz CDD Diversity (11be – Ch.40 – RU26)



Plot 7-302. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.40 — RU26)

Mode: 802.11be (20MHz BW)

Data Rate: MCS11

RU Index: 4

Distance of Measurements: 3 Meters

Operating Frequency: 5200MHz

Channel: 40


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10400.00	Peak	H	-	-	-70.34	12.75	49.41	68.23	-18.82
* 15600.00	Average	H	-	-	-82.32	20.16	44.84	53.98	-9.14
* 15600.00	Peak	H	-	-	-71.26	20.16	55.89	73.98	-18.09

Table 7-211. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 172 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-303. RSE above 1GHz CDD Diversity (11be – Ch.48 – RU26)

Mode: 802.11be (20MHz BW)

Data Rate: MCS11

RU Index: 4

Distance of Measurements: 3 Meters

Operating Frequency: 5240MHz


Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-69.94	12.36	49.43	68.23	-18.80
* 15720.00	Average	V	-	-	-81.94	20.00	45.06	53.98	-8.92
* 15720.00	Peak	V	-	-	-71.66	20.00	55.34	73.98	-18.64

Table 7-212. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 173 of 372

V 11.0 05/2025



Plot 7-304. RSE above 1GHz CDD Diversity (11be – Ch.52 – RU52)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10520.00	Peak	H	-	-	-70.50	12.34	48.84	68.23	-19.39
* 15780.00	Average	H	-	-	-81.54	20.45	45.91	53.98	-8.07
* 15780.00	Peak	H	-	-	-70.78	20.45	56.67	73.98	-17.31

Table 7-213. Radiated Measurements CDD Diversity (RU52)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 174 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-305. RSE above 1GHz CDD Diversity (11be – Ch.56 – RU52)



Plot 7-306. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.56 — RU52)

Mode:	802.11be (20MHz BW)
Data Rate:	MCS11
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	5280MHz
Channel:	56


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	V	-	-	-70.67	12.83	49.16	68.23	-19.07
* 15840.00	Average	V	-	-	-81.86	21.00	46.14	53.98	-7.84
* 15840.00	Peak	V	-	-	-71.17	21.00	56.83	73.98	-17.15

Table 7-214. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 175 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-307. RSE above 1GHz CDD Diversity (11be – Ch.64 – RU52)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-80.89	12.44	38.56	53.98	-15.42
* 10640.00	Peak	V	-	-	-69.74	12.44	49.70	73.98	-24.28
* 15960.00	Average	H	-	-	-81.70	21.07	46.37	53.98	-7.61
* 15960.00	Peak	H	-	-	-71.23	21.07	56.84	73.98	-17.14

Table 7-215. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 176 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-308. RSE above 1GHz CDD Diversity (11be – Ch.100 – RU52)


Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-81.45	13.78	39.33	53.98	-14.65
* 11000.00	Peak	H	-	-	-70.88	13.78	49.89	73.98	-24.09
16500.00	Peak	V	-	-	-72.15	23.18	58.03	68.23	-10.20


Table 7-216. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 177 of 372

V 11.0 05/2025



Plot 7-309. RSE above 1GHz CDD Diversity (11be – Ch.116 – RU52)



Plot 7-310. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.116 — RU52)

Mode:	802.11be (20MHz BW)
Data Rate:	MCS11
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	5580MHz
Channel:	116


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-80.92	12.72	38.79	53.98	-15.19
* 11160.00	Peak	V	-	-	-70.50	12.72	49.21	73.98	-24.77
16740.00	Peak	H	-	-	-69.44	23.11	60.67	68.23	-7.56

Table 7-217. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 178 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-311. RSE above 1GHz CDD Diversity (11be – Ch.144 – RU52)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	H	-	-	-81.31	13.73	39.42	53.98	-14.56
* 11440.00	Peak	H	-	-	-70.17	13.73	50.56	73.98	-23.42
17160.00	Peak	H	-	-	-71.60	24.21	59.61	68.23	-8.62

Table 7-218. Radiated Measurements CDD Diversity (RU52)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 179 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-312. RSE above 1GHz CDD Diversity (11be – Ch.149 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-81.24	14.00	39.76	53.98	-14.22
* 11490.00	Peak	V	-	-	-70.42	14.00	50.58	73.98	-23.40
17235.00	Peak	V	-	-	-72.10	24.24	59.15	68.23	-9.08

Table 7-219. Radiated Measurements CDD Diversity (RU26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 180 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-313. RSE above 1GHz CDD Diversity (11be – Ch.157 – RU26)



Plot 7-314. RSE 18GHz – 40 GHz CDD Diversity (11be Ch.157 — RU26)

Mode:	802.11be (20MHz BW)
Data Rate:	MCS11
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	5785MHz
Channel:	157


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11570.00	Average	H	-	-	-81.50	14.45	39.95	53.98	-14.03
* 11570.00	Peak	H	-	-	-69.63	14.45	51.81	73.98	-22.17
17355.00	Peak	V	-	-	-72.24	24.94	59.70	68.23	-8.53

Table 7-220. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 181 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-315. RSE above 1GHz CDD Diversity (11be – Ch.165 – RU26)

Mode: 802.11be (20MHz BW)
Data Rate: MCS11
RU Index: 4
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11650.00	Average	H	-	-	-81.29	14.08	39.79	53.98	-14.19
* 11650.00	Peak	H	-	-	-69.86	14.08	51.23	73.98	-22.75
17475.00	Peak	V	-	-	-71.69	24.78	60.09	68.23	-8.14

Table 7-221. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 182 of 372

V 11.0 05/2025

RU242



Plot 7-316. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.36 – RU242)


Mode:	11be (20MHz BW)
Data Rate:	MCS0
Distance of Measurements:	3 Meters
Operating Frequency:	5180MHz
Channel:	36

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	H	-	-	-70.56	12.91	49.35	68.23	-18.88
* 15540.00	Average	H	-	-	-82.03	20.35	45.32	53.98	-8.66
* 15540.00	Peak	H	-	-	-71.23	20.35	56.12	73.98	-17.86


Table 7-222. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 183 of 372

V 11.0 05/2025



Plot 7-317. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.40 – RU242)



Plot 7-318. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (11be - Ch.40 – RU242)

Mode: 11be (20MHz BW)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5200MHz
Channel: 40


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10400.00	Peak	H	-	-	-69.82	12.75	49.93	68.23	-18.30
* 15600.00	Average	V	-	-	-82.42	20.36	44.94	53.98	-9.04
* 15600.00	Peak	V	-	-	-71.65	20.36	55.71	73.98	-18.27

Table 7-223. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 184 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-319. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.48 – RU242)

Mode: 11be (20MHz BW)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10480.00	Peak	H	-	-	-69.68	12.59	49.91	68.23	-18.32
* 15720.00	Average	V	-	-	-82.17	19.89	44.72	53.98	-9.26
* 15720.00	Peak	V	-	-	-71.21	19.89	55.68	73.98	-18.30

Table 7-224. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 185 of 372



Plot 7-320. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.52 – RU242)


Mode: 11be (20MHz BW)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	H	-	-	-70.14	12.34	49.20	68.23	-19.03
* 15780.00	Average	H	-	-	-81.83	20.70	45.87	53.98	-8.11
* 15780.00	Peak	H	-	-	-70.96	20.70	56.74	73.98	-17.24


Table 7-225. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 186 of 372

V 11.0 05/2025



Plot 7-321. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.56 – RU242)



Plot 7-322. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (11be - Ch.56 – RU242)

Mode: 11be (20MHz BW)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	H	-	-	-70.28	12.83	49.55	68.23	-18.68
* 15840.00	Average	V	-	-	-81.85	21.06	46.21	53.98	-7.77
* 15840.00	Peak	V	-	-	-70.90	21.06	57.16	73.98	-16.82

Table 7-226. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 187 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-323. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.64 – RU242)


Mode: 11be (20MHz BW)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-81.38	12.83	38.45	53.98	-15.53
* 10640.00	Peak	V	-	-	-70.01	12.83	49.82	73.98	-24.16
* 15960.00	Average	V	-	-	-81.91	21.07	46.17	53.98	-7.81
* 15960.00	Peak	V	-	-	-71.51	21.07	56.57	73.98	-17.41

Table 7-227. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 188 of 372

V 11.0 05/2025



Plot 7-324. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.100 – RU242)

Mode: 11be (20MHz BW)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	H	-	-	-81.31	13.72	39.41	53.98	-14.57
* 11000.00	Peak	H	-	-	-70.42	13.72	50.30	73.98	-23.68
16500.00	Peak	H	-	-	-70.83	22.84	59.01	68.23	-9.22

Table 7-228. Radiated Measurements CDD Diversity (RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 189 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-325. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.116 – RU242)



Plot 7-326. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (11be - Ch.116 – RU242)

Mode: 11be (20MHz BW)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5580MHz

Channel: 116


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11160.00	Average	V	-	-	-80.70	13.06	39.36	53.98	-14.62
* 11160.00	Peak	V	-	-	-69.81	13.06	50.25	73.98	-23.73
16740.00	Peak	V	-	-	-70.03	23.11	60.08	68.23	-8.15

Table 7-229. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 190 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-327. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.144 – RU242)


Mode: 11be (20MHz BW)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	V	-	-	-81.00	13.73	39.73	53.98	-14.25
* 11440.00	Peak	V	-	-	-70.37	13.73	50.37	73.98	-23.61
17160.00	Peak	H	-	-	-72.16	24.04	58.87	68.23	-9.36

Table 7-230. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 191 of 372

V 11.0 05/2025



Plot 7-328. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.149 – RU242)

Mode: 11be (20MHz BW)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	V	-	-	-81.39	13.92	39.54	53.98	-14.44
* 11490.00	Peak	V	-	-	-69.97	13.92	50.96	73.98	-23.02
17235.00	Peak	V	-	-	-72.28	24.65	59.37	68.23	-8.86

Table 7-231. Radiated Measurements CDD Diversity (RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 192 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-329. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.157 – RU242)



Plot 7-330. Radiated Spurious Emissions 18GHz - 40GHz CDD Diversity (11be - Ch.157 – RU242)

Mode: 11be (20MHz BW)

Data Rate: MCS0

Distance of Measurements: 3 Meters

Operating Frequency: 5785MHz

Channel: 157


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11570.00	Average	V	-	-	-80.58	14.34	40.77	53.98	-13.21
* 11570.00	Peak	V	-	-	-71.22	14.34	50.12	73.98	-23.86
17355.00	Peak	V	-	-	-71.20	24.27	60.07	68.23	-8.16

Table 7-232. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 193 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-331. Radiated Spurious Emissions above 1GHz CDD Diversity (11be - Ch.165 – RU242)

Mode: 11be (20MHz BW)
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11650.00	Average	V	-	-	-81.23	14.22	39.99	53.98	-13.99
* 11650.00	Peak	V	-	-	-70.38	14.22	50.84	73.98	-23.14
17475.00	Peak	H	-	-	-72.11	25.21	60.10	68.23	-8.13


Table 7-233. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 194 of 372


V 11.0 05/2025

7.6.3 Antenna WF5B Radiated Band Edge Measurements (20MHz BW)


RU26




Plot 7-332. Antenna WF5B (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-335. Antenna WF5B (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-333. Antenna WF5B (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-336. Antenna WF5B (Peak, RU26, Index 0, Ch.165, MCS11)



Plot 7-334. Antenna WF5B (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-337. Antenna WF5B (Peak, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 195 of 372


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU52




Plot 7-338. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.64, MCS11)




Plot 7-341. Antenna WF5B (Peak & Average, RU52, Index 40, Ch.100, MCS11)




Plot 7-339. Antenna WF5B (Peak & Average, RU52, Index 40, Ch.64, MCS11)



Plot 7-342. Antenna WF5B (Peak, RU52, Index 37, Ch.140, MCS11)



Plot 7-340. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.100, MCS11)




Plot 7-343. Antenna WF5B (Peak, RU52, Index 40, Ch.140, MCS11)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 196 of 372


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


MRU




Plot 7-344. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.36, MCS11)




Plot 7-347. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.64, MCS11)




Plot 7-345. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.36, MCS11)



Plot 7-348. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.100, MCS11)



Plot 7-346. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.64, MCS11)




Plot 7-349. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.100, MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 197 of 372

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-350. Antenna WF5B (Peak & Average, RU52+26, Index 70, Ch.104, MCS11)




Plot 7-353. Antenna WF5B (Peak, RU52+26, Index 72, Ch.136, MCS11)




Plot 7-351. Antenna WF5B (Peak & Average, RU52+26, Index 72, Ch.104, MCS11)



Plot 7-354. Antenna WF5B (Peak, RU52+26, Index 70, Ch.140, MCS11)




Plot 7-352. Antenna WF5B (Peak, RU52+26, Index 70, Ch.136, MCS11)




Plot 7-355. Antenna WF5B (Peak, RU52+26, Index 72, Ch.140, MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 198 of 372




Plot 7-356. Antenna WF5B (Peak, RU52+26, Index 70, Ch.149, MCS11)



Plot 7-359. Antenna WF5B (Peak, RU52+26, Index 72, Ch.165, MCS11)



Plot 7-357. Antenna WF5B (Peak, RU52+26, Index 72, Ch.149, MCS11)




Plot 7-358. Antenna WF5B (Peak, RU52+26, Index 70, Ch.165, MCS11)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 199 of 372


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242




Plot 7-360. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-361. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.40, MCS11)




Plot 7-362. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.60, MCS11)



Plot 7-363. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.64, MCS11)



Plot 7-364. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.100, MCS11)




Plot 7-365. Antenna WF5B (Peak & Average, RU242, Index 61, Ch.104, MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 200 of 372

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-366. Antenna WF5B (Peak, RU242, Index 61, Ch.136, MCS11)



Plot 7-369. Antenna WF5B (Peak, RU242, Index 61, Ch.165, MCS11)



Plot 7-367. Antenna WF5B (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-368. Antenna WF5B (Peak, RU242, Index 61, Ch.149, MCS11)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 201 of 372

7.6.4 Antenna WF5B Radiated Band Edge Measurements (40MHz BW)


RU26




Plot 7-370. Antenna WF5B (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-373. Antenna WF5B (Peak, RU26, Index 17, Ch.151, MCS11)




Plot 7-371. Antenna WF5B (Peak & Average, RU26, Index 17, Ch.38, MCS11)



Plot 7-374. Antenna WF5B (Peak, RU26, Index 0, Ch.159, MCS11)



Plot 7-372. Antenna WF5B (Peak, RU26, Index 0, Ch.151, MCS11)




Plot 7-375. Antenna WF5B (Peak, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 202 of 372


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU52




Plot 7-376. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.62, MCS11)




Plot 7-377. Antenna WF5B (Peak & Average, RU52, Index 44, Ch.62, MCS11)




Plot 7-378. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.102, MCS11)



Plot 7-379. Antenna WF5B (Peak & Average, RU52, Index 44, Ch.102, MCS11)



Plot 7-380. Antenna WF5B (Peak & Average, RU52, Index 37, Ch.110, MCS11)




Plot 7-381. Antenna WF5B (Peak & Average, RU52, Index 44, Ch.110, MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 203 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-382. Antenna WF5B (Peak, RU52, Index 37, Ch.134, MCS11)




Plot 7-383. Antenna WF5B (Peak, RU52, Index 44, Ch.134, MCS11)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 204 of 372

V 11.0 05/2025


RU484




Plot 7-384. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-387. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.62, MCS11)




Plot 7-385. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-388. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.102, MCS11)



Plot 7-386. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-389. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 205 of 372

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-390. Antenna WF5B (Peak & Average, RU484, Index 65, Ch.118 (FCC ONLY), MCS11)




Plot 7-393. Antenna WF5B (Peak, RU484, Index 65, Ch.134, MCS11)




Plot 7-391. Antenna WF5B (Peak, RU484, Index 65, Ch.118 (FCC ONLY), MCS11)



Plot 7-394. Antenna WF5B (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-392. Antenna WF5B (Peak, RU484, Index 65, Ch.126 (FCC ONLY), MCS11)




Plot 7-395. Antenna WF5B (Peak, RU484, Index 65, Ch.159, MCS11)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 206 of 372

7.6.5 Antenna WF5B Radiated Band Edge Measurements (80MHz BW)


RU26




Plot 7-396. Antenna WF5B (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-399. Antenna WF5B (Peak, RU26, Index 36, Ch.155, MCS11)




Plot 7-397. Antenna WF5B (Peak & Average, RU26, Index 36, Ch.42, MCS11)



Plot 7-400. Antenna WF5B (Peak, RU26, Index 0, Ch.155, MCS11)



Plot 7-398. Antenna WF5B (Peak, RU26, Index 0, Ch.155, MCS11)



Plot 7-401. Antenna WF5B (Peak, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-14.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 207 of 372

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.