



7.6.3 Antenna WF9 Conducted Spurious Emissions




Plot 7-119. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU26 – Ch. 1)




Plot 7-120. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU26 – Ch. 1)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 102 of 245




Plot 7-121. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU26 – Ch. 6)




Plot 7-122. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU26 – Ch. 6)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 103 of 245




Plot 7-123. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU26 – Ch. 11)




Plot 7-124. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU26 – Ch. 11)

FCC ID: BCGA3360 IC: 579C-A3360	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 104 of 245



Plot 7-125. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU242 – Ch. 1)




Plot 7-126. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU242 – Ch. 1)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 105 of 245

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-127. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU242 – Ch. 6)




Plot 7-128. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU242 – Ch. 6)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 106 of 245



Plot 7-129. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU242 – Ch. 11)



Plot 7-130. Conducted Spurious Plot Antenna WF9 (802.11be OFDMA – RU242 – Ch. 11)

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 107 of 245

7.7 Radiated Spurious Emissions – Above 1 GHz

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-54 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [$\mu\text{V/m}$]	Measured Distance [Meters]
Above 960.0 MHz	500	3

Table 7-54. Radiated Limits

Test Procedures Used

ANSI C63.10-2020 – Subclause 6.6.4.3

KDB 558074 D01 v05r02 – Sections 8.6, 8.7

Test Settings

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = power average (RMS)
5. Number of measurement points = 1001 (Number of points must be $\geq 2 \times \text{span/RBW}$)
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 108 of 245

V 11.0 5/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-6. Radiated Measurement Setup

Test Notes

1. The optional test procedures for antenna port conducted measurements of unwanted emissions per the guidance of KDB 558074 D01 v05r02 were not used to evaluate this device for compliance to radiated limits. All Radiated Spurious Emissions levels were measured in a radiated test setup.
2. All emissions lying in restricted bands specified in Section 15.205 and Section 8.10 of RSS-Gen are below the limit shown in Table 7-54.
3. The antenna is manipulated through typical positions, polarity and length during the tests. The EUT is manipulated through three orthogonal planes.
4. This unit was tested with its standard battery.
5. The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. Above 1 GHz, average and peak measurements were taken using linearly polarized horn antennas.
6. D is the measurement test distance and emissions 1-18GHz were measured at a 3 meters test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
7. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. Any emissions found to be within 20dB of the limit are fully investigated and the results are shown in this section.
8. The "-" shown in the following RSE tables are used to denote a noise floor measurement.
9. All data rates were investigated and only the worst case is reported.
10. For radiated measurements, emissions were investigated for the fully-loaded RU configuration and for all the partially-loaded RU configurations. Among all of the available partially-loaded RU configurations, only the configuration with the worst case emissions is reported.

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 109 of 245

V 11.0 5/2025

Sample Calculations

Determining Spurious Emissions Levels

- Field Strength Level $_{\text{[dB}\mu\text{V/m]}} = \text{Analyzer Level}_{\text{[dBm]}} + 107 + \text{AFCL}_{\text{[dB/m]}}$
- $\text{AFCL}_{\text{[dB/m]}} = \text{Antenna Factor}_{\text{[dB/m]}} + \text{Cable Loss}_{\text{[dB]}} - \text{Preamplifier Gain}_{\text{[dB]}}$
- $\text{Margin}_{\text{[dB]}} = \text{Field Strength Level}_{\text{[dB}\mu\text{V/m]}} - \text{Limit}_{\text{[dB}\mu\text{V/m]}}$

Radiated Band Edge Measurement Offset


- The amplitude offset shown in the radiated restricted band edge plots in Section 7.7.3 to 7.7.7 was calculated using the formula:
Offset (dB) = (Antenna Factor + Cable Loss + Attenuator) – Preamplifier Gain

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 110 of 245

V 11.0 5/2025

7.7.1 CDD Primary Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



Plot 7-131. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be OFDMA – RU26 – Ch. 1)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	H	-	-	-77.34	4.01	33.67	53.98	-20.31
4824.00	Peak	H	-	-	-65.80	4.01	45.21	73.98	-28.77
12060.00	Average	V	-	-	-79.19	11.35	39.16	53.98	-14.82
12060.00	Peak	V	-	-	-68.43	11.35	49.92	73.98	-24.06

Table 7-55. Radiated Measurements CDD Primary (RU26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 111 of 245

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-132. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be OFDMA – RU26 – Ch. 6)




Plot 7-133. Radiated Spurious Emissions above 18GHz CDD Primary (802.11be OFDMA – RU26 – Ch. 6)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4874.00	Average	H	-	-	-77.62	4.06	33.44	53.98	-20.54
4874.00	Peak	H	-	-	-66.02	4.06	45.04	73.98	-28.94
7311.00	Average	H	-	-	-78.18	7.87	36.69	53.98	-17.29
7311.00	Peak	H	-	-	-66.51	7.87	48.36	73.98	-25.62
12185.00	Average	V	-	-	-79.79	11.36	38.57	53.98	-15.41
12185.00	Peak	V	-	-	-68.82	11.36	49.54	73.98	-24.44

Table 7-56. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 112 of 245




Plot 7-134. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be OFDMA – RU26 – Ch. 11)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Average	H	-	-	-77.64	4.25	33.61	53.98	-20.37
4924.00	Peak	H	-	-	-66.29	4.25	44.96	73.98	-29.02
7386.00	Average	H	-	-	-78.50	7.91	36.40	53.98	-17.58
7386.00	Peak	H	-	-	-66.87	7.91	48.03	73.98	-25.95
12310.00	Average	H	-	-	-79.82	11.86	39.04	53.98	-14.94
12310.00	Peak	H	-	-	-69.04	11.86	49.82	73.98	-24.16

Table 7-57. Radiated Measurements CDD Primary (RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 113 of 245




Plot 7-135. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be OFDMA – RU242 – Ch. 1)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4824.00	Average	V	-	-	-77.43	3.98	33.55	53.98	-20.43
4824.00	Peak	V	-	-	-66.44	3.98	44.54	73.98	-29.44
12060.00	Average	V	-	-	-79.31	11.35	39.04	53.98	-14.94
12060.00	Peak	V	-	-	-68.88	11.35	49.47	73.98	-24.51

Table 7-58. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 114 of 245



Plot 7-136. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be OFDMA – RU242 – Ch. 6)



Plot 7-137. Radiated Spurious Emissions above 18GHz CDD Primary (802.11be OFDMA – RU242 – Ch. 6)


Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4874.00	Average	V	-	-	-77.61	4.06	33.45	53.98	-20.53
4874.00	Peak	V	-	-	-65.99	4.06	45.07	73.98	-28.91
7311.00	Average	V	-	-	-78.34	8.08	36.74	53.98	-17.24
7311.00	Peak	V	-	-	-66.83	8.08	48.25	73.98	-25.73
12185.00	Average	H	-	-	-79.71	11.87	39.16	53.98	-14.82
12185.00	Peak	H	-	-	-69.35	11.87	49.52	73.98	-24.46

Table 7-59. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 115 of 245

V 11.0 5/2025



Plot 7-138. Radiated Spurious Emissions above 1GHz CDD Primary (802.11be OFDMA – RU242 – Ch. 11)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Average	V	-	-	-77.79	4.25	33.46	53.98	-20.52
4924.00	Peak	V	-	-	-66.08	4.25	45.16	73.98	-28.82
7386.00	Average	H	-	-	-78.53	7.91	36.38	53.98	-17.60
7386.00	Peak	H	-	-	-66.95	7.91	47.97	73.98	-26.01
12310.00	Average	H	-	-	-79.25	11.86	39.61	53.98	-14.37
12310.00	Peak	H	-	-	-69.40	11.86	49.46	73.98	-24.52

Table 7-60. Radiated Measurements CDD Primary (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 116 of 245

7.7.2 CDD Diversity Radiated Spurious Emission Measurements

§15.247(d) §15.205 & §15.209; RSS-Gen [8.9]



Plot 7-139. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be OFDMA – RU26 – Ch. 1)


Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4824.00	Average	V	-	-	-77.39	3.98	33.59	53.98	-20.39
4824.00	Peak	V	-	-	-65.66	3.98	45.32	73.98	-28.66
12060.00	Average	V	-	-	-79.32	11.76	39.43	53.98	-14.55
12060.00	Peak	V	-	-	-68.67	11.76	50.09	73.98	-23.89


Table 7-61. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 117 of 245

V 11.0 5/2025



Plot 7-140. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be OFDMA – RU26 – Ch. 6)




Plot 7-141. Radiated Spurious Emissions above 18GHz CDD Diversity (802.11be OFDMA – RU26 – Ch. 6)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4874.00	Average	V	-	-	-77.47	4.09	33.62	53.98	-20.36
4874.00	Peak	V	-	-	-65.81	4.09	45.28	73.98	-28.70
7311.00	Average	H	-	-	-78.51	8.08	36.57	53.98	-17.41
7311.00	Peak	H	-	-	-66.28	8.08	48.80	73.98	-25.18
12185.00	Average	V	-	-	-79.78	11.35	38.56	53.98	-15.42
12185.00	Peak	V	-	-	-69.01	11.35	49.34	73.98	-24.64

Table 7-62. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 118 of 245




Plot 7-142. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be OFDMA – RU26 – Ch. 11)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	4
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4924.00	Average	V	-	-	-77.42	4.10	33.69	53.98	-20.29
4924.00	Peak	V	-	-	-66.16	4.10	44.94	73.98	-29.04
7386.00	Average	H	388	201	-72.67	7.91	42.23	53.98	-11.75
7386.00	Peak	H	388	201	-59.75	7.91	55.16	73.98	-18.82
12310.00	Average	V	-	-	-79.81	11.86	39.05	53.98	-14.93
12310.00	Peak	V	-	-	-69.21	11.86	49.65	73.98	-24.33

Table 7-63. Radiated Measurements CDD Diversity (RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 119 of 245




Plot 7-143. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be OFDMA – RU242 – Ch. 1)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	01


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4824.00	Average	H	-	-	-77.30	4.11	33.81	53.98	-20.17
4824.00	Peak	H	-	-	-65.75	4.11	45.36	73.98	-28.62
7236.00	Peak	V	-	-	-66.96	7.78	47.82	73.98	-26.16
12060.00	Average	V	-	-	-79.58	11.76	39.18	53.98	-14.80

Table 7-64. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 120 of 245



Plot 7-144. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be OFDMA – RU242 – Ch. 6)




Plot 7-145. Radiated Spurious Emissions above 18GHz CDD Diversity (802.11be OFDMA – RU242 – Ch. 6)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2437MHz
Channel:	06

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4874.00	Average	H	-	-	-77.57	4.06	33.49	53.98	-20.49
4874.00	Peak	H	-	-	-65.52	4.06	45.54	73.98	-28.44
7311.00	Average	H	-	-	-78.51	8.08	36.57	53.98	-17.41
7311.00	Peak	H	-	-	-66.62	8.08	48.46	73.98	-25.52
12185.00	Average	V	-	-	-79.75	11.32	38.56	53.98	-15.42
12185.00	Peak	V	-	-	-69.00	11.32	49.31	73.98	-24.67

Table 7-65. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 121 of 245



Plot 7-146. Radiated Spurious Emissions above 1GHz CDD Diversity (802.11be OFDMA – RU242 – Ch. 11)

Worst Case Mode:	802.11be OFDMA
Worst Case Transfer Rate:	MCS0
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
4924.00	Average	H	-	-	-77.45	4.09	33.64	53.98	-20.34
4924.00	Peak	H	-	-	-65.90	4.09	45.19	73.98	-28.79
7386.00	Average	H	-	-	-78.55	7.98	36.43	53.98	-17.55
7386.00	Peak	H	-	-	-66.61	7.98	48.37	73.98	-25.61
12310.00	Average	H	-	-	-79.88	11.91	39.03	53.98	-14.95
12310.00	Peak	H	-	-	-69.31	11.91	49.59	73.98	-24.39

Table 7-66. Radiated Measurements CDD Diversity (RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 122 of 245


7.7.3 Antenna WF8 Radiated Restricted Band Edge Measurements RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-147 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11




Plot 7-148 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 123 of 245


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-151 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-152 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 125 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-153 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-154 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 126 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-155 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-156 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 127 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-157 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-158 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 128 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-159 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-160 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 129 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-161 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-162 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 130 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-163 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-164 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 131 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-165 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-166 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 132 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-167 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-168 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 133 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-169 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-170 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 134 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-171 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-172 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 135 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-173 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-174 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 136 of 245


RU242

Mode:	802.11be OFDMA
Transfer Rate:	MCS9
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	1



Plot 7-175 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)

Mode:	802.11be OFDMA
Transfer Rate:	MCS9
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	2417MHz
Channel:	2




Plot 7-176 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 137 of 245

V 11.0 5/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-177 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-178 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 138 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-179 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-180 Radiated Restricted Lower Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 139 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-181 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-182 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 140 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-183 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-184 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 141 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-185 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-186 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 142 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-187 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-188 Radiated Restricted Upper Band Edge Measurement Antenna WF8 (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 143 of 245

7.7.4 Antenna WF7 Radiated Restricted Band Edge Measurements


RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-189 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU26)


Mode: 802.11be OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-190 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 144 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-191 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-192 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 145 of 245


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-193 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1




Plot 7-194 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 146 of 245


V 11.0 5/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-195 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-196 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 147 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-197 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-198 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 148 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-199 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-200 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 149 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-201 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-202 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 150 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-203 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-204 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 151 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-205 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-206 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 152 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-207 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-208 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 153 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-209 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-210 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 154 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-211 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-212 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 155 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-213 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-214 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 156 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-215 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-216 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 157 of 245


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-217 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2




Plot 7-218 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 158 of 245


V 11.0 5/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-219 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4




Plot 7-220 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 159 of 245


V 11.0 5/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-221 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6




Plot 7-222 Radiated Restricted Lower Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 160 of 245


V 11.0 5/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-223 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-224 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 161 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-225 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-226 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 162 of 245