



Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-227 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-228 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 163 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-229 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-230 Radiated Restricted Upper Band Edge Measurement Antenna WF7 (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 164 of 245


7.7.5 Antenna WF9 Radiated Restricted Band Edge Measurements RU26

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 0
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-231 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-232 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 165 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-233 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-234 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 166 of 245


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-235 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1




Plot 7-236 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 167 of 245


V 11.0 5/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-237 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-238 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 168 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-239 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-240 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 169 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-241 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-242 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 170 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-243 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-244 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 171 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-245 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-246 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 172 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-247 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-248 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 173 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-249 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-250 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 174 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-251 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11




Plot 7-252 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 175 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12




Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12




FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 176 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-255 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-256 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 177 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-257 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-258 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 178 of 245


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-259 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-260 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 179 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-261 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-262 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 180 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-263 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 6



Plot 7-264 Radiated Restricted Lower Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 181 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-265 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-266 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 182 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-267 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-268 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 183 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-269 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-270 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 184 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-271 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-272 Radiated Restricted Upper Band Edge Measurement Antenna WF9 (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 185 of 245


7.7.6 CDD Primary Radiated Restricted Band Edge Measurements RU26

Mode: 802.11be OFDMA
 Transfer Rate: MCS9
 RU Index: 0
 Distance of Measurements: 3 Meters
 Operating Frequency: 2412MHz
 Channel: 1



Plot 7-273 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU26)


Mode: 802.11be OFDMA
 Transfer Rate: MCS9
 RU Index: 8
 Distance of Measurements: 3 Meters
 Operating Frequency: 2462MHz
 Channel: 11



Plot 7-274 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 186 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-275 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-276 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 187 of 245

MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-277 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1




Plot 7-278 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 188 of 245

V 11.0 5/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-279 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-280 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 189 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-281 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-282 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 190 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-283 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-284 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 191 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-285 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-286 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 192 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-287 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-288 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 193 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-289 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-290 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 194 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-291 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-292 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 195 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-293 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-294 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 196 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-295 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-296 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 197 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-297 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-298 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 198 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-299 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-300 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 199 of 245


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-301 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-302 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 200 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-303 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-304 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 201 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-305 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-306 Radiated Restricted Lower Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 202 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-307 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-308 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 203 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-309 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-310 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 204 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-311 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11




Plot 7-312 Radiated Restricted Upper Band Edge Measurement CDD Primary (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 205 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 206 of 245

7.7.7 CDD Diversity Radiated Restricted Band Edge Measurements


RU26

Mode:	802.11be OFDMA
Transfer Rate:	MCS9
RU Index:	0
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	1



Plot 7-315 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU26)


Mode:	802.11be OFDMA
Transfer Rate:	MCS9
RU Index:	8
Distance of Measurements:	3 Meters
Operating Frequency:	2462MHz
Channel:	11



Plot 7-316 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 207 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-317 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 8
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13




Plot 7-318 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 208 of 245


MRU

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-319 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-320 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 209 of 245


V 11.0 5/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-321 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-322 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 210 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-323 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-324 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 211 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-325 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-326 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 212 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-327 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-328 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 213 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-329 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-330 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 214 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-331 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-332 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 215 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-333 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-334 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 216 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-335 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-336 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 217 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-337 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-338 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 218 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-339 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 70
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-340 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 219 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 71
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-341 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 72
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-342 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU52+26)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 220 of 245


RU242

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-343 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2




Plot 7-344 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 221 of 245


V 11.0 5/2025

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-345 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-346 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 222 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-347 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-348 Radiated Restricted Lower Band Edge Measurement CDD Diversity (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 223 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6



Plot 7-349 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-350 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 224 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-351 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-352 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 225 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-353 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-354 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)


FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 226 of 245

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-355 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)

Mode: 802.11be OFDMA
Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2472MHz
Channel: 13



Plot 7-356 Radiated Restricted Upper Band Edge Measurement CDD Diversity (Peak & Average – RU242)

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 227 of 245

7.8 Radiated Spurious Emissions – Below 1GHz

§15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-67 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-67. Radiated Limits

Test Procedures Used

ANSI C63.10-2020

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 228 of 245

V 11.0 5/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-7. Radiated Test Setup < 30MHz




Figure 7-8. Radiated Test Setup < 1GHz

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 229 of 245

V 11.0 5/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (8.10) are below the limit shown in Table 7-67.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector for emissions within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. The wide spectrum spurious emissions plots shown on the following pages are used only for the purpose of emission identification. There were no emissions detected in the 30MHz – 1GHz frequency range, as shown in the subsequent plots.
10. All antenna configurations and data rates were investigated and only the worst case are reported.
11. For radiated measurements, emissions were investigated for the fully-loaded RU configuration and for all the partially-loaded RU configurations. Among all of the available partially-loaded RU configurations, only the configuration with the worst case emissions is reported.
12. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger

Sample Calculations


Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level}_{[dBm]} + 107 + \text{AFCL}_{[dB/m]}$
- $\text{AFCL}_{[dB/m]} = \text{Antenna Factor}_{[dB/m]} + \text{Cable Loss}_{[dB]} - \text{Preamplifier Gain}_{[dB]}$
- $\text{Margin}_{[dB]} = \text{Field Strength Level}_{[dB\mu V/m]} - \text{Limit}_{[dB\mu V/m]}$

FCC ID: BCGA3360 IC: 579C-A3360	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 230 of 245

7.8.1 CDD Primary Radiated Spurious Emissions Measurements (Below 1GHz)

§15.209; RSS-Gen [8.9]



Plot 7-357. Radiated Spurious Emissions below 1GHz CDD Primary Ch.6 (RU26), with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
36.35	Max Peak	V	100	358	-61.47	-17.72	27.81	40.00	-12.19
79.08	Max Peak	V	100	327	-57.49	-22.93	26.58	40.00	-13.42
103.38	Max Peak	H	100	70	-66.99	-17.97	22.04	43.52	-21.48
170.60	Max Peak	H	100	195	-59.49	-20.27	27.24	43.52	-16.28
248.49	Max Peak	V	100	138	-66.68	-16.39	23.93	46.02	-22.09
400.25	Max Peak	V	300	43	-71.52	-12.70	22.78	46.02	-23.24

Table 7-68. Radiated Spurious Emissions below 1GHz CDD Primary Ch.6 (RU26), with AC/DC Adapter

FCC ID: BCGA3360 IC: 579C-A3360		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170040-06.BCG	Test Dates: 05/12/2025 - 07/28/2025	EUT Type: Tablet Device	Page 231 of 245

V 11.0 5/2025